

TOPOLOGIA 3


El proposito de esta topologia es poder establecer una conexión vpn entre una pc y un firewall fortigate y poder entrar por ssh a un servidor solamente si el tunel esta activo.

Matrícula: 2025-1410

La ip base se basará en los últimos 4 digitos de la matricula

Red base: 14.10.0.0/16

Subred	Dirección de Red	Máscara	Prefijo	Hosts Usables	Rango de Host Útil	Broadcast	Uso / Asignación
1	14.10.1.0	255.255.255.252	/30	2	14.10.1.1 – 14.10.1.2	14.10.1.3	ISP ↔ R1 (.1 = eth0, .2 = ISP)
2	14.10.2.0	255.255.255.252	/30	2	14.10.2.1 – 14.10.2.2	14.10.2.3	ISP ↔ FortiGate (.1 = FGT, .2 = ISP)
3	14.10.10.0	255.255.255.128	/25	126	14.10.10.1 – 14.10.10.126	14.10.10.127	LAN Usuarios / VLAN10 (.1 = Gateway R1)
4	14.10.20.0	255.255.255.240	/28	14	14.10.20.1 – 14.10.20.14	14.10.20.15	LAN Servidor Web (.1 = Gateway FGT, .2 = Server)



FORTIGATE

FortiGate - FortiGate-VM64-KVM x

192.168.189.155/ng/interface

FortiGate VM64-KVM

Name	Type	Members	IP/Netmask	Administrative Access	DHCP Clients	DHCP Ranges	Ref.
802.3ad Aggregate							
fortilink	802.3ad Aggregate		Dedicated to FortiSwitch	PING Security Fabric Connection		10.255.1.2-10.255.1.254	2
Physical Interface							
fortigate 2 (port1)	Physical Interface		14.10.2.2/255.255.255.252	PING SSH FMG-Access			7
VPN_FTG2_a_1	Tunnel Interface		0.0.0.0/0.0.0.0				4
port3	Physical Interface		0.0.0.0/0.0.0.0				0
port4	Physical Interface		192.168.189.155/255.255.255.0	PING HTTPS SSH HTTP			0
Servers (port2)	Physical Interface		14.10.20.1/255.255.255.240	PING			5
Tunnel Interface							
NAT interface (natroot)	Tunnel Interface		0.0.0.0/0.0.0.0				0

Security Rating Issues

Updated: 16:42:48

FortiGate - FortiGate-VM64-KVM

192.168.189.155/ng/firewall/virtual-ip/vip/edit/VIP_WebServer

FortiGate-VM64-KVM

Dashboard

Network

Policy & Objects

Firewall Policy

IPv4 DoS Policy

Addresses

Internet Service Database

Services

Schedules

Virtual IPs

IP Pools

Protocol Options

Traffic Shaping

Security Profiles

VPN

User & Authentication

System

Security Fabric

Log & Report

FortiGate

FortiGate-VM64-KVM

Statistics (since last reset)

ID	1
Last used	14 minute(s) ago
First used	42 minute(s) ago
Hit count	3

Clear Counters

Last 7 Days Hit Count

Additional Information

API Preview

References

Edit in CLI

Documentation

OK Cancel

FortiGate - FortiGate-VM64-KVM

192.168.189.155/ng/firewall/policy/policy/standard/edit/4

FortiGate-VM64-KVM

Dashboard

Network

Policy & Objects

Firewall Policy

IPv4 DoS Policy

Addresses

Internet Service Database

Services

Schedules

Virtual IPs

IP Pools

Protocol Options

Traffic Shaping

Security Profiles

VPN

User & Authentication

System

Security Fabric

Log & Report

FortiGate

FortiGate-VM64-KVM

Statistics (since last reset)

ID	4
Last used	15 minute(s) ago
First used	43 minute(s) ago
Active sessions	0
Hit count	3
Total bytes	46.00 kB
Current bandwidth	0 bps

Clear Counters



Last 7 Days Bytes



Additional Information



API Preview



Edit in CLI

OK Cancel










```

root@Ubuntu:/# curl -k https://14.10.2.2

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <!--
    Modified from the Debian original for Ubuntu
    Last updated: 2016-11-16
    See: https://launchpad.net/bugs/1288690
  -->
</head>

```



```

root@Ubuntu:/# ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
265: eth0@if266: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UP group default
    link/ether 02:42:0a:b1:00:03 brd ff:ff:ff:ff:ff:ff link-netnsid 0
    inet 10.177.0.3/16 brd 10.177.255.255 scope global eth0
        valid_lft forever preferred_lft forever
268: docker29_0@if267: <BROADCAST,MULTICAST> mtu 1500 qdisc noop state DOWN group default qlen 1000
    link/ether 50:00:00:1d:00:00 brd ff:ff:ff:ff:ff:ff link-netnsid 0
270: eth1@if269: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UP group default qlen 1000
    link/ether 50:00:00:1d:00:01 brd ff:ff:ff:ff:ff:ff link-netnsid 0
    inet 14.10.10.2/25 brd 14.10.10.127 scope global dynamic eth1
        valid_lft 79165sec preferred_lft 79165sec
272: eth2@if271: <NO-CARRIER,BROADCAST,MULTICAST,UP> mtu 1500 qdisc noqueue state LOWERLAYERDOWN group default qlen 1000
    link/ether 50:00:00:1d:00:02 brd ff:ff:ff:ff:ff:ff link-netnsid 0
root@Ubuntu:/#

```