Use of offline function instructions

The converter has 2 offline functions that can be offline to send data (not more than 330 pieces of data), or offline data (no more than 100 replies).

1. Offline Reply to reply




If we need to get offline to respond to the following configuration. After receiving the standard frame ID 0x00000001, we need to reply the data standard frame ID 0x00000002, and the corresponding data 11 22 33 44 55 66 77 88.


After receiving the standard frame ID 0x00000003, we need to reply the data standard frame ID 0x00000004, and the corresponding data 12 23 34 45 56.

After receiving the standard frame ID 0x00000005, we need to reply the data standard frame ID 0x00000006, and the corresponding data 36 21 36 32 85 99.

The configuration is as follows (the configuration can refer to the software response and the configuration instructions in the instructions):



Click on the button Download, the configuration data will be downloaded to the converter, after download will jump out the following dialog box display,




click confirm.

Click the button Enable, the converter accepts the ID in the reply area, then automatically responders to the corresponding ID and data, without the need for PC software to reply.

Click the button Disable, the converter cancels the offline Reply function, and accepts the reply receiving ID in the reply area, does not reply.

2. Offline multi frame transmission




Suppose we want to send standard frame data frames.

The 0x00000010 corresponds to a 01 02 03 04 05 06 07 08 interval of 20ms.


The corresponding data of 0x00011 is $11\ 22\ 33\ 44\ 55$ with an interval of 20ms

The 0x00000012 corresponds to a 12 23 34 45 interval of 20ms. The 0x00000013 corresponds to a 00 01 02 03 04 05 06 07 interval of 20ms.

The configuration is as follows (the configuration can refer to the software multiple frames to send the configuration instructions in the instructions).



Click the button to download the configuration data of the multi frame sending area to the converter. After the download is completed, it will jump out of the dialog box to display as follows



Clicking the button is OK

When the button is clicked, the converter will circulate the ID and the corresponding data in the multi frame transmission area directly in a direct offline order, without the need to send it through the host computer software.

Click the button Disable, the converter will cancel the offline sending function, no longer offline to send any data.