

Main Layout

Table departments

pk_departments

* Pk	department_id	INT
*	title	TINYTEXT
Indexes		

department_id

Options

Pk

ENGINE=InnoDB AUTO_INCREMENT=2 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci

Table employees

* Pk	employee_id	INT
* Idx	name_id	INT
* Idx	position_id	INT
	supervisor_id	INT
* Idx	department_id	INT
	addeddate	TIMESTAMP
Indexes		
Dŀ	nk employees	employee id

Merco		
Pk	pk_employees	employee_id
	name_id	name_id
	position_id	position_id
	department_id	department_id

Foreign Keys

```
employees_ibfk_1 ( name_id ) ref names ( name_id )
employees_ibfk_2 ( position_id ) ref positions ( position_id )
employees_ibfk_3 ( department_id ) ref departments ( department_id )
```

Options

ENGINE=InnoDB AUTO_INCREMENT=14 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci

Table names

* Pk	name_id	INT
*	name	TINYTEXT
*	birthday	DATE
*	address	TEXT
*	phonenumber	BIGINT
Indexes		
Pk	pk_names	name_id
Options		

ENGINE=InnoDB AUTO_INCREMENT=14 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci

Table positions

Tuble bositions		
* Pk	position_id	INT
*	title	TINYTEXT
Indexes		
Pk	pk_positions	position_id

Options

ENGINE=InnoDB AUTO_INCREMENT=2 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci

Schema catalog		
unctions		
ddEmployeeFunc		
rocedures		
ddEmployee		
etDepartments		
GetEmployees		
etPositions		
etSupervisors		