

Appendix 2: Example scenarios


Four scenarios were mapped and analysed in more detail as examples. These are not intended to describe definitive solutions, but were selected as examples of good solutions:

- I. Mothership model with 24 comprehensive stroke centres (CSC) providing intravenous thrombolysis (IVT) and endovascular thrombectomy (ET), where all patients attend their closest CSC. Locations based on the existing 24 neuroscience centres.
- II. Mothership model with 30 CSCs providing IVT and ET, where patients attend closest centre. Locations based on using all 18 neuroscience centres outside of London, 4 London neuroscience centres, and 8 further centres that maximise the proportion of patients within 45 minutes of a CSC while keeping all admissions to hospitals above 1,500.
- III. Drip n ship model with 30 CSCs as in scenario II. The location of 50 additional Hyper Acute Stroke Units (HASU) were selected in order to maximise the proportion of patients within 30 minutes of a HASU while keeping all the first admissions to hospitals in the range 600 to 2,00 per year. Patients first attend their closest unit regardless of type with onwards travel to CSC if patient requires endovascular thrombectomy (ET). Show a map for IVT and for ET
- IV. Drip n ship model with 30 CSCs and 50 HASUs as in scenario III, but with a 15 minute allowable delay to IVT to first attend a CSC in favour of a HASU, with onwards travel to CSC if patient requires endovascular thrombectomy (ET).


A summary of the performance of the scenarios is shown below:

	Scenario					
	I	II	III		IV	
	24 CSC	30 CSC	30 CSC + 50 HASU		30 CSC + 50 HASU	
			Attend closest unit		15 min allowable delay for CSC	
			IVT	ET	IVT	ET
Number of hospitals	24	30	80	30	80	30
Average travel time (mins)	38	32	22	79	24	54
Maximum travel time (mins)	142	142	99	237	104	237
Minimum admissions (IVT)	1,264	1,532	601	n/a	32	n/a
Maximum admissions (IVT)	6,118	5,723	1,879	n/a	4,320	n/a
Minimum admissions (ET)	126	153	n/a	98	n/a	128
Maximum admissions (ET)	612	572	n/a	690	n/a	603
Patients within 15 mins (%)	13%	14%	34%	13%	28%	14%
Patients within 30 mins (%)	43%	52%	80%	32%	73%	48%
Patients within 45 mins (%)	71%	82%	95%	39%	94%	65%
Patients within 60 mins (%)	86%	93%	98%	40%	98%	69%
Patients within 90 mins (%)	96%	99%	100%	43%	100%	71%
Patients within 120 mins (%)	100%	100%	100%	80%	100%	89%
Patients within 150 mins (%)	100%	100%	100%	94%	100%	96%

Map 1. Scenario 1 - Mothership model with 24 CSC: patient travel times and centre catchment areas for patients attending their closest centre.



Map 2. Scenario 2 - Mothership model with 30 CSC: patient travel times and centre catchment areas for patients attending their closest centre.




30 CSC Mothership Model

Average travel time (mins)	32
Maximum travel time (mins)	142
Minimum admissions (IVT)	1,532
Maximum admissions (IVT)	5,723
Minimum admissions (ET)	153
Maximum admissions (ET)	572

Travel time (mins)	Yearly admissions
0 to 15	11,012
15 to 30	31,106
30 to 45	24,431
45 to 60	8,479
60 to 90	4,646
90 +	1,136

Cumulative percentage
14%
52%
82%
93%
99%
100%

Map 3. Scenario 3 - Drip n ship model with 30 CSC and 50 HASU: patient travel times and centre catchment areas for patients attending first admitted centre (for IVT).




30 CSC & 50 HASU, Thrombolysis Drip 'n Ship Model

Average travel time (mins)	22
Maximum travel time (mins)	99
Minimum admissions (IVT)	601
Maximum admissions (IVT)	1,879


Travel time (mins)	Yearly admissions	Cumulative percentage
0 to 15	27,264	34%
15 to 30	37,024	80%
30 to 45	12,474	95%
45 to 60	2,789	98%
60 to 90	1,164	100%
90 +	95	100%

Map 4. Scenario 3 - Drip n ship model with 30 CSC and 50 HASU: patient travel times (including transfer & related delays) and CSC catchment areas for patients attending CSC for ET. Yellow stars show CSC locations, yellow dots show HASU locations.




30 CSC & 50 HASU, Thrombectomy Drip 'n Ship Model

Average time from pickup to ET centre (mins)	79
95 th percentile time from pickup to ET centre (mins)	154
Minimum admissions (ET)	98
Minimum admissions (ET)	690



Map 5. Scenario 4 - Drip n ship model with 30 CSC and 50 HASU with a 15 minute allowable IVT delay: patient travel times and centre catchment areas for patients attending first admitted centre (for IVT).




30 CSC & 50 HASU, Thrombolysis Drip 'n Ship Model with 15 mins allowable delay

Average travel time (mins) 24
 Maximum travel time (mins) 104
 Minimum admissions (IVT) 32
 Maximum admissions (IVT) 4,320

Travel time (mins)	Yearly admissions	Cumulative percentage
0 to 15	22,672	28%
15 to 30	36,194	73%
30 to 45	16,725	94%
45 to 60	3,592	98%
60 to 90	1,388	100%
90 +	239	100%

Map 6. Scenario 4 - Drip n ship model with 30 CSC and 50 HASU with 15 minute allowable IVT delay: patient travel times (including transfer & related delays) and CSC catchment areas for patients attending centre for ET. Yellow stars show CSC locations, yellow dots show HASU locations.



30 CSC & 50 HASU, Thrombectomy Drip 'n Ship Model with 15 mins allowable delay

Average time from pickup to ET centre (mins)	54
95 th percentile time from pickup to ET centre (mins)	140
Minimum admissions (ET)	128
Minimum admissions (ET)	603




Figure 1. Arrival times to intravenous thrombolysis (IVT) and endovascular thrombectomy (ET) centres. The left panel shows percentile travel times to arrival at first admitting hospital (which is able to provide IVT if required). The right panel shows percentile travel times to an ET-capable centre. Four example scenarios are shown: I) 24 comprehensive stroke centres (CSC) providing IVT and ET where all patients attend closest centre, II) as (I) with 30 CSCs, III) 30 CSC and 50 hyper acute stroke centres (HASU) providing IVT-only, where all patients first attend closest centre with onwards travel to CSC if patient requires endovascular thrombectomy (ET), IV) as (III) but with an allowable IVT delay of 15 minutes.




Figure 2. Hospital admissions per year at first admitting hospital (top panel) and ET centre (bottom panel). Four examples scenarios are shown: I) 24 comprehensive stroke centres (CSC) providing IVT and ET where all patients attend closest centre, II) as (I) with 30 CSCs, III) 30 CSC and 50 hyper acute stroke centres (HASU) providing IVT-only, where all patients first attend closest centre with onwards travel to CSC if patient requires endovascular thrombectomy (ET), IV) as (III) but with an allowable IVT delay of 15 minutes.

