



 BZD AUC

 Reference (vertical line)


 Med 95%



Fold Change in BZD AUC Relative to Reference

Median (points)
95% CI (horizontal lines)

Reference (vertical line)




Fold Change of Parameter Relative to Ref

WEIGHT	86.7 kg (30 years)	1.01 [0.96–1.07]	0.96 [0.91–1.01]
	74 kg (34 years)	1.08 [1.03–1.15]	1.07 [1.01–1.13]
	61.9 kg (42 years)	1.18 [1.08–1.29]	1.22 [1.12–1.33]
	25 kg (7 years)	1.21 [0.98–1.43]	1.88 [1.43–2.40]
		BZD AUC	BZD Cmax

Median (points)
95% CI (horizontal lines)

Reference (vertical line)



Fold Change of Parameter Relative to Ref

WEIGHT	86.7 kg (30 years)	1.01 [0.96–1.07]	0.96 [0.91–1.01]
	74 kg (34 years)	1.08 [1.03–1.15]	1.07 [1.01–1.13]
	61.9 kg (42 years)	1.18 [1.08–1.29]	1.22 [1.12–1.33]
	25 kg (7 years)	1.21 [0.98–1.43]	1.88 [1.43–2.40]
		BZD AUC	BZD Cmax