


Haptic Pattern Representation Using Music Technologies

Michael Cumming | mcumming@ocadu.ca

Co-authors: Adam Tindale | Sara Diamond

Visual Analytics Lab | 2015-01-27


CIM14: Conf. on Interdisciplinary Musicology Berlin | 2014-12-04




1 Wrist-wearables for transmedia gaming

Vibrotactile arrays are a new type of component for wearables

- They can be placed on the wrist, or elsewhere on the body
- For non-disruptive notification and tactile entertainment





3D printed band for an array of vibrating motors.

2 Research Questions

- What is the easiest way to author patterns for these devices?
- Is musical notation suitable?
- Does musical notation align with the types of 'compositions' required for these devices?
 - For example:
 - if arrays are 2D and circular, should music also be '2D'?

3 Use Cases for the Bracelet

- Interface with Time Tremor mobile app
- Interpret wrist gestures of child player
- Notify player when treasures are earned
- Offer a variety of vibrotactile clues related to game narrative



Time Tremor app for the AGO, by Xenophile Media.

4 Music Notation

A highly evolved and standardized graphical language

- Time & duration represented horizontally
- Pitch normally represented vertically
- More than one part possible on one staff
- More staves can be added for additional parts



Output from Lilypond software.

5 Lilypond Music Notation Software


```
melody_d = \relative c, {  
  <c, e g b d f a >  
}  
  
melody_x = \relative c' {  
  \repeat unfold 1 { c8 d e g }  
  \repeat unfold 1 { c,8 d ef gf }  
  \repeat unfold 1 {  
    <c, e g>4 <c ef gf >4 <c es g >4 <c e g >4 |  
  } %<g c e> <e g c> <c e g>  
}  
  
\score {  
  \new StaffGroup  
  <<  
  
    \new Staff {  
      \set Staff.instrumentName = #"Row 01"  
      \clef "treble"  
      \new Voice {  
        \voiceOne \melody_a  
      }  
    }  
  }  
}
```

Example of Lilypond musical markup.


6 Material Explorations



Early felt bracelet with buttons and vibe motors.



Early rubber bracelet with vibe motors.



Early 3D printed bracelet with vibe motors.



3D printed meander band 1.



3D printed meander band 2.



Molded resin bead 1.



Molded resin bead 2.


7 Notation Experiment 1

Single Vibe Motor

Device with no spatial dimension (0D = point)



Device with a single vibe motor




Score for single vibe motor playing a simple 'solo' rhythm

- Time = horizontal axis
- Rhythmic information as per standard musical notation
- Vertical position does not vary
- Information is not very dense (single line score would suffice)


8 Notation Experiment 2

Line of Vibe Motors

Device with one spatial dimension (1D = linear)
Vertical note position maps to five components



Device with a line of vibre motors.




Score for a linear array of five vibre motors

- Specifies activations for five, independent vibre motors
- Vertical staff position specifies vibre motor to activate
- PROBLEM: Five unpitched parts on one staff are hard to read, especially if rhythms are complex
- NEXT STEP: Make notation less dense and more readable

9 Notation Experiment 2,

Less density, more readability

Part numbering maps to five components



The image shows a musical score for five vibrotactile motors, labeled Vibe 1 through Vibe 5. Each motor has a single-line staff with a common time signature 'C'. The notation uses rhythmic symbols: a half note, a quarter note, an eighth note, and a dotted quarter note. Vibe 1 and Vibe 2 have a more complex, melodic-like pattern. Vibe 3 has a simpler, more rhythmic pattern. Vibe 4 and Vibe 5 have a pattern of eighth notes. A vertical bar line divides the score into two measures. Below the staves, the text 'Score for a linear array of five vibre motors' is written.


Score for a linear array of five vibre motors

- Specifies activations for five, independent components
- Five part single-line staff, rhythmic notation
- NEXT STEP: Make notation suitable for two dimensional arrays of vibe motors

10 Notation Step 3

2D Array of Vibe Motors

Device with two spatial dimension (2D = planar)



Device with an array of vibe motors



Score where each staff represents one COLUMN of vibe motors



Score where each staff represents one ROW of vibe motors

- Ten components that need independent addressability
- Either five staves (for columns) or two staves (for rows)

11 Results & Conclusion

- Standard music notation provides a nuanced, graphical representation for rhythmic events, which is hugely useful for our purposes.
- Music notation is typically two-dimensional: x-axis handles time; y-axis represents pitch and parts
- Physical adjacencies of musical instruments are usually not represented in their notation, therefore, authoring for 2D arrays is not straightforward.
- Multiplication of parts and staves seems the simplest [naive] approach

12 Future Work

- Future work depends on functional prototypes that require vibrating activation patterns
- Connecting mobile narratives to these devices and patterns seems particularly promising
- Conceivably, several 'musical' genres could arise from such work

13 Thanks for your attention!

Michael Cumming | mcumming@ocadu.ca

OCAD University, Toronto, Canada

