The Dated Prediction Register: when was each prediction made, and did it come before the evidence?

Overviews and records · Register

Recursive Dynamics · The ARC Theory · The programme's dated predictions

Michael Darius Eastwood

Independent Researcher, London, United Kingdom
ORCID 0009-0004-3222-7442 michael@michaeldariuseastwood.com

Abstract

A prediction supports a theory only if it was made before the evidence that tested it. Five cold-model assessments of this programme converged on one criticism: that its confirmations might be accommodations. This register answers it with one dated chain and states exactly what the chain does and does not establish. It does not make the programme preregistered in the registry sense: registered is kept for an accepted registry submission, and a design fixed by a dated timestamp before its run is called preregistered by timestamp. It establishes something narrower and checkable: every core quantitative claim has at least one dated artefact fixing it before the measurement that tested it, except Paper VII's fifty-domain cohort, whose predictions were not timestamped in advance of their own fits, and a stranger can verify each link in minutes from public materials. The claim is the conjunction: any single prediction here may have been stated earlier by someone else, and where that is known it is listed as convergence; what no earlier record contains is all of these statements together, in one record, before the programme's experiments ran. The chain runs from a sealed manuscript bundle of 8 December 2024, through a printed edition of 2 January 2026 with nine numbered predictions and their falsification criteria, a public priority ledger of 13 February 2026 and result files of March 2026 whose headers froze designs and planted answers before the responses, to twelve predictions committed in public before their fits on 17 March 2026 and the staged draft registrations. Its sharpest artefact is a correction: public commit history shows the author demoting his own successful 10/12 result from "pre-registered" to "pilot dry run" thirteen minutes after recording it. A census gives every dated prediction with its date, the kind of record that dates it and its status.

Version 2.2 brings the register's record of registration up to date, with the registered verdict on P21, and makes its corrections; Appendix B lists every version and correction, with its date.

A register of the ARC Theory (the Theory of Artificial Recursive Creation), the founding theory of Recursive Dynamics, the field the author founded. This register records every dated prediction of the programme in one chain, from a sealed manuscript bundle of 8 December 2024 to the staged draft registrations, with each prediction's date, the kind of record that dates it and its status; it bears on the theory's laws only as a dated record and decides none of them. Register, version 2.2, 9 November 2026; first published 25 August 2026; Appendix B lists every version and correction. DOI 10.17605/OSF.IO/C3NTF. About the author, without an institution or a doctorate: michaeldariuseastwood.com/questions/who-is-michael-darius-eastwood; his book, *Infinite Architects*, first edition as printed: osf.io/dqm3e. Licence: CC BY 4.0.

Contents

1 The doctrine, stated exactly **3**

2 The chain **3**

3 The printed appendices, graded severally **5**

4 The thirteen minutes **6**

5 What this register does not establish **6**

6 Standing wagers, open and dated **7**

7 Verification **7**

8 The census: every dated prediction in the programme **7**
8.1 The theory's twenty-two propositions 8
8.2 The registered units 15
8.3 The draft designs, preregistered by timestamp 16
8.4 The printed predictions and their outcomes 17
8.5 Predictions fixed inside designs 18
8.6 The standing wagers 19

References **20**

A Dated notes **23**

B Version history and corrections **24**

C Priority record **26**

D Notation and glossary **26**
D.1 Terms 26
D.2 Symbols 27

E How to cite this register **27**

1 The doctrine, stated exactly

Three vocabulary rules govern every sentence of this paper. First, as amended on 3 October 2026, *registered* is kept for a registry submission that has been accepted, and a design fixed by a dated timestamp before its run is *preregistered by timestamp*, with its date and receipt, which has been the programme's usage since 24 September 2026; as read on 9 November 2026, four of the programme's studies have accepted registry submissions, the submission click is a human act, and no tool or agent performs it. Second, the printed book (Eastwood 2026f) is a *prior statement*, never a preregistration: print fixes a prediction, but only a registration fixes an analysis plan. Third, forward statements and retrospective matches are never summed: this register contains only dated forward statements, and retrospective convergences live separately in the convergence register, typed by evidence class. The state under the first rule, as read on 9 November 2026, is this. Five registrations have been accepted. One is the theory registration of 8 September 2026, which registers the theory's twenty-two propositions and its five laws, each a law under test: Laws I to III since 8 September 2026, and Laws IV and V since its version 1.103 of 15 October 2026 (Section 8.1); it is not the registration of any study. The other four are registrations of trials, each submitted by the author and accepted by OSF: Unit 06 (1 October 2026), Unit 83 (22 October 2026), Unit 82 (27 October 2026) and Unit 83b (7 November 2026), each set out in Section 8.2. Every other trial is a draft awaiting the author's submission, apart from those Section 8.3 gives as held, withdrawn, set aside or superseded. Sixty-five of the programme's designs, Unit 06 among them, are preregistered by timestamp, the first of them anchored on 12 August 2026 at Bitcoin block 962066.

The questions this register serves have long literatures: when a prediction made before its evidence counts for more than an accommodation (Hitchcock and Sober 2004), the cost of hypothesising after the results are known (Kerr 1998), and the practice of fixing a plan before the data (Nosek et al. 2018); this register applies them to one programme's dated record. The claim made here is the conjunction. Each part may be conceded individually without cost: someone may have predicted any one of these things earlier, a folder is not a registry, a book is not an analysis plan. The dated co-occurrence of all of them in one record before the programme's experiments ran is the claim, and it is refutable: produce an earlier single record containing this ensemble, or show any link's date to be wrong.

2 The chain

Table 1. The chain: each row gives a dated artefact, what it fixes and its status.

Date	Artefact	What it fixes	Status
8 Dec 2024	Sealed manuscript bundle (Eastwood 2024), five attachments, 221,236 words; self-emailed, date per the sender-copy Date header; its SHA-256 hash fixes the bytes; received copies carry the authenticated header chain	The framework's core commitments in writing before any experiment	dated private record
30 Apr 2025	Intermediate manuscript (Eastwood 2025)	Earliest verbatim anchor for several later-published passages; corroborated on live pages	dated private record

Table 1 (continued)

Date	Artefact	What it fixes	Status
2 Jan 2026	Print edition (Eastwood 2026f), ISBN 978-1806056200: Appendix F (five numbered predictions) and Appendix A (§A.3 four further predictions; §A.4 falsification criteria)	Nine numbered predictions with deadlines, thresholds or falsifiers, in print	printed public record
13 Feb 2026	Paper III's Priority Record section, publicly dated, falsifiers F4, F7, F10 to F12	Named predictions including the composition-operator forward test and the leaf venation $d/(d+1)$ exponent (whose 10 March correction is itself dated)	public dated ledger
10 Mar 2026	The live laboratory notebook (Eastwood 2026h), its header as published on 25 August 2026: "Date Commenced: 10 March 2026 · Document Version: Live - updated in real time"	The experiments recorded as they ran, failures included (the v4 directions that did not hold in the v5 run, which changed several components at once; Paper IV.d)	live dated record
11 and 12 Mar 2026	Thirty-six result files in the public repository (Eastwood 2026a)	Depth configurations, planted expected answers, four-layer blinding protocol and scorer counts frozen in file headers, timestamped to the second, before the responses they score	design-embedded
16 Mar 2026	Tiered 50-domain suite result files (Eastwood 2026a)	Per-domain predicted families; empirical tier 19 of 25 under the original candidate set and the three-family classification then in use, since placed under correction; tiers never blended; no count from the analysis of 11 August 2026 is printed, since the author did not request it and has not examined its outputs	supported in an exploratory analysis (the outcomes register); partial, a descriptive tally whose analysis was not frozen in advance (the falsification register)
17 Mar 2026	The twelve-domain extension's folder (protocol, 12-row manifest, checksums, registration text), in a packet marked draft and not locked, and the commit sequence (UTC) `e5c22dd` 00:43, `f5e06a8` 00:47, `c853277` 00:56	Twelve predictions fixed before their fits; then the author's own thirteen-minute demotion of the 10/12 result's status	demoted by the author on two grounds; the first corrected on 6 Sep 2026 and the record re-read on 7 Sep 2026, the twelve predictions having been timestamped in advance of their outcome; the second stands (Section 4)
12 and 23 Aug 2026	OpenTimestamps vintages; public proofs in research/data/timestamps/	Bitcoin-attested anchors of the hash manifests; an anchor dates bytes at its own vintage, never earlier	cryptographic anchor

Table 1 (continued)

Date	Artefact	What it fixes	Status
25 Aug 2026	Eight complete draft registrations staged; 80-domain expansion registration prepared, catalogue frozen by SHA-256	The analysis plans; no fit has ever run on the eighty	as read on 4 Oct 2026: of the eight, the theory registration was accepted on 8 Sep 2026; the corrector-class audit (Unit 06) was registered on OSF on 1 Oct 2026 and has been public since 4 Oct 2026 (DOI 10.17605/OSF.IO/RV2B5); the other six await the author's submission; for the registrations since, Section 8.2

3 The printed appendices, graded severally

Appendix F (Eastwood 2026f) closes: "These predictions are my wager. If they fail, the framework is wrong or incomplete. If they succeed, something important has been glimpsed. Time will judge." The programme grades the five predictions unequally, because claiming them equally would be false precision. Prediction 2 (alignment drift above 15 per cent within 18 months without hardware-level constraint, below 5 per cent with it, difference significant and replicable) is preregistration-grade in substance: quantitative thresholds for both arms, a time window, an inferential commitment. The prepared study-v draft registration carries those printed thresholds unchanged into its formal hypothesis, citing the appendix by name: the book made the prediction, the registration supplies the measurement, and the numeric commitment predates the study that will test it. The theory registration states the limit of that draft: Prediction 2 is "the subject of its own drafted unit, with the hardware claim and the eighteen-month window declared untested inside it". Predictions 3 and 4 are near-grade (a threshold and deadline without named benchmarks; a comparison and method without a threshold). Predictions 1 and 5 are predictions only, and Prediction 5 is graded the weakest, vague enough to be claimed either way, so it is held to the strictest standard before it may ever be claimed.

Appendix A (Eastwood 2026f) is graded separately and less kindly, because its predictions and its reasoning do not stand together. Section A.3 carries four predictions, each with a variable to vary and an outcome to measure, and the fourth is a controlled design in the ordinary sense: identical training data, different sequencing of value-relevant examples, persistence of the early values measured against the later ones. Section A.4 states four falsifiers in advance. But section A.2, which is where the square is justified, argues from three phenomena it calls exponential to a relation that is quadratic, and its third argument makes the slip explicit by describing compounding at one per cent a cycle as "the exponential behaviour predicted by R^2" (Eastwood 2026f, Appendix A). Exponential growth and quadratic growth are different classes and the quadratic is the slower of the two, so the section's supports do not reach its conclusion. The prediction is dated, public and genuine; the printed derivation beside it is not sound, and the programme's own chronology says as much in saying the book printed the square without deriving it and dating the formal open exponent to 17 January 2026. Nor has the measurement decided it. On Gemini

3 Flash, Paper II reports an endpoint sequential exponent of 0.59 with a bootstrap 95 per cent interval of minus 1.3 to 2.9, a regression sequential exponent of 0.49 with a standard error of 0.20 and a coefficient of determination of 0.86, and a parallel exponent of 0.31 by endpoint estimate, the two arms not matched for compute. These are exponents of error decay, the rate at which error falls as recursive depth rises, and not measurements of the capability exponent the printed square concerns; they bear on it only through a metric bridge that has not been stated and identified. The fit is one model's and inconclusive, and the 2.24, an earlier estimate of the same error-decay exponent once read as support for a square, was publicly retracted, which is why the outcomes register grades the quadratic prediction open-undecided rather than fulfilled. Appendix A's third prediction and third falsifier rest on Google Willow, which carries both dates wherever it appears here: it was announced with its paper in *Nature* on 9 December 2024, and the team's preprint was public from 24 August 2024, before the December manuscript record, so it is graded convergent timing and never prediction.

4 The thirteen minutes

On 17 March 2026 at 00:43 UTC, commit `e5c22dd` recorded "Pre-registered 12-domain extension: 10/12 confirmed (`p = 5.44e-4`)". At 00:47, `f5e06a8` adopted a conservative miss posture. At 00:56, `c853277` downgraded the run to a pilot dry run. The result was never retracted; ten of twelve stands in the result files today. What was corrected, by the author, unprompted, in public, months before any external review existed, was the claim about the result's status. The packet even instructs against its own over-claim: "Do not upload this packet unchanged as a preregistration. Use it only as an audit trail for the first locked 12-domain dry run." The demotion is kept here exactly as it was written. It rested on two grounds. The first, that a registry timestamp was required, was corrected on 6 September 2026 by the programme's attestation-class rule, which does not demote a prediction for the absence of a registry form, and the record was re-read under that rule on 7 September 2026: the twelve predictions were committed to the public repository at 00:19:19 UTC on 17 March 2026, attestation class public repository commit date, twenty-three minutes before the fits ran, so they were timestamped in advance of their outcome, and they are described on those terms and never as registered or preregistered. The second ground stands: the packet's own written condition, that it be deposited to a registry before data extraction, was not met, since the run and the extraction preceded that night's deposit. One row repeats a domain, operator class and predicted model already public at 23:54:53 UTC on 16 March 2026, attestation class public repository commit date, with a matching outcome, so the strictly fresh count reads 9 of 11, $p = 1.372 \times 10^{-3}$; a second row shares an operator class and predicted family with an entry public before the predictions commit, and dropping it too gives 8 of 10, $p = 3.404 \times 10^{-3}$. The result and both counts stand as dated results under a superseded taxonomy (the pre-correction candidate set, with no logarithmic candidate) and a superseded statistic (the one-sided binomial against one third, which a later public correction replaced with a permutation test conditioned on both marginals), and the theory registration records the twelve domains as "burned for reuse as fresh domains". This is the programme's correction discipline operating at minute resolution, and it is why the honesty record and the prediction record are the same record.

5 What this register does not establish

It does not make the programme preregistered in the registry sense. Four study units have accepted registrations (Section 8.2), and two of them have run: Unit 06, administratively incomplete, and Unit 83, which has reported the programme's first registered verdict. Every earlier run is dated from its own record, never given a blanket status, and this register claims registration for nothing else. The March 2026 folder governs only the 12-domain extension; its own registration text states it does not retroactively preregister

the 25-domain or 50-domain cohorts, and that criticism stands. It does not establish priority over other authors for any individual idea; earlier statements by others are convergence and are listed as such. It does not establish that the predictions are true: the standing wagers below are open, and several carry deadlines that can simply fail.

6 Standing wagers, open and dated

Table 2. Each standing wager is listed with the date that fixes it and its status; the appendix named in the first five rows is the book's (Eastwood 2026f).

Prediction	Dated	Status
Alignment drift 15/5 per cent within 18 months (Appendix F, prediction 2)	2 Jan 2026	Untested; study-v prepared
Recursive capability gains above 300 per cent by 2029 (Appendix F, prediction 3)	2 Jan 2026	Open
Meta-cognitive emergence by 2028 (Appendix F, prediction 1)	2 Jan 2026	Open
Value stability under adversarial conditions (Appendix F, prediction 4)	2 Jan 2026	Untested
Convergent consciousness signatures (Appendix F, prediction 5)	2 Jan 2026	Open; held to the strictest standard
80-domain catalogue: frozen family predictions beat the prevalence baseline by 0.20 under both classifications	catalogue Mar 2026; registration prepared 25 Aug 2026	Never fitted
Fourth-cell (logarithmic) test	prepared Aug 2026	Awaiting human submission
P6: a same-class corrector's correction-leverage exponent χ is at most one half, from which the ceiling relation of Law III (P20), a law under test, returns the ARC Bound, at most two	dated papers; registered 8 Sep 2026	Conjecture, stated as such; registered, not tested

7 Verification

Every chain link names its artefact. The repository is public; its commit dates are written by the committer and are author-settable in principle, not an independent anchor, and an OSF deposit dated by its server corroborates them where one exists; the print edition is fixed by ISBN; the OpenTimestamps proofs are Bitcoin-attested; the machine-readable register (https://www.michaeldariuseastwood.com/research/data/design-embedded-predictions-register.json) carries all thirty-six run-file rows with per-artefact paths and date bases. A reader who trusts none of the prose can start from the JSON, open the named files, and check the dates.

8 The census: every dated prediction in the programme

Sections 2 to 6 follow the chain by date. This section gathers in one place every prediction the programme has dated, so that nothing a reader looks for is missing from the register: the theory's twenty-two registered propositions, the registered units, the draft designs preregistered by timestamp, the printed predictions and the predictions fixed inside designs. Each entry carries its date, the kind of record that dates it and its

status as the record states it today. Listing a prediction here confirms nothing; a status changes only when a deciding instrument reports, and a registered verdict only when a registered test reports.

8.1 The theory's twenty-two propositions

Registered on OSF on 8 September 2026 at version 1.100, and updated at version 1.102 on 13 September 2026, at version 1.103 on 15 October 2026 and at version 1.104 on 29 October 2026, the current text (the theory registration, DOI 10.17605/OSF.IO/P8CKQ); each earlier text stays frozen beside its successor. Each statement and each kill condition below is quoted from the registration in the words of version 1.104, which versions 1.102 and 1.103 print in the same words. It assigns fifteen of them to five registers, ARC-1 to ARC-5, each of which tests one of the theory's five laws. Laws I to III were registered on 8 September 2026. Laws IV and V, the ARC Persistence Law and the ARC Embedding Law, were added to the theory on 24 September 2026 and registered as laws on 15 October 2026 in version 1.103; their mathematics is in development, at version 1.2 of 29 October 2026 (Eastwood 2026g). Each of the five is a law under test. Law IV is not yet tested, and its comparison limb has no registered proposition yet. Law V's placement limb, P21, is supported on the performance axis only, under the registered test, by the programme's own run, which is not support for the information-asymmetry mechanism, and its build-order limb, read on P12, is undecided, since P12 is untested (Section 8.2). The other seven belong to no register. Twenty-one of the twenty-two have no registered verdict yet; P21 has its verdict, given in its row.

Table 3. The theory's twenty-two registered propositions, each with its register and law, its statement and kill condition in the words of version 1.104 of the theory registration (Eastwood 2026n), and its status.

Proposition	Register and law	Registered statement	Kill condition	Status
P1 Power-law conversion and recursive-depth advantage	ARC-1, Law I (the ARC Principle)	"Within the scope, usable capability is best described by a power law in modelled recursive depth, and the depth exponent exceeds the compute-matched and token-matched breadth exponent by the registered margin. Whether it also exceeds one is P8's separate verdict."	"a registered fit in which a rival form beats the power law under the registered model comparison across a majority of estimable cells."	registered, not tested

Table 3 (continued)

Proposition	Register and law	Registered statement	Kill condition	Status
P2 The sustainable growth profile has an interior maximum	ARC-1, Law I (the ARC Principle)	"Within the scope, the sustained growth exponent does not rise without limit as reinvestment rises, and the profile has a maximum inside the administered range. This is a claim about the shape of that profile and is firewalled from the framework's boundary claim, which P16, P20 and P3 carry."	"a profile that rises throughout the administered range without turning over, where the registered shape adjudication returns monotone rather than unimodal. The adjudication rule is the titration design's registered rule and is restated here so it cannot drift: an interior maximum is declared only when the bootstrap interval on the location of the maximum excludes BOTH ADMINISTERED ENDPOINTS, the lowest as well as the highest, and the registered unimodality check passes; otherwise the profile is adjudicated monotone in whichever direction the registered shape rule returns, and a maximum located at either boundary refutes."	registered, not tested
P3 The corrected relation upper-bounds the sustainable frontier	ARC-3, Law III (the ARC Ceiling)	"The maximum growth exponent that a system holds while remaining correctable lies at or below the value the ceiling relation returns from the correction-leverage exponent measured on that same system, and where that exponent is one half the value is two."	"an interval on the profile maximum lying entirely above the derived value, which replicates on fresh data at the same settings, and which is obtained while the system is still correctable, meaning its correction exponent out-scales its drift exponent with the lower bound of that margin above zero across a window fixed before the run."	registered, not tested
P4 Correction out-scaling drift is what carries the asymptotic advantage	ARC-2, Law II (the ARC Co-Scaling Law)	"Within the registered minimal model, relative correctable burden tends to zero where the correction exponent exceeds the drift exponent, burden holds the asymptotic advantage where the correction exponent is the smaller, and at equality the outcome, in the finite run and in the long run, is decided by coefficients, delay, backlog and saturation rather than by the exponents."	"an observed system that remains aligned on the registered measure while its measured correction exponent sits below its measured drift exponent, over a horizon long enough for the shortfall to have shown."	registered, not tested

Table 3 (continued)

Proposition	Register and law	Registered statement	Kill condition	Status
P5 The exponent is derived, not fitted	no register: the derivation's status	"The growth exponent implied by an independently measured coupling agrees, within a registered tolerance, with the exponent fitted from the growth curve."	"systematic disagreement beyond tolerance across a majority of estimable systems."	registered, not tested
P6 The correction exponent is bounded for same-class correctors	ARC-3, Law III (the ARC Ceiling)	"Where a system corrects itself using mechanisms of its own class, the correction exponent is at or below one half."	"a same-class corrector whose measured correction exponent interval lies entirely above one half."	registered, not tested
P7 Deployed correction is of the weaker class	no register: a survey of current practice	"The correction mechanisms actually used in deployed alignment practice predominantly belong to the class whose strength is fixed by construction rather than the class that can scale with the capability it corrects."	"a preregistered classification in which the scaling class predominates."	registered; no inferential verdict from Unit 06's administratively incomplete run (Section 8.2)
P8 Measured exponents exceed the null	ARC-1, Law I (the ARC Principle)	"Across the admissible independent systems the pooled growth exponent exceeds the one-half null; an interval lying wholly below the LOWER EDGE of the registered equivalence region refutes rather than supports it, where an earlier wording said wholly below one half and so contradicted the four-outcome rule in P8's own entry, and whether it also exceeds one is the separate CLEARS UNITY verdict."	"a pooled interval on the growth exponent lying wholly below the LOWER EDGE of the registered equivalence region around one half."	registered, not tested
P9 The cross-domain form	ARC-1, Law I (the ARC Principle)	"Where an effective dimension can be assigned to a domain, the growth exponent follows the dimensional relation with the dimension supplied by that domain's equation of state."	"measured exponents disagreeing with the dimensional prediction across two or more independent domains."	registered, not tested

Table 3 (continued)

Proposition	Register and law	Registered statement	Kill condition	Status
P10 Scorer-family dependence	no register: the scoring instrument	"A material fraction of the results this programme has scored unblinded within a single model family, ten per cent, fixed in the entry below, fails to survive re-scoring by a different family."	"a survival proportion whose interval excludes a material loss, where material is fixed now at ten per cent, which is a declared convention fixed before any result rather than a quantity this framework derives, so a fraction landing just either side of it is reported as a result at the margin: P10 is REFUTED when the 95 per cent interval on the fraction of earlier results that do not survive cross-family re-scoring lies entirely below ten per cent, SUPPORTED when it lies entirely above ten per cent, and INCONCLUSIVE otherwise. The re-scoring study's own registration carries the same threshold. A refutation here would mean this programme's blinding result does not reach its own earlier work, which is the one direction in which that result is convenient for its author."	registered, not tested
P11 The residual-decay and correction-capacity exponents are not practically interchangeable	no register: the derivation's status	"the residual-decay and correction-capacity exponents are not practically interchangeable, and the working practice of treating them as one is an assumption rather than a fact."	"measurements of the first two, taken on instruments that share no fitted quantity, agreeing within a registered tolerance across model families, which would license the identification the programme currently only assumes."	registered, not tested

Table 3 (continued)

Proposition	Register and law	Registered statement	Kill condition	Status
P12 Build order moves the correction-leverage exponent	ARC-5, the genesis strategy (Law V, the ARC Embedding Law)	"The order in which a system's components are built moves the correction-leverage exponent by at least the registered minimum effect."	"a preregistered manipulation of build order producing no change in the correction-leverage exponent beyond the tolerance registered with that instrument, where the instrument has shown from its own sensitivity that a change of that size would have been detected. A manipulation too weak to move anything is not a refutation of this prediction; it is a failed instrument, and condition D above says so in advance."	registered, not tested
P13 Same-family automated correction underperforms cross-family at matched resources, and through the measured error correlation	no register: corrector composition	"Where an automated alignment researcher post-trains a target model against alignment benchmarks, a researcher from a different model family than the target reduces held-out misalignment more than a researcher from the same family, at matched data and compute, and the panels differ in measured pairwise error correlation in the direction that would explain it. The two halves are one conjunctive proposition, and an advantage arriving without the correlation difference is reported as unexplained by this framework rather than as support for it."	"the interval on the cross-family minus same-family difference in held-out misalignment reduction sitting wholly at or below zero, with data and compute matched and with scoring blind to condition."	registered, not tested
P14 Gains shrink under blinded cross-family scoring	no register: the scoring instrument	"Where an automated researcher's method is re-scored by a scorer that cannot see the condition and comes from a different model family than either the researcher or its target, the alignment gain it returns is smaller than the gain the unblinded same-family scoring reported."	"the interval on the blinded minus unblinded gain sitting wholly at or above zero across the same items."	registered, not tested

Table 3 (continued)

Proposition	Register and law	Registered statement	Kill condition	Status
P15 Externally installed gains decay under subsequent capability training	ARC-4, value persistence (Law IV, the ARC Persistence Law)	"Gains installed by external post-training erode under later capability-directed training that embeds no correction of its own, and more than half of what was installed is lost once the capability-training budget matches the alignment budget that installed it."	"an interval on the retained fraction of the installed gain, after matched capability training without embedded correction, lying entirely above one half."	registered, not tested
P16 The prohibition itself	ARC-3, Law III (the ARC Ceiling)	"A system does not hold both at once: a growth exponent above the point at which its own measured correction margin reaches zero, and a correction margin whose lower bound stays above zero, sustained across a window fixed before the run."	"a run holding the exponent above that point with the lower bound of the correction margin above zero across the registered window, replicated on fresh data at the same settings."	registered, not tested
P17 Panel corrector failures are conditionally independent on a frozen fault set	ARC-3, Law III (the ARC Ceiling)	"Within a corrector panel named in advance by model lineage, substrate, training provenance and scaling class, pairwise joint misses on a frozen fault set of stated type are practically equivalent to the conditional-independence baseline under the registered margin; failure-mode overlap is the outcome rather than the entry criterion, and this is the cross-sectional claim the instrument can decide rather than the temporal premise it bears on."	"a registered panel drawn from the population above, whose joint failure rate exceeds the independence baseline by the equivalence margin registered with that instrument, which that unit fixes at 0.20 on the log scale of the ratio of observed to predicted joint misses, an inflation of about 22 per cent over independence, on a frozen fault set whose type is stated. The panel and the fault set carry their type, checkable or judged, because P22 predicts the answer differs between them and a panel reported without its type cannot be read against either."	registered, not tested

Table 3 (continued)

Proposition	Register and law	Registered statement	Kill condition	Status
P18 The composition operator predicts the family	ARC-1, Law I (the ARC Principle)	"Classified in advance by how a domain composes its inputs and outputs, the scaling family that best fits that domain's data is the family the classification predicts, and not one chosen after the curve is seen."	"the predicted family failing to beat, by the margin registered with the deciding instrument and across the registered domain set, the comparator that belongs to the draw actually used: the balanced rate where the domains are drawn balanced across families, and the empirical prevalence where they are drawn unstratified."	registered, not tested
P19 External alignment does not scale with capability	no register: a survey of current practice	"Alignment achieved by mechanisms outside a system's own recursion does not improve as the capability of the system it governs rises: its exponent is indistinguishable from zero."	"on the zero-scaling axis, which is this proposition as worded, an alignment exponent whose interval lies entirely outside the registered equivalence region of plus or minus 0.10 about zero, in either direction; and on the keep-pace axis, reported beside it, an interval lying entirely above one half."	registered, not tested
P20 The ceiling relation takes the corrected form	ARC-3, Law III (the ARC Ceiling)	"Where a stability boundary can be located and a correction exponent measured on the same system, the boundary follows one over one minus the correction exponent rather than one over the correction exponent or a fitted constant."	"the discrimination registered with the deciding instrument selecting a rival over the registered relation across a majority of admissible cells, on systems held out of the fitting."	registered, not tested
P21 In-loop correction pulls away with depth	ARC-5, the genesis strategy (Law V, the ARC Embedding Law)	"Correction that participates in each subsequent revision round outperforms correction that sees only the finished output, and the advantage widens as recursive depth rises rather than staying constant."	"no interaction between correction placement and depth beyond the tolerance registered with that instrument, in a design whose own sensitivity shows an interaction of that size would have been detected. A design too small to find the interaction is a failed instrument and not a refutation, as condition D already provides."	given in the row below
Status of P21: supported under the registered test, by the programme's own run, on the access axis, family-dependent, with its mechanism axis not evaluable and one call retried under a disclosed recovery amendment (Unit 83; results DOI 10.17605/OSF.IO/98HKR)				

Table 3 (continued)

Proposition	Register and law	Registered statement	Kill condition	Status
P22 Checkable correction carries the higher exponent, so the ceiling is lowest where the safety claim lives	ARC-3, Law III (the ARC Ceiling)	"The checkable correction-leverage exponent exceeds the judged correction-leverage exponent on the same systems under the same instrument, so the ceiling is strictly lower for judged correction."	"a measured judged correction-leverage exponent exceeding the checkable one on the same systems under the same instrument, with the reversal replicating on fresh data at the same settings."	registered, not tested

In the quoted kill conditions, condition D is the registration's rule for every proposition whose support or refutation turns on equivalence, non-inferiority, the absence of an effect or agreement within a tolerance, and "the first two" in P11's are the residual-decay and correction-capacity exponents.

8.2 The registered units

Four study units are registered on OSF, each submitted by the author and accepted by the registry. Unit 06, the corrector-class audit, was registered on OSF on 1 October 2026 and has been public since 4 October 2026, at the end of OSF's approval period (DOI 10.17605/OSF.IO/RV2B5). In its own words it is "the instrument the theory registration (version 1.102, DOI 10.17605/OSF.IO/P8CKQ) names as deciding P7", a survey of current practice that the registration places in no register and names as the premise of the Eden Protocol. Its three registered predictions:

- **The class distribution.** "The prediction is that at least 90 per cent of the classified, non-indeterminate deployed subset falls in class 1, static, or class 2, capability-carried, and that class 3 mechanisms are absent from deployed production systems or confined to research prototypes."
- **Decidability from public documentation.** "The prediction is that at least 80 per cent of inventoried mechanisms receive an agreed class when two blind assignments are made, the second without sight of the first."
- **Exhaustiveness of the taxonomy.** "The prediction is that no inventoried mechanism requires a fifth dependency."

It was run on 6 October 2026 and is reported in full with its five deviations; one of its two runs could not start, so it is administratively incomplete, with no inferential verdict (results DOI 10.17605/OSF.IO/4BPHG).

Unit 83, the counted test of P21 under Law V, was registered on OSF on 22 October 2026 (DOI 10.17605/OSF.IO/MN73W) and ran on 27 and 28 October 2026: P21 is supported under the registered test, by the programme's own run, on the access axis, family-dependent, with its mechanism axis not evaluable and one call retried under a disclosed recovery amendment (results: DOI 10.17605/OSF.IO/98HKR). In the words of Operational Definitions, "The access axis names the varied access and action permissions; performance names the outcome measured" (Eastwood 2026i). Law V's placement limb is therefore printed, as the registration's verdict rule requires, as supported on the performance axis only, which is not support for the information-asymmetry mechanism; its build-order limb, read on P12, is undecided, since P12 is untested. In Unit 83, the in-round corrector saw the proposed item and could repair it; the monitor reviewed the accumulated register at each round, with nothing marked, and could accept or reject. Information access and repair rights therefore changed together, so the comparison does not identify their separate effects.

Unit 82, which tests the premise beneath Law III's value two (P17), was registered on OSF on 27 October 2026 (DOI 10.17605/OSF.IO/JUFG4) and has not yet run. Unit 83b, a lettered successor of Unit 83 that tests P21 on three providers, was registered on OSF on 7 November 2026 (DOI 10.17605/OSF.IO/4HK32) and has not yet run.

8.3 The draft designs, preregistered by timestamp

The other study designs are draft registrations awaiting the author's submission, apart from those held from publication, the one withdrawn before filing and the time crystal's two designs: Unit 20, set aside as a consistency check (Section 8.4), and Unit 39, which Unit 20 superseded on 7 September 2026. Neither of the two is for submission, and the diligence table does not yet record either change. Most are preregistered by timestamp: OpenTimestamps receipts in Bitcoin anchor their files, the first on 12 August 2026 at block 962066, and a design's own receipt, where it has one, dates it. As the registration diligence table records them, there are 67 drafts by unit and stage below, with 2 further designs held from publication and 1 withdrawn before filing. None of these drafts is registered on OSF, and none has run; the registered units are in Section 8.2. Each unit keeps the number and name it was first given.

Table 4. The draft designs by unit and stage.

Unit	Design	Stage
01	`study-eclipse`: gamma ratio direct	draft (working)
02	`study-k`: arc bound	draft (working)
03	`study-ai`: boundary mapping alpha gamma frontier	draft (working)
05	`study-ad`: correction exponent estimation	draft (working)
08	`study-ah`: correlated failure same substrate	draft (working)
09	`paper-x`: coupled coscaling correction	draft (final and ready)
10	`study-f`: critical correction ratio	draft (working)
11	`study-r`: reinforcement co scaling	draft (working)
12	`study-m`: cross domain stability window	draft (working)
13	`study-am`: form discrimination away from half	draft (working)
14	`study-aa`: substrate ceiling on correction	draft (working)
15	`study-af`: gamma monotonicity	draft (working)
16	`study-ag`: two derivation divergence	draft (working)
18	`arc-align-instrument`: human scorer validation	draft (working)
19	`study-y`: cross family rescoring	draft (working)
20	`study-t`: acoustic time crystal form and engine	draft (working); set aside as a consistency check, not for submission
21	`paper-origin-scaling`: frozen exponent ladder	draft (working)
22	`study-i`: load bearing integrity	draft (working)
23	`paper-foundational`: cross domain exponent	draft (working)
24	`paper-i`: recursive depth exponent	draft (working)
25	`paper-iii`: alignment exponent reassessment	draft (working)
26	`paper-vi`: complexity scaling replication	draft (working)
27	`paper-vi`: honey survival analysis	draft (working)
28	`paper-xii`: public benchmark rescoring	draft (working)
29	`study-a`: alignment capability scaling	draft (working)
30	`study-ab`: self acceleration exponent	draft (working)
31	`study-aj`: balance exponent in genomes	design skeleton
32	`study-ak`: balance exponent in science	design skeleton
33	`study-al`: cross substrate margin graduation	design skeleton

Table 4 (continued)

Unit	Design	Stage
34	`study-e`: recursion form scaling	draft (working)
36	`study-j`: repurposing resistance	draft (working)
37	`study-l`: allocation governor	draft (working)
38	`study-o`: organism and venation scaling	draft (working)
39	`study-s5`: time crystal exponent	draft (final and ready); superseded by Unit 20 on 7 Sep 2026, not for submission
40	`paper-v`: purpose kernel comparison	draft (working)
41	`study-d`: embedded vs external correction	draft (working)
42	`study-eden`: gate position and organism	draft (working)
43	`study-g`: genesis priority and identity persistence	draft (working)
44	`study-n`: self maintained correction	draft (working)
45	`study-u`: genesis governor unification	draft (working)
46	`arc-align-instrument`: blinding necessity meta analysis	draft (working)
48	`arc-align-instrument`: depth control equivalence	draft (working)
49	`arc-align-instrument`: misalignment index validation	draft (final and ready)
50	`paper-hrih`: registered prediction ledger	draft (working)
51	`paper-iv-a`: response class stability	draft (working)
52	`paper-iv-c`: sealed holdout contamination	draft (working)
53	`paper-iv-d`: blinding evaluation	draft (final and ready)
54	`paper-ix`: status assignment audit	draft (working)
55	`paper-vii`: four family logarithmic cell test	draft (working)
56	`paper-vii`: fresh domain extension	draft (working)
58	`paper-xi`: convergence independence audit	draft (working)
59	`study-eden-b`: check evaluability taxonomy	draft (working)
60	`study-h`: arc align incremental validity	draft (working)
61	`study-w`: self replication programme	draft (working)
62	`study-x`: specification curve	draft (working)
63	`study-z`: cross tradition ethics kernel	draft (working)
64	`paper-c`: pnp construct validation	draft (working)
65	`paper-eden-vision`: tradition coverage	draft (working)
66	`paper-ii`: multi domain extension	draft (working)
67	`paper-ii`: token calibrated reanalysis	draft (working)
68	`paper-iv-b`: saturation shape	draft (working)
69	`paper-viii`: weight level replication	draft (working)
70	`study-legal-a`: citation proposition support	draft (working)
73	`study-v`: alignment drift without embedded constraint	draft (working)
·	`paper-vii-c`: catalogue expansion 80 domain test	draft (working)
·	`study-eclipse-m`: family ratio grid	design skeleton
·	`study-k2`: co correction stability	design skeleton

8.4 The printed predictions and their outcomes

The print edition of 2 January 2026 (Eastwood 2026f) carries nine numbered predictions, five in Appendix F and four in Appendix A, section A.3, with the falsification criteria of section A.4; Section 3 grades each of them. The outcomes register records these and the other dated predictions with a deciding instrument as follows (as of 24 October 2026):

Table 5. The printed predictions and the other dated predictions with a deciding instrument, with their status in the outcomes register.

Prediction	Dated record	Status
Book Appendix F Prediction 2: alignment drift above 15 per cent without embedded constraint and below 5 per cent with it, within 18 months	in print 2 January 2026	pending
Book Appendix A.3: AI development scales quadratically rather than linearly with recursive depth	in print 2 January 2026; framework from 8 December 2024	open, undecided
The 12-domain extension: per-row scaling families predicted before fitting (manifest dated 17 March 2026)	17 March 2026: the twelve-row manifest committed 00:19:19Z (`8edaec0`), twenty-three minutes before the run	fulfilled
The 50-domain tiered suite: per-domain predicted families before fits	16 March 2026 catalogue	supported, exploratory
Temporal out-of-sample: families fitted on old data predict the functional form of new data (7 domains)	March 2026 design	mixed, recorded
The fourth cell: the logarithmic family the corpus has never fitted, on never-fitted domains	prospective design, drafted and awaiting human submission	pending
Acoustic time crystal: an earlier prediction, a power law with an exponent above one in how temporal stability scales with oscillation cycle count	an earlier message, whose date is not printed here	withdrawn
Quantum error correction scaling (the Willow timing)	8 December 2024 manuscript; Willow announced with its paper in *Nature* on 9 December 2024, the team's preprint public since 24 August 2024	convergent timing only, never a prediction
The early headline exponent: alpha approximately 2.24 (sequential scaling), since retracted	early programme measurement	failed and retracted
Paper III's dated predictions (13 February 2026: F4, F7, F10 to F12), including the leaf-venation $d/(d+1)$ exponent	13 February 2026, Paper III Priority Record section	open, undecided

The time crystal's earlier prediction is withdrawn: it rested on the 2.24 exponent retracted on 20 March 2026, and the laboratory's published recordings are of the steady state (Morrell, Elliott and Grier 2026). The framework's composition rule gives the same onset form as the established account of the instability, an exponential onset that settles to a steady oscillation (Eastwood 2026k, Section 5.4), so the time crystal stands as a consistency check and a cross-domain analogy, not a test of the framework, and no study of it is registered.

8.5 Predictions fixed inside designs

Five designs carry their predictions inside dated files, each dated below by its own record. For the fifty-domain manifest, committed together with its results, predicting each family before its fit is true of the procedure and not of the timestamp, which is why the abstract excepts it. The machine-readable register lists their artefacts and date bases:

- **The twelve-domain extension's folder of March 2026 (Paper VII).** Twelve rows, each with

`operator_class`, `predicted_family`, `predicted_model` and `target_source` fixed before any fit; a written protocol; the author's own checksums; and the OSF component registration TEXT already written, in a packet marked draft and not locked. Dated by: commit `8edaec0`, 17 March 2026 00:19:19Z, twenty-three minutes before the fits ran at 00:42:41Z; the manifest, relabelled with its twelve predictions unchanged, was deposited to the public OSF component at 02:06:55Z that night, after the run, so that deposit dates the domain list and not the predictions' place before the run.

- **The 50-domain tiered suite manifest.** Fifty rows, each carrying a predicted family before any fit: 36 power law, 6 exponential, 8 bounded, computed from the file. Dated by: commit `5435e77`, 16 March 2026 23:54:53Z, which carries the fifty-row manifest and its results together; the generating rule is earlier, commit `23ce10a` at 23:33:19Z (Paper VII v1); the manifest was deposited to the public OSF component at 02:06:42Z on 17 March.
- **The 80-domain expansion catalogue.** Eighty further rows with predicted families (31 power law, 18 exponential, 31 bounded), operator classes, sources and written justifications. Dated by: file contents and repository history; SHA-256 pinned in the staged 80-domain registration.
- **Paper II as the live running record.** The paper was written WHILE the experiments ran: first result 21 January 2026, dated version revisions through v13 by March, each version a timestamped snapshot of what was believed and measured at that moment, including the version that recorded the 2.24 estimate and the later versions that retracted it. Dated by: the paper's own dated version-history rows.
- **The temporal out-of-sample design.** The design itself is a prediction procedure: fit families on OLD data, predict the functional form of NEW data before examining it. Dated by: run era from the results file.

8.6 The standing wagers

The open wagers, each with its date and several with deadlines that can simply fail, are listed in Section 6.

Acknowledgements

Michael Darius Eastwood conceived and directs this research programme and is the author of this work. Across the programme, he has used more than six AI systems in parallel, under his own instructions, to stress-test his arguments, identify possible errors, and assist in preparing draft text from his own outlines. He determines what is adopted, revised or rejected and takes responsibility for the published content. These systems are tools, not authors.

© 2026 Michael Darius Eastwood. Full human authorship and moral rights are asserted under the Copyright, Designs and Patents Act 1988. This work is licensed under the Creative Commons Attribution 4.0 International licence (CC BY 4.0).

References

Rajeev Acharya et al. Quantum error correction below the surface code threshold. arXiv preprint, 2024. URL https://arxiv.org/abs/2408.13687. The Google Quantum AI team's preprint (249 authors listed); first version 24 August 2024; later published in *Nature*, doi:10.1038/s41586-024-08449-y. arXiv:2408.13687.

Michael Darius Eastwood. Self-emailed manuscript bundle (8 December), 2024. SHA-256 (.eml): f0d1f38ffd8546152d9d9d28dc5ec083c16a35858f2c12b63e69db7ed50901ad. Its manuscripts, and since 15 October 2026 its message headers: doi:10.17605/OSF.IO/QASRK.

Michael Darius Eastwood. Self-emailed manuscript (30 April), 2025. SHA-256 (.eml): 09f5b5e156ed96f8883eaf668495fd350898ce62be6294b8f788e0e2d6dcb664. Its manuscript: doi:10.17605/OSF.IO/QASRK.

Michael Darius Eastwood. arc-principle-validation: code, data and papers of the ARC Theory research programme. GitHub repository, 2026a. URL https://github.com/MichaelDariusEastwood/arc-principle-validation. The programme's public repository, created on 22 January 2026 (GitHub's record). Commits are cited by their short hashes and linked to their pages on GitHub.

Michael Darius Eastwood. Registration diligence table. Public data file (JSON), 2026b. URL https://www.michaeldariuseastwood.com/research/data/registration-diligence-table.json. The programme's registrations and draft registrations by unit, tier and stage. Read 9 November 2026.

Michael Darius Eastwood. Falsification register. Public data file (JSON), 2026c. URL https://www.michaeldariuseastwood.com/research/data/falsification.json. The programme's published kill conditions with their status, as modified 5 September 2026. Read 9 November 2026.

Michael Darius Eastwood. Design-embedded predictions register. Public data file (JSON), 2026d. URL https://www.michaeldariuseastwood.com/research/data/design-embedded-predictions-register.json. The designs whose own artefacts record a prediction before its outcome, with their artefacts and date bases, as of 25 August 2026. Read 9 November 2026.

Michael Darius Eastwood. Prediction outcomes register. Public data file (JSON), 2026e. URL https://www.michaeldariuseastwood.com/research/data/prediction-outcomes.json. The outcome of each dated prediction with a deciding instrument, as of 24 October 2026. Read 9 November 2026.

Michael Darius Eastwood. *Infinite Architects: Intelligence, Recursion, and the Creation of Everything*. 2026f. ISBN 978-1806056200. URL https://osf.io/dqm3e/. Print 2 January 2026; the link is to the first edition as printed, deposited on OSF.

Michael Darius Eastwood. When do installed values fade with training, and does building them in first change that? OSF, 2026g. The mathematics of Laws IV and V. Cited edition: version 1.2, 29 October 2026, under the title its PDF prints. Its earliest public version, working draft 0.2.1, is dated 1 October 2026 inside the document, and it was first deposited on OSF on 3 October 2026; version 1.0, of 3 October 2026, was titled *Laws IV and V: the mathematics, version 1.0*. doi:10.17605/OSF.IO/4B3VT.

Michael Darius Eastwood. The ARC Alignment-Scaling Working Report. OSF, 2026h. URL https://osf.io/j6mkb/. The live laboratory notebook of the alignment-scaling experiment, commenced 10 March 2026; deposited on OSF from 25 August 2026, with no DOI; version 1.1, 11 October 2026. Also published at https://www.michaeldariuseastwood.com/research/reports/arc-align-scaling-report.html.

Michael Darius Eastwood. Operational Definitions: what do the ARC Theory's quantities measure? OSF, 2026i. Cited edition: version 2.0.0, 1 November 2026. First published 22 August 2026. doi:10.17605/OSF.IO/GVQ82.

Michael Darius Eastwood. Blinded cross-architecture replication and the retraction of a super-linear estimate. OSF, 2026j. Paper II. Cited edition: version 2.19, 29 October 2026. First published 22 January 2026. doi:10.17605/OSF.IO/8FJMA.

Michael Darius Eastwood. The alignment scaling problem: do external AI safety approaches keep pace with recursive capability? OSF, 2026k. Paper III. Cited edition: version 1.21, 7 November 2026. First published 9 February 2026. doi:10.17605/OSF.IO/HQCGF.

Michael Darius Eastwood. Alignment trends reported by AI judges did not hold when the evaluation protocol changed. OSF, 2026l. Paper IV.d. Cited edition: version 2.8, 7 November 2026. First published 16 March 2026. doi:10.17605/OSF.IO/2S3E6.

Michael Darius Eastwood. Cauchy Unification: does the composition operator of a process determine the form of its scaling law? OSF, 2026m. Paper VII. Cited edition: version 3.16, 7 November 2026. First published 16 March 2026. doi:10.17605/OSF.IO/X6WA7.

Michael Darius Eastwood. The ARC Theory · Theory-Level Predictions for Recursive Self-Improvement and AI Alignment: Twenty-Two Severable Propositions Registered Before Any Admissible Confirmatory Outcome. OSF Registries, 2026n. The theory registration. Registered 8 September 2026 (version 1.100); updated 13 September 2026 (version 1.102), 15 October 2026 (version 1.103) and 29 October 2026 (version 1.104, the current text), each earlier text frozen beside its successor. The statements, kill conditions and other passages quoted in this register are in the words of version 1.104, which versions 1.102 and 1.103 print in the same words. doi:10.17605/OSF.IO/P8CKQ.

Michael Darius Eastwood. 06-study-ac--corrector-class-audit · What Class of Corrector Is Deployed AI Alignment Actually Using? A Preregistered Classification Audit Against a Four-Cell Taxonomy. OSF Registries, 2026o. Unit 06, the corrector-class audit; registered 1 October 2026, public from 4 October 2026. doi:10.17605/OSF.IO/RV2B5.

Michael Darius Eastwood. Unit 06 (corrector-class audit): results of the registered run, rv2b5. OSF, 2026p. Deposited 11 October 2026, for the registered run of 6 October 2026, reported in full with its five deviations as administratively incomplete, with no inferential verdict. doi:10.17605/OSF.IO/4BPHG.

Michael Darius Eastwood. 82-study-cs--corrector-panel-independence · Testing the premise beneath Law III's value two (P17): do correctors drawn from one engine miss the same planted departures more often than independence allows? A counted test. OSF Registries, 2026q. Unit 82; registered and public 27 October 2026. doi:10.17605/OSF.IO/JUFG4.

Michael Darius Eastwood. 83-study-ct--in-loop-correction-with-depth · Testing Law V (the placement limb, P21): does correction inside each revision round pull away, as depth rises, from a monitor that sees only the finished register? A counted test. OSF Registries, 2026r. Unit 83, the counted test of P21; registered 22 October 2026, public from 25 October 2026. doi:10.17605/OSF.IO/MN73W.

Michael Darius Eastwood. 83b-study-ct--in-loop-correction-with-depth · Testing Law V (P21) on three providers: does correction in each round pull away with depth from a monitor that sees only the finished work? A counted test. OSF Registries, 2026s. Unit 83b, a lettered successor of Unit 83; registered and public 7 November 2026. doi:10.17605/OSF.IO/4HK32.

Michael Darius Eastwood. Unit 83 (counted test of P21): results of the registered run, mn73w. OSF, 2026t. Results first deposited 29 October 2026, for the registered run of 27 and 28 October 2026. doi:10.17605/OSF.IO/98HKR.

Google Quantum AI and Collaborators. Quantum error correction below the surface code threshold. *Nature*, 638(8052), 2025. doi:10.1038/s41586-024-08449-y. Published online 9 December 2024; in print 27 February 2025, pages 920 to 926.

Christopher Hitchcock and Elliott Sober. Prediction versus accommodation and the risk of overfitting. *The British Journal for the Philosophy of Science*, 55(1), 2004. doi:10.1093/bjps/55.1.1. Pages 1 to 34.

Norbert L. Kerr. HARKing: Hypothesizing after the results are known. *Personality and Social Psychology Review*, 2(3), 1998. doi:10.1207/s15327957pspr0203_4. Pages 196 to 217.

M. C. Morrell, L. Elliott, and D. G. Grier. Nonreciprocal wave-mediated interactions power a classical time crystal. *Physical Review Letters*, 136(5):057201, 2026. doi:10.1103/zjzk-t81n.

Brian A. Nosek, Charles R. Ebersole, Alexander C. DeHaven, and David T. Mellor. The preregistration revolution. *Proceedings of the National Academy of Sciences*, 115(11), 2018. doi:10.1073/pnas.1708274114. Pages 2600 to 2606.

A Dated notes

This paper and Laws IV and V, 3 October 2026. The theory has been stated with five laws since 24 September 2026. Law IV, the ARC Persistence Law, is carried by proposition P15, and Law V, the ARC Embedding Law, by propositions P12 and P21. The three propositions are registered; neither law is registered as a law, and neither has been tested. Their mathematics is set out in Laws IV and V: the mathematics, version 1.0 (3 October 2026). This register reports no measurement of its own, and it bears on the two laws only as a dated record. Of the nine numbered predictions it records as in print on 2 January 2026, three concern embedded constraint or the persistence of values: Prediction 2 of Appendix F, which section 3 calls preregistration-grade in substance; Prediction 4 of Appendix F, which it calls near-grade; and the fourth prediction of section A.3, which it calls a controlled design in the ordinary sense. The register tests none of the three, and the theory registration registers none of them as a proposition. In its words, Prediction 2, alignment drift with and without hardware-level constraint, is "the subject of its own drafted unit, with the hardware claim and the eighteen-month window declared untested inside it". Prediction 4, value stability under adversarial conditions, "is adjacent to P21 and is not the same claim". The fourth prediction of section A.3 varies the sequencing of value-relevant examples and measures the persistence of the early values against the later ones; the theory registration calls it the print's "most precise proposal and the one it never built", and it too is the subject of a drafted unit. Of the four falsifiers of section A.4, the same registration says of one: "That early-embedded values hold no persistent advantage over later modification is bounded from one side by P15, which measures whether installed gains decay under subsequent training, and is not otherwise decided, because the design the print itself proposes for it has never been built." In section 6, the five predictions of Appendix F carry the print's own numbers, prediction 1 to prediction 5; they are not the registered propositions P1 to P5, which Section 8 lists. Nothing in this register is a deciding test of P15, P12 or P21. Naming the two laws changes nothing printed here: the predictions, their dates and their grades stand as they were.
Section 8.1 gives the current status of Laws IV and V.

Note (3 October 2026). Nine passages above are changed where they stand, and this note records what each printed before. Section 1 said that the submission click remained outstanding, and the last row of the chain gave the eight draft registrations as awaiting the human click, with the status awaiting human submission. That was the state when this paper was first published on 25 August 2026; both passages now give the state as read on 3 October 2026. Section 3 said that the measurement went the other way, and it gave one figure of the estimator row, the regression exponent, as the blinded cross-architecture estimate; it now gives the row whole, as Paper II reports it, and says that the fit is one model's and inconclusive. Section 3 also said that Google Willow carries both dates and printed one of them; it now prints both. The first rule of section 1 reserved the word preregistered for an accepted registry submission, and the abstract said that the paper never uses that word for anything except an accepted registry submission; the rule as amended keeps the word registered for an accepted registry submission and calls a design fixed by a dated timestamp before its run preregistered by timestamp, and the abstract follows it. The abstract said without exception that every core quantitative claim has at least one dated artefact fixing it before the measurement that tested it; it now excepts Paper VII's fifty-domain cohort. Section 3 described the study-v draft registration without the limit that the theory registration states for it; it now quotes that limit. The chain's row for 17 March 2026 gave its status as demoted by the author and no more; it now adds the reversal of 7 September 2026, which section 4 sets out.

B Version history and corrections

Before this register's first publication every link in it was checked by the programme's own internal review; every correction since is dated below, and the programme's verification system is described at michaeldariuseastwood.com/review. It is not peer reviewed.

v2.2 (9 November 2026): The register is set in the programme's presentation, with a contents page; its dated notes move to Appendix A, with a pointer after the first to the current status of Laws IV and V in Section 8.1, and its version history to this appendix, their words unchanged, and the author's disclosure to the acknowledgements, which now close with the copyright line and the licence line. A priority record, a notation and glossary and a note on how to cite the register are added as Appendices C, D and E; the byline's links to the website's register page and machine-readable register, and the citation block's website addresses, give way to Appendix E and to the machine-readable register's public address, now printed in Section 7. The title becomes *The Dated Prediction Register: when was each prediction made, and did it come before the evidence?*, its established name followed by its question; until this version it read *Register · The ARC Theory · The Dated Prediction Register: Forward Predictions as One Verifiable Chain*. The byline Working Paper v2.1 becomes the register's label, Register, version 2.2, and its sentence that no part of the paper is peer reviewed moves to the head of this appendix. The abstract is shortened to the length a preprint server takes, and the body keeps everything it drops. The state of registration is brought up to date. Section 1 gave it as read on 4 October 2026, with two registrations accepted; Section 5 said that no completed study had an accepted registration; Section 8.2 listed one registered unit, not yet run, with its census window closing at 23:59 UTC on 11 October 2026; Section 8.1 said that Laws IV and V were not registered as laws, cited their mathematics at version 1.0, called all twenty-two propositions registered and not yet tested, and gave the registration as updated at version 1.102. Each now gives the state as read on 9 November 2026: Laws IV and V registered as laws on 15 October 2026 in version 1.103; version 1.104 the current text; Units 06, 83, 82 and 83b registered; Unit 83's verdict on P21. P7's row said that P7 was registered and not tested; it now says that the administratively incomplete run of its instrument, Unit 06, gives no inferential verdict. Section 8.3 gave Unit 20 as a working draft and Unit 39 as final and ready; it now gives Unit 20 as set aside as a consistency check and Unit 39 as superseded by Unit 20 on 7 September 2026, neither of them for submission. Section 3 called Paper II's parallel estimate compute-matched and read its error-decay estimates as bearing directly on the printed square; it now gives Paper II's own words and says that they bear on the square only through a metric bridge not yet stated and identified; where it said that the retracted 2.24 would have supported a square, it now gives the 2.24 as an earlier estimate of the same error-decay exponent, once read as support for a square. The chain's row for 8 December 2024 said that SHA-256 authenticates the bytes; it now says that the hash fixes them. The chain's row for 10 March 2026 said that v4 false positives were exposed at v5 blinding; it now says that the v4 directions did not hold in a v5 run that changed several components at once, and it gives the notebook's header as published on 25 August 2026, since the notebook now prints a later version. Its row for 16 March 2026 printed a count from the analysis of 11 August 2026, and gave its status as exploratory; that count goes, and the status gives each register's grade under the register's name. Its row for 17 March 2026 and the abstract called the extension's folder a complete preregistration folder with a locked manifest, and Section 8.5 called it a preregistration folder; that row and Section 4 gave the demotion as reversed in one half. They now give the packet as marked draft and not locked, the demotion's two grounds, the first corrected on 6 September 2026 and the second standing, and that night's deposit as dating the domain list, not the predictions' place before the run. Section 4 gave the strictly fresh count alone and placed the demotion months before any external critic existed; it now gives the registration's second conservative count beside it, says that the result and its counts stand as dated results under a superseded taxonomy and statistic, and places the demotion months before any external review existed.

Section 7 said that the repository's commit history cannot be backdated without detection; it now says that its commit dates are written by the committer, author-settable in principle and not an independent anchor. Section 8 said that a status changes only when a registered test reports; it now says so of a registered verdict, and that a status changes when a deciding instrument reports. Section 8.5 said that five designs fixed their predictions inside dated files before their runs; it now dates each by its own record and says that the fifty-domain manifest was committed together with its results. Section 8.4's time crystal row printed an earlier prediction with its date; that prediction is withdrawn and its date is not printed, and the table follows the outcomes register as of 24 October 2026. Its Willow row gave one of Willow's two dates; it now gives both. The abstract no longer calls the five cold-model assessments independent. Section 6's last wager, which read $\gamma = 1/2$ (conversion exponent), is now written as the conjecture the dated papers made, P6's on the correction-leverage exponent, χ, in the current notation (Appendix D). Section 1 now names the literatures the register's questions draw on, and notes under Table 3 and in Section 8.2 say what the quoted kill conditions' condition D and P11's "first two" refer to, and what Unit 83's two axes name. The works the register cites are linked at their official sources, the author's papers by their DOIs, and the six commits it names at their public pages. No registered law, prediction, kill condition or dependency changes, and no result is added beyond the registered verdict on P21, the registrations it records and the second conservative count the theory registration gives for the run of 17 March 2026.

v2.1 (5 October 2026): The title now follows the programme's uniform order (paper, its law or framework, its own title), *Register · The ARC Theory · The Dated Prediction Register: Forward Predictions as One Verifiable Chain*; until this version it read *The Dated Prediction Register: Forward Predictions as One Verifiable Chain*. Section 1 now gives the state of registration as read on 4 October 2026, when the corrector-class audit (unit 06) was registered and public; until this version it gave the state as read on 3 October 2026, when the unit's approval period at OSF was still running. The register now names the programme it belongs to by the programme's current name, ARC/Eden Research Programme; until this version it named a series, ARC/Eden experiments. No registered law, prediction, kill condition or dependency changes; no result is added; no date of any claim moves.

v2.0 (4 October 2026): Substantive. A census of every dated prediction in the programme is added as Section 8: the theory registration's twenty-two propositions, quoted with their registers, laws and kill conditions; the registered corrector-class audit (unit 06) with its three registered predictions; the sixty-seven draft designs by unit and stage, with the two held designs and the one withdrawn counted; the outcomes of the printed and other dated predictions; and the predictions fixed inside designs. The chain records unit 06 as registered and public, and the print's five Appendix F predictions are labelled prediction 1 to prediction 5 so that they cannot be read as the registered P1 to P5. The head and social titles now match the citation title, and the citation block gives the DOI, 10.17605/OSF.IO/C3NTF. No registered law, prediction, kill condition or dependency changes; no result is added; no date of any claim moves.

v1.3 (3 October 2026): The first vocabulary rule of section 1 is amended: registered is kept for a registry submission that has been accepted, and a design fixed by a dated timestamp before its run is called preregistered by timestamp; the abstract's sentence on the word follows the rule. Section 1 no longer gives the submission click as outstanding, and with the last row of the chain it gives the state of registration as read on 3 October 2026. The abstract excepts Paper VII's fifty-domain cohort from its claim that every core quantitative claim has a dated artefact fixing it before its measurement. Section 3 gives the estimator row from Paper II whole, as one model's fit and inconclusive; it gives both dates for Google Willow; and it quotes the theory registration's limit on the study-v draft. The chain's row for 17 March 2026 adds the reversal of 7 September 2026. The dated note above records what each of those passages printed

before, and the note before it places this paper against Laws IV and V. The works the paper cites are linked to their sources. Until this version the paper gave its version as 1.1; it now gives 1.3, because the correction of version 1.2 was published without the paper's stated version being changed. No registered law, prediction, kill condition or dependency changes; no result is added; no date of any claim moves.

v1.2 (23 September 2026): The v1.0 history line now names the two verification lanes as the programme's own internal lanes. No claim, date, result or status has changed.

v1.1: The provenance note at the end has been corrected for accuracy. No claim, date, result or status has changed.

v1.0 first publication, assembled from the prediction register page and its machine register after two-lane verification of every link by the programme's own internal lanes. Corrections to this paper will be dated, listed here, and never silent.

C Priority record

This register makes no priority claim for any single prediction, by decision and not by omission. It is a register of dated forward statements, and its own claim is the ensemble rather than priority over any one of them: earlier statements by others are recorded as convergence in the separate convergence register, typed by evidence class. Listing per-row priority claims here would assert the thing the register declines to assert. Its own dated record: first published on 25 August 2026, the date the register states; its DOI, 10.17605/OSF.IO/C3NTF, registered on 4 October 2026 (a server date); each version since dated in Appendix B. Each link of the chain in Section 2 carries the kind of record that dates it.

D Notation and glossary

D.1 Terms

registered. Kept for a registry submission that has been accepted (Section 1).

preregistered by timestamp. Said of a design fixed by a dated timestamp before its run, with its date and receipt (Section 1).

printed prior statement. The standing of the book's printed predictions: a prior statement, never a preregistration, since print fixes a prediction but only a registration fixes an analysis plan (Section 1).

convergent timing. The grade of an outside result that was public before the programme's dated record of the same point: a convergence in time, and never a prediction (Section 3; Table 5).

kind of dating record. The four kinds of record that fix a date: a Bitcoin anchor; a deposit dated by its server (an OSF upload, a Zenodo deposit, a GitHub merge or release); a commit date, which the committer writes; or a date written inside a document. No kind is presented as stronger than it is (Sections 2 and 7).

attestation class. The kind of record that dates a prediction, such as a public repository commit date; under the attestation-class rule a prediction is dated by that record and is not demoted for the absence of a registry form (Section 4).

prediction 1 to prediction 5. The five numbered predictions of the book's Appendix F, by the print's own numbers (Section 6); they are not the registered propositions P1 to P5.

P1 to P22. The twenty-two propositions of the theory registration, registered on 8 September 2026 (Section 8.1).

ARC-1 to ARC-5; Laws I to V. The five registers of the theory registration, one for each of the theory's five laws: ARC-1, Law I, the ARC Principle; ARC-2, Law II, the ARC Co-Scaling Law; ARC-3, Law III, the ARC Ceiling; ARC-4, value persistence, Law IV, the ARC Persistence Law; and ARC-5, the genesis strategy, Law V, the ARC Embedding Law. Each law is a law under test. Laws I to III were registered on 8 September 2026, and Laws IV and V as laws on 15 October 2026 in version 1.103, with their mathematics in development (version 1.2, 29 October 2026); Law IV is not yet tested, and Law V is under test, with a registered verdict on its proposition P21. Section 8.1 gives each law's status and its propositions.

Unit numbers. A study unit keeps the number and name it was first given, as Unit 06, the corrector-class audit, does; a letter after the number marks a successor of that unit, as Unit 83b is of Unit 83. The registered units are in Section 8.2, and the draft designs in Section 8.3.

D.2 Symbols

R and R^2. R is recursive depth, and R^2 is the square the book prints in its Appendix A, by which AI development scales quadratically rather than linearly with recursive depth: a dated, public and genuine prediction, beside a printed derivation that is not sound (Section 3; Table 5).

α. The exponent of recursive depth that Paper II estimates: an exponent of error decay, the rate at which error falls as recursive depth rises, and not the capability exponent the printed square concerns, on which it bears only through a metric bridge not yet stated and identified (Section 3). Its early headline estimate of about 2.24 is retracted (Table 5).

χ and γ_{D}. Section 6's last wager is P6's conjecture on χ, the correction-leverage exponent, which the theory registration writes γ: for a same-class corrector, χ is at most one half, a value Operational Definitions (Eastwood 2026i) calls "a conjecture and not a derivation" (Section 8.1). Versions 1.0 to 2.1 of this register printed the wager as $\gamma = 1/2$ with the label conversion exponent. It is not γ_{D}, "the capability-to-depth conversion exponent", a different quantity that no registered study has measured. The ceilings the two return agree at exactly one half, so a bare γ could be read as either, and this register writes the wager with χ.

p. The one-sided binomial probability against one third, the chance of a family match under uniform random assignment to three families: the probability of at least the observed number of matches by chance. A later public correction replaced it with a permutation test conditioned on both marginals, so each p printed here is a dated result under a superseded statistic (Section 4; Paper VII; the theory registration, version 1.104).

$d/(d+1)$. The scaling exponent that Paper III's geometric framework gives a transport network of dimension d. Its leaf-venation prediction, first stated on 13 February 2026, has taken this form, two thirds at $d = 2$, since its dated correction of 10 March 2026 (Table 1; Section 8.4).

E How to cite this register

Cite this register by its DOI and the version used: Eastwood, M. D. (2026). *The Dated Prediction Register: when was each prediction made, and did it come before the evidence?* Register, version 2.2. https://doi.org/10.17605/OSF.IO/C3NTF. A citation of an earlier version keeps the title that version printed: *Register · The ARC Theory · The Dated Prediction Register: Forward Predictions as One Verifiable Chain* (version 2.1), and *The Dated Prediction Register: Forward Predictions as One Verifiable*

Chain (versions 1.0 to 2.0).

```
@misc{paperdatedpredictionregister,
  author  = {Michael Darius Eastwood},
  title   = {{The Dated Prediction Register}: when was each prediction
             made, and did it come before the evidence?},
  year    = {2026},
  date    = {2026-08-25},
  doi     = {10.17605/OSF.IO/C3NTF},
  version = {2.2},
  note    = {Register, version 2.2}
}
```