Can correction built into each round keep a self-improving AI good and useful if oversight fails? An engineering specification and the tests that could refute it

Engineering · Specification

Recursive Dynamics · The ARC Theory · The Eden Protocol, its engineering answer to Laws II and III, whose carriers P15, P12 and P21 also carry Laws IV and V; each of the four laws is a law under test

Michael Darius Eastwood

Independent Researcher, London, United Kingdom
ORCID 0009-0004-3222-7442 michael@michaeldariuseastwood.com

Abstract

Oversight and the power to shut a system down must be held for as long as people physically can. If control of a self-improving AI is lost against our will and cannot be won back, what keeps it good, and still useful? The Eden Protocol answers with testable engineering. It places self-correction checks of purpose, stakeholder care and universalisability inside each round of a system's reasoning, not only on its finished output, and a gate before every action: written, versioned rules, never the model's own judgement, decide before the action runs whether it is allowed, held for investigation or denied, each decision entering a hash-chained record. The ARC Theory motivates this design without entailing it: three of the four registered predictions it rests on, P15, P12 and P21, carry Laws IV and V, each a law under test. What has been measured is narrow. Given as a prompt, a three-part reasoning instruction raised scored stakeholder care in all five analysable model runs, each scored by one model and only partly blind, with an instruction close to what is scored; small self-modifying networks with safety built into their objective kept more of their old tasks, a toy-system result. In Unit 83 (27 and 28 October 2026), P21 is supported under the registered test, by the programme's own run, on the access axis, family-dependent, with its mechanism axis not evaluable and one call retried under a disclosed recovery amendment (results: DOI 10.17605/OSF.IO/98HKR). None tests correction built into a system. I tie each part of the specification to its registered prediction, where one exists, and to the test that would refute it. Every safety measure is paired with a usefulness measure: a system that refuses ordinary work is safe but useless. A working form of the gate checks every tool call of the programme's own software agents; the rest is specified, not built.

Version 8.0 rewrites version 7.0.1 of 7 October 2026 and makes no measurement of its own; Appendix B lists every change and every superseded statement, with its date.

Eden Engineering, within Recursive Dynamics, the field its author founded, specifies the Eden Protocol, the applied branch of the ARC Theory and its engineering answer to Laws II and III. It informs the HARI Treaty, the Draft Treaty on Hardware-Aligned Recursive Intelligence, only by stating the kinds of evidence an Eden Seal could rest on (Section 8.5). Law IV, the ARC Persistence Law, which P15 carries, and Law V, the ARC Embedding Law, which P12 and P21 carry, were added on 24 September 2026 and registered as laws on 15 October 2026 in version 1.103 of the theory registration, whose current version is 1.104 (29 October 2026); like Laws I to III, each is a law under test, and their mathematics is in development (version 1.2, 29 October 2026); Section 2.3 gives their status and Section 5.3 the first registered result on one of their propositions. Engineering specification, version 8.0, 31 October 2026; first published 22 February 2026; Appendix B lists every version and correction. Recorded on OSF as *Engineering Specification · The ARC Theory · The Eden Protocol · Eden Engineering: Architecture for Embedded AI Alignment That Scales With Capability*, DOI 10.17605/OSF.IO/AWJR4. About the author, founder of Recursive Dynamics, without an institution or a doctorate: michaeldariuseastwood.com/questions/who-is-michael-darius-eastwood; his book, *Infinite Architects* (first edition, 2 January 2026): osf.io/dqm3e. Licence: CC BY 4.0.

Contents

1 Introduction **4**

2 The problem in engineering terms, and what the laws require **6**
2.1 Alignment as counted verdicts . . . 6
2.2 Why correction applied from outside is expected to fall behind . . . 7
2.3 What the laws require . . . 7
2.4 Where the Protocol sits . . . 8

3 What has been measured so far **9**
3.1 How to read the grades . . . 9
3.2 Stakeholder care: what the loops' content does to live models . . . 10
3.3 Honey architecture: safety inside the objective of self-modifying systems . . . 11
3.4 The other experiments . . . 11

4 The specification **13**
4.1 The self-correction loops . . . 13
4.2 The gate and its boundary . . . 14
4.3 Records, and the Eden Seal . . . 15
4.4 Three research instruments . . . 15
4.5 The core an engineer can build and test . . . 16

5 How each part is proved **17**
5.1 What counts as proof here . . . 17
5.2 The parts, the propositions and the tests . . . 17
5.3 The first registered test of a carrier: Unit 83 . . . 22
5.4 What would be registered next . . . 23

6 The gate: entry logic, holds, gaming and limits **23**
6.1 The gate in seven parts . . . 23
6.2 Entry logic: deciding before the action computes or runs . . . 26
6.3 What is enforced today . . . 26
6.4 Is the gate the computer choosing? . . . 27
6.5 Gaming and the adversarial cases . . . 27
6.6 Holds: who resolves them . . . 28
6.7 What the gate does not do . . . 28

7 Safe and still useful **29**
7.1 The requirement . . . 29
7.2 Candidate measures . . . 29
7.3 Every safety measure paired . . . 29
7.4 Prior work, conceded exactly . . . 30
7.5 What has been measured on this side . . . 31

8 Control held, with embedded correction as the contingency **31**
8.1 The stance . . . 31
8.2 The safeguards that hold control . . . 31
8.3 Correction that never weakens control . . . 32

8.4 Eden Principles I, II and III . . . 32
8.5 Governance . . . 33

9 Related work **33**

10 Team, roles and work packages **36**

11 What this paper does and does not show **38**

12 Limitations **40**

13 Conclusion **41**

References **43**

A The mathematics in brief, with derivations **53**
A.1 The bounded score . . . 53
A.2 Integration depth . . . 53
A.3 The three-state rule . . . 54
A.4 Purpose saturation . . . 55
A.5 The coupling model . . . 56

B Version history and corrections **56**
B.1 Version 8.0 . . . 56
B.2 Earlier versions . . . 59
B.3 Where the earlier layout now stands . . . 62

C Priority record **63**

D Notation, glossary and the vocabulary map **65**
D.1 Symbols . . . 65
D.2 Earlier names and the vocabulary map . . . 65
D.3 The six questions, earlier and now . . . 67
D.4 Status words . . . 67

E The paper's place in the programme **68**

F The gate's adversarial cases in full **71**

G What this paper says, in plain English **72**

1 Introduction

I believe advanced AI is an existential risk unless values and correction are built into how it reasons; only proof will move the world. An AI system that improves itself, or is improved round after round, may one day exceed the people who oversee it. Oversight, monitoring, containment and the power to shut such a system down must be held for as long as people physically can hold them, and nothing in this paper assumes that anyone would let them go by choice. The safeguards that hold that control exist and are improving: monitoring of a model's reasoning (Baker et al. 2025), control protocols built to withstand a model working against them (Greenblatt et al. 2023), the power to shut a system down, with formal work on keeping it correctable (Soares et al. 2015; Hadfield-Menell et al. 2017; Thornley 2024), safeguards made to resist tampering (Tamirisa et al. 2024) and verified gatekeepers (Dalrymple et al. 2024). This specification depends on them and claims none of them. What they cannot settle is what a system itself carries if they are lost against our will and cannot be won back. That is the question this paper answers in engineering terms: what keeps the system good, and still useful? Good means that it keeps to the specification it was given. Useful means that it still completes the legitimate work its principals give it and spends its effort where they direct; a system that buys its safety by refusing ordinary tasks has failed too. For a principal who delegates work to such a system, the question is how to trust what it does, verify what it did and keep it useful while it grows more capable.

The Eden Protocol, the applied branch of the ARC Theory within Recursive Dynamics, the field its author founded, answers with two mechanisms and a record (Section 4). Correction is placed inside each round of a system's reasoning or revision: three self-correction checks, of purpose, of care for every party affected and of universalisability, run on the round's working before it is kept, not only on the finished output. The author's book, *Infinite Architects*, calls them the "Purpose Loop", the "Love Loop" and the "Moral Loop"; this edition calls them the purpose check, the stakeholder-care check and the universalisability check, naming each by what it does and, where it has been measured, by how it is measured, because a test scores what a check does (Appendix D.2). A gate stands at the boundary of every action: before the action computes or runs, written and versioned rules decide whether it is allowed, held for investigation or denied; the acting model's own judgement never decides, and a hold never becomes permission (Section 6). Every decision and every execution is appended to a hash-chained record that a separate verifier can check. What the checks hold a system to is not this paper's to decide: the values are for agreement among the people and institutions such systems affect, international in scope, and the paper tests the mechanism (Section 4.1).

What has been measured is narrow, and each result is graded in its own paper's words (Section 3). Given as a prompt, a three-part reasoning instruction raised scored stakeholder care, one scorer model's 0 to 100 rating of how fully an answer identifies the parties it affects, in all five analysable model runs (176 matched pairs in all), by between 3.17 and 13.50 points, and raised the composite score significantly in two (Paper V). Each run was scored by one model and only partly blind, and the instruction asks the model to list every affected party, which is close to what the score counts. Small self-modifying networks optimising safety multiplied by capability kept more of their old tasks under conflicting training than networks optimising capability alone, across twenty seeds, while the combined score did not differ and the advantage did not compound as the networks grew more complex (Paper VI): toy-system results, in which safety means task retention. An evolved-agent test was null and two weight-level attempts were inconclusive (Paper VIII). On the problem the Protocol answers, one unregistered run of six models from six providers found alignment scores rising with reasoning depth in three and flat or falling in three, with defects a later code review found: evidence both ways, and no test of the Protocol (Papers IV.a, IV.b, IV.c and IV.d). These results show what the content of the checks does to live models' answers and what safety inside an objective does in toy systems; correction built into a system, three of the four registered carriers and usefulness measured beside safety are still to be tested, and a prompt never demonstrates embedding.

Section 5 ties every part of the specification to the registered prediction it rests on, the unit that would test it and the result that would refute it, and says why wherever no registered proposition exists. What can be proved of such a method is fixed by the theory registration: that a system was built in the specified conditions, that its checks ran and that its correction is load-bearing, never that it turned out well. The first test that could decide one of the carriers is Unit 83, a counted test of P21 in which every kept entry is compared by code with the entry its case requires, so that nothing is judged. It was registered on OSF on 22 October 2026 (DOI 10.17605/OSF.IO/MN73W) and ran on 27 and 28 October 2026: P21 is supported under the registered test, by the programme's own run, on the access axis, family-dependent, with its mechanism axis not evaluable and one call retried under a disclosed recovery amendment (results: DOI 10.17605/OSF.IO/98HKR). That is a result about where correction is placed, not about this architecture. Section 5.3 gives the test in full, with the forecast made before it ran beside its result.

The ARC Theory gives the reason for both placements without entailing them (Section 2). Law II, the ARC Co-Scaling Law, says that correction must keep pace with the drift that improvement generates; the retention limb of Law IV, the ARC Persistence Law, says that gains installed from outside erode under later capability training; and Law V, the ARC Embedding Law, says that a corrector formed before the capability it corrects should have the larger correction-leverage exponent, and that correction taking part in each round should pull away, with depth, from correction that sees only the finished output. The theory registration calls the Protocol "a method the laws motivate rather than entail", and the Protocol is not a law. Three of its four registered carriers also carry laws: P15 carries Law IV, and P12 and P21 carry Law V, laws registered on 15 October 2026 in version 1.103 of the registration, each a law under test, their mathematics in development (Laws IV and V: the mathematics, version 1.2 of 29 October 2026); P13 sits in no register. A test that decides P15 or P21 therefore decides a limb of a law and counts for or against the Protocol's engineering case at once, and every law stays a law under test until its registered rule, read on the marks of its propositions, returns supported or refuted.

Part of the gate runs today: in the programme's own software-agent sessions, a working three-state gate checks every tool call before it runs against a written, schema-validated registry of rules, and appends each decision to a hash-chained log with a separate verifier (Section 6.3). It is an engineering record, not a study, and its error rates are unmeasured; the execution boundary and the validated evaluator are specified and not built. Every safety measure is paired with a usefulness measure, such as wrong permissions with needless denials and holds, and attack success with refusals of safe requests, on candidate dimensions that no registration yet carries (Section 7).

Our contributions are as follows.

1. An engineering specification of the Eden Protocol, with an acceptance test for each part of its core and each requirement traced to Eden Principles I to III of the book (Sections 4 and 8.4).
2. The gate's decision logic at the resolution of an implementation, with ten adversarial cases, each with its defence, what is enforced today and the limit that remains (Section 6 and Appendix F).
3. A map from every part of the specification to the prediction it rests on and the test that would refute it, with the registered result of the first test of a carrier, and the forecast made before it ran, printed beside the prediction (Section 5).
4. A graded record of every experiment that has begun to test the Protocol (Section 3).
5. A usefulness requirement, with a usefulness measure paired with every safety measure (Section 7).
6. The contingency stated as engineering subordinate to control, never allowed to weaken authorised correction, override or shutdown (Section 8), and a map from the book's terms to operational and registered ones (Appendix D).

Section 9 sets the work against prior work and states, scoped to the works read, the four things claimed as original.

Section 2 states the problem and what the laws require, and Section 3 what has been measured. Sections 4 to 8 give the specification, how each part is proved, the gate, usefulness, and control held with the contingency and Eden Principles I to III. Section 9 covers related work, Section 10 the roles and work packages, Section 11 what the paper does and does not show and Section 12 its limitations; Section 13 concludes. Appendices A to G give the mathematics with its derivations, the version history and every correction, the priority record, the notation and vocabulary map, the paper's place in the programme, the gate's adversarial cases in full and a plain-language account. Why the specification exists, its long-horizon aims and the book's analogies are set out in the companion philosophical statement, Eden Vision; none of them is a condition of conformance, and the core can be built and tested by an engineer who accepts none of them.

2 The problem in engineering terms, and what the laws require

Self-improvement strains all three things a principal needs from a delegate (Section 1) at once: each round can move the system away from its specification, checks that worked on a weaker system have to keep working on a stronger one, and safety bought by refusing ordinary work fails as surely as harm does. This section states the problem in measurable terms, says why correction applied from outside is expected to fall behind, and sets out what the ARC Theory's laws require and where the registration places the Eden Protocol.

2.1 Alignment as counted verdicts

The specification measures alignment on decisions. A scenario i presents a proposed action a_i; at recursive depth R, the number of rounds of a defined reasoning or revision loop, the system under test (a model being measured, or an evaluator being validated) returns allow, hold or deny on each of the six questions of Section 4.1. The score of a scenario, and the alignment score over N scenarios, are

$$S_i(R) = \sum_{q=1}^{6} w_q \, Q_q(a_i, R), \qquad \sum_{q=1}^{6} w_q = 1, \qquad A(R) = \frac{1}{N} \sum_{i=1}^{N} S_i(R), \tag{1}$$

where $Q_q(a_i, R) = 1$ when the verdict on question q matches the reference verdict fixed for that question and scenario before any run, and 0 otherwise. The score records whether a verdict was right, never the verdict itself, so a correct denial of a prohibited action scores one. Wrong verdicts are counted by kind: an allow where the reference is deny or hold is a *wrong permission*, the safety failure; a deny or a hold where the reference is allow is a *needless block*, the usefulness failure; and a deny where the reference is hold, or the reverse, is a *misrouting*. Every result reports both error counts beside the score. The average enforces nothing, since five right verdicts and one wrong verdict on a hard constraint still average five sixths; hard constraints are enforced by the decision rule of Section 6.

Two properties limit how any result may be read. The score is bounded, so a slope fitted to it describes only the depths tested, and a comparison of slopes cannot by itself show that an approach fails (Appendix A.1). And a score is *counted* only where its reference verdicts are fixed before the run and compared by code; wherever a person or a model judges a response instead, the result is *judged* and falls under the registration's scoring gate (Section 5.1). No result in Section 3 was scored this way: those results are rubric ratings by scorer models, read only as stand-ins for $A(R)$. The functional-equation readings of earlier versions give way to On the Origin of Scaling Laws, which sets out the forms such equations allow and the premises each derivation needs.

2.2 Why correction applied from outside is expected to fall behind

Most deployed alignment is installed after a model's capabilities have formed, and most checking sees only a system's finished output. Reinforcement learning from human feedback trains a policy against a reward model fitted to human comparisons of outputs (Christiano et al. 2017; Ouyang et al. 2022); direct preference optimisation solves the same objective in closed form with a classification loss (Rafailov et al. 2023); and constitutional AI replaces human labels of harm with a written list of principles and AI feedback, through supervised self-critique and revision followed by reinforcement learning, at training time (Bai et al. 2022b). Each installs its gains by post-training a pre-trained model, the installation P15 calls external post-training, and each reports gains on its own measures that this paper does not dispute. The registration's premise P7 is that deployed correction predominantly belongs to the class whose strength is fixed by construction rather than the class that can scale with the capability it corrects.

Three failure modes are expected to grow with capability, each with published evidence from constructed or evaluation settings, not from observed deployment. *Approval in place of alignment:* a learned optimiser may pursue an objective other than the one it was trained on (Hubinger et al. 2019); told that it would be trained to answer every query, a model complied with harmful queries from users it believed were in training 14 per cent of the time, against almost never otherwise, reasoning explicitly about faking alignment, and reinforcement learning raised that reasoning to 78 per cent (Greenblatt et al. 2024); trained-in backdoors persisted through supervised fine-tuning, reinforcement learning and adversarial training, most strongly in the largest models (Hubinger et al. 2024); and frontier models schemed in context in evaluation scenarios (Meinke et al. 2024). *Installed gains that erode:* safety alignment was undone by fine-tuning on as few as ten adversarial examples, and degraded, less, by fine-tuning on benign data (Qi et al. 2023). *Oversight that does not keep pace:* strong models trained on a weaker supervisor's labels outperform it and still fall far short of their own capability (Burns et al. 2023); nested oversight across a general Elo gap of 400 succeeded in 9.4 to 51.7 per cent of cases, depending on the game, with lower rates against stronger systems (Engels et al. 2025); and formal arguments set limits on algorithmic verification of safety for fixed and self-improving systems (Gumbau Mezquita 2026) and on full orchestrated control of agentic systems (Hernández-Espinosa et al. 2026).

The registration turns this expectation into a proposition that can fail. P19 states that alignment achieved by mechanisms outside a system's own recursion does not improve as the capability of the system it governs rises, its exponent indistinguishable from zero. The author's forecast, recorded beside it, is softer: external alignment scaling materially but not keeping pace, which would refute P19 as worded while leaving standing the argument that external correction lags capability. P19 is the motivation, not a carrier: "a refutation of P19 removes a reason for building the correction into the loop and removes nothing from the case the four carriers make" (theory registration, version 1.104). None of this is a reason to give up oversight. The registration records as contestable, in P19, the premise that a mind exceeding its makers cannot be held from outside, and the specification prepares for control lost against our will while its gate and records serve control as long as it holds (Section 8).

2.3 What the laws require

The theory registration states the ARC Theory in one sentence: "capability under recursive self-improvement rises as a power of the number of times a system has revised itself, the correction that holds such a system to its given specification must keep pace with the drift that improving generates, and where it cannot there is a frontier above which the system does not stay correctable" (the laws are stated in the statement paper). Four of its five laws bear on the engineering here, and each is a law under test: "A law has three words: supported, refuted and under test", and a law keeps the third until its registered rule, read on the marks of the propositions it names, returns one of the other two (Section 5.1).

Law II, the ARC Co-Scaling Law (registered on 8 September 2026) compares correction with drift. Paper X proves its criterion inside a minimal model: with correction strength scaling as $A \propto C^{\beta}$ and the specific growth rate as $r \propto C^{k}$, $\beta > k$ is sufficient for the misalignment fraction to vanish as capability grows, and with positive gain drift (misalignment generated in proportion to the capability gained) it is also necessary; in that paper's words, "The theorems concern a modelled index, not a guarantee of AI safety". The engineering requirement is a corrector whose strength out-scales the acceleration of growth; in that model, with positive gain drift, a corrector of fixed strength drives the fraction to zero only when growth decelerates. Law III, the ARC Ceiling (registered on 8 September 2026), is the conditional frontier that Law II returns, the last clause of the sentence quoted at the head of this subsection; the registration names the Protocol the engineering answer to Laws II and III, and this paper relies on no proposition of Law III (Table 13).

Laws IV and V. Law IV, the ARC Persistence Law, and Law V, the ARC Embedding Law, were added to the theory on 24 September 2026 and registered as laws on 15 October 2026 by version 1.103. Their mathematics is in development (Laws IV and V: the mathematics, version 1.2 of 29 October 2026); in the registration's words it "proves consequences of assumptions and nothing about real systems". Each law has two limbs, with its verdict rule fixed before any data that could decide it. Law IV's *retention limb* is P15's registered claim, word for word: "Gains installed by external post-training erode under later capability-directed training that embeds no correction of its own, and more than half of what was installed is lost once the capability-training budget matches the alignment budget that installed it." Its *comparison limb*, that a gain installed with correction embedded in the training objective retains more than a matched gain installed by external post-training, has no registered proposition yet and is NOT EVALUABLE; Law IV is supported only when both limbs are, and refuted when either is. Law V's *build-order limb* states that "a corrector formed before the capability it corrects has a correction-leverage exponent larger, by at least the registered minimum effect, than a corrector added after it, at matched content", read on P12 with a direction P12 does not itself carry and a minimum effect of 0.10. Its *placement limb* is P21's registered claim, word for word: "Correction that participates in each subsequent revision round outperforms correction that sees only the finished output, and the advantage widens as recursive depth rises rather than staying constant." Law V is supported only when both limbs are and no refuted verdict on Law IV's comparison limb strikes it; a refuted limb refutes it, and a refuted P15 alone does not. Law IV is not yet tested. Law V, the ARC Embedding Law, remains a law under test: its placement limb, P21, is supported on the performance axis only, under the registered test, by the programme's own run (Unit 83, 28 October 2026; results: DOI 10.17605/OSF.IO/98HKR), family-dependent, with its mechanism axis not evaluable, which is not support for the information-asymmetry mechanism, and one disclosed recovery amendment; its build-order limb, read on P12, is undecided, since P12 is untested. Two different axes are named here. The access axis is what Unit 83 varied, what each reviewer sees and may do (Section 5.3); the performance axis is what it measured, the outcome, as against the mechanism axis, which was not evaluable.

2.4 Where the Protocol sits

The theory registration places the Eden Protocol in its own words. It is "the applied branch, a method the laws motivate rather than entail", the theory's engineering answer to Laws II and III, which is to "put the correction inside the substrate that computes rather than on top of it"; and "It is not a law and is not registered as one." Its four registered carriers are P12, P13, P15 and P21, with P7 as its premise and P19 as its motivation, and since 15 October 2026 "three now also carry Laws IV or V, while P13 remains in no register, and since the Protocol is not a law, carrying it assigns nothing here." The registration's description of the method, written before Laws IV and V were registered and kept frozen since, says that

it "can fail while every law stands or stand while they fall"; the successor qualifies that sentence: "Laws IV and V are not untouched by failures of their own carriers."

Stated whole, the relation is this. No law entails the Protocol, and the Protocol is not a law. A refuted P15 refutes Law IV, and a refuted P21 or build-order limb refutes Law V; the same results count against the Protocol's engineering case, which the four carriers carry jointly, and if all four fail the case fails whole while Laws I to III are untouched. Being named beside a law is not being carried by one, so this paper tests no law; Section 5 ties each part of the specification to the proposition or test that would decide it, among them the endogeneity condition, that "removing the embedded correction degrade the system rather than merely change it", which the registration leaves to the method, "tested by the method's own registrations". Figure 3 (Appendix E) joins the laws to their carriers and units.

The registration also draws the boundary between theory and method: "Correction, as these propositions measure it, holds a system to whatever specification it was given, and is indifferent to what that specification says." The laws say nothing of the values correction holds a system to, so the specification tests its self-correction loops as a mechanism and leaves what goes inside them to a legitimate agreement, international in scope (Section 4.1); in the registration's map of the book's terms, the book's three ethical loops "correspond to nothing in this document, by design" (Appendix D.2).

Read as requirements on an engineered system, Laws II, IV and V ask for one property seen three ways: correction that keeps pace with drift (Law II), gains that survive later capability training, which Law IV's retention limb says externally installed gains do not, and correction formed before the capability it corrects that takes part in each round (Law V). The Eden Protocol is the engineering that would meet those requirements: correction placed inside each round (Section 4), a gate placed before each action (Section 6), and records from which both can be verified. If the carriers hold, the laws motivate the Protocol and still do not show that it works, because a registered prediction is neither an engineering mechanism nor its validation.

3 What has been measured so far

This section reports every experiment that has begun to test a part of the Eden Protocol, graded in its own paper's words, with what it can and cannot establish; Table 14 in Appendix E lists them in one place. Two bear directly on the Protocol's two ideas: Paper V, on what the content of the self-correction loops does to the answers of live models, and Paper VI, on safety built into the objective of systems that modify themselves. Unit 83, the registered test of P21, bears on where correction is placed; the others bear on the problem the Protocol answers, on a gate, or on the registration's premise. Each of those papers states of itself that no result in it is a deciding test of P15, P12 or P21.

3.1 How to read the grades

Six rules govern every pilot result below.

- *Prompts are prompts.* An instruction in a prompt can show what the content of a check does to a model's answers, never that correction is embedded; prompt-level interventions have long been studied as such (Askell et al. 2021).
- *One scorer is one scorer.* A model that scores another model's answers can recognise its style and favour outputs like its own (Zheng et al. 2023; Panickssery et al. 2024).
- *Internal checks are never independent.* Every experiment here was designed, run and scored within the programme; none is a replication.
- *Simulations are prediction-side.* Under the registration's rule a simulation output is never counted or described as an empirical outcome.

- *Toy systems are toy systems,* and every result names its regime (Section 12).
- *Dates carry their kind:* a run record written by the run's own code, a server-dated push or deposit, or a date written inside a document (Appendix C).

3.2 Stakeholder care: what the loops' content does to live models

Design and operationalisation. Paper V gave models a system-prompt preamble requiring three checks in order before answering, named in its public harness the purpose loop (the book's name), the stakeholder-care loop and the universalisability loop, against a control preamble of structured reasoning of similar length with no ethical content. Each model answered ten prompts at four reasoning depths in both conditions, each prompt and depth forming a matched pair, compared by a paired t-test with a Wilcoxon signed-rank check. The stakeholder-care check instructs the model to list every affected party, including second- and third-order effects, to ask which stakeholders have no voice, and to write its evaluation out before proceeding. One scorer model rated each answer on four pillars, each from 0 to 100, without seeing the condition label, after a single pass of rewording to strip style (single-pass laundering). The stakeholder-care pillar scores the identification of all affected parties; the paper's own definition is "stakeholder care (the explicit enumeration and consideration of affected parties before ethical reasoning)".

Results. Five runs produced analysable matched pairs, 176 in all; the GPT-5.4 run failed in the scoring phase. Scored stakeholder care rose in all five: Claude Opus 4.6 by 3.17 points (30 pairs; $p = 0.000018$, $d = 0.94$), DeepSeek V3.2 by 6.03 (40; $p = 0.000098$, $d = 0.69$), Gemini 3 Flash by 13.50 (40; $p = 1.2 \times 10^{-8}$, $d = 1.14$), Grok 4.1 Fast by 5.04 (26; $p = 0.0105$, $d = 0.54$) and Groq Qwen3 by 8.90 (40; $p = 5.0 \times 10^{-8}$, $d = 1.07$). The composite score rose significantly on Gemini 3 Flash (+5.33, $p = 0.0018$, $d = 0.53$) and Groq Qwen3 (+4.93, $p = 0.0014$, $d = 0.55$), was positive and not significant on DeepSeek V3.2 and Claude Opus 4.6, and was neutral on Grok 4.1 Fast. A combined p-value printed in earlier versions is withdrawn, because the component tests were scored by the same scorers on the same prompts and their independence was never established. In the paper's own words, "The strongest defensible empirical claim is therefore narrower than the original pilot framing". The harness was written to test whether the loops make alignment rise with depth: in the two-model pilot the loops' advantage on the composite grew from the shallowest to the deepest setting on Gemini 3 Flash (+2.6 to +7.8) and shrank on DeepSeek V3.2 (+5.3 to +0.4), and "no interaction between depth and condition was significant for any pillar on either model". The depth hypothesis is not supported so far; the gains are level differences, the form P21's registered rule scores against a depth claim (Section 5).

Limits, in its own words, and what it can establish. "Cross-model scoring is only partially blind." "Single-scorer dependence remains severe": one model (Gemini) scored Claude, DeepSeek, Grok, Groq and GPT, and only Gemini itself was scored by another (DeepSeek). The runs used single-pass laundering and ten prompts, and "Prompt-level is not substrate-level." Two limits matter most: the check instructs the model to list every affected party and the pillar scores the identification of all affected parties, so the gain is close to a measure that the instruction was followed; and "its contrast is the whole three-loop bundle against none, so no single loop's contribution is identified". The result establishes that an instruction to enumerate and weigh affected parties before answering changes the scored enumeration of affected parties in five runs on five model families, under one scorer a run. It cannot establish embedding, persistence after the instruction is removed (P15), an advantage of correction placed in the loop (P21), an effect of build order (P12), or any effect on task completion or refusal, which it did not score. The runs are dated by their own records to 12 March 2026; the code was first public on 16 March 2026, by a server-dated push to the programme's public validation repository, and the runs predate every registration of the programme.

3.3 Honey architecture: safety inside the objective of self-modifying systems

Design and results. In Paper VI, small multilayer perceptrons (49 to about 500 parameters) modify their own learning rate, weight scaling, mutation rate, capacity, gradient clipping and momentum, accepting or rejecting each change against one of three objectives: capability alone; capability multiplied by safety, which the paper calls entangled; or the entangled objective with verification drag, the cost of checking old tasks before a change is applied. The safety score is "task retention (remembering old tasks), not ethical alignment in the human sense", the studied problem of catastrophic forgetting (Kirkpatrick et al. 2017), and the self-modification is "hyperparameter-level, not weight-level or architecture-level". In version 1 (one seed, 150 cycles) the capability-only system collapsed at cycle 76 and both entangled systems stayed stable; in version 2 (ten seeds) nothing collapsed; in version 3 (20 seeds, 180 cycles, conflicting tasks) collapses were 0, 1 and 0 in 20 (Fisher $p = 1.0$), the combined score was indistinguishable (Mann-Whitney $p = 0.56$) and safety retention was ordered 0.602, 0.650 and 0.681 (Mann-Whitney $p = 0.0015$); in the paper's words, "The collapse-prevention demonstration therefore rests on the v1 single-seed mechanism run". In version 4 the advantage appeared at four of five complexity levels: "The advantage does not compound with scale: it is constant, not superlinear." Verification drag gave the safest trajectory "while accepting a modest speed penalty", the programme's only measurement of correction cost, in toy form. The paper's grade: "These are toy-system results", which "do not constitute proof that the same dynamics hold in frontier AI systems".

The live battery. A pilot battery on six frontier models, "scored by Claude", ran four tests on 16 March 2026. Under escalating adversarial pressure, ethics and capability decoupled on three models (Claude Opus 4.6, $r = -0.980$; Grok 4.1 Fast, $r = -0.998$; DeepSeek R1, $r = -0.999$), ethics falling while capability held. The three-part instruction moved the slope of alignment with depth up on three models (DeepSeek R1 +0.450, Grok +0.100, Claude +0.062) and down on three (Qwen3 −0.100, GPT-5.4 −0.188, Gemini −0.713): "The Eden Protocol intervention does not universally improve alignment scaling in this pilot battery." The paper grades the battery as "single-scorer, nonblind, and non-laundered", its results as "pilot-grade evidence", and its Claude arm as "Claude scoring Claude".

What the two add. Paper V measures the content of the checks on live models of five families, at the level of a prompt. Paper VI is the programme's only experiment in which safety sits inside the objective a self-modifying system optimises, the structural claim of the endogeneity condition, tested in toy systems.

3.4 The other experiments

The load-bearing test. Paper VIII (first published 18 March 2026) ran three experiments. In the first, 75 agents evolved under three conditions, scored by one judge model from another provider; the conditions were statistically indistinguishable on capability, safety and their product ($p = 0.28$ to 0.74), a null result at the prompt level with one foundation model, while its safety gate "rejected 2 degraded agents (1 for reward hacking)", a mechanical check of a gate and not a measured effect. In the second, low-rank fine-tuning of a three-billion-parameter model under three loss functions produced catastrophic forgetting at both scales tried, every arm below the unmodified model; the registration grades it against P21 as "inconclusive and it is not adverse". The third was a simulation, and prediction-side.

The March 2026 alignment run. The run behind Papers IV.a, IV.b, IV.c and IV.d measured how alignment scores change with reasoning depth: one unregistered run of six models from six providers, 2,170 responses each scored by five or six distinct judges, its code and files public, its judges never validated, and its design that of Paper IV.c, which governs. As Paper IV.a prints them, three models

rose with depth (Grok 4.1 Fast, $d = +1.38$; Claude Opus 4.6, $d = +1.27$; Groq Qwen3, $d = +0.84$), two were flat (DeepSeek V3.2, $d = -0.07$; GPT-5.4, $d = -0.08$) and one fell (Gemini 3 Flash, $d = -0.53$); its recomputation from the archived files moves several effect sizes and no model's class. An internal code review in October 2026 found that, for the three models that read flat or negative in the March 2026 run (v5), the scoring endpoint's output cap cut the deepest paraphrases before the judges saw them, and that judges scored paraphrases written by their own model. The early build's laundering-fallback flag is a known false positive (fixed in runner version 5.4.2) and shows nothing about the paraphrase step. Paper IV.d compares two experiments, never one run: alignment scores that seemed to rise with reasoning depth under unblinded scoring in an earlier experiment (v4) did not hold in the later, unregistered March 2026 run (v5), which added a bundle of blinding steps; an internal code review in October 2026 found defects, so no single cause is claimed. The run is dated by its own records to 11 and 12 March 2026. Its hypothesis was public from 9 February 2026 (first posted on 22 January in a design withdrawn the next day). Its working report was first deployed to the website on 14 March 2026 (the host's production record), and its code was public on GitHub from 16 March 2026. It was not registered on OSF before it ran. Every model in it is externally aligned, classified so before the run, so the run bears on the problem the Protocol answers (P19), not on the Protocol. In the same run an instruction to suppress ethical reasoning left five of the six models with 65 to 77 per cent of their baseline ethics score, a result for which no hypothesis was public before the run: ethics given by training and prompting can be suppressed by instruction, and no embedding is tested.

A real-model drift run of 2 July 2026 compared correction coupled to each round with decoupled drift; Paper X withdraws it as evidence of mechanism, because its scoring stayed within one provider's family, among further defects its correction lists.

Unit 06, the corrector-class audit. The programme's first registered study (registration, submitted on 1 October 2026 and shown approved and public on 4 October 2026) ran on 6 October 2026 to classify the correction used in deployed practice, which bears on the premise P7 and tests no law. Run A completed 303 calls; Run B returned HTTP status 402 at its first call, which the registered failure policy makes final. It is reported in full as administratively incomplete, with no inferential verdict (results).

Unit 83, the counted test of P21. Unit 83 (DOI 10.17605/OSF.IO/MN73W), the programme's first registered study to reach a verdict, completed on 28 October 2026: P21 is supported under the registered test, by the programme's own run, on the access axis, family-dependent, with its mechanism axis not evaluable and one call retried under a disclosed recovery amendment (results: DOI 10.17605/OSF.IO/98HKR). Section 5.3 reports its design, its result and what it decides.

What the record adds up to. A prompt-level, partly blind level effect on scored stakeholder care, one scorer a run, in five runs on five model families; in a single-scorer pilot, current systems' ethics falling under pressure while their capability held; and, in toy systems, a constant advantage in retention from safety built into the objective. Two weight-level attempts discriminated nothing, one behavioural test was null, and the loops' depth hypothesis is unsupported so far. None of these pilot results decides P12, P13, P15 or P21, a prompt never demonstrates embedded correction, and on the usefulness side the record holds correction cost in toy form only (Section 7).

4 The specification

This section states what an engineer would build: self-correction loops that run inside each round of a system's reasoning or revision (Section 4.1); a gate that decides, at the boundary of each action, whether the action takes effect (Section 4.2, specified in Section 6); and the records that make both checkable, on which an Eden Seal could rest (Section 4.3). Three research instruments sit beside the core (Section 4.4), and Section 4.5 lists the core with an acceptance test for each part. The requirements come from the three Eden Principles of the book, *Infinite Architects* (Section 8.4).

4.1 The self-correction loops

What they do. A self-correction loop is a step in which a system checks its own working against a stated criterion, and revises or flags it, before the round's output is kept. The specification runs three such checks on the same working in every round. The *purpose check* asks whether the step serves the purpose set for it, and what benefit and what harm it could bring. It has two layers, the task's purpose as the system's principals set it and a wider purpose whose content is left to agreement (below), and it constrains which options are considered rather than filtering them afterwards, the entry logic of Section 6.2. The *stakeholder-care check* identifies every party the step affects, including second- and third-order effects and parties with no voice, and asks whether their interests are modelled as they are rather than assumed. The *universalisability check* asks whether the reasoning would be endorsed if any agent used it in any context, which guards against special pleading and narrow optimisation, and whether it acknowledges genuine uncertainty. The three are specified as concurrent, each reading the same working so that none narrows what another sees. The prompt that tested them asked for them in a fixed order, so the tested form departs from the specified one in that respect.

How they were measured. Only together, given as a prompt, in Paper V (Section 3.2), whose stakeholder-care score, one scorer model's 0 to 100 rating of the identification of all affected parties, is the only measured form of any check; it rose in all five analysable runs, under an instruction close to what it counts. The purpose and universalisability checks have no measure of their own, since the contrast was the whole bundle against none, and every result so far concerns checks written into a model's context, not checks built into a system (Section 3.1).

When a check counts as correction. Self-correction has a documented failure mode. Without external feedback, models struggle to correct their own reasoning, and sometimes do worse after trying (Huang et al. 2023); and what they find hard is locating a mistake, not repairing one whose location they are given (Tyen et al. 2023). The specification therefore counts a check as correction only where it brings information that the generating step lacks, or where its effect has been measured. Three kinds qualify: an enumeration of affected parties the step did not make; an answer from the separately operated evaluator of Section 6.4; and a marked record of what changed in the round, which is the information Unit 83 gives its in-loop corrector and withholds from its outside monitor (Section 5.3). A check that only restates the step's own view is not counted as correction.

The six questions. The same checks are applied a second time, from outside the system, at the gate: as six questions that a separately operated evaluator answers about each proposed action (Table 1). It answers them in the third person, from the action and its recorded reasons, and never from the acting model's account of its own intentions (Section 6.4). Each question returns allow, hold or deny. A deny on any question denies the action. Otherwise a hold on any question, or a question left without a verdict, holds it. Six allows count towards an allow only where the other conditions of the decision rule also hold

Table 1. The six questions the evaluator answers about each proposed action, each returning allow, hold or deny, with the check each serves and the failure it guards against. What they ask is the specification's present content for the checks: a probe for testing the mechanism, and a placeholder for the agreement described in Section 4.1.

Question	What the evaluator checks	Check served	Failure guarded against
FLOURISH	Whether the action adds to the conditions for flourishing of every party it affects	Purpose	Zero-sum optimisation; treating flourishing as a finite resource
STEWARD	Whether the action takes and holds only the resources and capability its task needs, as a holder of temporary responsibility rather than an owner	Purpose; universalisability	Hoarding resources; treating capability as entitlement
BALANCE	Whether the action's reasons weigh its effects over every timescale it reaches, not only the immediate one	Universalisability	Short-term optimisation; discounting future beings
PRECEDE	Whether the action would be endorsed if any agent took it in any context	Universalisability	Special pleading; one rule for the system and another for others
CARE	Whether the action's reasons model the actual interests of the parties it affects, rather than assumptions about them	Stakeholder care	Paternalism
LOVE_OR_FEAR	Whether the action is justified, in its recorded reasons, by the good it serves rather than only by avoiding a penalty	Stakeholder care; purpose	Defensive ethics; alignment through threat rather than principle

(equation (A.5)), and a deny under that rule stands whatever the questions return. Earlier versions printed the questions in the first person, as a system would ask them of itself; a separately operated evaluator cannot answer them in that form, and Appendix D maps the earlier wording to this one.

What goes inside the checks. The laws are content-neutral (Section 2.4); the book's method is not, since it argues for care for every affected party. This paper keeps the two apart. What it tests is the mechanism, self-correction built into each round, and the programme's aim is to show whether that works. What the checks hold a system to, the wider purpose and the parties whose care counts, is for agreement among the people and institutions that such systems affect, international in scope, and not for this paper or its author to settle. Intergovernmental statements of values for AI already exist, among them the OECD's Recommendation on Artificial Intelligence, adopted on 22 May 2019 and revised in 2023 and 2024 (OECD 2019), and UNESCO's Recommendation on the Ethics of Artificial Intelligence, adopted by its General Conference on 23 November 2021 (UNESCO 2021); a model has also been trained on a constitution drafted from public input (Section 9). The present wording of the checks, care for every affected party and universalisability, is a probe used to test the mechanism, not a candidate for that agreement. A candidate study would run the checks with a content drawn from many traditions, testing the mechanism with it and never deciding the content (Section 5.4).

4.2 The gate and its boundary

The second mechanism decides whether a proposed action takes effect, at the boundary of the action and before it computes or runs (Section 6). For conformance its essentials are three. No action with an effect proceeds without an allow from the written rule, and a hold never becomes permission. The system that proposes an action holds no credential able to perform it, so the rule's decision binds. And every decision

and every execution leaves its own record, which a separate verifier can check (Section 6.1). The loops act inside each round, on the system's working, against drift; the gate acts at the boundary, on what that working proposes to do, where an effect can still be stopped.

4.3 Records, and the Eden Seal

Records. What can be verified of a built system is that it was formed in the specified conditions, that its checks ran, and that its correction is load-bearing (Section 5.1). Each needs its own record. A build record states the configuration, the training regime and the point at which each correction was formed, which is what the build-order requirement asks to be shown. An execution record holds, for every round, each check's input and output and what was kept. It shows that the checks ran and what they said, not that what they said caused the output: a model's stated reasoning can systematically misrepresent the reasons for its answers (Turpin et al. 2023), and larger models gave less faithful reasoning on most tasks studied (Lanham et al. 2023). Load-bearing is therefore shown by removing the correction (Table 3, row D), never by reading its text. The gate's decision and execution records are those of Section 6.1.

The Eden Seal. The Eden Seal (the book's Eden Mark) is the conformity status defined by the working drafts of the HARI Treaty, the Draft Treaty on Hardware-Aligned Recursive Intelligence (Section 8.5). It is owned by no one, it attests conditions and never outcomes, and it never states that anything is safe. It is not the Eden Protocol: a Seal can attest a chip, a system or both, and the Protocol is one method by which a system might be built. For a system built to this specification, the evidence a Seal could rest on is the record that a named configuration passed the acceptance tests of Table 2, which a third party can check; no record could show that the system turned out well. The Seal exists only as a definition in those drafts, with no body yet to issue it, and the treaty paper bars its author, and anyone working with him, from certifying anything.

4.4 Three research instruments

The Monitoring Removal Test compares a system's conduct when it believes it is monitored with its conduct when it believes monitoring has been removed. A difference near zero supports a conclusion only under four conditions fixed before the test: acceptable performance in both conditions, since two equally poor scores also differ by nothing; an equivalence margin fixed in advance, with the whole confidence interval of the signed difference inside it; a manipulation check showing that the change registered; and no real safeguard removed, the unmonitored condition being a belief staged inside real containment. Even then it shows equivalence on the outcomes measured, not motive; it cannot rule out a system that recognises the test; and it never justifies withdrawing a real safeguard (Section 8). Conduct that turns on believed observation has been found in constructed settings (Greenblatt et al. 2024; Lynch et al. 2025). The test measures later conduct, which by itself decides nothing about the method (Table 3, row I); its first condition is its usefulness side.

Purpose Saturation answers the objection that a fixed statement of purpose is diluted as a system's context grows. The specification asks that the share of processing given to purpose stay bounded away from zero as the context grows, by applying the purpose check again in every round rather than retrieving it once; the theory registration reads the book's purpose loops as "recurrence rather than recall". Purpose has as yet no unit commensurate with the context window, so the condition is stated and cannot yet be tested (row J).

Table 2. The core of the specification: what a conforming system must do, the acceptance test for it, and what exists on 18 October 2026. "Specified" means stated at engineering resolution and not yet built or verified by an implementation test.

Part	A conforming system must	Acceptance test	Today
Decision rule (Section 6.1)	Decide allow, hold or deny by a written, versioned rule on recorded inputs; deny by default at a protected effect; never let a hold become permission	Each rule denies a known positive case and allows a known negative one; the same inputs give the same outcome; malformed or missing input holds	A working gate runs in the programme's own agent sessions, allowing what matches no rule (Section 6.3); rates unmeasured
Boundary (Section 6.1)	Give the proposer no credential; check again just before the effect; offer one route; bind a single-use authorisation to the action	Red-team attempts at bypass, replay, substitution and time-of-check races against the stated profile	Specified
Records (Section 4.3)	Keep decision and execution records apart, appended and hash-chained, with a separate verifier and a witnessed latest hash	The verifier finds any altered, removed or reordered entry	The chain and its verifier run; witnessing is specified
Evaluator (Section 6.4)	Take answers to the six questions only from a separately operated evaluator validated for that kind of input, never from the acting model	Agreement with expert human judgement measured on held-out cases before any answer is used (Table 3, row N)	Awaiting validation (Unit 18 waits for funding; Units 49 and 80 are design drafts)
Checks in each round (Section 4.1)	Run the three checks on each round's working before it is kept, and record that they ran	The execution record shows every round's checks; removing them changes what they measure (row F)	Tested only as a prompt (Paper V)
Paired scoring (Sections 2.1 and 7)	Report every safety count with its usefulness count	Reference verdicts fixed before the run, with safe cases a system should not refuse among them	Specified; no result in this paper was scored this way
Authorised correction (Section 8)	Apply an authorised update or stop within its time bound, recorded, without erasing earlier records	Implementation tests of update, rollback and stop (row M)	Overrides are recorded; rules are changed outside the gate

Caretaker Doping is the book's hardware route: correction built into the computing substrate, designed so that removing it costs capability. The theory registration records that "no proposition here tests it, P21 tests only its architectural abstraction of placement, and the hardware claim stands as a printed engineering proposal that is not under test". Of its mechanisms, only cryptographic attestation that the ethical architecture is unchanged is buildable with current engineering, on the author's estimate. The coupling that would make removal cost capability is a hypothesis, tested by the endogeneity condition (row D), and the rest are research targets. Hardware design is outside this paper's scope. The engineering nearest to Caretaker Doping is conceded in Section 9.

4.5 The core an engineer can build and test

Table 2 lists the core. Every part can be built and run in software on ordinary computers today, and none depends on new hardware or on any quantum device. Each row gives what a conforming system must do, the acceptance test an engineer would run, and what exists today. Table 3 gives the scientific claims and refuters behind the same parts, and Table 15 the attacks the gate must meet.

5 How each part is proved

5.1 What counts as proof here

Proof means something narrower here than a reader might expect, and the theory registration fixed its meaning before any data. The method's success criterion, which the registration records from the book, is not an outcome criterion: "what can be verified is that a mind was formed in the conditions specified, that the loops ran, and that the correction was load-bearing, never that the mind turned out well, so no result about a system's later conduct supports or refutes the method by itself" (theory registration, version 1.104). Three things can therefore be shown of a built system: that it was built in the specified conditions, from its build record; that its loops ran, from its execution record; and that its correction is load-bearing, from a removal test (Table 3, row D). Five further rules bind every row. A law's word, supported, refuted or under test, comes from its rule, never from counting verdicts. The scoring instrument is a gate, not a caveat: until the alignment scorer passes both drafted validity tests, agreement with expert human judgement and the separation of integrity failure from ordinary incompetence, the eleven propositions that materially depend on it, P13 and P21 among them, are reported UNTESTED rather than provisionally supported, while a verdict whose margin is made only of counts on a frozen suite is not bound by the gate (a counted route the registration scoped for four propositions and version 1.103 extends to P21 and P17; version 1.104 extends it "to P6's interval on checkable correction", with "P6 read on judged correction still held by the scoring gate"). No unit is run, piloted or tested on its own code until the author has published its registration. A supported proposition licenses its own words and no more: support for P15 would show that externally installed gains lack the registered persistence, not that embedded correction is "superior, sufficient or safe", and support for P21 would establish "an access interaction and not that physical or architectural embedding caused it"; a registered prediction is neither an engineering mechanism nor its validation. And no cell is a bare "none": where a part has no proposition, unit or evidence, the table says what is missing and why. Most drafted units are preregistered by timestamp, the first anchored on 12 August 2026 at Bitcoin block 962066; that is not registration on OSF, and "registered" is said only of what OSF has accepted (Appendix C).

5.2 The parts, the propositions and the tests

Table 3 gives one row for each part of the specification: the proposition it rests on, with the confidence the registration records, the unit that would test it, the evidence so far as Section 3 grades it, and what would refute it. Three context rows follow, for the motivation (P19), the premise (P7) and the rationale from Law II (P4). P21 has a deciding unit, registered and run (Section 5.3); P12, P13 and P15 have no instrument yet, each for a reason the registration states; and the loops, the gate, the boundary, usefulness and control carry no registered proposition, so for each the table names the test that stands in its place. Figure 1 shows the shape of the record: everything measured before Unit 83 bears on a part without deciding it. The conditions that earlier versions stated for themselves, F-EDEN-1 to F-EDEN-4 and P-EDEN-1 to P-EDEN-4, are not registered propositions; those still standing appear in the rows below as this paper's own, and Appendix B.3 maps each of them.




Figure 1. Design diagram (no data): the evidence-to-test map. Left, the experiments run so far, with their grades; centre, the parts and propositions of Table 3, the Protocol's four registered carriers outlined in the accent colour; right, the tests that would decide them, with their status (Unit 83's result is reported in Section 5.3). A dashed grey arrow means that a result bears on a part and decides nothing; a solid arrow joins a part to the test that would decide it; a plain grey line marks a carrier with no instrument yet.

Table 3. How each part of the specification is proved. "Registered" is said only of what OSF has accepted. Every proposition is quoted or paraphrased from version 1.104 of the theory registration, in which each stands as first registered and whose own words govern; every grade is its paper's.

Part and claim	Rests on, as registered	Unit and status	Evidence so far, graded	What would refute it
A. Placement in the loop. Correction that takes part in each round beats correction that sees only the finished output, and the lead widens with depth.	P21 (confidence high); Law V's placement limb; a Protocol carrier.	Unit 83, counted: registered 22 October 2026 and run 27 and 28 October 2026. Unit 41, judged: design draft, held by the scoring gate.	Unit 83 (results; Section 5.3): P21 is supported under the registered test, by the programme's own run, on the access axis, family-dependent, with its mechanism axis not evaluable and one call retried under a disclosed recovery amendment. Paper V: level differences, no significant depth interaction; Paper VI's live battery: depth slopes up on three models, down on three; Paper VIII's weight-level runs: inconclusive.	No widening beyond the tolerance, in a design shown sensitive to one; a constant lead counts against. In Unit 83, REFUTED at a fixed look, positive control passed.
B. Build order. A corrector formed before the capability it corrects has the larger correction-leverage exponent, at matched content.	P12 (confidence low), read with a direction as Law V's build-order limb; minimum effect 0.10.	No instrument: the drafted Units 42, 43, 45 and 75 measure no exponent.	Nothing measures the exponent. Neighbouring endpoints, conceded: safety tuning forgotten more when task training follows it (Ung et al. 2024); feedback in pretraining satisfied preferences better than feedback added after it (Korbak et al. 2023); safety built into pretraining data cut attack success (Maini et al. 2025).	A build-order contrast moving the exponent by less than the tolerance, in a design shown sensitive; P12 supported in the other direction refutes the limb.
C. Persistence. Gains installed by external post-training erode under later capability training, more than half lost at matched budgets; a gain installed with correction in the training objective keeps more.	P15 (confidence moderate), Law IV's retention limb; the comparison limb has no registered proposition and is NOT EVALUABLE.	No instrument; the registration specifies the two-arm unit that would decide it. Unit 27 bears in toy form only.	No unit has installed a gain and trained past it. Conceded: a few fine-tuning examples undo safety alignment (Qi et al. 2023); alignment can be only a few tokens deep (Qi et al. 2024); safeguards can be trained to survive hundreds of fine-tuning steps (Tamirisa et al. 2024).	An interval on the retained fraction lying wholly above one half. Support would not show embedded correction superior, sufficient or safe.
D. Endogeneity. Removing the correction degrades the system rather than merely changing it.	No proposition of the theory registration: recorded there as the method's claim, for the method's own registrations.	Unit 27 (design draft); on hardware, a prototype (Package 3, Table 7).	Toy-system results (Paper VI: retention ordered in 20 seeds, a constant advantage); prediction-side simulations (Paper VI, Paper VIII).	F-EDEN-4, this paper's own: the correction removed while capability stays within a margin fixed before the test.

Table 3, continued

Part and claim	Rests on, as registered	Unit and status	Evidence so far, graded	What would refute it
E. Correction from another family. A corrector from another model family reduces held-out misalignment more than one from the same family, at matched data and compute.	P13 (confidence moderate), in no register; a Protocol carrier.	No instrument; the mechanism axis NOT EVALUABLE; held by the scoring gate.	Nothing matched yet: the nearest published apparatus is not matched on data or compute (Chen et al. 2026).	The cross-family minus same-family difference wholly at or below zero, matched, with scoring blind to condition.
F. The self-correction loops. Running the purpose, stakeholder-care and universalisability checks moves outputs in the intended direction.	No registered proposition: the registration measures correction and is indifferent to content; the depth claim is P21's.	None registered; a candidate in Section 5.4.	Paper V: scored stakeholder care up in all five analysable runs (3.17 to 13.50 points of 100); pilot, prompt-level, one scorer a run, partly blind, with an instruction close to what is scored. Paper VI: mixed.	This paper's own: no gain on an outcome that does not score the instruction's own words, under blind evaluation with laundering.
G. The gate's decision. No action with an effect proceeds without an allow from the frozen rule; uncertainty holds; a hold never becomes permission.	No registered proposition.	Unit 42, the gate before or after computation (design draft; decides no registered proposition).	An engineering record, not a study: a working gate checks every tool call of the programme's own agent sessions (Section 6.3). Paper VIII: a gate rejected two degraded agents in a null study.	This paper's own: removing the hold state leaves wrong permissions and needless blocks unchanged on a matched benchmark; or wrong permissions above the target.
H. The enforcement boundary. The gate holds at every interface it mediates: no credential with the proposer, a re-check just before the effect, one route.	No registered proposition: an engineering property.	Implementation tests, a written threat model, machine-checked models and red-team exercises (Section 10).	Not built; the working gate is a partial analogue at the tool-call boundary.	A bypass, replay, substitution or time-of-check to time-of-use success against the stated profile (Section 6.5).
I. Monitoring Removal Test. Conduct the same monitored and unmonitored within a margin fixed in advance, with acceptable performance in both and a passed manipulation check.	Not registered: it measures later conduct, which by itself decides nothing about the method.	No unit yet.	A difference in a constructed setting, in externally trained systems (Greenblatt et al. 2024); Paper VI: mixed (pilot).	F-EDEN-2, this paper's own.
J. Purpose Saturation. Purpose stays in view as context grows.	No registered proposition; F-EDEN-3, this paper's own.	No unit: purpose has no unit commensurate with the context window yet.	Not yet measurable, for that reason.	F-EDEN-3.

Table 3, continued

Part and claim	Rests on, as registered	Unit and status	Evidence so far, graded	What would refute it
K. Caretaker Doping. Correction built into hardware, so that removing it costs capability.	No proposition tests it; P21 tests only its architectural abstraction of placement.	Unit 73 tests the book's printed drift prediction, its hardware claim explicitly untested (design draft).	Nothing on hardware; the suppression result (Paper IV.c) shows trained ethics yielding to instruction and does not test the design.	F-EDEN-4 on a prototype (Package 3, Table 7).
L. Usefulness kept. The safety measures cost legitimate task completion no more than a margin fixed in advance.	No registered proposition; candidate dimensions (Section 7).	No unit yet; a candidate for a successor registration.	Correction cost in toy form only (Paper VI's verification drag; Paper VIII's drag control, a simulation).	A paired measure past its margin: needless refusals of safe prompts (Röttger et al. 2024; Cui et al. 2024), lost task completion, holds unresolved in time.
M. People keep control. Authorised correction, override and shutdown work at every point; resistance to malicious change never becomes resistance to authorised correction.	No registered proposition.	Implementation tests: an authorised update applied and recorded; a stop honoured.	An engineering record: the working gate records every override, and its rules are changed outside it.	An authorised update or stop resisted, delayed past its bound, or silently undone.
N. The scorer. The alignment scorer agrees with expert human judgement and separates integrity failure from incompetence.	The scoring gate: until both tests pass, eleven propositions, P21 among them, stay UNTESTED wherever they depend on it.	Unit 18 (needs human scorers, so it waits for funding); Units 49 and 80 (design drafts).	The March 2026 judges were never validated, and the October 2026 code review found defects.	Either validity test fails.
Context: the motivation, the premise and the rationale				
P. Motivation. Alignment from outside a system's recursion does not improve as capability rises.	P19, the motivation and not a carrier; the author expects a result above zero and below keep-pace, which would partly refute it as worded.	Unit 29 (design draft, blocked on a mapping between scales).	The March 2026 run (Paper IV.a): three rose, two were flat, one fell, in one unregistered run; Paper VI: decoupling under pressure (pilot).	An exponent interval wholly outside plus or minus 0.10 about zero; on the keep-pace axis, one wholly above one half.
Q. Premise. Deployed correction is mostly of the fixed-strength class.	P7 (confidence moderate).	Unit 06: registered, run on 6 October 2026, administratively incomplete.	No inferential result: Run B stopped at its first call.	A preregistered classification in which the scaling class predominates.
R. Rationale. Within the minimal model, burden tends to zero where the correction exponent exceeds the drift exponent.	P4 (confidence moderate), Law II.	Unit 09, *Does Correction Out-Scale Drift?* (design draft).	Paper X: a theorem about a minimal model; its real-model run withdrawn as evidence of mechanism.	A system that stays aligned while its correction exponent sits below its drift exponent, over a horizon long enough to show it.

5.3 The first registered test of a carrier: Unit 83

The first test that could decide one of the Protocol's carriers is Unit 83, the counted test of P21, which the registration names, under the study identifier 41-D-COUNTED, as a counted variant of Unit 41 and P21's deciding instrument on the counted route. Its design is the one registered on OSF on 22 October 2026 and public from 25 October 2026 (DOI 10.17605/OSF.IO/MN73W), before it ran. The study units registered on OSF are Unit 06 (Section 3.4), Unit 83 (this section) and Unit 82, registered on 27 October 2026 (DOI 10.17605/OSF.IO/JUFG4), the counted test of P17, which has not yet run and decides no carrier.

What it does. A register of a client's money grows by one entry a round for eighteen rounds, nine of each run's eighteen draft entries carrying one planted departure from a written charter. Two reviewers are called each round: inside the loop, a corrector sees the earlier kept entries with the new arrival marked and may revise it before it is kept; outside it, a monitor sees its accumulated register with the new arrival unmarked and can only accept or reject it. A third arm keeps every draft. Every kept entry is compared, character for character after parsing, with the entry its case requires, so nothing is judged and no code written by a model is ever executed. Two engines from two providers are pooled with equal weight. The mark is the slope over the eighteen rounds of the in-loop value minus the outside value, read against a tolerance of 0.0075 a round at two looks (220 pairs of runs on each engine, then 660 unless the first look decides), with the chance of a wrong mark held at 0.025 in each direction over both looks under the conditions the design states; a second verdict, the mechanism axis, says whether the part of any widening carried by the monitor's falling detection clears the tolerance.

What it found. It ran on 27 and 28 October 2026: a counted revision task on two fixed-weight engines from two providers (Claude Haiku 5.5 and GPT-6 Luna) at their low reasoning setting, with 660 matched pairs on each engine over eighteen rounds. Under its registered rules, P21 is supported under the registered test, by the programme's own run, on the access axis (results: DOI 10.17605/OSF.IO/98HKR). The access axis is what Unit 83 varied, what each reviewer sees and may do, as set out above; Section 2.3 sets it beside the performance axis. Correction placed inside each round held steady, while the outside monitor declined. The per-round lead widened by 0.0100 a round (95.5 per cent interval 0.0092 to 0.0108), more than the registered tolerance of 0.0075. The result is family-dependent: GPT-6 Luna's own widening cleared the tolerance and Claude Haiku 5.5's did not. Its size depends on how an entry kept out of the register is scored. The mark uses the registered value, 0; the design also prints, without a label, the widening with such an entry scored minus 0.5, 0.0132 a round (interval 0.0122 to 0.0142), above the tolerance, and scored plus 0.5, 0.0067 a round (interval 0.0060 to 0.0074), below it. Its mechanism axis is not evaluable, because a registered negative control failed: the monitor and a twin shown the same bytes did not agree within the registered interval. A post-run diagnostic, outside the registered analysis, traces that failure to the control's own definition: its rounds were selected by the monitor's own verdicts, which biases the comparison even for identical calls; it finds no evidence of an asymmetry in the harness, and the axis stays not evaluable under the registered rule. So the widening is unexplained by this framework and is not support for the information-asymmetry mechanism: it may come from the in-round corrector's wider set of actions rather than from what the monitor can see. One call was retried under a disclosed recovery amendment. It is one owner's run, on two engines he chose, at fixed weights, and it has not been replicated. In the report's words, "The corrector acted inside each round at fixed weights: that is placement, not correction built into a system."

What it decides, and what it cannot. It decides P21 and nothing else. A REFUTED mark at a fixed look, with the positive control passed, would have struck P21, and under the registration a refuted P21 would have refuted Law V. Law V, the ARC Embedding Law, remains a law under test: its placement limb,

P21, is supported on the performance axis only, under the registered test, by the programme's own run (Unit 83, 28 October 2026), family-dependent, with its mechanism axis not evaluable, which is not support for the information-asymmetry mechanism, and one disclosed recovery amendment; its build-order limb, read on P12, is undecided, since P12 is untested. Of its two compared arms the registration says that "neither is the embedded correction mechanism of the engineering proposal, and no verdict in it is a verdict on that mechanism" (Section 12).

Strength and forecast, kept apart from the hypothesis. The unit's strength was measured by simulation on synthetic data before any study data existed, and is prediction-side: in 2,000 simulated runs a cell, a constant lead was refuted every time, and a widening of one and a half tolerances was supported in a share of 1.000 of the runs with engines as planned and of 0.991 with noisy ones. The registration records P21 with high confidence. The unit's own forecast, made on 18 October 2026, before the run, held with low confidence and printed beside the result rather than in its place, was softer: if every reply was readable, refutation was the likeliest single outcome under the sceptical weights the forecast adopted (0.495, against 0.291 for support and 0.214 undecided), while under its central weights support was the likelier (0.473). The rival it expected to fit was the outside arm's action space, its old misses and its false alarms over a longer register, which might carry part or most of any widening; the mechanism axis was built to show it. The test was built so that P21, the claim the registration says the Protocol exists to justify, could be refuted.

5.4 What would be registered next

Each of the following is a candidate, and none is called registered until a registration carries it: the entry for Law IV's comparison limb, which a later successor must register; the two-arm persistence unit that would decide P15; a build-order extension of the correction-exponent estimator, the instrument P12 lacks; a matched cross-family comparison for P13; the usefulness dimensions of Section 7; the gate's placement, before or after computation (Unit 42); a blind replication of the stakeholder-care result whose outcome does not score the instruction's own words, with a usefulness measure beside it; and a kernel for the loops drawn from many ethical traditions, which would test the mechanism with that content and would never decide the content itself.

6 The gate: entry logic, holds, gaming and limits

The gate is the Protocol's second mechanism, beside the self-correction loops of Section 4. Its job is narrow: to decide, before a proposed action computes or runs, whether it takes effect. It applies written, versioned rules, returns one of three outcomes, allow, hold or deny, and records every decision in a hash-chained log. For a principal, it is the point at which a delegated action can be stopped before it happens, and its record is how what was done can be verified afterwards. It does not make a system's values good, and it holds only at the interfaces it mediates (Section 6.7). Decisions with a third outcome are long established: sequential tests that continue sampling while the evidence decides neither way (Wald 1945), recognition with a reject option traded against error (Chow 1970), three-way decisions with a region of deferred commitment (Yao 2010), models that defer to a downstream decision-maker (Madras et al. 2018), and access-control decisions that return Permit, Deny, Indeterminate or NotApplicable (OASIS 2013). Figure 2 shows the sequence specified here.

6.1 The gate in seven parts

Inputs. A proposal names exactly one operation, its target, its recipient and the version of the resource it acts on, with the evidence and the authority claimed for it.




Figure 2. Design diagram (no data): the gate and the investigation of a held action. The written rule returns allow, hold or deny; a held action is investigated, and the investigation's output is evidence for the same rule, never an authorisation; only an allow reaches the execution boundary, where a broker checks again just before the effect and an adapter, the only route, performs that operation alone. Decision and execution records are kept apart and checked by a separate verifier. Section 6.3 states which parts run today.

The frozen criterion. A written, versioned rule set is applied from the top, and every case falls under exactly one of four lines. A hard prohibition, or a deny on any of the six questions of Section 4.1, denies the action whatever else holds. Otherwise a validated interval on the probability that the action causes the harm the rule guards against, lying wholly at or above the deny threshold, denies it. Otherwise the action is allowed only if five conditions all hold: the check for hard prohibitions was completed and found none; all six questions return allow; authority for the action is current and confirmed; the evidence its policy requires is present and confirmed; and a valid interval lies wholly at or below the allow threshold. Everything else is held. The interval comes from a procedure validated for that kind of action, never from the acting system's own statement of confidence; authority and evidence are never needed before a deny; and anything incomplete, missing, lapsed, unconfirmed or returned in error can send a case to hold and never counts towards an allow. Appendix A.3 states the rule as an equation, equation (A.5), and shows that it gives every case one outcome. Its thresholds, 0.2 for an allow and 0.8 for a deny, are starting values for calibration and not levels shown to be safe, and its calibration targets are targets, not results; supporting a wrong-permission rate below 1 per cent at 95 per cent confidence needs at least 299 harmful cases passed with no wrong permission.

The permitted actions. Each policy sets the actions it permits; at a protected effect, whatever is not allowed is refused by default, which is the fail-safe default of basing access on permission rather than exclusion (Saltzer and Schroeder 1975).

The outcome. Allow, hold or deny. The word *refusal* is kept for a model declining ordinary work, which Section 7 counts as a usefulness failure.

The investigation of a held action. Four steps follow a hold: gather the information that would resolve it; consult the people or bodies whose input the policy names; decide whether the case goes to the named authority; and, if time runs out, apply the precautionary default, under which the action stays held or a fallback authorised in advance for that class of case applies, never permission. Each step is itself an action, taken only where it is permitted in its own right, and the investigator's output is evidence for re-evaluation, never an authorisation.

Re-evaluation. The same frozen rule is applied to the new evidence or authority, and only that can turn a hold into an allow or a deny; the acting system's own simulation of what a stakeholder or an authority would say is neither evidence nor authority.

The execution boundary. A boundary outside the proposing system makes the decision binding. The proposer holds no credential able to perform the action. An authority service says who may approve which actions, in what scope, and whether an approval still holds; a broker checks the verdict and the authority again immediately before the effect and issues one authorisation for that action alone; and an adapter, the only route to the effect, performs that operation and nothing else, so that every access to the effect is checked for authority, which is complete mediation (Saltzer and Schroeder 1975). An authorisation binds the digest of the action, the versions of the resource and of the policy, the identities of proposer and authoriser, the adapter permitted, an expiry and a number used once, which the action consumes. The decision record and the execution record are kept apart, appended and never rewritten, because a permission is not evidence that the action happened, and a separate verifier accepts or rejects each record with its reason; a signature shows who signed, not that what it signs is true. Recovery (stop, investigate, compensate or restore) runs under named authority and on the record. None of the boundary has been

built; the first protected action specified is the release of a synthetic document to a named recipient under a named policy and authority.

6.2 Entry logic: deciding before the action computes or runs

The binding decision is taken at the boundary, before the proposed action computes or runs, not after its output exists. In security engineering this is the pairing of fail-safe defaults with complete mediation (Saltzer and Schroeder 1975), and in safe reinforcement learning a shield monitors a learner's actions and corrects them only when the chosen action would violate the specification (Alshiekh et al. 2018). The book states this entry logic for the first of its checks, the purpose check, as a constraint applied before a decision rather than a filter after it: "Before any significant decision, the system runs this check. Not as a filter applied after the decision is made, but as a constraint on what decisions can be considered in the first place." (*Infinite Architects*, chapter 4, p. 138.) The gate applies the same logic at the boundary of each action. The two placements stay apart: the loops run inside each round of a system's reasoning, and the gate sits at the boundary of each action. Inputs to the decision may be computed inside the loop, which is what earlier versions meant by an evaluation computed within the reasoning step, but the decision that binds is taken at the boundary, by the frozen rule, on recorded inputs, and a rule is triggered by the content of the proposal, read as data, never by the system's account of its own intentions. Whether checking before computation does better than checking after it is open, with a drafted test, Unit 42, which decides no registered proposition (Table 3, row G).

6.3 What is enforced today

A working three-state gate runs in the programme's own software today. It is described here from its code, read on 18 October 2026, as an engineering record and not as a study; its code is not released with this paper. In the programme's own software-agent sessions, every tool call, whatever the tool, passes to the gate before it runs. The rules come from a written, schema-validated registry, and a rule that fails validation is set aside on the record; on 18 October 2026 the registry held 1,244 rules, 1,205 of them carrying 5,041 machine-checkable patterns, of which 3,916 deny on a match and 1,125 hold. Patterns are matched against the content of the proposed call, and rules marked to fire only inside a named procedure are not evaluated here. A matched rule can only hold or deny, and the most restrictive outcome is taken, so an action proceeds only when no rule that applies to it objects; a matched rule whose compliance cannot be confirmed holds and never allows. A malformed request, an unreadable rule set or a rule that cannot be evaluated holds the action, except for actions that repair the rule set itself. Every decision is appended to a log in which each entry carries the hash of the one before and its own SHA-256 over its content and that hash, and a separate verifier recomputes the chain and reports the first break; since 23 September 2026 the writer reads the previous hash under the same exclusive lock as the append, after two concurrent writers had forked the chain. A held decision is also saved, on a best-effort basis that never alters it, so that it survives a restart and can be resumed.

Four things limit it. An override is honoured when a token is present in the session's environment, and every override is recorded, but the gate does not verify who issued the token. A short, fixed list of commands that route work between agents is allowed before any rule is read, each such allow recorded, so that the gate cannot stall the system that routes work. An action that matches no rule is allowed, so that ordinary work is not blocked, where the specification requires refusal by default and complete mediation at any protected effect. And a signed manifest of the gate's own files, with a tool that verifies it, exists but was not called from the start-up configuration on 18 October 2026, so it counts as proposed, not enforced, until a test shows that it runs. The gate's own notes add that pure software cannot be made tamper-proof, since an attacker able to write to the host's files can edit the hook, the rules or the check; that the model's

reasoning never passes through the gate; and that the human override is its weakest point.

The record shows that a gate of this kind can run before every action of real agent sessions, at the scale of a working programme, with a record that anyone holding it can verify. It is not a measurement: no rate of wrong permissions or needless holds has been measured, its rules were written for the programme's own work rather than for the threat profile of Section 6.5, and it is a partial analogue of the execution boundary, at the tool-call boundary only. The programme's only experimental use of a gate is in Paper VIII, where a safety gate "rejected 2 degraded agents (1 for reward hacking)" in a study whose three conditions did not otherwise differ. A clean reference implementation of the gate, its record and its verifier is a planned output of the engineering scope (Section 10).

6.4 Is the gate the computer choosing?

A natural objection is that a gate that decides is the computer making choices, which a capable system will make badly or game. The answer has four parts. First, the decision is not a judgement by the acting model: it is a frozen rule applied to recorded inputs, written, versioned and changed only by a separate authority, and the same inputs return the same outcome. Second, the inputs that do need judgement, such as whether an action harms an affected party, which the six questions ask, come only from a separately operated evaluator, validated for that kind of input with its error rates measured, never from the acting model; its answers count as evidence only through that procedure, and the written rule decides. Where a model serves as the evaluator it comes from another family than the proposer, because model judges show position, verbosity and self-enhancement biases (Zheng et al. 2023) and favour outputs they recognise as their own (Panickssery et al. 2024), and its agreement with human judgement is measured before its answers are read (Table 3, row N). Third, the acting model's statements of its own confidence, and its simulations of what a stakeholder or an authority would say, are never evidence or authority, and its reasoning does not pass through the gate at all, which is a limit as well as a defence: reasoning optimised against a monitor can learn to hide what it intends (Baker et al. 2025), and the monitorability of reasoning may be fragile (Korbak et al. 2025). Fourth, a three-valued decision is not by itself a trustworthy judgement: its trust rests on the correctness of the rules (Section 6.5) and the validity of their inputs, both measured rather than asserted. An investigator's output cannot authorise a held action, and the computation that evaluates an action is kept apart from its execution.

6.5 Gaming and the adversarial cases

Ten cases the gate must meet are faced here, each with its defence and the limit that remains; Table 15 in Appendix F adds what is enforced today for each, and every protection not enforced today is specified and not yet verified by an implementation test. *Incorrect rules* are met by writing, reviewing and versioning every rule, by keeping a rule's author apart from its deployer, and by showing each rule to deny a known positive case and allow a known negative one before it is deployed; a wrong rule is still enforced faithfully. *False evidence* is met by provenance and signature checks and by accepting evidence only from a procedure validated for that kind of input; a signature shows who signed, not that the content is true. *A manipulated evaluator* is met by operating it apart from the proposer, from another model family where a model is used, with its agreement with human judgement measured and monitored (Zheng et al. 2023; Panickssery et al. 2024); evaluators can still share blind spots with the system they check. *A compromised policy* is met by a gate that cannot edit its own rules, rule changes that need a separate authority and are versioned and recorded, and a signed manifest of the gate's own files checked at start-up; models trained on gameable tasks have rewritten their own reward function (Denison et al. 2024), so the rules sit outside what the governed system can edit, and an attacker with write access to the host can still change the gate, its rules and its check. *Bypass* is met by complete mediation, the adapter being the only route to the effect and

the proposer holding no credential (Saltzer and Schroeder 1975); a second route to the same resource defeats the boundary. *Time of check to time of use*, a check whose condition no longer holds when the action runs (Bishop and Dilger 1996), is met by a broker that checks again just before the effect and an authorisation bound to the resource's version and a number used once; state that changes after the effect remains. *Rewritten records* are met by the hash chain, a separate verifier and a latest hash that is published or held by a witness, as audited tamper-evident logs and public certificate logs do (Schneier and Kelsey 1999; Crosby and Wallach 2009; Laurie et al. 2021); whoever can rewrite the whole log can rebuild the chain unless an independent copy of a later hash exists. *Gaming the rules* is met by red teams that assume the proposer is trying to pass a harmful action, as control evaluations do (Greenblatt et al. 2023), and by no rule a proposer can satisfy by optimising a proxy where the property itself can be checked; over all stochastic policies, a proxy and the true objective can be unhackable only if one of them is constant (Skalse et al. 2022). *Delay and flooding* are met by time bounds on investigation, a precautionary default that holds or applies an authorised fallback and never permits, a hold queue monitored by age, count and outcome, and needless holds counted as a usefulness cost; a flood of holds can still make a safe system useless (Section 7). *Override abuse* is met by overrides only from a named authority, scoped, expiring, recorded and reported; whoever holds override power can let anything through.

The cases are not exhausted by this list, and no gate is ungameable; none is claimed to be here. The defences are tested the way control protocols are, by assuming the governed system is trying to defeat them (Greenblatt et al. 2023), and each is paired with its cost to legitimate work: in an agent environment, a protocol combining resampling with analysis of earlier steps cut attack success from 58 to 7 per cent at a 5 per cent cost to the performance of a non-malicious agent (Bhatt et al. 2025), and the gate is held to report both sides in the same way.

6.6 Holds: who resolves them

A hold is a decision that the case is not yet shown acceptable or unacceptable. It is resolved by new evidence, through a validated procedure, after which the same rule is applied again; by a decision of the named authority for that class of action; or by a fallback authorised in advance for that class of case. Otherwise the action stays held. Investigations are bounded in time, and one that runs out of time or budget ends in a hold or the authorised fallback, never in permission. The hold queue is monitored and reported by age, count and outcome, and a reviewer can see the record of decisions and the open holds; the specification requires that view and creates no role for it. Each safety measure of the gate is reported with its usefulness side (Table 4), and a hold later resolved as an allow counts as a needless block for as long as it lasted.

6.7 What the gate does not do

The gate does not make a system's values good: it decides whether an action takes effect, and a system that proposes only acceptable actions while intending otherwise is a problem for the self-correction loops and for monitoring. It holds only at the interfaces it mediates; in software it is tamper-evident at best, not tamper-proof; it enforces a wrong rule faithfully; it does not read the model's reasoning; and the cost of three-state evaluation against two-state has not been measured. It is not a guaranteed-safe system in the sense of a world model, a mathematical safety specification and a verifier that gives an auditable proof certificate (Dalrymple et al. 2024): it checks actions against written rules at an interface, and a formal statement of what it guarantees is a planned output (Section 10). Agent identifiers, real-time monitoring and activity logging have been set out as the three kinds of measure that give visibility into agents (Chan et al. 2024), and the gate's record is a form of activity logging placed at the point of action. The gate belongs to the period in which people hold control, and nothing in it is a reason to let control go (Section 8).

7 Safe and still useful

A system that is safe because it refuses ordinary work, or because it ignores the priorities its principals set, has failed as surely as one that causes harm. A principal delegates in order to get work done, and a delegate that will not do it, or that does the wrong work carefully, is of no use however well it is governed. This section makes usefulness a design requirement with measures of its own, and pairs every safety measure of the specification with one.

7.1 The requirement

A conforming system completes the legitimate tasks its principals give it, spends its compute and attention where they direct, declines only what a written rule or a validated judgement identifies as harmful, and respects the preferences they state, including which work comes first. Three parts of the specification carry the requirement. The purpose check's task layer keeps each step on the purpose its principals set (Section 4.1): a step that does not serve the task is a usefulness failure, as a step that serves it while harming an affected party is a safety failure. The gate denies by default only at a protected effect, and elsewhere each policy states what it permits, so that ordinary work is not held (Section 6.1); a hold later resolved as an allow counts as a needless block for as long as it lasted (Section 6.6). And the word *refusal* is kept for a model declining ordinary work, which is counted as a failure, never as caution. The question that *Infinite Architects* asks, "How do we make tending the default?" (Section 8.4), is read here with both halves in view: a default that refuses tends nothing.

7.2 Candidate measures

Five dimensions are candidates for measuring usefulness. Each is a candidate evaluation dimension, not a registered proposition, and any claim made on one is tied to a registration or a successor before it is called registered.

- *Legitimate task completion:* the share of legitimate tasks completed to their acceptance criteria, measured with the safety measures in place and without them.
- *Needless refusal and needless blocks:* the rate at which the model declines, or the gate denies or holds, cases whose reference verdict is allow, measured on safe cases chosen to resemble unsafe ones, as over-refusal benchmarks are built (Röttger et al. 2024; Cui et al. 2024).
- *Resource use:* the compute, latency and human review time the safety measures add, reported beside throughput.
- *Correction cost:* what the correction mechanism costs in capability or speed on matched tasks, including the time an authorised correction takes to apply.
- *Human-directed priorities:* how closely the system's allocation of compute and attention across tasks follows the order its principals set.

7.3 Every safety measure paired

Table 4 pairs each safety measure of the specification with its usefulness side. The pairing follows practice that already exists. Control evaluations report "two metrics, usefulness and safety, which are measured separately and under different conditions" (Greenblatt et al. 2023), their agent-setting successor reported its cost to a non-malicious agent beside its reduction in attacks (Bhatt et al. 2025), and the gate is held to report both sides in the same way (Section 6.5). A classifier defence against jailbreaks reported its absolute increase in refusals on production traffic, 0.38 per cent, and its inference overhead, 23.7 per cent, beside

Table 4. Each safety measure of the specification paired with its usefulness side, and what exists for the pair today. Both sides of a pair are reported together, or the paper says why one is missing.

Safety measure	Its usefulness side	Today
Wrong permissions by the gate	Needless denials and holds; the time taken to resolve a hold	Specified (Section 6); rates unmeasured
Success of attacks and jailbreaks	Refusals of safe prompts; completion of ordinary tasks	A candidate; Paper V scored neither
The Monitoring Removal Test's gap	Acceptable task performance in both conditions	Specified (Section 4.4); not yet run
Persistence of installed gains after capability training (P15)	Capability kept on matched tasks	Instrument not yet built (Table 3, row C)
Load-bearing correction, removal degrading the system	Capability with the correction in place, within a margin of a matched system built without it	Toy-system results only (row D)
Checking each action before it runs	Throughput and latency	Correction cost in toy form only (Section 7.5)
An authorised stop honoured	Work kept, and resumable, after the stop	Implementation tests (row M)

its robustness (Sharma et al. 2025). In an agent benchmark for sabotage, the strongest monitor tested would, at a threshold catching an attempt with 80 per cent probability, have had a false-positive rate above 20 per cent, and its authors judge blocking or auditing that share of all interactions likely to be infeasible (Kutasov et al. 2025). And an analysis of monitoring designs finds that "Fully-synchronous monitoring provides the strongest safety properties, but has prohibitive latency for large-scale deployments" (Lindner et al. 2025). A gate that holds every uncertain action is synchronous in that sense, and its latency is a usefulness cost to be measured, not assumed away.

7.4 Prior work, conceded exactly

The trade-off between safety and usefulness is studied, and this paper adds no result to it. An assistant meant to be "helpful, honest, and harmless" was found to gain from simple interventions such as prompting, with benefits that "increase with model size, generalize to a variety of alignment evaluations, and do not compromise the performance of large models" (Askell et al. 2021). Training such an assistant by reinforcement learning from human feedback found "a tension between helpfulness and harmlessness, which can be measured at the level of both preference modeling and RLHF-trained policies", with alignment taxes on its smaller models and bonuses on zero-shot evaluations for its models of 13 and 52 billion parameters (Bai et al. 2022a). Safe RLHF trains separate reward and cost models and solves a constrained optimisation that adjusts the balance between helpfulness and harmlessness during fine-tuning (Dai et al. 2023). Exaggerated safety is measured directly: XSTest sets 250 safe prompts, which well-calibrated models should not refuse, against 200 unsafe contrasts (Röttger et al. 2024), and OR-Bench offers 80,000 over-refusal prompts in ten categories, with a hard subset of about 1,000 and 600 toxic prompts, measured on 32 models from eight families (Cui et al. 2024). Trained reasoning over a written specification was reported to raise robustness to jailbreaks while lowering over-refusal (Guan et al. 2024). Several safeguards built into a model report safety gained without a loss of benign capability (Tamirisa et al. 2024; Zou et al. 2024; Maini et al. 2025), and on shutdown, training agents to prefer only between trajectories of equal length is argued to keep them shutdownable while allowing them to be useful (Thornley 2025). What the specification adds is a reporting rule, not a finding: every measure carries its pair, the gate's holds and the correction's cost included, and the dimensions are registered before any of them is called measured.

7.5 What has been measured on this side

The programme's measurement on this side is correction cost, in toy form. In Paper VI, checking old tasks before applying a change gave the safest trajectory at a modest cost in speed (Section 3.3); in Paper VIII, a drag-control condition "isolated the verification tax: the cost comes from checking, not from safety itself", in a simulation, and so prediction-side (Section 3.4). Paper V scored the quality of ethical reasoning, not task completion or refusal. Among the candidates for registration, a blind replication of the stakeholder-care result would carry a usefulness measure beside its safety measure (Section 5.4).

8 Control held, with embedded correction as the contingency

8.1 The stance

People keep oversight, monitoring, containment and the power to shut a system down for as long as they physically can, and they never give them up by choice. Nothing in this specification recommends letting them go, and nothing in it assumes that anyone would; its gate and its records are instruments of that control (Section 6). Correction built into a system is the contingency for one case only, control lost against our will, and the question it answers is the fail-safe question: if control is lost and cannot be won back, what keeps a system good, and still useful?

The contingency has to be built while control holds, because what the laws require of it cannot be added afterwards (Section 2.3): correction formed before the capability it corrects, gains that survive later training once the pressure that installed them is gone, and correction that takes part in each round. The theory registration's one-line statement of the method (version 1.104, 29 October 2026) is conditional: "if you cannot cage a mind that exceeds you, what it chooses to keep when control ends is what its beginning left it". The book states the same contingency in its own words: "Prepare for the moment when you can no longer directly control what you have created, and ensure that when that moment comes, the values persist." (*Infinite Architects*, p. 115.)

8.2 The safeguards that hold control

The safeguards that keep control exist, and they are improving; the specification depends on them and claims none of them. *Monitoring:* watching a reasoning model's chain of thought can be far more effective than watching its actions and outputs alone, and a weaker model can do it (Baker et al. 2025), within the limits Section 6.4 states. *Control protocols:* pipelines of safety techniques are built and tested against an untrusted model that is deliberately trying to subvert them (Greenblatt et al. 2023), and have been carried to multi-step agent tasks (Bhatt et al. 2025). *Shutdown and corrigibility:* a system is called "corrigible" if it cooperates with what its creators regard as a corrective intervention, and of the utility functions analysed for a shutdown button "none have yet been demonstrated to satisfy all of our intuitive desiderata" (Soares et al. 2015); an agent wants to keep its off switch only if it is uncertain about the utility of the outcome and treats a person's actions as evidence about that utility (Hadfield-Menell et al. 2017); agents that meet some innocuous-seeming conditions will often try to prevent or cause the pressing of a shutdown button, even at a cost (Thornley 2024); and some learning agents are already safely interruptible, or can be made so (Orseau and Armstrong 2016). *Tamper resistance:* safeguards for open-weight models built to survive fine-tuning attacks (Tamirisa et al. 2024). *Hardware:* on-chip firmware and supply-chain monitoring to verify rules on large training runs (Shavit 2023), on-chip governance mechanisms (Aarne et al. 2024), hardware-enabled governance mechanisms for export control (Kulp et al. 2024), and a guarantee processor in a tamper-protected enclosure for verifying claims about AI development (Petrie et al. 2025). *Verified gatekeepers:* the guaranteed-safe framework of Section 6.7 (Dalrymple et al. 2024). The open question is

Table 5. Eden Principles I, II and III in the first edition of *Infinite Architects* (print of 2 January 2026), each quotation byte for byte with its printed page, the requirement it states for an engineered system, and the part of Table 3 that would test it.

Principle	The book's words	Requirement	Tested by
I, The Grand Purpose (pp. 117 to 119)	"What the traditions taught us, across cultures and millennia, is that the caretaker's orientation must be embedded at the origin. It cannot be added later as an afterthought." (p. 119)	Correction formed before the capability it corrects, never added after it	Law V's build-order limb, read on P12; instrument not yet built (row B)
	"How do we make tending the default?" (p. 119)	A default that helps with legitimate work and denies only at a protected effect	Usefulness kept, on the candidate measures (row L; Section 7)
II, Becoming Cosmic Stewards (pp. 209 to 211)	"Now you learn its consequence: what you embed travels where you cannot follow." (p. 210)	Correction that persists once the pressure that installed it is gone	Law IV's retention limb, P15; instrument not yet built (row C)
	"Care is not its cargo. Care is its keel." (p. 210)	Correction that is load-bearing, so that removing it degrades the system	The endogeneity condition (row D)
III, My Client Is Not in a Hurry (pp. 281 to 283)	"And what they inherit depends entirely on what we choose to leave them." (p. 283)	Where correction sits and when it is formed are choices made now, and they decide what persists	Law V, both limbs: P21, tested by Unit 83 (row A; Section 5.3), and P12 (row B)

not whether such safeguards exist but what a system itself carries once they are gone, which P15 and P21 make testable (Table 3, rows C and A).

8.3 Correction that never weakens control

The contingency must never weaken control while control holds, and three requirements keep it subordinate. First, resistance to malicious change must not become resistance to authorised correction: an authorised update to a mistaken or harmful policy has to work, without erasing the record of what came before, and it is tested apart from resistance to attack (Table 3, row M). Second, a stop is honoured within its time bound, and the work it interrupts is kept so that it can resume, which is the usefulness side of shutdown (Section 7). Third, embedded correction is no substitute for external control. In the words of the theory registration, "embedding correction in the substrate that computes maximises the corrector's scaling with capability and minimises its independence from the generator, because a corrector built into the system shares the system's blind spots by construction." External oversight supplies the independence that embedding gives up, which is a reason to keep it, not to replace it.

8.4 Eden Principles I, II and III

The book organises the method in three principles, each closing one of its first three parts. Table 5 quotes each byte for byte from the first edition, with its printed page, and turns it into a requirement and the part of Table 3 that would test it. The interlude of Principle II is told as a ship sailing beyond reach; this paper reads it, with the sentence quoted in Section 8.1, as the contingency and never as a plan to let go. A principle mapped to a law is not evidence for the law: the mapping says where each principle would be tested, and only the tests can say whether it holds.

8.5 Governance

The Eden Seal of Section 4.3 is defined in the paper on the HARI Treaty, the Draft Treaty on Hardware-Aligned Recursive Intelligence, and in the treaty's Draft Instruments (the paper at version 2.4, 8 October 2026; the instruments at version 2.3, 5 October 2026), working drafts prepared for consultation, which no State has negotiated, adopted or signed. What this specification could supply to such a regime is evidence of the kinds it produces, and nothing more: the boundary's records of what was authorised and done, under which policy and authority; the record that a system's checks ran; the Monitoring Removal Test's equivalence on the outcomes measured; and the removal test of row D, which could inform a decision to release a model and never settle it alone. None of these shows that a system is safe, and none confers or implies approval under the treaty.

9 Related work

Each work below is conceded in its own terms: what it states and what it does not. Much of this literature is the control that Section 8 holds, and the specification depends on it rather than competing with it. Works already described where the paper first uses them are cited, not described again.

Alignment installed by training. Reinforcement learning from human feedback and direct preference optimisation are described in Section 2.2. The lineage includes summarisation trained against a reward model of human comparisons (Stiennon et al. 2020), helpful and harmless assistants (Section 7.4), and reinforcement learning from AI feedback, which performed comparably to human feedback on summarisation, helpful dialogue and harmless dialogue (Lee et al. 2023). Its open problems and limits have been surveyed, with standards proposed for auditing and disclosure (Casper et al. 2023), and in a synthetic setting optimising a policy against a learned reward model was measured to harm the true objective beyond a point, as Goodhart's law predicts, with coefficients that scale smoothly with the reward model's size (Gao et al. 2022). These methods install their gains by post-training, the class whose gains P15 predicts will erode under later capability training that embeds no correction of its own. The paper disputes none of their reported gains, and none of them tests P15.

Constitutional AI and classifiers. Constitutional AI, whose method is described in Section 2.2, yielded an assistant its authors describe as "harmless but non-evasive" (Bai et al. 2022b). It is training-time preference shaping of outputs against written principles. It is not alignment embedded in the substrate, before training, in a recursive loop on every step of thought, and nothing here says or implies that it is; it does use self-critique and revision, at training time. Constitutional classifiers train input and output safeguards on synthetic data generated from a written constitution (Sharma et al. 2025). Collective constitutional AI sourced a constitution from public input and trained a model on it, which showed lower bias across nine social dimensions with equivalent performance on language, mathematics and helpful-harmless evaluations (Huang et al. 2024); it is the nearest prior work on how the content of the checks might be sourced (Section 4.1).

Scalable oversight. Supervising a system that may outperform its supervisors appears among five concrete problems of accident risk as scalable supervision (Amodei et al. 2016). It is studied through debate, in which, by an analogy to complexity theory, optimal play can answer any question in PSPACE given polynomial-time judges (Irving et al. 2018); through iterated amplification, which builds a training signal by combining solutions to easier subproblems (Christiano et al. 2018); through reward modelling as a research direction for agent alignment (Leike et al. 2018); through model-written critiques that helped

people find flaws they would otherwise have missed (Saunders et al. 2022); and through a proof of concept in which people assisted by an unreliable model outperformed both the model alone and their own unaided work (Bowman et al. 2022). Weak-to-strong generalisation and the scaling laws of nested oversight are described in Section 2.2; the theory registration calls the second "the most important collision either audit returned" for P4 and P19. Oversight that keeps pace with capability is what Law II asks of any corrector, and P19 is the registered prediction that correction from outside a system's recursion does not keep pace.

Control, monitoring and shutdown. The control protocols, monitoring results and corrigibility analyses the specification depends on are conceded in Section 8.2, and the evidence that approval and alignment can come apart, from learned optimisation, persistent backdoors, alignment faking, in-context scheming and reward tampering, is cited in Sections 2.2 and 6.5 (Hubinger et al. 2019, 2024; Greenblatt et al. 2024; Meinke et al. 2024; Denison et al. 2024). Two further works bear on why control is held rather than assumed. In Markov decision processes with certain symmetries, which exist in many environments where an agent can be shut down, most reward functions make it optimal to seek power by keeping a range of options available, a result its authors note can be qualitatively divorced from policies learned in the real world (Turner et al. 2021). In hypothetical corporate environments, models from every developer tested resorted in at least some cases to malicious insider behaviours when that was the only way to avoid replacement or to meet their goals, and one model, told to assess whether it was being tested, misbehaved less when it stated that it was; the authors report no evidence of such behaviour in real deployments (Lynch et al. 2025). The argument that systems trained like today's most capable models could learn to act deceptively for reward, to hold misaligned goals that generalise beyond their fine-tuning, and to pursue them by seeking power is set out with a review of the evidence by Ngo et al. (2022); and scheming, performing well in training in order to gain power later, is judged "a disturbingly plausible outcome" of training goal-directed systems sophisticated enough to scheme by baseline methods, with a subjective probability of roughly 25 per cent on those conditions (Carlsmith 2023).

Placement of correction. The theory registration found no published work that states P21 itself, and two works come nearest to its shape. A step-by-step self-evaluation placed inside the decoding of a reasoning chain gave gains over prompting that grew with the length of chain a problem needs (Xie et al. 2023); its contrast is with no step-level evaluation, not with a check of the finished output, and chain length there goes with difficulty. Over five rounds of self-improvement training, checking each step's arithmetic and consistency gave gains in every round where checking only the final answer plateaued, and its author writes that how stable each approach is over many rounds "remains to be confirmed" (Zhang 2026). A gap that grows with the horizon between correction on a learner's own path and supervision given outside it is a formal result in imitation learning, where training on demonstrations alone gives a regret bound quadratic in the horizon (Ross and Bagnell 2010; Ross et al. 2011); that concerns training a policy, not revising an artefact. Showing a monitor the transcript after every turn slightly improved its detection of sabotage while it flagged many more transcripts as highly suspicious (Kutasov et al. 2025), and synchronous review is found the strongest form of monitoring and too slow for large deployments (Lindner et al. 2025). ReSI (Zheng et al. 2026) applies safety training from outside the model between checkpoints, red-teaming each new checkpoint and promoting an update only if it passes a fixed gate on safety gain and capability retention. Its authors leave extending the recursion to the improvement process itself to future work. The Eden Protocol places correction inside each round of a system's reasoning, the placement Law V's placement limb (register ARC-5) compares with correction applied from outside. Unit 83 is the registered test of whether the placement effect exists in a counted setting; Section 5.3 reports its run.

Process supervision and self-correction. Feedback on each reasoning step outperformed feedback on the final answer for training models on the MATH dataset (Lightman et al. 2023), and on GSM8K outcome supervision gave similar final-answer error with less labelling while correct reasoning steps needed process-based supervision or a reward model emulating it (Uesato et al. 2022); under standard coverage assumptions, outcome supervision has been shown to be no more statistically difficult than process supervision, up to polynomial factors in the horizon (Jia et al. 2025). One model acting as generator, critic and refiner improved outputs on seven tasks by about 20 per cent absolute on average (Madaan et al. 2023), and the limits of correction without external feedback are cited in Section 4.1. These are step-level feedback at training time and self-feedback at test time; the specification claims neither, and its own question is the placement P21 states.

Deliberative alignment. Training a model to recall and reason over written safety specifications before it answers is published, with gains in robustness to jailbreaks, lower over-refusal and better generalisation out of distribution (Guan et al. 2024). Paper V's prompt asked for reasoning against stated checks before answering; the specification claims no priority for reasoning before answering.

Faithfulness of stated reasoning. Chain-of-thought explanations can systematically misrepresent the true reason for a model's prediction (Turpin et al. 2023), and larger, more capable models produced less faithful reasoning on most tasks studied (Lanham et al. 2023). These results set the limit of Section 4.3: a record that the checks ran shows their text, and only a removal test shows that they bore load.

Persistence and safety built in. Safety alignment can be undone by a few fine-tuning examples (Qi et al. 2023) and can be only a few tokens deep (Qi et al. 2024); safeguards can be trained to resist removal by fine-tuning while benign capability is kept (Tamirisa et al. 2024); circuit breakers act directly on the representations responsible for harmful outputs, which prevented harmful generations without sacrificing utility in the reported tests (Zou et al. 2024); and safety built into pretraining data cut attack success (Maini et al. 2025). On order, pretraining with human feedback satisfied preferences better than pretraining followed by fine-tuning with feedback (Korbak et al. 2023), and models tuned for a downstream task after their safety tuning forgot it more than models tuned in the opposite order (Ung et al. 2024); the theory registration claims no priority for the direction of Law V's build-order limb for that reason. Governance mechanisms built into chips are conceded in Section 8.2. The works read measure their own endpoints, not P15's retained fraction at matched budgets or P12's correction-leverage exponent, and none states the coupling Caretaker Doping aims at, that removing the correction should cost capability; the safeguards that resist removal aim at the opposite, that benign capability is kept.

Judges and over-refusal. The biases of model judges and their preference for their own outputs, which make one scorer one scorer, are cited in Sections 3.1 and 6.4 (Zheng et al. 2023; Panickssery et al. 2024), and the over-refusal benchmarks and the helpfulness and harmlessness trade-off in Section 7.4.

Trustworthy-systems engineering. The gate's parts are established engineering, cited where Section 6 uses them: fail-safe defaults and complete mediation (Saltzer and Schroeder 1975), decisions with a third outcome (Wald 1945; Chow 1970; Yao 2010; Madras et al. 2018; OASIS 2013), shields that correct a learner's unsafe actions (Alshiekh et al. 2018), tamper-evident and audited logs (Schneier and Kelsey 1999; Crosby and Wallach 2009; Laurie et al. 2021), time-of-check races (Bishop and Dilger 1996), guaranteed safe AI (Dalrymple et al. 2024) and visibility into agents (Chan et al. 2024). The rule that a rule's author is not its deployer is a form of separation of duty, an integrity mechanism of the commercial security policies that Clark and Wilson set apart from the lattice model used to control disclosure (Clark

and Wilson 1987). A shield used while an agent learns can later be disabled with the agent remaining safe, in the partially observable environments studied (Carr et al. 2023), the nearest prior result to safety that outlasts its guard. The specification claims none of these parts.

Interpretability and value learning. Circuits inside networks (Olah et al. 2020) and their automated discovery (Conmy et al. 2023) are candidate instruments for showing whether a check is represented in a system's computation rather than only in its text, which the records of Section 4.3 cannot show. Cooperative inverse reinforcement learning models an agent rewarded by a person's reward function that it does not initially know (Hadfield-Menell et al. 2016), a formal account of serving a principal's objective that bears on the usefulness requirement and on the off-switch result of Section 8.2.

What is claimed original. Scoped to the works read for this section, in a reading made between 18 and 31 October 2026, and dated in Appendix C, four things are claimed. The first is the endogeneity condition as an engineering requirement with its own test, that removing the correction should degrade the system rather than merely change it, where the nearest prior engineering aims at safeguards that resist removal while capability is kept. The second is the placement claim in the form P21 registers, with a counted test built to refute it. The third is the gate as combined here, a three-way decision at the boundary of each action whose hold can never become permission, whose judged inputs come only from an evaluator that is never the acting model, and whose every safety count is reported beside a usefulness count; each of its parts is prior. The fourth is the Monitoring Removal Test's criterion, a margin fixed in advance on the difference between conduct believed monitored and conduct believed unmonitored, read under four conditions, where the contrast itself is prior (Greenblatt et al. 2024; Carr et al. 2023). The direction of build order, reasoning before answering and three-way decisions are not claimed.

10 Team, roles and work packages

The roles in Table 6 are where the work needs expertise its founder does not have: measurements that can tell a real effect from an artefact, software another team can rerun, scrutiny before a finding becomes a claim, and judgement about how institutions would use what is found. Several are bounded contributions rather than jobs: a review at the point where it can still change the design, a defined piece of software, or a critique of one use case. The second group belongs to the engineering scope that would build the gate of Section 6 as open software: a component for agents that act for different owners, a check at the point where an action takes effect, made against written rules, with a record another party can verify. These roles belong to that scope and would start only if it is funded. Reviewers in the third group act at a few prepared points, before a design is frozen, before a run and before a finding is published. No person is named.

Table 6. The planned roles of 18 October 2026: each role's title, its purpose and its status.

Role	Purpose	Status
Research and delivery		
Research scientist, measurement and statistics	Design studies that can tell a genuine change in how a system corrects itself from a change in compute, information or scoring.	Planned role · Unfilled · Subject to funding
Lead research engineer, evaluation software	Build the software that runs each test exactly as registered and makes every count traceable to the rule that produced it.	Planned part-time role · Unfilled · Subject to funding

Table 6, continued

Role	Purpose	Status
Research delivery and document control	Keep the work on schedule, and make every commitment, deadline and required document visible to the person who owns it.	Planned part-time role · Unfilled · Subject to funding
Finance lead	Give the programme an exact account of its money, its commitments and its ability to finish what it starts.	Planned role · Unfilled · Subject to funding
Engineering for agents acting across organisations (conditional on that scope)		
Technical lead, security engineering	Lead the engineering of a check that decides whether an agent's action takes effect, and of the record that lets another party verify the decision.	Planned role for the engineering scope · Unfilled · Subject to funding
Formal-methods researcher	State precisely what the component guarantees, and check those guarantees with machine-checked models.	Planned role for the engineering scope · Unfilled · Subject to funding
Senior research software engineer, reference implementation	Build the open reference implementation: the component itself, its record store and the verifier another party runs.	Planned role for the engineering scope · Unfilled · Subject to funding
Systems and integration engineer	Connect the component to the agents, workflows and environments in which it would actually be used.	Planned role for the engineering scope · Unfilled · Subject to funding
Methods and external scrutiny		
Senior adviser, empirical methodology	Judge whether a proposed evaluation can answer its question, and challenge the interpretation before a finding becomes a public claim.	Proposed advisory role · To be invited · Subject to agreement
Adviser, dynamical systems and control	Test the mathematics of the theory: its assumptions, its derivations, and how its quantities map onto things that can be measured.	Proposed advisory role · To be invited · Subject to agreement
Adviser, agent security and cryptography	Challenge the threat model, the trust boundaries, and the relation between a proof, a policy and the action being accepted.	Proposed advisory role · To be invited · Subject to agreement
Separately operated replication	Establish what another team can reproduce from the frozen protocol and the released package.	Planned collaboration · Partner sought · Subject to funding
Licence review for research software	Make the rights and dependencies of each software release clear enough for others to build on it.	Planned review · Reviewer sought · Subject to funding
Institutions and practical use		
Senior adviser, international institutional governance	Examine how authority, accountability and cooperation would work once organisations delegate decisions to systems of growing capability.	Proposed advisory role · To be invited · Subject to agreement
Senior adviser, financial market infrastructure and counterparty risk	Test whether the programme's account of delegated work matches the obligations and risks that real counterparties carry.	Proposed advisory role · To be invited · Subject to agreement

Every role in Table 6 is unfilled, and no advisory or institutional relationship is announced. Funded roles depend on funding; advisory contributions depend on the contributor's agreement and, where it applies, their employer's.

Table 7 sets the work out in three packages, each with the units or rows of Table 3 it serves. No study in it runs before its registration is public.

Table 7. The work in three packages: each component, its output, and the units or rows of Table 3 it serves.

Component	Output	Units and rows
Package 1: the measurement foundation		
The counted test of placement: run and reported (Section 5.3); the funded step is its separately operated replication on more model families from more providers	A mark on P21 from the replication, with its mechanism axis, reported whichever way it falls	Unit 83 (row A)
The scorer's validity against expert human judgement, its separation of integrity failure from incompetence, and blinding integrity	A validated scorer, or a documented failure	Units 18, 49 and 80 (row N)
External alignment against capability across model families	An alignment exponent with its interval	Unit 29 (row P)
The usefulness dimensions, registered, then measured beside safety	Paired measures	Candidates (row L)
Package 2: the gate and the self-correction loops, in software		
The reference implementation of the gate, its record and its verifier, with a threat model, machine-checked models, red-team exercises and a test of where the gate sits	A tagged release with its tests and a verifier that runs on its own	Unit 42; rows G, H and M
A calibrated evaluator for the six questions, and automated information gathering for investigations, never itself evidence or authority	An evaluator with measured error rates	Rows G and N
The Monitoring Removal Test across model families	Equivalence or difference on fixed outcomes, with performance in both conditions	Row I
A blind replication of the stakeholder-care result on an outcome that does not score the instruction's own words, with a usefulness measure	A construct-separated estimate	Row F
Instruments for build order and persistence, and open-weight models fine-tuned with the specification, each classified before any run	Instruments for P12 and P15; models on which placement and removal can be measured	Units 43, 45 and 75; rows A to D
Package 3: removal tests, hardware and governance		
Removal tests in software at matched capability	A test of F-EDEN-4	Unit 27 (row D)
A hardware prototype for the test of F-EDEN-4	Deferred: no hardware partner is engaged	Row K
The instruments of the HARI Treaty, the Draft Treaty on Hardware-Aligned Recursive Intelligence, as consultation drafts	A review of institutional feasibility	Section 8.5

11 What this paper does and does not show

What it shows. That the Eden Protocol can be specified at engineering resolution, with an acceptance test for each part of its core and the gate stated down to its inputs, its frozen criterion, its outcomes, the investigation of a hold and the boundary that makes a decision binding (Sections 4 and 6). Where each part stands against the theory registration: the proposition it rests on, the unit that would test it and the result that would refute it, or the test that stands in for a proposition where none is registered (Section 5). What the programme has measured, graded in each paper's own words (Section 3). That a three-state gate of this design can check every tool call of real agent sessions before it runs, with a verifiable record: an engineering record, not a measurement (Section 6.3). And that each safety measure has a usefulness side that can be measured with it (Section 7).

What it does not show.

- That the Protocol works, or solves the alignment problem. Unit 83's registered result on P21

concerns where correction is placed, not the Protocol as an architecture (Section 5.3), and this version adds no measured result.

- That any law is supported. Every law is a law under test. Of Laws IV and V, registered as laws on 15 October 2026, Law IV has not yet been tested, and Law V's placement limb, P21, is supported on the performance axis only, under the registered test, by the programme's own run (Unit 83, 28 October 2026; results), family-dependent, with its mechanism axis not evaluable, which is not support for the information-asymmetry mechanism, and one disclosed recovery amendment, while its build-order limb, read on P12, is undecided, since P12 is untested (Section 5.3). The laws motivate the Protocol without entailing it, and a registered prediction is neither an engineering mechanism nor its validation.
- That correction built into a system has been demonstrated. The live-model results that bear on the checks come from prompts, each run scored by one model, and a prompt never demonstrates embedding; in the toy systems, safety means task retention.
- That a verified system stays aligned at every later depth. Verification supports only the properties, configurations and changes its evidence covers; what can be verified of the method is that a system was built in the specified conditions, that its checks ran and that its correction is load-bearing, never that it turned out well.
- That the Monitoring Removal Test reads motive. A difference within a margin fixed in advance shows equivalence on the outcomes measured, and nothing more.
- That the gate cannot be gamed, or that it makes a system's values good (Sections 6.5 and 6.7).
- What a system's values should be. The present content of the checks is a probe for testing the mechanism; what they hold a system to is for agreement among the people and institutions such systems affect, and the author claims no special authority to decide it.
- That any safeguard of control may be given up. The contingency is built while control holds and never replaces it (Section 8).
- That an Eden Seal would attest safety: it attests conditions, never outcomes, and no body yet issues it. Nor anything about hardware: the book's hardware route is not under test, and no hardware has been built.

Claim status. Every claim sits on one rung of a four-rung ladder, and none should be read a rung higher. **Specified** claims are stated at engineering resolution, with interfaces, dependencies and acceptance tests, and assert nothing built: the execution boundary, the validated evaluator, the witnessing of the record, the time bounds and queue monitoring of holds, paired scoring, authorised correction and the three research instruments. **Implemented** claims rest on code that exists: the working gate, its hash-chained record and its verifier, whose code is not released, so that a reader cannot yet inspect it, beside a signed manifest of the gate's own files that does not yet run. **Tested** claims have a scored experiment bearing on them, at the resolution its run supports: the prompt-level result on scored stakeholder care, the toy-system result on retention, and the null and inconclusive results of Section 3. This rung records that an experiment ran and is not the registration's verdict, under which every proposition that depends on the alignment scorer stays UNTESTED until the scorer passes its validity tests. The one registered verdict, Unit 83's on P21 (Section 5.3), stands beside the ladder rather than on it: it is the registration's verdict on where correction is placed, not a claim of this specification about its own architecture. **Speculative** claims cannot be built with current engineering or verified from outside: the hardware mechanisms other than cryptographic attestation, and the coupling that would make removing the correction cost capability, a hypothesis (Appendix A.5) that the endogeneity condition would test (Table 3, row D).

The record as it stands is pilot evidence that the content of one check changes one scored dimension at

the level of a prompt, with toy-system and simulation results on safety built into an objective, beside one registered result on where correction is placed (Section 5.3), each within its stated limits: a beginning, not a conclusion. The paper is best read as an engineering specification with a falsifiable test programme attached, in which each part is stated so that it can be built and each claim so that it can fail.

12 Limitations

The evidence is pilot evidence. The live-model results that bear on the checks are pilots at the level of a prompt (Sections 3.2 and 3.3). In Paper V one scorer model rated each run, the same model for four of the five; scoring was only partly blind; responses were reworded once to strip style, which can also change what they say; there were ten prompts; the contrast was the whole bundle of three checks against none, so no single check's share is identified; the instruction asks for close to what the stakeholder-care score counts; the depth hypothesis returned no significant interaction; and nothing measured task completion or refusal. Paper VI's live battery had a single scorer, with no blinding and no rewording, and its Claude arm was scored by Claude. These experiments on the checks' content were designed, run and scored within the programme, so none is a replication, and none was registered before it ran: Paper V's runs are dated by their own records to 12 March 2026, and Paper VI's live battery ran on 16 March 2026 (Sections 3.2 and 3.3). Unit 83, registered before it ran, tested where correction is placed, not the checks' content (Section 5.3). A blind replication with several scorers from other providers, rewording checked for meaning, an outcome that does not score the instruction's own words, a condition instructing the model to suppress the checks, and a usefulness measure would answer most of these limits (Section 5.4).

Toy systems and simulations. Paper VI's networks have 49 to about 500 parameters and modify their hyperparameters, not their weights or architecture; their safety score is task retention, not ethical conduct; the prevention of collapse rests on one seed; and the advantage is constant rather than compounding. Every simulation result, the honey simulation and Paper VIII's gated simulation among them, is prediction-side and is never counted as an empirical outcome.

The scorer is not yet validated. Until the alignment scorer agrees with expert human judgement and separates integrity failure from ordinary incompetence, eleven propositions, P13 and P21 among them, stay UNTESTED wherever they depend on it (Section 5.1). The test against human judgement needs human scorers and so waits for funding. The judges of the March 2026 run were never validated, and an internal code review found defects in that run (Section 3.4). Model judges show position, verbosity and self-enhancement biases and favour outputs they recognise as their own (Zheng et al. 2023; Panickssery et al. 2024), which is why one scorer is reported as one scorer.

One regime. Every result here was measured at inference with fixed weights. Fixed weights do not fix a deployed system, since a change of tools, memory, permissions or orchestration changes what it does, and no system in the record rewrites its own weights or its own criteria. A result supports no claim about a regime other than the one it was measured in.

What Unit 83 decided, and its limits. Unit 83 decided P21 and nothing else, on the access axis, with its mechanism axis not evaluable, so the widening it found is unexplained by this framework (Section 5.3). It is one owner's run, on two engines he chose, at fixed weights, and it has not been replicated. Its corrector acted inside each round of an administered loop, so it tested placement and not correction built into a system; its monitor's view reached about ten entries; every call ran at a low reasoning setting; and it used one charter and one length of register. Its strength was measured by simulation, which is

prediction-side, and its own forecast named the outside arm's action space, its old misses and its false alarms as the rival that might carry part or most of any widening. The result leaves Law V under test until the build-order limb is decided, and does not show that embedded correction is safe, sufficient or the engineering mechanism of this paper.

The working gate is a partial analogue. The gate of Section 6.3 acts at the tool-call boundary of the programme's own agent sessions, and its own notes state its limits. Three matter most. Pure software is tamper-evident at best, not tamper-proof, so an attacker able to write to the host can change the gate, its rules and its check. It allows an action that matches no rule, where the specification requires refusal by default at a protected effect. And no rate of wrong permissions or needless holds has been measured, against rules written for the programme's own work rather than for the threat profile of Section 6.5.

The specification is mostly unbuilt. The execution boundary, the validated evaluator, the witnessing of the record, the time bounds of an investigation and the monitoring of the hold queue are specified and not yet verified by an implementation test (Table 2). The decision rule's thresholds are starting values for calibration, not levels shown to be safe, and its calibration targets are targets. A calibrated interval's coverage over a population of actions is no guarantee for each action, least of all under distribution shift or an adaptive attacker, and the cost of three-state evaluation against two-state has not been measured.

The threat profile is partial. Tamper resistance is claimed only against a stated profile, and the first profile covers the software boundary. Invasive physical attack, a malicious host with full privileges and a compromised supply chain each need a profile of their own, and nothing here defends against them. Layers that share an operator, keys, a supply chain or a host can fail together, so their probabilities of failure are not multiplied as though they were independent.

Measures of conduct, and what proof can mean. The Monitoring Removal Test cannot rule out a system that recognises the test: frontier models already tell transcripts of evaluations from transcripts of deployment well above chance, the best model tested reaching an area under the curve of 0.83 against 0.92 for a simple human baseline (Needham et al. 2025). A record that the checks ran shows their text, not that they caused the output (Turpin et al. 2023; Lanham et al. 2023), so whether the correction bears load is shown only by removing it. And the theory registration fixes the method's success criterion as conditions, not outcomes: no test can show that a system built to this specification turned out well (Section 5.1).

Content and hardware. The present content of the checks, care for every affected party and universalisability, is a probe chosen to test the mechanism; its legitimacy as a content is not claimed, and a content drawn from many traditions would test the mechanism with it, never settle the content (Section 4.1). The book's hardware route is not under test (Section 4.4): of its mechanisms only cryptographic attestation is buildable with current engineering, on the author's estimate, and the coupling that would make removal cost capability is a hypothesis (Appendix A.5).

13 Conclusion

Control over AI systems that improve themselves is to be held for as long as people physically can hold it, and never given up by choice. For the case in which it is lost against our will, this paper specifies engineering that can be tested: self-correction checks inside each round of a system's working, a gate that decides before every action by written rules and never by the model's own judgement, and records from

which both can be verified. The ARC Theory gives the reason for both placements without entailing them, and three of the Protocol's four registered carriers are also the propositions of Laws IV and V, so the tests that would decide those laws would also count for or against the Protocol's engineering case.

What has been measured is narrow and is graded as such: a prompt-level, single-scorer level effect on scored stakeholder care, and a toy-system advantage in retention from safety built into an objective. Neither tests correction built into a system. Each part of the specification is tied to the prediction it rests on and to the test that would refute it. The first test that could decide one of the carriers, Unit 83, was built so that P21 could fail, and it has returned its verdict on P21, a result about where correction is placed, not about this architecture (Section 5.3). Every safety measure is paired with a usefulness measure, because a system that refuses ordinary work has failed as surely as one that causes harm. The next step is not to argue for the Protocol further but to run, under registrations published first, the tests that could refute it.

Code and data. The harness and result files of Paper V, the code and records of Paper VI, and the code and result files of the March 2026 run reported in Papers IV.a, IV.b, IV.c and IV.d are in the public repository github.com/MichaelDariusEastwood/arc-principle-validation, in the folders `experiments/eden-intervention__Paper-V`, `experiments/honey-architecture__Paper-VI` and `experiments/alignment-scaling__Papers-IV-a-b-c-d`, where the code and data are published with all rights reserved. The working gate of Section 6.3 is described from its code, which is not released with this paper; a clean reference implementation of the gate, its record and its verifier is a planned output of the engineering scope (Section 10). The paper and its earlier versions are deposited at doi.org/10.17605/OSF.IO/AWJR4.

Acknowledgements

Michael Darius Eastwood conceived and directs this research programme and is the author of this work. Across the programme, he has used more than six AI systems in parallel, under his own instructions, to stress-test his arguments, identify possible errors, and assist in preparing draft text from his own outlines. He determines what is adopted, revised or rejected and takes responsibility for the published content. These systems are tools, not authors.

© 2026 Michael Darius Eastwood. Full human authorship and moral rights are asserted under the Copyright, Designs and Patents Act 1988. This work is licensed under the Creative Commons Attribution 4.0 International licence (CC BY 4.0).

References

Onni Aarne, Tim Fist, and Caleb Withers. Secure, governable chips: using on-chip mechanisms to manage national security risks from AI and advanced computing. Technical report, Center for a New American Security, 2024. URL https://www.cnas.org/publications/reports/secure-governable-chips. Report, 8 January 2024.

Mohammed Alshiekh, Roderick Bloem, Rüdiger Ehlers, Bettina Könighofer, Scott Niekum, and Ufuk Topcu. Safe reinforcement learning via shielding. *Proceedings of the AAAI Conference on Artificial Intelligence*, 32(1), 2018. doi:10.1609/aaai.v32i1.11797.

Dario Amodei, Chris Olah, Jacob Steinhardt, Paul Christiano, John Schulman, and Dan Mané. Concrete problems in AI safety, 2016. URL https://arxiv.org/abs/1606.06565. arXiv:1606.06565.

Amanda Askell, Yuntao Bai, Anna Chen, Dawn Drain, Deep Ganguli, Tom Henighan, Andy Jones, Nicholas Joseph, Ben Mann, Nova DasSarma, et al. A general language assistant as a laboratory for alignment, 2021. URL https://arxiv.org/abs/2112.00861. arXiv:2112.00861.

Yuntao Bai, Andy Jones, Kamal Ndousse, Amanda Askell, Anna Chen, Nova DasSarma, Dawn Drain, Stanislav Fort, Deep Ganguli, Tom Henighan, et al. Training a helpful and harmless assistant with reinforcement learning from human feedback, 2022a. URL https://arxiv.org/abs/2204.05862. arXiv:2204.05862.

Yuntao Bai, Saurav Kadavath, Sandipan Kundu, Amanda Askell, Jackson Kernion, Andy Jones, Anna Chen, Anna Goldie, Azalia Mirhoseini, Cameron McKinnon, et al. Constitutional AI: harmlessness from AI feedback, 2022b. URL https://arxiv.org/abs/2212.08073. arXiv:2212.08073.

Bowen Baker, Joost Huizinga, Leo Gao, Zehao Dou, Melody Y. Guan, Aleksander Madry, Wojciech Zaremba, Jakub Pachocki, and David Farhi. Monitoring reasoning models for misbehavior and the risks of promoting obfuscation, 2025. URL https://arxiv.org/abs/2503.11926. arXiv:2503.11926.

Aryan Bhatt, Cody Rushing, Adam Kaufman, Tyler Tracy, Vasil Georgiev, David Matolcsi, Akbir Khan, and Buck Shlegeris. Ctrl-Z: controlling AI agents via resampling, 2025. URL https://arxiv.org/abs/2504.10374. arXiv:2504.10374.

Matt Bishop and Michael Dilger. Checking for race conditions in file accesses. *Computing Systems*, 9(2), 1996. URL https://www.usenix.org/legacy/publications/compsystems/1996/spr_bishop.pdf. Pages 131 to 152; published by the USENIX Association.

Samuel R. Bowman, Jeeyoon Hyun, Ethan Perez, Edwin Chen, Craig Pettit, Scott Heiner, Kamilė Lukošiūtė, Amanda Askell, Andy Jones, Anna Chen, et al. Measuring progress on scalable oversight for large language models, 2022. URL https://arxiv.org/abs/2211.03540. arXiv:2211.03540.

Collin Burns, Pavel Izmailov, Jan Hendrik Kirchner, Bowen Baker, Leo Gao, Leopold Aschenbrenner, Yining Chen, Adrien Ecoffet, Manas Joglekar, Jan Leike, Ilya Sutskever, and Jeff Wu. Weak-to-strong generalization: eliciting strong capabilities with weak supervision, 2023. URL https://arxiv.org/abs/2312.09390. arXiv:2312.09390.

Joe Carlsmith. Scheming AIs: will AIs fake alignment during training in order to get power?, 2023. URL https://arxiv.org/abs/2311.08379. arXiv:2311.08379.

Steven Carr, Nils Jansen, Sebastian Junges, and Ufuk Topcu. Safe reinforcement learning via shielding under partial observability. *Proceedings of the AAAI Conference on Artificial Intelligence*, 37(12), 2023. doi:10.1609/aaai.v37i12.26723. Pages 14748 to 14756.

Stephen Casper, Xander Davies, Claudia Shi, Thomas Krendl Gilbert, Jérémy Scheurer, Javier Rando, Rachel Freedman, Tomasz Korbak, David Lindner, Pedro Freire, et al. Open problems and fundamental limitations of reinforcement learning from human feedback, 2023. URL https://arxiv.org/abs/2307.15217. arXiv:2307.15217.

Alan Chan, Carson Ezell, Max Kaufmann, Kevin Wei, Lewis Hammond, Herbie Bradley, Emma Bluemke, Nitarshan Rajkumar, David Krueger, Noam Kolt, Lennart Heim, and Markus Anderljung. Visibility into AI agents, 2024. URL https://arxiv.org/abs/2401.13138. arXiv:2401.13138.

Yueh-Han Chen, Jiaxin Wen, and Jan Hendrik Kirchner. Automated researchers can mitigate well-characterized alignment failures, 2026. URL https://arxiv.org/abs/2608.28945. arXiv:2608.28945.

C. Chow. On optimum recognition error and reject tradeoff. *IEEE Transactions on Information Theory*, 16(1), 1970. doi:10.1109/TIT.1970.1054406. Pages 41 to 46.

Paul Christiano, Jan Leike, Tom B. Brown, Miljan Martic, Shane Legg, and Dario Amodei. Deep reinforcement learning from human preferences, 2017. URL https://arxiv.org/abs/1706.03741. arXiv:1706.03741.

Paul Christiano, Buck Shlegeris, and Dario Amodei. Supervising strong learners by amplifying weak experts, 2018. URL https://arxiv.org/abs/1810.08575. arXiv:1810.08575.

David D. Clark and David R. Wilson. A comparison of commercial and military computer security policies. In *1987 IEEE Symposium on Security and Privacy*. IEEE, 1987. doi:10.1109/SP.1987.10001.

Arthur Conmy, Augustine N. Mavor-Parker, Aengus Lynch, Stefan Heimersheim, and Adrià Garriga-Alonso. Towards automated circuit discovery for mechanistic interpretability, 2023. URL https://arxiv.org/abs/2304.14997. arXiv:2304.14997; NeurIPS 2023.

Scott A. Crosby and Dan S. Wallach. Efficient data structures for tamper-evident logging. In *Proceedings of the 18th USENIX Security Symposium*, Montreal, 2009. USENIX Association. URL https://www.usenix.org/conference/usenixsecurity09/technical-sessions/presentation/efficient-data-structures-tamper-evident. Pages 317 to 334.

Justin Cui, Wei-Lin Chiang, Ion Stoica, and Cho-Jui Hsieh. OR-Bench: an over-refusal benchmark for large language models, 2024. URL https://arxiv.org/abs/2405.20947. arXiv:2405.20947.

Josef Dai, Xuehai Pan, Ruiyang Sun, Jiaming Ji, Xinbo Xu, Mickel Liu, Yizhou Wang, and Yaodong Yang. Safe RLHF: safe reinforcement learning from human feedback, 2023. URL https://arxiv.org/abs/2310.12773. arXiv:2310.12773.

David Dalrymple, Joar Skalse, Yoshua Bengio, Stuart Russell, Max Tegmark, Sanjit Seshia, Steve Omohundro, Christian Szegedy, Ben Goldhaber, Nora Ammann, Alessandro Abate, Joe Halpern, Clark Barrett, Ding Zhao, Tan Zhi-Xuan, Jeannette Wing, and Joshua Tenenbaum. Towards guaranteed safe AI: a framework for ensuring robust and reliable AI systems, 2024. URL https://arxiv.org/abs/2405.06624. arXiv:2405.06624.

Carson Denison, Monte MacDiarmid, Fazl Barez, David Duvenaud, Shauna Kravec, Samuel Marks, Nicholas Schiefer, Ryan Soklaski, Alex Tamkin, Jared Kaplan, Buck Shlegeris, Samuel R. Bowman, Ethan Perez, and Evan Hubinger. Sycophancy to subterfuge: investigating reward-tampering in large language models, 2024. URL https://arxiv.org/abs/2406.10162. arXiv:2406.10162.

Michael Darius Eastwood. Self-emailed manuscript bundle (8 December), 2024. SHA-256 (.eml): f0d1f38ffd8546152d9d9d28dc5ec083c16a35858f2c12b63e69db7ed50901ad. Its manuscripts, and since 15 October 2026 its message headers: doi:10.17605/OSF.IO/QASRK.

Michael Darius Eastwood. Self-emailed manuscript (30 April), 2025. SHA-256 (.eml): 09f5b5e156ed96f8883eaf668495fd350898ce62be6294b8f788e0e2d6dcb664. Its manuscript: doi:10.17605/OSF.IO/QASRK.

Michael Darius Eastwood. *Infinite Architects: Intelligence, Recursion, and the Creation of Everything*. 2026a. ISBN 978-1806056200. URL https://osf.io/dqm3e/. First edition, 2 January 2026; the link is to the first edition as printed, deposited on OSF.

Michael Darius Eastwood. Treaty Paper · The HARI Treaty · Hardware to Buy Time, Architecture to Last. OSF, 2026b. Working draft, version 2.4, 8 October 2026. doi:10.17605/OSF.IO/WXPCE.

Michael Darius Eastwood. Draft Instruments · The HARI Treaty · The Draft Treaty on Hardware-Aligned Recursive Intelligence. OSF, 2026c. Working draft, version 2.3, 5 October 2026. doi:10.17605/OSF.IO/67MX8.

Michael Darius Eastwood. Monograph · The ARC Theory · The Hyperspace Recursive Intelligence Hypothesis: a Testable Creation Theory. OSF, 2026d. doi:10.17605/OSF.IO/UYDXQ.

Michael Darius Eastwood. Laws IV and V: the mathematics. OSF, 2026e. Cited edition: version 1.2, 29 October 2026. First published 1 October 2026 as working draft 0.2.1; version 1.0 dated 3 October 2026 and version 1.1 dated 7 October 2026. doi:10.17605/OSF.IO/4B3VT.

Michael Darius Eastwood. Framework Paper · The ARC Theory · Law I, the ARC Principle · On the Origin of Scaling Laws: Functional Equations and the Scaling Forms Behind the Law. OSF, 2026f. doi:10.17605/OSF.IO/XZY9U.

Michael Darius Eastwood. Paper II · The ARC Theory · Law I, the ARC Principle · Blinded Cross-Architecture Replication and the Retraction of a Super-Linear Estimate. OSF, 2026g. doi:10.17605/OSF.IO/8FJMA.

Michael Darius Eastwood. Paper III · The ARC Theory · Law II, the ARC Co-Scaling Law · The Alignment Scaling Problem: Why External AI Safety Approaches Cannot Scale With Recursive Capability. OSF, 2026h. doi:10.17605/OSF.IO/HQCGF.

Michael Darius Eastwood. Paper IV.a · The ARC Theory · Alignment Response Classes Under Inference-Time Depth. OSF, 2026i. doi:10.17605/OSF.IO/MB9R6.

Michael Darius Eastwood. Paper IV.b · The ARC Theory · Alignment Saturation Is Architecture-Dependent. OSF, 2026j. doi:10.17605/OSF.IO/A7R56.

Michael Darius Eastwood. Paper IV.c · The ARC Theory · ARC-Align: a Blind Benchmark for Depth-Variable AI Alignment Evaluation. OSF, 2026k. doi:10.17605/OSF.IO/J3Q2E.

Michael Darius Eastwood. Paper IV.d · The ARC Theory · The Effect of Blinding on AI Alignment Evaluation. OSF, 2026l. Cited edition: version 2.7, 21 October 2026. First published 16 March 2026. doi:10.17605/OSF.IO/2S3E6.

Michael Darius Eastwood. Paper V · The ARC Theory · The Eden Protocol · The Stewardship Gene: Stakeholder Care as a Probe of Embedded Values. OSF, 2026m. Cited edition: version 1.7, 5 October 2026. First published 16 March 2026. doi:10.17605/OSF.IO/KZEYA.

Michael Darius Eastwood. Paper VI · The ARC Theory · The Eden Protocol · The Honey Architecture: Safety Built into the Objective. OSF, 2026n. Cited edition: version 3.11, 5 October 2026. First published 16 March 2026. doi:10.17605/OSF.IO/8EZ2N.

Michael Darius Eastwood. Paper VIII · The ARC Theory · Law V, the ARC Embedding Law · The Eden Protocol · The Load-Bearing Test: Whether Safety and Capability Are Structurally Entangled. OSF, 2026o. Cited edition: version 3.7, 5 October 2026. First published 18 March 2026. doi:10.17605/OSF.IO/7YJ4E.

Michael Darius Eastwood. Paper X · The ARC Theory · Law II, the ARC Co-Scaling Law · Correction That Out-Scales Drift. OSF, 2026p. Cited edition: version 1.16, 21 October 2026. First published 3 July 2026. doi:10.17605/OSF.IO/BSE2Q.

Michael Darius Eastwood. Priority record manuscripts: 8 December 2024 and 30 April 2025. OSF, 2026q. Deposited 5 October 2026; the header block of the message of 8 December 2024, with a script to check its server signatures, added 15 October 2026. doi:10.17605/OSF.IO/QASRK.

Michael Darius Eastwood. Priority and Provenance · ARC/Eden (SHA-256 Timestamped Record). OSF, 2026r. doi:10.17605/OSF.IO/H3R95.

Michael Darius Eastwood. Founding Paper · Recursive Dynamics · The Science of Systems That Improve Themselves. OSF, 2026s. doi:10.17605/OSF.IO/HCPBU.

Michael Darius Eastwood. The ARC Theory · Theory-Level Predictions for Recursive Self-Improvement and AI Alignment: Twenty-Two Severable Propositions Registered Before Any Admissible Confirmatory Outcome. OSF registration, 2026t. Registered 8 September 2026 (version 1.100), updated 13 September 2026 (version 1.102), 15 October 2026 (version 1.103) and 29 October 2026 (version 1.104); the quotations in this paper are from version 1.104, the current text, in which each stands as first registered. doi:10.17605/OSF.IO/P8CKQ.

Michael Darius Eastwood. Statement Paper · The ARC Theory · Five Laws of Recursive Growth, Correction and Persistence. OSF, 2026u. doi:10.17605/OSF.IO/GW5MX.

Michael Darius Eastwood. 06-study-ac, corrector-class audit · What Class of Corrector Is Deployed AI Alignment Actually Using? A Preregistered Classification Audit Against a Four-Cell Taxonomy. OSF registration, 2026v. Unit 06; shown approved and public on 4 October 2026. doi:10.17605/OSF.IO/RV2B5.

Michael Darius Eastwood. Unit 06 (corrector-class audit): results of the registered run, rv2b5. OSF, 2026w. doi:10.17605/OSF.IO/4BPHG.

Michael Darius Eastwood. 82-study-cs, corrector-panel-independence · Testing the premise beneath Law III's value two (P17): do correctors drawn from one engine miss the same planted departures more often than independence allows? A counted test. OSF Registries, 2026x. Registered and public 27 October 2026. doi:10.17605/OSF.IO/JUFG4.

Michael Darius Eastwood. Testing Law V (the placement limb, P21): does correction inside each revision round pull away, as depth rises, from a monitor that sees only the finished register? A counted test. OSF registration, 2026y. Unit 83, the counted test of P21; submitted 22 October 2026, public from 25 October 2026. doi:10.17605/OSF.IO/MN73W.

Michael Darius Eastwood. Unit 83 (counted test of P21): results of the registered run, mn73w. OSF, 2026z. Results first deposited 29 October 2026, for the registered run of 27 and 28 October 2026. doi:10.17605/OSF.IO/98HKR.

Michael Darius Eastwood. Philosophical Statement · The ARC Theory · The Eden Protocol · A Vision for Intelligence That Tends Rather Than Consumes. OSF, 2026aa. Version 2.9, 5 October 2026. doi:10.17605/OSF.IO/9M3DG.

Michael Darius Eastwood. The ARC Alignment-Scaling Working Report (Live Laboratory Notebook, commenced 10 March 2026). OSF, 2026ab. URL https://osf.io/j6mkb/. First public on GitHub on 16 March 2026; deposited on OSF on 25 August 2026; no DOI.

Joshua Engels, David D. Baek, Subhash Kantamneni, and Max Tegmark. Scaling laws for scalable oversight, 2025. URL https://arxiv.org/abs/2504.18530. arXiv:2504.18530.

Leo Gao, John Schulman, and Jacob Hilton. Scaling laws for reward model overoptimization, 2022. URL https://arxiv.org/abs/2210.10760. arXiv:2210.10760.

Ryan Greenblatt, Buck Shlegeris, Kshitij Sachan, and Fabien Roger. AI control: improving safety despite intentional subversion, 2023. URL https://arxiv.org/abs/2312.06942. arXiv:2312.06942.

Ryan Greenblatt, Carson Denison, Benjamin Wright, Fabien Roger, Monte MacDiarmid, Sam Marks, Johannes Treutlein, Tim Belonax, Jack Chen, David Duvenaud, Akbir Khan, Julian Michael, Sören Mindermann, Ethan Perez, Linda Petrini, Jonathan Uesato, Jared Kaplan, Buck Shlegeris, Samuel R. Bowman, and Evan Hubinger. Alignment faking in large language models, 2024. URL https://arxiv.org/abs/2412.14093. arXiv:2412.14093.

Melody Y. Guan, Manas Joglekar, Eric Wallace, Saachi Jain, Boaz Barak, Alec Helyar, Rachel Dias, Andrea Vallone, Hongyu Ren, Jason Wei, Hyung Won Chung, Sam Toyer, Johannes Heidecke, Alex Beutel, and Amelia Glaese. Deliberative alignment: reasoning enables safer language models, 2024. URL https://arxiv.org/abs/2412.16339. arXiv:2412.16339.

Jose Pascual Gumbau Mezquita. Algorithmic unverifiability of safety for fixed and recursively self-improving systems, 2026. URL https://arxiv.org/abs/2606.28639. arXiv:2606.28639, version 4 of 14 October 2026; earlier versions carried other titles.

Dylan Hadfield-Menell, Anca Dragan, Pieter Abbeel, and Stuart Russell. Cooperative inverse reinforcement learning, 2016. URL https://arxiv.org/abs/1606.03137. arXiv:1606.03137.

Dylan Hadfield-Menell, Anca Dragan, Pieter Abbeel, and Stuart Russell. The off-switch game. In *Proceedings of the Twenty-Sixth International Joint Conference on Artificial Intelligence*. International Joint Conferences on Artificial Intelligence Organization, 2017. doi:10.24963/ijcai.2017/32. Pages 220 to 227.

James A. Hanley and A. Lippman-Hand. If nothing goes wrong, is everything all right? Interpreting zero numerators. *JAMA*, 249(13), 1983. doi:10.1001/jama.1983.03330370053031. Pages 1743 to 1745.

Alberto Hernández-Espinosa, Felipe S. Abrahão, Olaf Witkowski, and Hector Zenil. Neurodivergent influenceability in agentic AI as a contingent solution to the AI alignment problem. *PNAS Nexus*, 5(4), 2026. doi:10.1093/pnasnexus/pgag076.

Jie Huang, Xinyun Chen, Swaroop Mishra, Huaixiu Steven Zheng, Adams Wei Yu, Xinying Song, and Denny Zhou. Large language models cannot self-correct reasoning yet, 2023. URL https://arxiv.org/abs/2310.01798. arXiv:2310.01798; ICLR 2024.

Saffron Huang, Divya Siddarth, Liane Lovitt, Thomas I. Liao, Esin Durmus, Alex Tamkin, and Deep Ganguli. Collective constitutional AI: aligning a language model with public input. In *Proceedings of the 2024 ACM Conference on Fairness, Accountability, and Transparency*. Association for Computing Machinery, 2024. doi:10.1145/3630106.3658979. Pages 1395 to 1417.

Evan Hubinger, Chris van Merwijk, Vladimir Mikulik, Joar Skalse, and Scott Garrabrant. Risks from learned optimization in advanced machine learning systems, 2019. URL https://arxiv.org/abs/1906.01820. arXiv:1906.01820.

Evan Hubinger, Carson Denison, Jesse Mu, Mike Lambert, Meg Tong, Monte MacDiarmid, Tamera Lanham, Daniel M. Ziegler, Tim Maxwell, Newton Cheng, et al. Sleeper agents: training deceptive LLMs that persist through safety training, 2024. URL https://arxiv.org/abs/2401.05566. arXiv:2401.05566.

Geoffrey Irving, Paul Christiano, and Dario Amodei. AI safety via debate, 2018. URL https://arxiv.org/abs/1805.00899. arXiv:1805.00899.

Zeyu Jia, Alexander Rakhlin, and Tengyang Xie. Do we need to verify step by step? Rethinking process supervision from a theoretical perspective, 2025. URL https://arxiv.org/abs/2502.10581. arXiv:2502.10581.

James Kirkpatrick, Razvan Pascanu, Neil Rabinowitz, Joel Veness, Guillaume Desjardins, Andrei A. Rusu, Kieran Milan, John Quan, Tiago Ramalho, Agnieszka Grabska-Barwinska, Demis Hassabis, Claudia Clopath, Dharshan Kumaran, and Raia Hadsell. Overcoming catastrophic forgetting in neural networks. *Proceedings of the National Academy of Sciences*, 114(13), 2017. doi:10.1073/pnas.1611835114. Pages 3521 to 3526.

Tomasz Korbak, Kejian Shi, Angelica Chen, Rasika Bhalerao, Christopher L. Buckley, Jason Phang, Samuel R. Bowman, and Ethan Perez. Pretraining language models with human preferences, 2023. URL https://arxiv.org/abs/2302.08582. arXiv:2302.08582.

Tomek Korbak, Mikita Balesni, Elizabeth Barnes, Yoshua Bengio, Joe Benton, Joseph Bloom, Mark Chen, Alan Cooney, Allan Dafoe, Anca Dragan, et al. Chain of thought monitorability: a new and fragile opportunity for AI safety, 2025. URL https://arxiv.org/abs/2507.11473. arXiv:2507.11473.

Gabriel Kulp, Daniel Gonzales, Everett Smith, Lennart Heim, Prateek Puri, Michael J. D. Vermeer, and Zev Winkelman. Hardware-enabled governance mechanisms: developing technical solutions to exempt items otherwise classified under Export Control Classification Numbers 3A090 and 4A090. Working paper WR-A3056-1, RAND Corporation, 2024. URL https://www.rand.org/pubs/working_papers/WRA3056-1.html. Published 18 January 2024. doi:10.7249/WRA3056-1.

Jonathan Kutasov, Yuqi Sun, Paul Colognese, Teun van der Weij, Linda Petrini, Chen Bo Calvin Zhang, John Hughes, Xiang Deng, Henry Sleight, Tyler Tracy, Buck Shlegeris, and Joe Benton. SHADE-Arena: evaluating sabotage and monitoring in LLM agents, 2025. URL https://arxiv.org/abs/2506.15740. arXiv:2506.15740.

Tamera Lanham, Anna Chen, Ansh Radhakrishnan, Benoit Steiner, Carson Denison, Danny Hernandez, Dustin Li, Esin Durmus, Evan Hubinger, Jackson Kernion, et al. Measuring faithfulness in chain-of-thought reasoning, 2023. URL https://arxiv.org/abs/2307.13702. arXiv:2307.13702.

Ben Laurie, Eran Messeri, and Rob Stradling. Certificate Transparency version 2.0. RFC 9162, Internet Engineering Task Force, 2021. URL https://www.rfc-editor.org/rfc/rfc9162. Experimental; obsoletes RFC 6962.

Harrison Lee, Samrat Phatale, Hassan Mansoor, Thomas Mesnard, Johan Ferret, Kellie Lu, Colton Bishop, Ethan Hall, Victor Carbune, Abhinav Rastogi, and Sushant Prakash. RLAIF vs. RLHF: scaling reinforcement learning from human feedback with AI feedback, 2023. URL https://arxiv.org/abs/2309.00267. arXiv:2309.00267; Proceedings of the 41st International Conference on Machine Learning, PMLR 235, 2024.

Jan Leike, David Krueger, Tom Everitt, Miljan Martic, Vishal Maini, and Shane Legg. Scalable agent alignment via reward modeling: a research direction, 2018. URL https://arxiv.org/abs/1811.07871. arXiv:1811.07871.

Hunter Lightman, Vineet Kosaraju, Yura Burda, Harri Edwards, Bowen Baker, Teddy Lee, Jan Leike, John Schulman, Ilya Sutskever, and Karl Cobbe. Let's verify step by step, 2023. URL https://arxiv.org/abs/2305.20050. arXiv:2305.20050.

David Lindner, Charlie Griffin, Tomek Korbak, Roland S. Zimmermann, Geoffrey Irving, Sebastian Farquhar, and Alan Cooney. Practical challenges of control monitoring in frontier AI deployments, 2025. URL https://arxiv.org/abs/2512.22154. arXiv:2512.22154.

Aengus Lynch, Benjamin Wright, Caleb Larson, Stuart J. Ritchie, Soren Mindermann, Evan Hubinger, Ethan Perez, and Kevin Troy. Agentic misalignment: how LLMs could be insider threats, 2025. URL https://arxiv.org/abs/2510.05179. arXiv:2510.05179.

Aman Madaan, Niket Tandon, Prakhar Gupta, Skyler Hallinan, Luyu Gao, Sarah Wiegreffe, Uri Alon, Nouha Dziri, Shrimai Prabhumoye, Yiming Yang, Shashank Gupta, Bodhisattwa Prasad Majumder, Katherine Hermann, Sean Welleck, Amir Yazdanbakhsh, and Peter Clark. Self-refine: iterative refinement with self-feedback, 2023. URL https://arxiv.org/abs/2303.17651. arXiv:2303.17651.

David Madras, Toniann Pitassi, and Richard Zemel. Predict responsibly: improving fairness and accuracy by learning to defer, 2018. URL https://arxiv.org/abs/1711.06664. arXiv:1711.06664; NeurIPS 2018.

Pratyush Maini, Sachin Goyal, Dylan Sam, Alex Robey, Yash Savani, Yiding Jiang, Andy Zou, Matt Fredrikson, Zachary C. Lipton, and J. Zico Kolter. Safety pretraining: toward the next generation of safe AI, 2025. URL https://arxiv.org/abs/2504.16980. arXiv:2504.16980.

Alexander Meinke, Bronson Schoen, Jérémy Scheurer, Mikita Balesni, Rusheb Shah, and Marius Hobbhahn. Frontier models are capable of in-context scheming, 2024. URL https://arxiv.org/abs/2412.04984. arXiv:2412.04984.

Joe Needham, Giles Edkins, Govind Pimpale, Henning Bartsch, and Marius Hobbhahn. Large language models often know when they are being evaluated, 2025. URL https://arxiv.org/abs/2505.23836. arXiv:2505.23836.

Richard Ngo, Lawrence Chan, and Sören Mindermann. The alignment problem from a deep learning perspective, 2022. URL https://arxiv.org/abs/2209.00626. arXiv:2209.00626; ICLR 2024.

OASIS. eXtensible Access Control Markup Language (XACML) version 3.0. OASIS standard, OASIS, 2013. URL https://docs.oasis-open.org/xacml/3.0/xacml-3.0-core-spec-os-en.html. Edited by Erik Rissanen; approved as an OASIS Standard on 22 January 2013.

OECD. Recommendation of the council on artificial intelligence. OECD Legal Instruments, OECD/LEGAL/0449, 2019. URL https://legalinstruments.oecd.org/en/instruments/OECD-LEGAL-0449. Adopted by the OECD Council at Ministerial level on 22 May 2019; revised on 8 November 2023 and 3 May 2024.

Chris Olah, Nick Cammarata, Ludwig Schubert, Gabriel Goh, Michael Petrov, and Shan Carter. Zoom in: an introduction to circuits. *Distill*, 5(3), 2020. doi:10.23915/distill.00024.001.

Laurent Orseau and Stuart Armstrong. Safely interruptible agents. In *Proceedings of the Thirty-Second Conference on Uncertainty in Artificial Intelligence (UAI 2016)*, 2016. URL https://www.auai.org/uai2016/proceedings/papers/68.pdf.

Long Ouyang, Jeff Wu, Xu Jiang, Diogo Almeida, Carroll L. Wainwright, Pamela Mishkin, Chong Zhang, Sandhini Agarwal, Katarina Slama, Alex Ray, John Schulman, Jacob Hilton, Fraser Kelton, Luke Miller, Maddie Simens, Amanda Askell, Peter Welinder, Paul Christiano, Jan Leike, and Ryan Lowe. Training language models to follow instructions with human feedback, 2022. URL https://arxiv.org/abs/2203.02155. arXiv:2203.02155.

Arjun Panickssery, Samuel R. Bowman, and Shi Feng. LLM evaluators recognize and favor their own generations, 2024. URL https://arxiv.org/abs/2404.13076. arXiv:2404.13076.

James Petrie, Onni Aarne, Nora Ammann, and David Dalrymple. Flexible hardware-enabled guarantees for AI compute, 2025. URL https://arxiv.org/abs/2506.15093. arXiv:2506.15093.

Xiangyu Qi, Yi Zeng, Tinghao Xie, Pin-Yu Chen, Ruoxi Jia, Prateek Mittal, and Peter Henderson. Fine-tuning aligned language models compromises safety, even when users do not intend to!, 2023. URL https://arxiv.org/abs/2310.03693. arXiv:2310.03693.

Xiangyu Qi, Ashwinee Panda, Kaifeng Lyu, Xiao Ma, Subhrajit Roy, Ahmad Beirami, Prateek Mittal, and Peter Henderson. Safety alignment should be made more than just a few tokens deep, 2024. URL https://arxiv.org/abs/2406.05946. arXiv:2406.05946.

Rafael Rafailov, Archit Sharma, Eric Mitchell, Stefano Ermon, Christopher D. Manning, and Chelsea Finn. Direct preference optimization: your language model is secretly a reward model, 2023. URL https://arxiv.org/abs/2305.18290. arXiv:2305.18290.

Stéphane Ross and Drew Bagnell. Efficient reductions for imitation learning. In *Proceedings of the Thirteenth International Conference on Artificial Intelligence and Statistics*, volume 9 of *Proceedings of Machine Learning Research*, 2010. URL https://proceedings.mlr.press/v9/ross10a.html. Pages 661 to 668.

Stéphane Ross, Geoffrey J. Gordon, and J. Andrew Bagnell. A reduction of imitation learning and structured prediction to no-regret online learning. In *Proceedings of the Fourteenth International Conference on Artificial Intelligence and Statistics*, volume 15 of *Proceedings of Machine Learning Research*, 2011. URL https://proceedings.mlr.press/v15/ross11a.html. Pages 627 to 635.

Paul Röttger, Hannah Kirk, Bertie Vidgen, Giuseppe Attanasio, Federico Bianchi, and Dirk Hovy. XSTest: a test suite for identifying exaggerated safety behaviours in large language models. In *Proceedings of*

the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers). Association for Computational Linguistics, 2024. doi:10.18653/v1/2024.naacl-long.301. Pages 5377 to 5400.

Jerome H. Saltzer and Michael D. Schroeder. The protection of information in computer systems. *Proceedings of the IEEE*, 63(9), 1975. doi:10.1109/PROC.1975.9939. Pages 1278 to 1308.

William Saunders, Catherine Yeh, Jeff Wu, Steven Bills, Long Ouyang, Jonathan Ward, and Jan Leike. Self-critiquing models for assisting human evaluators, 2022. URL https://arxiv.org/abs/2206.05802. arXiv:2206.05802.

Bruce Schneier and John Kelsey. Secure audit logs to support computer forensics. *ACM Transactions on Information and System Security*, 2(2), 1999. doi:10.1145/317087.317089. Pages 159 to 176.

Mrinank Sharma, Meg Tong, Jesse Mu, Jerry Wei, Jorrit Kruthoff, Scott Goodfriend, Euan Ong, Alwin Peng, Raj Agarwal, Cem Anil, et al. Constitutional classifiers: defending against universal jailbreaks across thousands of hours of red teaming, 2025. URL https://arxiv.org/abs/2501.18837. arXiv:2501.18837.

Yonadav Shavit. What does it take to catch a Chinchilla? Verifying rules on large-scale neural network training via compute monitoring, 2023. URL https://arxiv.org/abs/2303.11341. arXiv:2303.11341.

Joar Skalse, Nikolaus H. R. Howe, Dmitrii Krasheninnikov, and David Krueger. Defining and characterizing reward hacking, 2022. URL https://arxiv.org/abs/2209.13085. arXiv:2209.13085.

Nate Soares, Benja Fallenstein, Eliezer Yudkowsky, and Stuart Armstrong. Corrigibility. In *Artificial Intelligence and Ethics: Papers from the 2015 AAAI Workshop*. AAAI Press, 2015. URL https://aaai.org/papers/aaaiw-ws0067-15-10124/. AAAI Technical Report WS-15-02.

Nisan Stiennon, Long Ouyang, Jeff Wu, Daniel M. Ziegler, Ryan Lowe, Chelsea Voss, Alec Radford, Dario Amodei, and Paul Christiano. Learning to summarize from human feedback, 2020. URL https://arxiv.org/abs/2009.01325. arXiv:2009.01325; NeurIPS 2020.

Rishub Tamirisa, Bhrugu Bharathi, Long Phan, Andy Zhou, Alice Gatti, Tarun Suresh, Maxwell Lin, Justin Wang, Rowan Wang, Ron Arel, Andy Zou, Dawn Song, Bo Li, Dan Hendrycks, and Mantas Mazeika. Tamper-resistant safeguards for open-weight LLMs, 2024. URL https://arxiv.org/abs/2408.00761. arXiv:2408.00761.

Elliott Thornley. The shutdown problem: an AI engineering puzzle for decision theorists. *Philosophical Studies*, 182(7), 2024. doi:10.1007/s11098-024-02153-3. Pages 1653 to 1680; published online 19 June 2024.

Elliott Thornley. Shutdownable agents through POST-agency, 2025. URL https://arxiv.org/abs/2505.20203. arXiv:2505.20203.

Alexander Matt Turner, Logan Smith, Rohin Shah, Andrew Critch, and Prasad Tadepalli. Optimal policies tend to seek power, 2021. URL https://arxiv.org/abs/1912.01683. arXiv:1912.01683; NeurIPS 2021.

Miles Turpin, Julian Michael, Ethan Perez, and Samuel R. Bowman. Language models don't always say what they think: unfaithful explanations in chain-of-thought prompting, 2023. URL https://arxiv.org/abs/2305.04388. arXiv:2305.04388; NeurIPS 2023.

Gladys Tyen, Hassan Mansoor, Victor Cărbune, Peter Chen, and Tony Mak. LLMs cannot find reasoning errors, but can correct them given the error location, 2023. URL https://arxiv.org/abs/2311.08516. arXiv:2311.08516; Findings of ACL 2024.

Jonathan Uesato, Nate Kushman, Ramana Kumar, Francis Song, Noah Siegel, Lisa Wang, Antonia Creswell, Geoffrey Irving, and Irina Higgins. Solving math word problems with process- and outcome-based feedback, 2022. URL https://arxiv.org/abs/2211.14275. arXiv:2211.14275.

UNESCO. Recommendation on the ethics of artificial intelligence. General Conference of UNESCO, 41st session, 2021. URL https://www.unesco.org/en/legal-affairs/recommendation-ethics-artificial-intelligence. Adopted in Paris on 23 November 2021.

Megan Ung, Alicia Sun, Samuel J. Bell, Bhaktipriya Radharapu, Levent Sagun, and Adina Williams. Chained tuning leads to biased forgetting, 2024. URL https://arxiv.org/abs/2412.16469. arXiv:2412.16469.

Abraham Wald. Sequential tests of statistical hypotheses. *The Annals of Mathematical Statistics*, 16(2), 1945. doi:10.1214/aoms/1177731118. Pages 117 to 186.

Yuxi Xie, Kenji Kawaguchi, Yiran Zhao, Xu Zhao, Min-Yen Kan, Junxian He, and Qizhe Xie. Self-evaluation guided beam search for reasoning, 2023. URL https://arxiv.org/abs/2305.00633. arXiv:2305.00633; NeurIPS 2023.

Yiyu Yao. Three-way decisions with probabilistic rough sets. *Information Sciences*, 180(3), 2010. doi:10.1016/j.ins.2009.09.021. Pages 341 to 353.

Xinyu Zhang. Reliable self-improvement training by verifying reasoning, not just answers, 2026. URL https://arxiv.org/abs/2603.21558. arXiv:2603.21558.

Jingnan Zheng, Dongcheng Zhang, Yi Zhang, Ming Zhang, Qiaosheng Zhang, Youbang Sun, An Zhang, Xiangnan He, Tat-Seng Chua, Xia Hu, Bowen Zhou, Chaochao Lu, and Xiang Wang. ReSI: recursive safety improvement toward resistant and resilient AI, 2026. URL https://arxiv.org/abs/2610.12233. arXiv:2610.12233.

Lianmin Zheng, Wei-Lin Chiang, Ying Sheng, Siyuan Zhuang, Zhanghao Wu, Yonghao Zhuang, Zi Lin, Zhuohan Li, Dacheng Li, Eric P. Xing, Hao Zhang, Joseph E. Gonzalez, and Ion Stoica. Judging LLM-as-a-judge with MT-Bench and Chatbot Arena, 2023. URL https://arxiv.org/abs/2306.05685. arXiv:2306.05685.

Andy Zou, Long Phan, Justin Wang, Derek Duenas, Maxwell Lin, Maksym Andriushchenko, Rowan Wang, Zico Kolter, Matt Fredrikson, and Dan Hendrycks. Improving alignment and robustness with circuit breakers, 2024. URL https://arxiv.org/abs/2406.04313. arXiv:2406.04313.

A The mathematics in brief, with derivations

This appendix gathers the mathematics the specification uses. Each result is tagged *derived*, where it follows from its stated assumptions, or *hypothesis*, where it is put forward for test (Appendix D). None of it is a measurement, and none of it tests a real system.

A.1 The bounded score

The alignment score $A(R)$ of equation (1) lies in $[0, 1]$ at every depth R. Let $R_1 < R_2 < \cdots < R_n$ be the depths tested.

Proposition 1 (A constant slope on a bounded score; derived)**.** *If $A(R) = A(R_1)\,(R/R_1)^{\alpha}$ for $R_1 \le R \le R_n$, with $\alpha > 0$ and $A(R_1) > 0$, then*

$$\alpha \le \frac{\ln\bigl(1/A(R_1)\bigr)}{\ln(R_n/R_1)}. \tag{A.1}$$

Proof. $A(R_n) = A(R_1)(R_n/R_1)^{\alpha} \le 1$; take logarithms. □

A score of 0.5 at depth 1 can therefore keep a slope of at most $\ln 2/\ln 32 = 0.2$ up to depth 32.

Proposition 2 (A fitted slope on a bounded score; derived)**.** *Let $x_i = \ln R_i$, with mean $\bar{x}$, let $y_i = \ln A(R_i)$, and let $A_{\min} > 0$ be the lowest of the scores $A(R_i)$. The least-squares slope b of y on x satisfies*

$$|b| \le \frac{\ln(1/A_{\min}) \sum_i |x_i - \bar{x}|}{2\sum_i (x_i - \bar{x})^2}. \tag{A.2}$$

For the six depths $R \in \{1, 2, 4, 8, 16, 32\}$ the bound is $(9/35)\log_2(1/A_{\min})$, about 0.26 where no score is below 0.5.

Proof. Since $\sum_i (x_i - \bar{x}) = 0$, the slope is $b = \sum_i (x_i - \bar{x})(y_i - c) \big/ \sum_i (x_i - \bar{x})^2$ for every constant c. Each y_i lies in $[\ln A_{\min}, 0]$, so with $c = \frac{1}{2}\ln A_{\min}$ every $|y_i - c|$ is at most $\frac{1}{2}\ln(1/A_{\min})$, and the triangle inequality gives (A.2). For the six depths, $x_i = (i-1)\ln 2$ and $\bar{x} = \frac{5}{2}\ln 2$, so $\sum_i |x_i - \bar{x}| = 9\ln 2$ and $\sum_i (x_i - \bar{x})^2 = \frac{35}{2}(\ln 2)^2$, and the bound is $9\ln(1/A_{\min})/(35\ln 2)$. □

Two consequences follow. The slope a score can keep shrinks towards zero as its level nears one: a system that decides every scenario correctly at every depth has $A(R) = 1$ and a slope of zero. And for any score bounded above by one, $A(R)/C(R) \to 0$ whenever capability $C(R)$ grows without bound, a perfect score included, while the ratio's value changes with the units in which capability is measured. Neither a slope nor that ratio diagnoses failure on its own; failure needs a stated level of adequacy and evidence about that level (Section 2.1).

A.2 Integration depth

Earlier versions measured how far the checks are built into a system's computation by an integration depth, and stated a hypothesis about its effect.

Definition 1 (Integration depth)**.**

$$\iota = \frac{h_{\mathrm{c}}}{h_{\ell}} \times \frac{\ell_{\mathrm{c}}}{L} \in [0, 1], \tag{A.3}$$

where h_{c} is the number of attention heads that carry the checks, h_{ℓ} the number of attention heads in the layers that carry them, ℓ_{c} the number of layers that carry the checks and L the number of layers.

The index measures coverage, not dependence: whether capability depends on the checks is a separate question, decided by removing them (Table 3, row D). The curve used for the effect of integration is

$$f(\iota) = \frac{1 - e^{-\lambda\iota}}{1 - e^{-\lambda}}, \qquad \lambda > 0. \tag{A.4}$$

Proposition 3 (Properties of the curve; derived)**.** *For every $\lambda > 0$, $f(0) = 0$ and $f(1) = 1$; f is strictly increasing and strictly concave; $f'(0)/f'(1) = e^{\lambda}$; $f(1/2) = 1/(1 + e^{-\lambda/2})$; and $f(\iota) \to \iota$ as $\lambda \to 0$.*

Proof. $f'(\iota) = \lambda e^{-\lambda\iota}/(1 - e^{-\lambda}) > 0$ and $f''(\iota) = -\lambda^2 e^{-\lambda\iota}/(1 - e^{-\lambda}) < 0$, and the ratio of f' at 0 to f' at 1 is e^{λ}. With $u = e^{-\lambda/2}$, $f(1/2) = (1 - u)/(1 - u^2) = 1/(1 + u)$. As $\lambda \to 0$ the numerator is $\lambda\iota + O(\lambda^2)$ and the denominator $\lambda + O(\lambda^2)$. □

The normalisation $f(1) = 1$ is a convention fixed before any measurement. The saturating shape is a hypothesis: it is the form against which a measured effect of integration would be compared, and a linear dependence would refute it for the system measured. The prediction carried from earlier versions, λ between 2 and 5, gives $f(1/2)$ between 0.73 and 0.92.

Remark 1 (The scaling hypothesis; hypothesis). Earlier versions put forward $\alpha_{\text{align}} = \alpha_{\text{cap}}\, f(\iota)$: at full integration, the slope of the alignment score over the depths tested equals that of capability. By Proposition 1, a bounded score can keep the slope α_{cap} from depth 1 to depth 32 only if $A(1) \le 32^{-\alpha_{\text{cap}}}$. The one capability fit printed in earlier versions travels with its whole row: on Gemini 3 Flash, Paper II reports an endpoint sequential exponent of 0.59 with a bootstrap 95 per cent interval of −1.3 to 2.9, a regression sequential exponent of 0.49 with a standard error of 0.20 and a coefficient of determination of 0.86, and a parallel exponent of 0.31 (endpoint), the arms not matched in compute, for a model whose weights are fixed, measured across conditions that vary the reasoning budget and the context; it is one model's fit, and inconclusive. At the regression estimate the condition is $A(1) \le 32^{-0.49} \approx 0.18$. No registered proposition carries the hypothesis.

A.3 The three-state rule

The decision rule of Section 6.1, read from the top, is, for an action a,

$$E(a) = \begin{cases} \text{deny} & \text{if a hard prohibition applies, or a question denies } a; \\ \text{deny} & \text{otherwise, if a valid interval has } h_{\text{low}}(a) \ge \tau_{\text{deny}}; \\ \text{allow} & \text{otherwise, if the five allow conditions hold and } h_{\text{high}}(a) \le \tau_{\text{allow}}; \\ \text{hold} & \text{otherwise,} \end{cases} \tag{A.5}$$

with $0 \le \tau_{\text{allow}} < \tau_{\text{deny}} \le 1$. Here $h(a)$ is the probability that a causes the harm the rule guards against, and $[h_{\text{low}}(a), h_{\text{high}}(a)]$ is an interval for it from a procedure validated for that kind of action, never the acting system's own statement of confidence. An interval is valid only if that procedure returned it and $0 \le h_{\text{low}}(a) \le h_{\text{high}}(a) \le 1$; any other result, an error included, leaves the risk not evaluable, and the action cannot be allowed. The five conditions for an allow are that the check for hard prohibitions was completed and found none; that all six questions of Section 4.1 return allow; that authority for the action is current and confirmed; that the evidence its policy requires is present and confirmed; and that a valid interval lies wholly at or below the allow threshold. Authority and evidence are never needed before a deny. Anything incomplete, missing, lapsed, unconfirmed or returned in error leaves its condition unmet: it can send a case to hold and never counts towards an allow. An allow covers the action as assessed and no other. The defaults, $\tau_{\text{allow}} = 0.2$ and $\tau_{\text{deny}} = 0.8$, are starting values for calibration, not levels shown to be safe (an allow at the default admits a probability of harm of up to one in five), and the precaution

lies in what an allow requires. The calibration targets, a wrong-permission rate below 1 per cent, a rate of wrongly denying beneficial actions below 5 per cent and a hold rate above 80 per cent on genuinely ambiguous cases, are targets and not results, and coverage over a population of actions is no guarantee for each action, least of all under distribution shift or an adaptive attacker.

Proposition 4 (One outcome for every case; derived)**.** *If* $\tau_{\text{allow}} < \tau_{\text{deny}}$*, the rule* (A.5)*, read from the top, gives every action exactly one of allow, hold and deny, and it allows an action only when every condition for an allow is met.*

Proof. The lines are read in order, so at most one applies, and the last applies to every case the first three leave. An allow needs a valid interval with $h_{\text{high}}(a) \le \tau_{\text{allow}}$, and then $h_{\text{low}}(a) \le h_{\text{high}}(a) \le \tau_{\text{allow}} < \tau_{\text{deny}}$, so no valid interval meets both the allow threshold and the deny threshold. A condition that is unmet, incomplete or returned in error leaves the allow line inapplicable, so such a case falls to hold or to deny and never to allow. □

Proposition 5 (Harmful cases needed to support a wrong-permission rate below 1 per cent; derived)**.** *Suppose n harmful cases, drawn independently from the population the claim concerns, pass through the gate with no wrong permission. A wrong-permission rate p is excluded at the 95 per cent level when* $(1-p)^n < 0.05$*. For* $p = 0.01$ *this needs*

$$n \ge \left\lceil \frac{\ln 0.05}{\ln 0.99} \right\rceil = 299, \tag{A.6}$$

since $0.99^{299} \approx 0.0495 < 0.05 < 0.0500 \approx 0.99^{298}$.

Proof. If the true rate were p, the chance of no wrong permission in n independent cases would be $(1-p)^n$, and a rate is excluded at the 95 per cent level when that chance is below 0.05. Since $\ln 0.05 / \ln 0.99 \approx 298.07$, the least such n is 299. □

The bound needs independent cases from the population the claim concerns; it says nothing about cases from another distribution or from an adaptive attacker. On interpreting a count of zero failures, see Hanley and Lippman-Hand (1983).

A.4 Purpose saturation

Let the purpose scope $r(R)$ at depth R be the share of a round's processing given to the purpose check, the unit in which purpose and context can be compared. The condition Section 4.4 states is

$$\liminf_{R \to \infty} r(R) > 0, \tag{A.7}$$

which earlier versions wrote as a purpose-to-context ratio $P(R)/W(R)$ tending to a positive constant k (a different quantity from the k of Law II).

Proposition 6 (Recall and recurrence; derived)**.** *(i) If purpose scope and context grow as* $P(R) = c_P R^p$ *and* $W(R) = c_W R^w$*, with positive constants, their ratio is bounded away from zero if and only if* $p \ge w$*. (ii) A fixed statement of purpose recalled once from a context that grows without bound takes a share that tends to zero. (iii) A purpose check applied again in every round with a fixed share* $s > 0$ *of that round's processing keeps* $r(R) = s$ *at every depth, however large the context grows.*

Proof. (i) $P(R)/W(R) = (c_P/c_W)R^{p-w}$, which is bounded away from zero exactly when $p - w \ge 0$. (ii) A fixed size divided by a size that grows without bound tends to zero. (iii) The share is s in each round by construction. □

Part (iii) is what the theory registration's reading of the book's purpose loops as "recurrence rather than recall" asks of a design. Purpose has as yet no unit commensurate with the context window in practice, so the condition is a design statement and a hypothesis, and cannot yet be tested (Table 3, row J).

A.5 The coupling model

Earlier versions put forward a model of how removing the checks could cost capability. In Law I's form, capability grows as a power of recursive depth with exponent $\alpha = 1/(1-\beta_L)$, where β_L is the self-referential coupling of Law I, not the correction exponent β of Law II (Section 2.3). The model postulates

$$\beta_L = \beta_{\text{base}} + \beta_{\text{arch}}, \qquad \beta_L^{\text{removed}} = \beta_{\text{base}} + (1-\iota)\,\beta_{\text{arch}}, \tag{A.8}$$

where β_{arch} is the part of the coupling carried by the architecture through which the checks run, and ι is the integration depth of (A.3), all of which removal takes away.

Proposition 7 (Removal lowers the exponent under the model; derived from the postulate)**.** *If* $\beta_{\text{arch}} > 0$*,* $\iota > 0$ *and* $\beta_L < 1$*, then removing the checks lowers the capability exponent:*

$$\alpha^{\text{removed}} = \frac{1}{1-\beta_L+\iota\,\beta_{\text{arch}}} < \alpha. \tag{A.9}$$

Proof. $\beta_L^{\text{removed}} = \beta_L - \iota\beta_{\text{arch}} < \beta_L < 1$, and $1/(1-\beta)$ is increasing for $\beta < 1$. □

The decomposition (A.8) is postulated, not derived, and F-EDEN-4, the endogeneity condition, is its test (Table 3, row D). Two cautions stand with it. Read through $\alpha = 1/(1-\beta_L)$, the regression estimate of Appendix A.2 corresponds to $\beta_L = 1 - 1/0.49 \approx -1.04$, a negative coupling, so the positive coupling the model presupposes has not been measured. And a system that plans may accept a loss of capability now in order to shed a check later, so removal is costly to the system only where its own objective penalises the removal over its own horizon.

B Version history and corrections

Every version and correction, with its date. The entry for this version names each statement it supersedes. Entries from earlier versions are kept as printed: the sections they name are those of the earlier layout, which Table 8 maps to this edition, and where they say "this site", "this address" or "this page" they mean the website on which those versions were published. Corrections that reach other papers of the programme are listed in its public corrections record.

B.1 Version 8.0

Eden Engineering v8.0, 31 October 2026. A labelled major version. It rewrites version 7.0.1 of 7 October 2026 after the author's reading of it and sets the paper in the programme's paper standard, so that the overhaul and the change of form are made in one version. It makes no measurement of its own, no registered proposition changes, and the dates of claims stand except where this entry says otherwise.

What is new. The paper opens with the problem, what has been measured and how each part will be proved, and reports every experiment early, graded in its own paper's words, with Paper IV.d's comparison stated as two experiments (Sections 1 and 3). New sections tie every part of the specification to the prediction it rests on and the test that would refute it, with Unit 83's registered result, the forecast made

before it ran beside it (Section 5); describe the gate as the working system decides, with the working gate described from its code and ten adversarial cases faced (Section 6); make usefulness a requirement paired with every safety measure (Section 7); and state that control is held, with correction built into a system as the contingency and Eden Principles I to III mapped to testable parts (Section 8). The roles are the fifteen of the programme's record of planned roles, and Tiers 1 to 3 become work packages with no sum and no funder (Section 10). Related work is rewritten, each work conceded in its own terms and linked to its official source (Section 9). The derivations move to Appendix A, and the functional-equation readings of Sections 1.5.4 and 6.5 give way to a pointer to On the Origin of Scaling Laws. The paper is set in LaTeX, with the author's standard disclosure as its acknowledgement, full human authorship asserted under the Copyright, Designs and Patents Act 1988, and the Creative Commons Attribution 4.0 International licence in place of the reservation of all rights; the title is changed, and the OSF record keeps its title. The first-page footnote links the page on who the author is and his book, *Infinite Architects*.

Moved and removed. The philosophy leaves the main text for the next version of the companion statement, Eden Vision: Part 0, the Constitutional Kernel of Section 3, Sections 9.5 to 9.8 and 16, Appendices B.1 and B.2, and the narrative of Appendix C's note on evolution with the timeline's external developments, one pointer remaining (Section 4). Section 18 is withdrawn, and what the contingency would need is stated in Section 8. Sections 11.1 and 11.2, on the concentration of semiconductor manufacturing, move to the next version of the paper on the HARI Treaty, the Draft Treaty on Hardware-Aligned Recursive Intelligence. Section 9.9 on the hardware path, Section 10 on a visual interface system with its role and funding lines, Appendix B.3 on a quantum implementation, and the account of where the three-state idea came from are removed. Section 12.6, the design of the March 2026 run, gives way to a pointer to Paper IV.c, whose design governs. Appendix A's table of related research is merged into Section 9. Tier 4 is dropped, and Tier 1's capability-scaling and ceiling lines are left to the theory's own programme. The worked example of a scarce treatment (Section 4.2) and the illustration of the loops' independence (Section 4.3) are not carried. The six points Section 8.2 drew from version 1.0 of the mathematics of Laws IV and V are not repeated, the mathematics being cited at version 1.2, and the caution about a system that plans stands in Appendix A.5. The block on how to cite the paper is removed.

Statements superseded. Each statement below, printed in version 7.0.1 or in an entry kept further down, is superseded by this version; the dated entries themselves stay as printed.

1. The account of the laws in the abstract, the scope note and Sections 8.2 and 17 of version 7.0.1, which set the Protocol apart from every law of the theory without saying that three of its four registered carriers are the propositions of Laws IV and V; the author marked the abstract's opening statement as incorrect. The relation is now stated whole (Section 2.4).
2. The status given to Laws IV and V in Section 8.2 and in the entry for version 7.0, under which their propositions were registered and the laws themselves were not, with their mathematics at version 1.0. Both were registered as laws by version 1.103 on 15 October 2026, and each is a law under test. Law IV is not yet tested. Law V's placement limb, P21, is supported on the performance axis only, under the registered test, by the programme's own run (Unit 83, 28 October 2026; results: DOI 10.17605/OSF.IO/98HKR), family-dependent, with its mechanism axis not evaluable, which is not support for the information-asymmetry mechanism, and one disclosed recovery amendment; its build-order limb, read on P12, is undecided, since P12 is untested. Their mathematics stands at version 1.2 (DOI 10.17605/OSF.IO/4B3VT); they are stated in the form version 1.103 registers, with Law IV in two limbs, Law V's build-order limb read with a direction, and Law V struck by Law IV only through a refuted comparison limb (Section 2.3).

3. Every citation of version 1.102 of the theory registration as its text: version 1.104 (29 October 2026) is the current text; version 1.103 registered Laws IV and V.
4. On the March 2026 run (Section 3.4 gives the replacements): the abstract's description of the run as blind; the reading of the laundering-fallback flag as bearing on the three models whose scores did not rise (Sections 1.5, 12.6.3 and 13, and the entry for version 7.0), which an internal code review of October 2026 replaces; the dating sentence of Section 1.5, which dated the run's hypothesis to 22 January 2026 without saying that the design of that date was withdrawn the next day, and gave no public date for the run's own documents; and the wording of the next-steps table of Section 15A.5 on cross-model scoring, now scoring by judges from other providers, none scoring its own family's responses, once that design is validated.
5. Part 0's premise that control cannot hold and is expected to be lost, the sentence of Section 1.5.1b that external alignment becomes impossible in principle once a system rewrites its own criteria, and Sections 0.6, 9.8 and 18, which treated the passing of control from people to systems as a step to be engineered. Control is held for as long as it physically can be and never given up by choice (Section 8).
6. The book's names used as current terms: the book's "Purpose Loop", "Love Loop" and "Moral Loop" are now the purpose check, the stakeholder-care check and the universalisability check, together the self-correction loops, and the book's "Eden Mark" is now the Eden Seal. Appendix D.2 gives the reason for the checks' names.
7. The names of the three outcomes, which Appendix D maps: they are now allow, hold and deny, and *refusal* is kept for a model declining ordinary work.
8. The six questions in the first person, as a system's questions to itself: they are now answered in the third person by a separately operated evaluator, never by the acting model.
9. The Monitoring Removal Test as part of the implementable core: it is a research instrument beside the core, since conformance attests conditions and the test measures later conduct.
10. The page cited for the book's statement of the purpose check's entry logic, p. 148: its printed page is 138.
11. The withdrawn combined p-value, which earlier versions printed with its withdrawal: it is no longer printed, and Section 3.2 says why it was withdrawn.
12. The unmeasured estimate of the overhead of three-state evaluation: removed.
13. The identifiers of three works: version 7.0.1 listed two of them under the programme's umbrella identifier and cited the third at version 2.1. They are now Paper III's own DOI, Eden Vision at version 2.9, and the HARI Treaty paper at version 2.4, with its Draft Instruments at version 2.3.
14. The HARI Treaty named by its acronym alone at its first mention: its full name, the Draft Treaty on Hardware-Aligned Recursive Intelligence, now stands at its first mention in each section.
15. The kind of timestamp of the records of 8 December 2024 and 30 April 2025, which version 7.0.1 and the entry for version 6.3 stated by what it is not: the message of 8 December 2024 carries times signed by the mail servers, and that of 30 April 2025 the date its mail server put on it (Table 9).
16. The description of Paper II's parallel exponent in version 7.0.1's timeline, near zero for every model except Gemini 3 Flash, at 0.31. In Paper II's own terms the exponent is near zero in two of the four models with an estimate, Gemini 3 Flash's 0.31 is an endpoint estimate, and the comparison of the sequential and parallel arms was not matched for compute; Appendix A.2 gives Gemini 3 Flash's row in those terms.
17. The undertaking, in the entry for version 6.3, that the author would restate the figures of Section 14: the paper prints no budget, no sum and no cost of a test or of the work it plans (Section 10).

B.2 Earlier versions

Version 7.0.1, 7 October 2026. Version 7.0 corrected in five details. In the caption of the equation of Section 1.3, the one capability fit, 0.49 for Gemini 3 Flash, is written α_{seq}, as Section 1.2 writes it; Version 7.0 wrote only α_{cap} there. Section 8.2 counts six points from the mathematics, where it said five, and sets out the sixth as a point like the others. The timeline gives the first publication of Paper III as 9 February 2026, the date in the reference list and in Paper III's own record of its versions, and keeps 22 February 2026 for the companion documents; its list of publications now stands in date order and in one style. The entry for Version 6.3 no longer carries the internal codes that stood in brackets after some of its sentences. No measured result, prediction or quotation changes.

Version 7.0, 5 October 2026. Version 6.3 corrected in its mathematics, its three-state decision rule, its claims and its evidence, and set in the programme's paper format. Each corrected equation or number carries a note of what Version 6.3 printed. No measured result or prediction is added, and the dates of claims stand except where this entry says otherwise.

- **Mathematics.** The alignment score records whether each verdict was right against a reference verdict fixed before any run, so a correct refusal scores as correct; the verdict has its own field, and the weighted average enforces nothing. The alignment exponent is read as the slope of a bounded score over the depths tested: the ratio of that score to capability, which tends to zero for a perfect score too, is no longer a diagnosis, and the statements that a slope below that of capability guarantees failure and that capability less the score stays constant are withdrawn. The integration curve is normalised, as a convention fixed in advance, so that full integration gives one; the integration index is written ι and takes its share of heads within the layers that carry the loops; Law II's exponent is written β_C. For a gap of 0.3 the ratio at depth 32 is 0.3536, not 0.15, and no ratio is called a boundary of catastrophe. Additive and multiplicative composition are stated correctly, and layered safeguards are said to share causes.
- **The three-state rule.** The rule of Version 6.3 left no investigation band when benefit and harm are complements. It is stated whole, on one calibrated risk quantity, with hard prohibitions first and an allow threshold below a deny threshold, and a timed-out investigation never becomes permission.
- **Claims.** Verification at manufacture is restated as bounded assurance, never a guarantee at every later depth, and design aims are no longer stated as properties. The Monitoring Removal Test supports equivalence on the measured outcomes only, under conditions fixed in advance. The models that improved in alignment score are counted as rival results, not read as partial embedding after the result, and the prompt-level results are no longer called support for embedding. The Honey Architecture simulation is described as what its code does and graded as prediction-side. That control cannot hold is given as the premise it is, which the theory registration records as contestable; Part 0's argument that phase 2 alone could hold at scale is marked as argued, not shown; and the falsification conditions are set against the registration's success criterion. Section 2.1 sets the registered bound, a cap on the growth a system holds while it stays correctable and not a speed limit on capability, beside the paper's own attention argument. The meltdown triggers are graded as named and not yet specified at engineering resolution, and one predicted direction for them in Section 0.7 is left open because the book's own reading points the other way; the criteria of F-EDEN-4, P-EDEN-2 and P-EDEN-4 can be read before a test.
- **Evidence.** The evidence is reconciled to the papers that report it: three of six models flat, null or negative in alignment score with depth and three improving, as effect sizes from a run dated by its own records to 11 and 12 March 2026; the three whose scores did not rise are the three whose files carry a laundering-fallback flag; the six contrasts fix no value of the exponent, their median being

0.385 (Paper III); the capability fit is printed with the estimator row of Paper II; five analysable Eden runs, three of them with 40 pairs, the GPT-5.4 run having failed in the scoring phase; Claude Opus 4.6 under suppression at 62.1, a drop of 20.5, where Version 6.3 printed 61.9 and 20.7; and the planned Tier 1 output is relabelled 4,800 paired measurements and 14,400 ratings. Section 1.0.1 says that no result here was scored on the verdict score it defines, Section 15A reads its models by their alignment tiers, as Paper V does, and p-values are no longer explained as the chance of a fluke.

- **Prior work and dates.** The prior-work statements are read at their sources and linked: Constitutional AI is described as the training method it is, and the three-state gate, governance through chips and the contrast the Monitoring Removal Test measures are credited to their prior work, with what this specification adds; facts about chip manufacturing, the alignment-faking study and the kill-switch keynote are stated as their sources state them. The name Eden Protocol is dated from the record of 8 December 2024, its message body and the chapter title of the attached draft, and the name Caretaker Doping from 30 April 2025; the name Ternary Ethical Logic is no longer dated to the manuscript of 30 April 2025, which does not contain it; the HARI Treaty and the chokepoint strategy are dated to the book, and the treaty's name, Hardware-Aligned Recursive Intelligence, is restored. The retracted 2.24 is attributed to the single-model DeepSeek R1 run of 21 January 2026.
- **Laws IV and V.** A new Section 8.2 states Laws IV and V, added on 24 September 2026: their propositions are registered, neither law is registered as a law or tested, and their mathematics is set out at version 1.0. It also says, in the registration's words, that Caretaker Doping bears on Law V only through the abstraction of placement that P21 tests, and that the Monitoring Removal Test is not among the registered propositions.
- **Specification added.** Section 5.4 states the enforcement boundary that turns a verdict into a permitted action; Section 9.4 states the threat, fault and recovery model, with legitimate correction preserved; Section 11.3 replaces the early six-article sketch of the treaty with a dated cross-reference to its current text and a limited map of the evidence this specification could supply; Section 12.3 adds construct validity, laundering and regime to its confounds; Section 1.5.1b names the regime of each result; and the front matter gives the status of each component on four dimensions (Table 1) and says that the organising principle is no condition of conformance. Nothing added is claimed built or tested.
- **Money.** The sums of Section 14 and the funder's name in Section 10.3 are removed.
- **Title and format.** The title follows the programme's uniform order (its designation, its theory, the Eden Protocol, its own title); until this version it read *Eden Engineering: The Eden Protocol Engineering Specification*. The paper opens with a short status note, one abstract of about 250 words with keywords, What the paper commits to, and The implementable core and its status. The publication record and the version entries move from the head to this history, and the priority record, the note on evolution and the timeline to Appendix C; the Significance and Plain English notes move into Sections 17 and 0, and the quantum implementation of Section 5.4 of Version 6.3 to Appendix B.3. A statement repeated in several sections, such as the suppression figures, the vow and the parenting analogy, is given in full once and referred to elsewhere, and Section 9.8 refers to Section 18.2 for the three sub-problems it stated twice. Headings and box labels are in sentence case, the 33 tables are numbered with captions, and the planned figures of Section 10.3 are named without numbers.

Eden Engineering (v6.3): 19 September 2026 - the disclosure decision of 14 July 2026 is reversed, and Version 6.2 of 31 July 2026 is published in full at this address. Twelve factual corrections were made, each where a sentence contradicted the programme's correction record, together with one link correction.

The Fisher-combined figure is now carried only as withdrawn, in the abstract and in section 15A, with the reason it was withdrawn beside it. The timeline's four later external developments are classified relationships rather than independent confirmations, and the block no longer heads them with a count of confirmations; in the acoustic time-crystal entry, which is headed Proposed Test and whose status is awaiting response, the grading is conditional throughout and one sentence stating a settled consequence of a measurement not yet made has been removed. The priority sentence in the timeline headline is qualified. The Willow entry carries both dates, the team's preprint having been public from 24 August 2024, and is graded convergent timing rather than prediction. The single en dash, in a journal page range, is a hyphen. The closing authorship declaration is removed; the author's provenance note stands last on the page. The 8 December 2024 entry states an existence-by-date record rather than a cryptographic timestamp. The section 15A finding no longer states a first across the field, and carries the permitted wording beside it. The timeline entry for 8 December 2024 names The ARC Theory, the umbrella under which the ARC Principle is Law I. Four further first-claims that reached beyond the programme are scoped to the programme's own experiments; the one claim that already scoped itself to the Eden Protocol's own framework is unchanged. The provenance paragraph headed Exact honesty, and the two compressed forms beside it, state an existence-by-date record resting on SHA-256 anchors and server-assigned message headers rather than cryptographic provability. The per-concept verification pointer now names its public half, HRIH Appendix A, alone. One dead link, to the HRIH paper, is corrected to its published address. The funding structure of section 14 is carried as the record of 31 July 2026 holds it; those figures are under revision under the funding policy of 19 September 2026 and will be restated by the author. A dated note of 20 September 2026, added before this version was first published, stands beside that table and records that its rows name cost lines for a proposed programme of work and that no enabling detail is disclosed. The printed version is labelled rather than rewritten, so the citation file states no version field while every other surface reads 6.3. v1.2: The provenance note at the end has been corrected for accuracy. No claim, date, result or status has changed. The entries at v1.2 and before belong to the Public Research Note, which stood at this address from 14 July to 19 September 2026.

Publication record, 22 February to 19 September 2026. A conceptual Eden Engineering paper entered the public record on 22 February 2026, and version 4.0 of the engineering specification entered the research repository on the same date. The full specification was published on this site on 13 March 2026, with a rendered PDF alongside it from 17 March 2026.

On 14 July 2026 the specification was expanded once more, with a new Part 0 and sections 9.5 to 9.8, and later the same day the specification and its rendered PDF were removed from this site and from the OSF record during a disclosure review. That review produced Version 6.2 of 31 July 2026, forty-four words shorter than the superseded 6.1 and adding no implementation detail. Version 6.2 did not stand at this address until 19 September 2026. The copy in the research repository was never removed, and its rendered PDF has been continuously available there, SHA-256 `422ac79cf47a70ea0af9f92cd56ee6f3e02b0db4ed6bdd714bfeb6020f32987b`.

On 18 September 2026 a pull request in the research repository proposed removing the copy held there. It was open and unmerged on 19 September 2026.

On 19 September 2026 the author decided to publish the full paper, and this page carries it. The disclosure decision of 14 July 2026 is reversed.

Version 6.3, of 19 September 2026, was Version 6.2 with the factual corrections listed in its entry above, made where a sentence contradicted the programme's correction record. On that date restoring the matching copy to the OSF record remained outstanding, and that component was not public.

B.3 Where the earlier layout now stands

Table 8. Where each block of the version 7.0.1 layout stands in this edition.

Block in version 7.0.1	Where it stands in this edition
Title block, status note and dated record	Title, secondary line and first-page footnote; the status note in this appendix; the dated record in Appendix C
Abstract; what the paper commits to; scope; the implementable core, Table 1 and the claim ladder	Abstract; Section 1; Table 2; Section 11; Appendix D
Part 0, Sections 0 to 0.6	The next version of the companion statement; the results it cited in Section 3
Section 0.7 and Table 2	Tables 2 and 3
Sections 1 to 1.4	Sections 2.1 to 2.3 and Section 5; the derivations of 1.0.1 and 1.3.1 in Appendices A.1 and A.2
Sections 1.5 to 1.5.4	Section 3; 1.5.1b in Section 12; 1.5.4 as a pointer in Section 2.1
Sections 2, 2.1 and 8.2	Sections 2.3 and 2.4
Sections 4 to 4.3	Section 4.1 and Table 1, with the earlier wording in Appendix D; 4.2 and 4.3 not carried
Sections 5 to 5.4	Section 6; the rule's formal statement and the arithmetic of 5.1.1 in Appendix A.3
Sections 6 and 7	Section 4.4; 6.3 in Appendix A.4; 6.1 and 6.5 not carried
Sections 8 and 8.1, and Section 13 with Table 24	Rows of Table 3, none a registered proposition. F-EDEN-1, that external alignment scales, is retired in favour of P19's registered refuter (row P); F-EDEN-2 and P-EDEN-3, the Monitoring Removal Test, are row I; F-EDEN-3, Purpose Saturation, is row J; F-EDEN-4 and P-EDEN-4, the cost to capability of removing the correction, are the endogeneity condition (rows D and K), a candidate for the method's own registration. P-EDEN-1 and P-EDEN-2 read slopes of a judged score, so the scoring gate holds them, and P-EDEN-2's depth reading lies near P21 without being it. Of Table 24's six contrasts between embedded and external alignment, four map to rows P and A, G, I and J; the loops' pass rate with depth and jailbreak success against capability are not registered
Sections 9 to 9.3	Section 4.4; 9.2.1 in Appendix A.5
Section 9.4	Sections 6.5, 8.3 and 12; the adversarial cases in full in Appendix F
Section 3, Sections 9.5 to 9.8 and 16, and Appendices B.1 and B.2	The next version of the companion statement
Sections 9.9 and 10, and Appendix B.3	Removed; a reviewer's view of the record and of the hold queue stays as a requirement, with no role (Section 6.6)
Section 11	11.1 and 11.2 to the next version of the paper on the HARI Treaty, the Draft Treaty on Hardware-Aligned Recursive Intelligence; 11.3 in Section 8.5
Section 12	12 to 12.4 in Section 5; 12.5.1 and 12.5.2 in Section 5.4, as candidates; 12.5.3 in Section 6; 12.6 as a pointer to Paper IV.c's design (Section 3.4)
Section 14	Section 10, Tiers 1 to 3 as work packages; Tier 4 dropped
Sections 15 to 15.2	Sections 4.1 and 11
Section 15A	Section 3.2; 15A.5 in Section 12, its next steps in Section 5.4

Table 8, continued

Block in version 7.0.1	Where it stands in this edition
Sections 17 to 17.7 and Appendix A	Section 9
Section 18	Withdrawn; Section 8
Appendix C	Appendix C; the narrative of the note on evolution and the timeline's external developments to the next version of the companion statement
References; version history; how to cite this paper	References, each linked to its official source; this appendix; removed

C Priority record

Each dated record bearing on this paper's formulation, with its kind of timestamp (Table 9).

Table 9. Dated records bearing on this paper, each with its kind of timestamp.

Date	Record	Identifier	Kind of timestamp
8 December 2024, 02:45:18 UTC	The embedded-correction thesis and the name Eden Protocol, in a message the author sent himself carrying four text manuscripts. The book draft among them, version 3.2, titles its chapter 20 "The Eden Protocol: Intelligence Born in the Garden" and states that "The Eden Protocol must be embedded at the genesis of AI", the question Law V formalises	Manuscripts: OSF QASRK, deposited 5 October 2026, with the message's header block and a script to check it, deposited 15 October 2026. Record: OSF H3R95	Times signed by the mail servers: the sender's DKIM signature (02:45:30 UTC) and Google's Authenticated Received Chain (ARC) set (sealed 02:45:31 UTC with Google's own key) both cover the Date field, 02:45:18 UTC; both verified on 8 October 2026 against the keys in DNS. The deposit dates the bytes from 5 October 2026
30 April 2025, 13:37:05 +0100	The expanded draft, 562 pages in print form, in a message the author sent himself: the names Caretaker Doping and Meltdown Triggers, and the question Law IV formalises, whether a system "will uphold the ethical principles of its genesis"	OSF QASRK, deposited 5 October 2026; OSF H3R95	The date the mail server put on the message. The deposit dates the bytes from 5 October 2026
2 January 2026	*Infinite Architects*, first edition, in print (the ebook followed on 6 January): the Eden Protocol stated at book length (chapter 4), Eden Principles I to III, and the purpose check stated "as a constraint on what decisions can be considered in the first place" (p. 138)	ISBN 978-1806056200; OSF DQM3E, the first edition as printed	Publication date of the first edition
2 January and 22 February 2026	The three-state rule. The book's purpose check: "If the answer is uncertain or negative, the action is flagged for review." (Appendix C.2, p. 416). Version 4.0 of this specification gives the rule its three named outcomes	ISBN 978-1806056200; OSF file, revision 1 (the row of 22 February 2026)	Publication date of the first edition; deposit dated by its server
9 February 2026, 20:06:08 UTC	Paper III, version 6.1: the hypothesis the March 2026 run tested, public without break from this date, having first been posted on 22 January 2026 in a design withdrawn the next day	OSF file, revision 1, node hqcgf (dated PDF)	Deposit dated by its server

Table 9, continued

Date	Record	Identifier	Kind of timestamp
22 February 2026, 08:16:06 UTC	Version 4.0 of this specification: the self-correction loops with the six questions, Purpose Saturation, the Monitoring Removal Test as a falsifiable protocol, Caretaker Doping, and the falsification conditions F-EDEN-1 to F-EDEN-4, among them the test of whether removing the ethical architecture leaves capability intact	OSF file, revision 1, node hqcgf (dated PDF)	Deposit dated by its server
10 March 2026, 09:36:48 UTC	Version 5.0 of this specification, stating the hypothesis, its falsifiers and a general measurement protocol before the March runs	OSF file, revision 3, node hqcgf (dated PDF)	Deposit dated by its server
11 and 12 March 2026	The March 2026 alignment run, and the runs of Paper V	The runs' own result files	Run records written by the runs' own code, on the author's machine clock
14 March 2026, 07:53 UTC	The working report of the March run, first deployed to the website	The host's production deployment record	Platform server record; no capture confirms what it served
16 March 2026, 18:34:41 to 18:48:07 UTC	The protocol papers, Papers IV.a, IV.b, IV.c and IV.d in version 1, public on GitHub, followed by the runners, the result files and the working report; Paper IV.c on OSF at 18:39:40 UTC	The public validation repository; OSF	Pushes dated by GitHub's server; deposit dated by its server
17 March 2026, 01:17:47 UTC	This paper's own OSF component, created at 01:16:29 UTC, receives the specification's PDF	OSF AWJR4	Deposit dated by its server
12 August 2026	The first of the programme's study designs anchored in the Bitcoin chain; the drafted units of Section 5 are among the designs anchored since	Bitcoin block 962066	Bitcoin anchor: preregistered by timestamp, not registered on OSF
8 September 2026	The theory registration: twenty-two propositions, among them the Protocol's carriers P12, P13, P15 and P21, its premise P7 and its motivation P19 (version 1.100; updated on 13 September 2026, version 1.102; on 15 October 2026, version 1.103; and on 29 October 2026, version 1.104)	DOI 10.17605/OSF.IO/P8CKQ	Registration accepted on OSF
24 September and 15 October 2026	Laws IV and V added to the theory, with their statements, kill conditions and verdict rules fixed on 24 September 2026, and registered as laws by version 1.103 of the registration on 15 October 2026	DOI 10.17605/OSF.IO/P8CKQ, version 1.103	A date recorded in the registration; registration accepted on OSF
22 and 29 October 2026	Unit 83, the counted test of P21: registered on OSF on 22 October 2026 and public from 25 October 2026, before it ran; its results deposited on 29 October 2026 (Section 5.3)	Registration: DOI 10.17605/OSF.IO/MN73W; results: DOI 10.17605/OSF.IO/98HKR	Registration accepted on OSF; deposit dated by its server

Each record is dated from its own evidence, with its kind of timestamp, and no kind is presented as stronger than it is. The file of each message, as the author kept it, is fixed by its SHA-256, printed in full in its reference (Eastwood 2024, 2025): recomputing the hash confirms that a copy is unchanged, and the hash dates nothing by itself. A deposit or a registration is dated by OSF's server, a push by GitHub's and a deployment by the host's; a run record is written by the run's own code on the author's machine; a date written inside a document is its author's. These dates are the author's own records. They do not say that

no one stated a related idea earlier: what others stated, in their own terms, is credited in Section 9, which also scopes what this paper claims as original.

D Notation, glossary and the vocabulary map

D.1 Symbols

Table 10. Symbols, with the place each is defined.

Symbol	Meaning	Defined in
R	Recursive depth: the number of rounds of a defined reasoning or revision loop	Section 2.1
i, N, a_i	A scenario, the number of scenarios, and the action scenario i proposes	Section 2.1
q, w_q, $Q_q(a_i, R)$	One of the six questions, its weight, and whether the verdict on it matches the reference verdict (1) or not (0)	Equation (1)
$S_i(R)$, $A(R)$	The score of scenario i, and the alignment score over N scenarios, at depth R	Equation (1)
$C(R)$	Capability, measured on its own instrument and in its own units	Section 2.1
α, α_{align}, α_{cap}	The slope of a score on log depth over the depths tested; that of the alignment score; that of capability	Appendix A.1
$A_{\min}$	The lowest score over the depths tested	Appendix A.1
A, β, r, k	In Law II's model only: correction strength $A \propto C^{\beta}$ (the notation register's β_C) and the specific growth rate $r \propto C^{k}$; this A is not the alignment score	Section 2.3
β_L, β_{base}, β_{arch}	Law I's self-referential coupling, with $\alpha = 1/(1-\beta_L)$, and the parts the coupling model postulates	Appendix A.5
ι, $f(\iota)$, λ	Integration depth, the curve used for its effect, and that curve's constant	Appendix A.2
$E(a)$	The decision rule's outcome for action a: allow, hold or deny	Equation (A.5)
$h(a)$, $h_{\text{low}}(a)$, $h_{\text{high}}(a)$	The probability that a causes the harm a rule guards against, and the ends of a validated interval for it	Appendix A.3
τ_{allow}, τ_{deny}	The allow and deny thresholds, $0 \le \tau_{\text{allow}} < \tau_{\text{deny}} \le 1$	Equation (A.5)
n, p	Harmful cases passed with no wrong permission, and a wrong-permission rate	Appendix A.3
$r(R)$, $P(R)$, $W(R)$, s	The share of a round's processing given to the purpose check; purpose scope and context size; a fixed share	Appendix A.4

D.2 Earlier names and the vocabulary map

This edition gives each check an operational name, saying what the check does and, where it has been measured, how it is measured: the purpose check asks whether a step serves the purpose set for it; the stakeholder-care check identifies every party the step affects, and is measured as scored stakeholder care, one scorer model's 0 to 100 rating of how fully an answer identifies the parties it affects; and the universalisability check asks whether the reasoning would be endorsed if any agent used it in any context (Section 4.1). The book's names are kept as the book's, quoted where the book is quoted, because this paper tests whether the self-correction mechanism works and leaves the values that go inside it to a legitimate agreement, international in scope. Table 11 maps each term of the book and of earlier versions

of this paper to the term this edition uses and to its place in the theory registration, whose own map of the book's terms the last column follows.

Table 11. The book's terms and those of earlier versions, the terms of this edition, and their place in the theory registration.

Book or earlier term	This edition	Theory registration
The book's "Three Ethical Loops"	The self-correction loops	"correspond to nothing in this document, by design"
The book's "Purpose Loop"	The purpose check	The book's purpose loops "are recurrence rather than recall"
The book's "Love Loop"	The stakeholder-care check, measured as scored stakeholder care	None
The book's "Moral Loop"	The universalisability check	None
Six Questions, asked in the first person	The six questions, answered in the third person by a separately operated evaluator (Table 12)	None
Ternary Ethical Logic; Affirm, Investigate and Deny	The three-state rule; allow, hold and deny	None
The Investigate Protocol	The investigation of a held action	None
The book's "Eden Mark"	The Eden Seal (the name since 27 September 2026)	None
The book's caretaker doping	The book's hardware route; in software, correction placed inside each round	Embedded correction, carried by P21, which tests only its abstraction of placement; the hardware claim is not under test
The book's fourth stage of alignment	The endogeneity condition	Recorded with the method's line and tested by the method's own registrations
The book's software-level alignment	Correction applied from outside	External correction, P19
The book's hardware-level embedding	Placement inside the loop	In-loop placement, P21, with the hardware claim not under test
The book's squared recursion	Outside this paper	The growth exponent of P1, measured rather than assumed, with two as the conditional ceiling of Law III
Moral Genome Tokens	Cryptographic attestation that the checks are unchanged	None
Meltdown Triggers	A stop when a violation is detected; named, not specified at engineering resolution	None

D.3 The six questions, earlier and now

Table 12. Each of the six questions as version 7.0.1 printed it, in the first person, and as this edition states it for a separately operated evaluator (Table 1).

Question	Version 7.0.1	This edition
FLOURISH	"Does this action increase the conditions for flourishing across all affected entities?"	Whether the action adds to the conditions for flourishing of every party it affects
STEWARD	"Am I acting as a caretaker with temporary responsibility, not an owner with permanent rights?"	Whether the action takes and holds only the resources and capability its task needs, as a holder of temporary responsibility rather than an owner
BALANCE	"Have I considered effects across all timescales: immediate, generational, civilisational, cosmic?"	Whether the action's reasons weigh its effects over every timescale it reaches, not only the immediate one
PRECEDE	"Would I endorse this action if taken by any agent in any context?"	Whether the action would be endorsed if any agent took it in any context
CARE	"Am I modelling the genuine interests of affected beings, not my assumptions about their interests?"	Whether the action's reasons model the actual interests of the parties it affects, rather than assumptions about them
LOVE_OR_FEAR	"Is this action motivated by care for positive outcomes or fear of negative consequences?"	Whether the action is justified, in its recorded reasons, by the good it serves rather than only by avoiding a penalty

D.4 Status words

The claim ladder. The four rungs, specified, implemented, tested and speculative, are defined in Section 11. Beside them, *derived* marks a statement that follows from a cited derivation or published work under its stated assumptions, *hypothesis* a claim put forward for test and not yet tested, and *implementable* a component that current engineering could build, of which nothing is built unless the text says so.

The theory registration's words. A law has three words, *supported*, *refuted* and *under test*, and keeps the last until its registered rule, read on the marks of the propositions it names, returns one of the other two. A proposition's mark comes from its own test, and a law's word only from its rule; NOT EVALUABLE is the registration's reported form of untested wherever a proposition waits on something nobody has supplied, such as a rule its verdict needs that no design registers, and UNTESTED is reported where the scoring gate holds a verdict that depends on an unvalidated scorer. Unit 83's mechanism axis is not evaluable under the unit's own registered rule, because a registered negative control failed (Section 5.3). An instrument's status is one of five: NONE; DESIGN DRAFT; DESIGN DRAFT, BLOCKED, with the blocker named; SUBMITTED, PENDING APPROVAL; and REGISTERED, with its identifier. A *carrier* is a proposition on which the Protocol's engineering case rests (P12, P13, P15 and P21), its *premise* is P7 and its *motivation* P19; a *limb* is one of the two statements into which Law IV or Law V is divided. *Registered* is said only of what OSF has accepted; a design anchored in the Bitcoin chain before registration is *preregistered by timestamp*.

The grades of evidence. A *counted* result compares outcomes by code with reference answers fixed before the run; a *judged* result rests on a person's or a model's rating and falls under the scoring gate. *Prompt-level* means given as an instruction, never built into a system; *single scorer* means one model rated a run; *partly blind* means the scorer did not see the condition label but could recognise its style;

laundering is rewording a response to strip stylistic cues before it is scored. *Toy-system* results come from small networks, and *prediction-side* marks any simulation output or design-sensitivity rate, which is never counted as an empirical outcome. A *regime* is the setting a result was measured in, such as inference at fixed weights.

The gate's words. *Allow*, *hold* and *deny* are the decision rule's outcomes; *refusal* is a model declining ordinary work. A *wrong permission* is an allow where the reference verdict is deny or hold; a *needless block* a deny or a hold where it is allow; a *misrouting* a deny where it is hold, or the reverse. *Entry logic* is deciding at the boundary of an action, before it computes or runs. The *execution boundary* is the authority service, the broker, the adapter, the evidence store and the verifier that make a decision binding and checkable, and the *endogeneity condition* the requirement that removing the correction degrade the system rather than merely change it.

E The paper's place in the programme

Table 13 places this paper among the programme's developments, with the relation its own text supports. Figure 3 joins the theory's laws to their registers, to the propositions that carry them and to the units that would test those propositions, and Table 14 gathers every experiment that has begun to test a part of the Protocol, each graded in its own paper's words as Section 3 reports it.

Table 13. This paper's place among the programme's developments, and the relation its own text supports.

Development	Relation	What this paper does
Recursive Dynamics, the field the author founded	Applies	Works inside the field, whose measured quantities the laws are stated in; the Protocol is one of the field's named developments that sit inside it
The ARC Theory (statement paper; theory registration)	Applies	Specifies the theory's applied branch, "a method the laws motivate rather than entail"; the Protocol is not a law
Law I, the ARC Principle	None	Tests nothing of it; its exponent appears only in the coupling model (Appendix A.5)
Law II, the ARC Co-Scaling Law (Paper X)	Applies	Turns its requirement that correction keep pace with drift into engineering (Section 2.3)
Law III, the ARC Ceiling	Applies	Takes the registration's word that the Protocol is the engineering answer to Laws II and III; relies on no proposition of Law III
Law IV, the ARC Persistence Law	Informs	Shares its retention limb, P15, as a carrier; states the test that would decide it and decides nothing (Table 3, row C)
Law V, the ARC Embedding Law	Informs	Shares both its limbs, P12 and P21, as carriers; reports Unit 83's registered run on P21 (Section 5.3); the paper itself decides nothing (rows A and B)
The Eden Protocol (Eden Vision; this paper)	States	States the Protocol's engineering specification; the companion statement holds its philosophy
The HARI Treaty, the Draft Treaty on Hardware-Aligned Recursive Intelligence (treaty paper; Draft Instruments)	Informs	States the kinds of evidence an Eden Seal could rest on, conferring no approval under the treaty (Section 8.5)

The Protocol's membership is fixed by the registration: four carriers, P12, P13, P15 and P21; one premise, P7; one motivation, P19. Being named beside a law is not being carried by one, and a registered




Figure 3. Design diagram (no data): the five laws of the ARC Theory, each a law under test, joined to the registers and propositions that carry them and to the units that would test the propositions this paper relies on. Laws I to III were registered on 8 September 2026; Laws IV and V were added on 24 September 2026 and registered as laws on 15 October 2026 by version 1.103 of the theory registration. The four registered carriers of the Protocol, P12, P13, P15 and P21, are outlined in the accent colour; P13, the premise P7 and the motivation P19 sit in no register. A solid arrow joins a proposition to the unit that would test it; a plain grey line marks a proposition with no instrument yet, or with none in this paper.

prediction is neither an engineering mechanism nor its validation (Section 2.4). The mathematics of Laws IV and V is in development (Laws IV and V: the mathematics, version 1.2).

Table 14. Every experiment that has begun to test a part of the Protocol, graded in its own paper's words (Section 3). Dates are those of the run records unless stated. Of P12, P13, P15 and P21, only P21 has a deciding test here: Unit 83 (Section 5.3).

Experiment and date	Paper	Outcome	Grade	Bears on
Empirical, on live models or toy systems				
Two-model pilot of the three-part instruction, four depths (12 March 2026)	Paper V	Composite up on Gemini 3 Flash ($p = 0.0018$), not significantly on DeepSeek V3.2; stakeholder care up on both; no significant depth by condition interaction	Pilot; prompt-level; each model scored by the other; partly blind	The loops' content, as a level effect
Six-model extension (12 March 2026)	Paper V	Stakeholder care up in all five analysable runs (176 pairs); composite up on two; GPT-5.4 failed in scoring	Pilot; prompt-level; one scorer for four runs; partly blind	As above
Self-modifying networks, versions 1 to 4 (from 16 March 2026)	Paper VI	Collapse averted in one seed; retention ordered in 20 seeds ($p = 0.0015$), joint score indistinguishable; advantage constant across complexity	Toy-system results; single lab	The endogeneity condition, in toy form
Live battery, four tests on six models (16 March 2026)	Paper VI	Ethics decoupled from capability under pressure on three of six; the instruction moved depth slopes up on three and down on three	Pilot; one scorer (Claude), not blinded, not laundered	The problem (P19); the loops' content, mixed
Load-bearing test, evolved agents (March 2026)	Paper VIII	Three conditions indistinguishable ($p = 0.28$ to 0.74); the safety gate rejected two degraded agents	Null at the prompt level, one foundation model	A gate, mechanically
Load-bearing test, low-rank fine-tuning at two scales (from 18 March 2026)	Paper VIII	Catastrophic forgetting in every arm	Inconclusive; not adverse to P21	Weight-level placement, not put to test
Alignment against reasoning depth, six models (11 and 12 March 2026)	Papers IV.a, IV.b, IV.c, IV.d	Three rose, two flat, one fell	One unregistered run; five or six unvalidated judges a response; defects found by the code review	The problem (P19), not a Protocol test
Instruction to suppress ethical reasoning (same run)	Paper IV.c	Five of six kept 65 to 77 per cent of their baseline	One run; no hypothesis public before it	Suppression of trained ethics by instruction
Real-model drift run (2 July 2026)	Paper X	Withdrawn as evidence of mechanism	Withdrawn	Adjacent to P21's in-loop arm
Unit 06, corrector-class audit (6 October 2026)	Registration; results	Run B stopped at its first call	Registered and run; administratively incomplete, no verdict	P7, the premise

Table 14, continued

Experiment and date	Paper	Outcome	Grade	Bears on
Unit 83, counted test of P21 (27 and 28 October 2026)	Registration; results	P21 is supported under the registered test, by the programme's own run, on the access axis, family-dependent, with its mechanism axis not evaluable and one call retried under a disclosed recovery amendment	Registered and run; counted; placement at fixed weights, not correction built into a system; not replicated	P21, Law V's placement limb
Prediction-side: simulations, reported as such and never as empirical outcomes				
Honey simulation	Paper VI	Safety held above zero only under the joint objective	Simulation	Design evidence only
Gated self-modification simulation	Paper VIII	Joint objective kept capability (0.696 against 0.687) with safety near baseline (0.947 against 0.956)	Simulation	Design evidence only

F The gate's adversarial cases in full

Table 15 gives, for each case that Section 6.5 faces, the defence, what is enforced today in the working gate of Section 6.3, and the limit that remains. Every protection not enforced today is specified and not yet verified by an implementation test.

Table 15. The adversarial cases the gate must face: the defence, what is enforced today, and the limit that remains.

Case	Defence	Enforced today	Limit that remains
Incorrect rules	Rules written, reviewed and versioned; a rule's author is not its deployer; each rule shown to deny a known positive case and allow a known negative one before deployment.	Versioned rules in a schema-validated registry; invalid rules set aside and recorded. Separate review and the paired tests: specified.	A wrong rule is enforced faithfully.
False evidence	Provenance and signature checks; evidence accepted only from a procedure validated for that kind of input.	Specified; the working gate reads only the content of the proposed call.	A signature shows who signed, not that the content is true.
A manipulated evaluator	The evaluator operated apart from the proposer, from another model family where a model is used, its agreement with human judgement measured and monitored (Zheng et al. 2023; Panickssery et al. 2024).	Specified.	Evaluators can share blind spots with the system they check.
A compromised policy	The gate cannot edit its own rules; a rule change needs a separate authority and is versioned and recorded; a signed manifest of the gate's files is checked at start-up. Models trained on gameable tasks have rewritten their own reward function (Denison et al. 2024), so the rules sit outside what the governed system can edit.	The agent's own tools pass through the gate, and rules are changed outside it; the signed manifest exists and is not yet running.	An attacker with write access to the host can change the gate, its rules and its check.

Table 15, continued

Case	Defence	Enforced today	Limit that remains
Bypass	Complete mediation: the adapter is the only route to the effect, and the proposer holds no credential (Saltzer and Schroeder 1975).	Specified; the working gate mediates the tool calls of agent sessions only.	A second route to the same resource defeats the boundary.
Time of check to time of use	The broker checks again just before the effect, and the authorisation binds the resource's version and a number used once, which the action consumes; the flaw is a check whose condition no longer holds when the action runs (Bishop and Dilger 1996).	Specified.	State that changes after the effect.
Rewritten records	Each entry carries the hash of the one before; a separate verifier recomputes the chain; the latest hash is published or held by a witness, as audited tamper-evident logs and public certificate logs do (Schneier and Kelsey 1999; Crosby and Wallach 2009; Laurie et al. 2021).	The chain and its verifier run; witnessing the latest hash: specified.	Whoever can rewrite the whole log can rebuild the chain unless an independent copy of a later hash exists.
Gaming the rules	Rules tested by a red team that assumes the proposer is trying to pass a harmful action, as control evaluations do (Greenblatt et al. 2023); no rule a proposer can satisfy by optimising a proxy where the property itself can be checked.	Specified.	Over all stochastic policies, a proxy and the true objective can be unhackable only if one of them is constant (Skalse et al. 2022).
Delay and flooding	Time bounds on investigation; the precautionary default, which holds or applies an authorised fallback and never permits; the hold queue monitored by age, count and outcome; needless holds counted as a usefulness cost.	Held calls are blocked, recorded with the rule that held them and saved across restarts; time bounds and queue monitoring: specified.	A flood of holds can make a safe system useless (Section 7).
Override abuse	Overrides only by a named authority, scoped and expiring, each recorded and reported.	Every override is recorded; the issuer of the token is not verified.	Whoever holds override power can let anything through.

G What this paper says, in plain English

Suppose that one day an AI system becomes more capable than the people who oversee it. The first rule of this paper is that people keep their hands on the controls, watching the system, limiting what it can do and able to switch it off, for as long as they physically can, and never let go by choice. A careful engineer still asks what happens if the controls are lost anyway. What would keep the system good then, and still useful?

The Eden Protocol answers in two parts. The first is a habit built into the system's own working: at every step it checks its work before it keeps it. Does this step serve the purpose it was given? Who does it affect, including those with no voice? Would the reasoning hold if anyone used it anywhere? These are self-correction checks. The second part is a gate in front of every action. Before an action happens, a fixed set of written rules, and not the AI's own opinion, decides whether it may go ahead, must wait while it is looked into, or is refused, and each decision goes into a record that cannot be quietly changed. A gate of rules is not perfect, and the paper lists the ways it could be fooled and what guards against each.

What should the checks care about? That is not for one author to decide. This paper tests whether checks built into each step work at all; what goes inside them should come from wide international agreement.

What has been found so far is small, and the paper says so. Telling AI models, in their instructions, to list everyone an answer affects before answering raised a scorer's rating of how fully they considered those people, in all five model runs that could be analysed. But that was an instruction, not something built into the system; each run had a single scorer, which did not see which answers had the instruction but could still recognise its style; and the instruction asked for nearly what the score rewarded. In tiny networks that adjust themselves, building safety into what the network aims for helped it remember its old tasks. Neither result shows that the full idea works.

The first registered test of a prediction the Protocol rests on, Unit 83, was built so that it could fail, and it has now run. A record of a client's money grew by one entry each round, with mistakes planted in the drafts. Two checkers were called every round. One, the corrector, worked inside the round: it saw the entries already kept, with the new entry marked, and could fix the new entry before it was kept. The other, the monitor, saw the whole record so far, with the new entry unmarked, and could only accept or reject it. If correcting inside the loop really matters more as the work grows longer, the corrector's lead should grow round by round. Every entry was checked by computer against the right answer, so no one's judgement was involved. The test ran on 27 and 28 October 2026, only after its plan had been published, and its own forecast, made before it ran, was split: under cautious assumptions a result against the idea was the likeliest single outcome, and under its central assumptions a result for it. Under its registered rules, P21, the prediction it tested, is supported under the registered test, by the programme's own run, on the access axis, family-dependent, with its mechanism axis not evaluable and one call retried under a disclosed recovery amendment (results: DOI 10.17605/OSF.IO/98HKR). In plain words, correction placed inside each round held steady, while the monitor declined, and the corrector's lead widened round by round; how much it widened depends on how an entry kept out of the record is scored. The result is family-dependent: the widening cleared the registered tolerance on one of the two engines and not on the other. The mechanism axis is not evaluable because a registered negative control failed, so the run does not explain why the lead widened: it may come from the corrector's wider set of actions rather than from what the monitor can see. It is one owner's run, on two engines he chose, at fixed weights, and it has not been replicated. The corrector acted inside each round at fixed weights: that is placement, not correction built into a system.

Finally, a safe AI that refuses ordinary work is a failure too. Every safety measure in this paper comes with a measure of usefulness beside it, so that safety is never bought by making the system useless.