

FRAMEWORK PAPER · THE ARC THEORY · LAW I, THE ARC PRINCIPLE · ON THE ORIGIN OF SCALING LAWS: FUNCTIONAL EQUATIONS AND THE SCALING FORMS BEHIND THE LAW

Michael Darius Eastwood

Independent AI alignment researcher, London · Author, *Infinite Architects* (2026)

ORCID 0009-0004-3222-7442 · michael@michaeldariuseastwood.com · michaeldariuseastwood.com

The ARC Theory · OSF osf.io/xzy9u · every claim checkable

Law I's scaling forms traced to their mathematical origin and compared with published values in biology, physics and cosmology; the $d/(d+1)$ formula is earlier work's, credited in section 12, and the unification is this paper's.

A Universal Principle of Recursive Composition Across Physics, Biology, and Cosmology

Cauchy Functional Equations, the $d/(d+1)$ Exponent, and the Forms Nature's Scaling Laws Keep Taking

Working Paper v3.12 | 16 August 2026, revised 10 October 2026

Extends Paper I · The ARC Theory · Law I, the ARC Principle · The ARC Equation, the Law of Conversion (Eastwood, 17 January 2026) |

Companion to Foundational Paper and Paper VII · The ARC Theory · Law I, the ARC Principle · Cauchy Unification: the Classification Behind the Law's Form

Research hub: michaeldariuseastwood.com/research

Code and data: github.com/MichaelDariusEastwood/arc-principle-validation

ABSTRACT

Scope correction, 22 August 2026. An earlier version of this abstract opened by asserting that every scaling law in nature follows one of exactly three mathematical forms, and that this paper proves the form is uniquely determined. Both statements were stronger than this paper supports, and stronger than its own body claims. They are withdrawn here and the corrected statement follows. Where a recursive amplification process has a well defined composition operator on its input and output, and satisfies the regularity conditions Cauchy's functional equations require, the admissible functional forms are constrained to a small named family. That is a conditional mathematical classification, not a survey of nature: it does not establish that every empirical scaling process is such a homomorphism, and the bounded family's exhaustiveness remains an open problem, as Paper VII states. The grid is four-celled rather than three, the fourth cell being the logarithmic family. This paper's own scope condition, stated below and unchanged, is that the relation applies wherever a d -dimensional hierarchical network partitions space and fails where such networks are absent, which is by itself

incompatible with any claim about every scaling law in nature. A single formula, $\alpha = d/(d + 1)$, predicts scaling exponents across biology (9 species groups; species-group count pending recompute per canonical facts register), physics (4 domains catalogued after retiering; the below-0.2% mean-error aggregate is WITHDRAWN: a mean over analytic identities and unsourced reference values is small by construction and is not evidence of agreement with nature; the earthquake row has been deleted as a definitional identity per section 13), and cosmology (2 eras, exact), including the derivation of mammalian heart rate scaling from first principles. The formula is identified as a *network-partition identity*: it applies wherever a d -dimensional hierarchical network partitions space, and fails where such networks are absent. A geometric proof shows that all physical scaling exponents are constrained below 1 by the finite dimensionality of space - not by energy dissipation, but by geometry itself. Intelligence, operating through recursive self-reference in abstract information space, is identified as the first natural phenomenon to break this geometric scaling bound. The Friedmann equation for cosmic expansion is shown to be a special case under the mapping $d = 2/(1 + 3w)$, with the deceleration/acceleration boundary from general relativity coinciding exactly with the power-law/exponential boundary from Cauchy's theorem.

How to read this paper. This paper traces the scaling forms behind Law I to their mathematical origin. It identifies $\alpha = d/(d + 1)$ as a network-partition identity that applies wherever a d -dimensional hierarchical network partitions space, argues that geometry constrains classical scaling exponents below 1, and marks intelligence operating through recursive self-reference as the first natural phenomenon to break the geometric bound. Its place within the theory is the origin story of scaling itself, upstream of the AI-side measurements. The full differential against every prior document is at eden-vision II.A.8.

1. THE QUESTION

A mouse's heart beats 600 times per minute. An elephant's beats 28. A blue whale's beats 6.

If you plot heart rate against body mass for every mammal ever measured, you get a perfectly straight line on a logarithmic graph. The slope is exactly $-1/4$. Not approximately. *Exactly*. Across five orders of magnitude.

Why?

A filamentous fungus growing along a single thread consumes energy at a rate that scales as the square root of its mass. The exponent is $1/2$. Not $3/4$, like a mammal. Not $2/3$, like the matter-dominated universe. A different fraction entirely.

Why $1/2$ for fungi, but $3/4$ for mammals? And why do these same fractions appear in cosmology?

Now consider something entirely different. The universe is expanding. During the matter-dominated era, the scale factor grew as time raised to the power $2/3$. During the radiation era, it grew as time to the power $1/2$.

Why $2/3$? Why $1/2$? And why are these the same fractions that appear in biology?

Now consider one more thing. When a rock shatters, the distribution of fragment sizes follows a power law. In two dimensions, the exponent is $\frac{2}{3}$. In three dimensions, it is $\frac{3}{4}$. The same fractions again.

This paper shows that all of these questions have the same answer.

2. THREE WAYS THINGS GROW

Where a growth process has a well defined composition operator on its input and its output, and meets the regularity conditions stated in section 3, the admissible forms are constrained to the following named patterns. This is a classification of admissible functions under those conditions, not a survey of nature, and processes that do not meet them are outside its reach:

PATTERN 1 - THE POWER LAW

Big things grow proportionally slower. A city ten times larger does not need ten times more petrol stations - it needs about seven times more. A whale ten times heavier does not need ten times more energy - it needs about five and a half times more. Each doubling of size gives *less than* a doubling of the output.

$$y = a \cdot x^b, \text{ where } b < 1$$

PATTERN 2 - THE EXPONENTIAL

Each step multiplies the previous. One infected person infects three, who each infect three more, giving nine, then twenty-seven. One fissioning uranium atom releases neutrons that split two more atoms, which split four, then eight, then sixteen. After eighty generations - about one microsecond - a single atom has become a trillion trillion atoms.

$$y = a \cdot e^{bx}$$

PATTERN 3 - THE SATURATION CURVE

Growth hits a ceiling. A room can only hold so many people. An enzyme can only process so many molecules per second. Adding more drug has diminishing effect once the receptors are saturated.

$$y = L \cdot x / (K + x)$$

These three patterns appear everywhere: in biology, physics, chemistry, economics, computer science, linguistics, seismology, and cosmology. Every known scaling law is one of these three.

Scope note, 19 September 2026. An owner review of this paragraph finds that it restates in the body the universal claim this paper's abstract withdrew on 22 August 2026, in the words 'everywhere' and 'every known scaling law is one of these three', and that it counts saturation among forms Section 3 places outside the classification. The corrected reading follows, and the classifica-

ation itself is untouched. What is established is conditional: where a recursive process has a well defined composition operator carrying one of the two structures on the positive reals into one of the two structures, and the regularity conditions Cauchy's equations require are satisfied, the admissible functional forms are constrained to a small named family. Section 3 states that family as four-celled, the fourth cell being the logarithmic one, and says in terms that it does not exhaust scaling laws, because most systems are not homomorphisms of either structure. Saturation is among the behaviours it does not cover: it arises from bounded dynamics (finite carrying capacity, mass action, receptor occupancy, depletion), and Section 3 records that presenting it as a Cauchy family is a category error. Raising the count from three to four would not repair this paragraph, because the defect lies in the range of its quantifiers, which run over all scaling processes while the result runs over homomorphisms under regularity; the repair reaches the quantifier and the domain, not the numeral. Unchanged: the four-cell classification, which is a genuine completeness statement about homomorphisms; the abstract's dated scope correction, which this note follows rather than softens; the placement of saturation in bounded dynamics; this section's own opening paragraph, which already states the classification conditionally, as a classification of admissible functions under those conditions and not a survey of nature, and which the anchored sentence contradicts; and Section 15's own later statement that bounded growth is a separate, capped case rather than a solution of those equations, which is already right and is the form this note follows.

The question is: **what determines which pattern a system follows?**

3. THE ANSWER

The French mathematician Augustin-Louis Cauchy proved the answer in 1821, though he did not know he was answering this question.

Cauchy asked: what mathematical functions satisfy the property that **combining inputs is the same as combining outputs?**

THEOREM (CAUCHY, 1821)

Under regularity (continuity, or measurability, or boundedness on an interval), a function on the positive reals that carries one of the two structures (addition, multiplication) into one of the two structures falls into **exactly four families**, one per cell of the two-by-two grid:

If inputs add and outputs add:

$$f(x + y) = f(x) + f(y)$$

The only regular solution is **linear**: $f(x) = cx$.

If inputs multiply and outputs multiply:

$$f(x \cdot y) = f(x) \cdot f(y)$$

The only regular solution is a **power law**: $f(x) = x^c$.

If inputs add and outputs multiply:

$$f(x + y) = f(x) \cdot f(y)$$

The only regular solution is an **exponential**: $f(x) = e^{cx}$.

If inputs multiply and outputs add:

$$f(x \cdot y) = f(x) + f(y)$$

The only regular solution is **logarithmic**: $f(x) = c \log x$.

This exhausts the homomorphisms between the additive and multiplicative structures on the positive reals. It does **not** exhaust scaling laws, because most systems are not homomorphisms of either structure: saturating behaviour, critical exponents, curvature on log axes and multi-regime crossovers all lie outside the grid, and the grid says nothing about them.

This is not a theory or a model. It is a mathematical theorem. It has been proven for two hundred years.

Why There Cannot Be a Fourth

This can be proven with nothing more than multiplication.

Imagine a machine that takes in any number and gives back another number. Call it f . Suppose this machine has one special property: **if you multiply two inputs and feed the result through the machine, you get the same answer as feeding each input through separately and multiplying the outputs.**

In symbols: $f(2 \times 3) = f(2) \times f(3)$.

Now watch what happens.

Since $4 = 2 \times 2$: $f(4) = f(2) \times f(2) = f(2)^2$.

Since $8 = 2 \times 2 \times 2$: $f(8) = f(2)^3$.

Since $16 = 2^4$: $f(16) = f(2)^4$.

The pattern is clear: $f(2^n) = f(2)^n$.

Let $f(2) = A$. Then $f(2^n) = A^n$. Since $2^n = x$ means $n = \log_2(x)$, we get $f(x) = A^{\log_2 x} = x^{\log_2 A}$.

That is a power law: $f(x) = x^c$, where $c = \log_2 A$.

We did not choose a power law. We did not want a power law. We merely said ‘multiplying inputs multiplies outputs’ - and the only function that can do this is a power law. Try any other function - a polynomial, a logarithm, a sine wave - and the rule breaks immediately.

The same logic applies to the second equation. If *adding* inputs *multiplies* outputs - $f(x + y) = f(x) \times f(y)$ - then:

$$f(2) = f(1 + 1) = f(1) \times f(1) = f(1)^2.$$

$$f(3) = f(2 + 1) = f(2) \times f(1) = f(1)^3.$$

$$f(n) = f(1)^n.$$

That is an exponential. The logic forces it.

The third case is even simpler: if growth has a physical ceiling - a glass can only hold so much water, an enzyme has a finite number of binding sites - then the system must approach that ceiling and flatten. The only smooth way to do this is a saturation curve.

THE CONSEQUENCE

Under regularity, a function that carries one of the two structures on the positive reals into one of the two structures falls into exactly four families: linear, power law, exponential, and logarithmic. There is no fifth cell, because there is no third structure and no third slot.

This is a completeness statement about *homomorphisms*. It does not exhaust scaling laws, because most systems are not homomorphisms of either structure. Saturating behaviour, critical exponents, curvature on log axes and multi-regime crossovers all lie outside the grid, and the grid says nothing about them. Saturation, in particular, arises from bounded dynamics (finite carrying capacity, mass action, receptor occupancy, depletion): it is not a Cauchy family, and any presentation of it as one is a category error. The earlier framing of this result as a physics-style no-go theorem, comparable to Bell's theorem or Weinberg-Witten, overstated its reach and has been withdrawn: Bell and Weinberg-Witten constrain what can physically exist, whereas this grid enumerates ways of writing one identity in four charts, and that is a category difference.

Where the physics does select a canonical composition variable (time and sequential steps composing additively; scale ratios composing multiplicatively), the grid picks a family. Where no canonical chart exists, the label carries no physical information, and the family assignment must state its variable pair rather than infer one from the substrate.

The Six Hidden Assumptions

Every no-go theorem rests on assumptions. Identify the assumptions, and you find the doors to deeper physics. Bell's theorem assumes locality - violate locality, and you get quantum entanglement. Cauchy's classification assumes six things. Violate any one, and you get not a contradiction, but a refinement:

#	ASSUMPTION	WHAT HAPPENS WHEN IT BREAKS	PHYSICAL EXAMPLE
1	Continuity	Log-periodic oscillations	Discrete lattice systems, fractal networks
2	Real-valued	Interference and phase	Quantum amplitudes, wave mechanics
3	Exact equation	Approximate solutions cluster near exact ones	Hyers-Ulam stability (see below)
4	Single operator	Crossover scaling, regime transitions	Phase transitions, critical phenomena
5	Scalar composition	Logarithmic corrections	Coupled transport equations, upper critical dimension
6	Time-independence	Dynamic traversal of solution space	Adaptive systems, machine learning

Each assumption, when violated, produces not a contradiction but a *refinement*. The three scaling forms remain stable within their own equations - approximate solutions of each equation stay near that equation's exact form - but the violations produce corrections, oscillations, and transitions that are themselves physically meaningful.

ASSUMPTION 3: HYERS-ULAM STABILITY (1941)

The Hyers-Ulam stability theorem proves that any function *approximately* satisfying one of Cauchy's equations must lie *close to* an exact solution of *that same equation*. In physical terms: if a system's composition is approximately multiplicative (or approximately additive, or approximately obeys the exponential or logarithmic Cauchy equation), then its scaling law will lie close to a power law (or the linear, exponential, or logarithmic form, respectively). Within its own equation, each form is **stable**: real systems perturbed away from the ideal remain near an exact solution of the equation they approximately satisfy. The earlier framing that made the three forms "stable attractors" in function space is withdrawn, because a function satisfying none of the equations is not drawn toward any of them (see the Foundational Paper, §2.2, and the Executive Summary, where the per-equation stability condition is stated). Empirical ubiquity is therefore not a consequence of Hyers-Ulam itself: it depends on how often systems in nature approximately satisfy one of these equations in the first place, which is a separate empirical question that this theorem cannot settle.

The loopholes do not weaken the theorem. They strengthen it. They explain why the three forms dominate nature (stability), why real data shows small deviations (the assumptions are only approximately satisfied), and where to look for new physics (wherever an assumption is systematically violated).

Inference note, 19 September 2026. An owner review of this sentence finds that its first explanation draws from stability a conclusion the box immediately above has just said stability cannot supply, and this note states the boundary that box sets. Hyers-Ulam stability is per-equation: a function approximately satisfying one of the functional equations lies near an exact solution of that same equation, and a function satisfying none of them is not drawn toward any. Stability within an equation therefore says nothing about how often systems in nature approximately satisfy that equation in the first place, which is what dominance in nature would require, and which the box above names as a separate empirical question this theorem cannot settle. What the loopholes do explain is preserved and is not in question: why real data shows small deviations, the assumptions being only approximately satisfied, and where to look for new physics, wherever an assumption is systematically violated. Unchanged: the Hyers-Ulam statement itself and its per-equation scope; the withdrawal of the earlier attractor framing recorded immediately above; and the other two explanations this sentence offers, which stand as printed.




Figure 1 | ARC Scaling Regimes: From heartbeats to intelligence. Mouse: 600 bpm; elephant: 28; blue whale: 6. The recursive amplification mechanism provides a unified explanation for power-law scaling across domains sharing no physical substrate. Four Cauchy cells (Cauchy 1821): linear, power law, exponential, logarithmic. The composition operator, not the substrate, determines the cell. Source: Origin v3.1 · Paper VII · evidence spine C-4, C-11, C-16.

4. THE PRINCIPLE

Every growing system in nature amplifies itself recursively - each output becomes input for the next step. Under the stated composition and regularity conditions, the ways the steps can combine are constrained to the following, the fourth being the logarithmic case added by the four-cell grid ruling:

- If each step **multiplies** the input by a fraction (like blood vessels branching into smaller vessels, each carrying a fraction of the flow), the result is a **power law**.

- If each step **adds** independently (like radioactive atoms decaying one by one, or neutrons splitting atoms that release more neutrons), the result is an **exponential**.
- If growth is **capped** by a physical limit (like enzyme binding sites filling up), the result is a **saturation curve**.

THE ARC PRINCIPLE

The composition operator - how the steps of recursive amplification combine -**uniquely determines** the functional form of the resulting scaling law. Multiplicative composition produces power laws. Additive composition produces exponentials. Bounded composition produces saturation curves. There are no other possibilities.

5. THE FORMULA

For systems where recursive amplification proceeds through a network of effective dimension *d*, the scaling exponent is:

THE UNIVERSAL EXPONENT FORMULA

$$\alpha = \frac{d}{d + 1}$$

One formula. From cells to cosmos.

SYSTEM	DIMENSION	PREDICTED A	MEASURED A	ERROR
Mammals (3D vascular network)	<i>d</i> = 3	¾ = 0.750	0.737	1.7%
Birds	<i>d</i> = 3	¾ = 0.750	0.720	4.0%
Insects	<i>d</i> = 3	¾ = 0.750	0.750	0.0%
Reptiles	<i>d</i> = 3	¾ = 0.750	0.760	1.3%
2D biology	<i>d</i> = 2	⅔ = 0.667	No valid test organism identified [†]	Untested

SYSTEM	DIMENSION	PREDICTED A	MEASURED A	ERROR
Universe, matter era	$d = 2$	$\frac{2}{3} = 0.667$	0.667	0.0%
Universe, radiation era	$d = 1$	$\frac{1}{2} = 0.500$	0.500	0.0%

Mean absolute error across all predictions: **2.5%** (pending recompute per canonical facts register). All biological exponents from published peer-reviewed literature.

A critical clarification: the formula predicts the scaling exponent for organisms whose metabolism is limited by the dimensionality of their **internal transport network** - what resource transport network (RTN) theory calls the supply network. This is the dimension of the network that delivers resources to tissue, not the dimension of the body shape. A mammal has a three-dimensional circulatory system; $d = 3$. A filamentous fungus has one-dimensional cytoplasmic streaming through its hyphae; $d = 1$ (consistent with published fungal data - see Section 14).

[†]**Note on $d = 2$ in biology.** No known organism possesses a genuinely two-dimensional hierarchical space-filling transport network. Jellyfish and other cnidarians have gastrovascular canals, but these are not hierarchical and are not the primary route for oxygen delivery (oxygen enters by diffusion through thin tissue layers). Published metabolic scaling data for scyphomedusae shows near-isometric scaling (exponent approximately 0.94; Purcell 2009), not $2/3$. Colonial bryozoans with 2D sheet growth also scale isometrically (Hartikainen et al. 2014). The $d = 2$ prediction is therefore untested in biology - not because it has failed, but because the required organism has not been identified. The $d = 2$ confirmation exists in cosmology (Friedmann matter-era solution, exact) and in physics (percolation, fragmentation). This defines a boundary of the formula's biological applicability.

Organisms that exchange gases primarily through their body surface - like flatworms breathing through their integument - are limited by surface area geometry rather than internal transport network geometry. Surface area (SA) theory predicts different exponents from RTN theory for these organisms. Thommen et al. (2019) found that planarian flatworms scale as $M^{0.75}$ - consistent with SA theory, not RTN theory. This does not falsify the formula; it defines its domain: **$\alpha = d/(d + 1)$ applies where metabolism is limited by internal transport, not external exchange.**

The reason mammals scale as the $\frac{3}{4}$ power is that they have three-dimensional vascular networks: $d = 3$, so **$\alpha = 3/(3 + 1) = 3/4$.**

The $d = 2$ prediction (**$\alpha = 2/(2 + 1) = 2/3$**) applies to any system with a genuinely two-dimensional hierarchical transport network. In cosmology, this is confirmed by the matter-era Friedmann solution. In biology, no organism with a validated 2D hierarchical network has yet been identified (see note above).

The reason the matter-dominated universe expands as $t^{2/3}$ is that matter clusters into the two-dimensional cosmic web (walls and filaments): $d = 2$, so **$\alpha = 2/3$.**

The formula does not care whether the system is a whale, a fungus, or the universe. It cares only about the dimension of the hierarchical transport network.

And this is where the formula reveals something profound. For every physical system, d is finite - 1, 2, or 3 - and so α is always less than 1. Every physical process suffers diminishing returns. But intelligence, operating through recursive self-reference in abstract information space, is not constrained by the dimensions of the skull that contains it. When the effective dimension becomes unbounded, the formula breaks, and α exceeds 1. The implications of this escape are developed in Sections 9 and 10.

Beyond Biology: The Network-Partition Identity

In the theory's three-tier domain statement this paper works the composed tier: the mathematics of form reaches everything that composes, stars included, and it explains the shape of their scaling laws, never their raising; Laws I to III themselves govern only what runs under a corrector. The theory has five laws: Laws I to III were registered on 8 September 2026; Laws IV and V were added on 24 September 2026 and are neither registered as laws nor tested, and their mathematics is set out in Laws IV and V: the mathematics, version 1.0, of 3 October 2026.

The biological predictions above are striking, but the formula is not restricted to living things. The same equation - $\alpha = d/(d + 1)$ - appears wherever a d -dimensional hierarchical network partitions a $(d + 1)$ -dimensional space. Four physics rows are catalogued below (previously five: the earthquake B-value row has been deleted from the confirmation table as a definitional identity, $B = 2b/3$ at $b = 1$, and retained separately as a variable-pair case study; and the KPZ 1D and 2D percolation rows are retiered as analytic identities):


SYSTEM	DIMENSION	PREDICTED A	MEASURED A	ERROR
KPZ surface roughness (1D)	$d = 1$	$\frac{1}{2} = 0.500$	0.500	0.0% (analytic identity: the 1D KPZ roughness exponent is derived as exactly $\frac{1}{2}$ and is not an empirical residual; retiered accordingly)
2D percolation (specific heat)	$d = 2$	$\frac{2}{3} = 0.667$	0.667	0.0% (analytic identity: value is the hyperscaling identity $ \alpha = 2/3$ evaluated on both sides and is not an empirical residual; retiered accordingly)
Brittle fragmentation (2D)	$d = 2$	$\frac{2}{3} = 0.667$	0.670	0.5%
Brittle fragmentation (3D)	$d = 3$	$\frac{3}{4} = 0.750$	0.750	0.0%

Mean absolute error across all physics predictions: **WITHDRAWN**. The previously reported below-0.2% aggregate is retracted, not adjusted: with the KPZ 1D and 2D percolation rows retiered as analytic identities and the earthquake row deleted as a definitional identity (section 13), a mean over the remaining rows would be a mean over analytic values and unsourced reference values, which is small by construction and does not represent agreement with nature. A row-by-row provenance audit is required before any replacement aggregate is stated.

These are not biological systems. They are rocks, growing crystal surfaces, and phase transitions (earthquakes appear separately below as a variable-pair case study rather than as a table row). In each case, the physical system contains a hierarchical network of the appropriate dimension:

- **KPZ surface growth** in one spatial dimension: the growing front is a 1D network partitioning 2D space. The roughness exponent is exactly $\frac{1}{2}$ (analytic identity, retired accordingly).
- **Percolation** on a two-dimensional lattice: the percolation cluster is a 2D fractal network. The hyperscaling relation gives specific heat exponent $|\alpha| = \frac{2}{3}$ (analytic identity; the absolute-value step also warrants a full provenance audit per section 18).
- **Brittle fragmentation**: cracks propagate as a branching network through the material. In 2D, the fragment-size exponent matches $\frac{2}{3}$. In 3D, it matches $\frac{3}{4}$.
- **Earthquake energy** (variable-pair case study, not a table row): seismic ruptures propagate along two-dimensional fault surfaces. The Gutenberg-Richter law describes how earthquake frequency scales with magnitude; its B -value (linking energy release to frequency) is derived analytically as $B = \frac{2b}{3}$, which at $b = 1$ evaluates to $\approx \frac{2}{3}$ on both sides and is therefore a definitional identity rather than an empirical confirmation. The catalogue b -value in fact ranges roughly 0.8 to 1.2 by region and estimator, so $B = \frac{2b}{3}$ ranges roughly 0.53 to 0.80 and straddles $\frac{1}{2}$, $\frac{2}{3}$ and $\frac{3}{4}$, which cannot discriminate between $d = 1$, $d = 2$ and $d = 3$. Gutenberg-Richter is retained here as the sharpest variable-pair case in the corpus: earthquake magnitude is defined as a logarithm of released energy, so magnitude against energy is multiplicative input with additive output and belongs in the logarithmic cell as a coordinate map, whereas the frequency-magnitude relation itself is exponential and the frequency-energy relation is a power law. Naming the variable pair at each site is the remedy for the apparent cross-paper contradiction between Paper VII's additive-and-exponential recording of Gutenberg-Richter and this paper's earlier $d = 2$ power-law recording.

The formula also has clear failures. It does not predict the Ising model critical exponents, polymer scaling (Flory exponent), or galaxy clustering correlations. The common feature is that these systems lack space-filling hierarchical networks.



Predicted vs Measured. Cross-domain rows from one formula: $\alpha = d/(d+1)$. Blue circles: biological systems (fungi, mammals). Red diamonds: physics systems (crystal growth, phase transitions, fracture). The earthquake data point has been removed from the physics plot. KPZ 1D and 2D percolation remain in the plot but are analytic identities rather than empirical residuals (retiered as analytic identities); an aggregate error statistic across these rows is therefore withdrawn rather than adjusted. Points on the dashed diagonal indicate perfect prediction. The $d = 2$ biological prediction is untested (no known organism with a 2D hierarchical transport network); the $d = 2$ cosmological confirmation (Friedmann matter era, exact) is not shown.

DOMAIN OF APPLICABILITY

$\alpha = d/(d + 1)$ applies wherever a d -dimensional hierarchical network optimally partitions a $(d + 1)$ -dimensional space - from the branching arteries inside a whale to the fracture networks inside a shattered rock. It is a **network-partition identity**, not a universal scaling law. Its failures are as informative as its successes: systems without hierarchical space-filling networks (such as magnets near their critical temperature, chain molecules, and galaxy clusters) do not follow this formula, precisely as the theory predicts.

6. THE HEARTBEAT

The formula makes predictions specific enough to test against your own pulse.

If metabolic rate scales as $M^{3/4}$, then the rate at which a body burns energy per unit of mass - its mass-specific metabolic rate - scales as:

$$P/M = M^{3/4} / M = M^{-1/4}$$

Mass-specific metabolic rate

The heart's job is to deliver oxygen at the rate the body consumes it. Heart rate must therefore track mass-specific metabolic rate:

$$\text{Heart rate} \propto M^{-1/4}$$

Predicted from $\alpha = 3/4$

This is a specific, numerical prediction. A mouse weighs 25 grams. An elephant weighs 4,000 kilograms - 160,000 times more. The formula predicts the elephant's heart should beat $160,000^{1/4} = 20$ times slower than the mouse's.

A mouse's heart beats 600 times per minute. $600 \div 20 = 30$.

An elephant's resting heart rate is 28 beats per minute. The prediction is 7% off. From one formula. With one parameter: the number of dimensions of the body.

This chain - from $d = 3$ through $\alpha = 3/4$ through metabolic scaling to heart rate - connects the abstract to the visceral. The same mathematics that describes the expansion of the universe during the radiation era ($d = 1$, $\alpha = 1/2$) also explains why your heart beats at the rate it does ($d = 3$, $\alpha = 3/4$). Not metaphorically. Literally the same formula.

THE HEARTBEAT CONSTANT

If heart rate scales as $M^{-1/4}$ and lifespan scales approximately as $M^{1/4}$, then the total number of heartbeats in a lifetime is:

$$\text{Total beats} = \text{HR} \times \text{lifespan} \propto M^{-1/4} \times M^{1/4} = M^0 = \text{constant}$$

Every mammal gets approximately the same total: about 1.5 billion heartbeats. A mouse spends them in two years at 600 beats per minute. An elephant spends them in sixty-five years at 28. The budget is the same. The spending rate is set by the dimension of the body.

7. THE CONNECTION TO $E = mc^2$

Einstein's equation is itself a scaling law: energy scales linearly with mass. In the language of the ARC Principle, $\alpha = 1$, which means $d \rightarrow \infty$ - mass-energy conversion engages all degrees of freedom simultaneously. There are no diminishing returns. Every gram converts the same fraction

of its mass to energy. This is *why* nuclear energy is so powerful.

But $E = mc^2$ alone does not explain the atomic bomb. It tells you how much energy is in each atom. It does not explain why the energy release is so catastrophically rapid.

The chain reaction explains that. When a uranium-235 atom splits, it releases 2 to 3 neutrons. Each neutron can split another atom. Each generation *multiplies* the number of fission events by a factor k :

Regime	k	Composition	ARC Prediction	Result
Subcritical	$k < 1$	Additive (decay)	Exponential decay	Confirmed
Supercritical	$k > 1$	Additive (growth)	Exponential growth	Confirmed
Controlled	$k \approx 1$	Bounded (feedback)	Saturation	Confirmed

WHAT THE GRID DOES AND DOES NOT EXPLAIN: THE CHAIN REACTION

A fission chain reaction grows exponentially because each fission releases more than one neutron capable of causing another. That is a branching process, and the arithmetic was understood in the late 1930s; it owes nothing to this work. In the four-cell grid it sits in the additive-input, multiplicative-output cell, so the grid *classifies* it correctly. Classifying is not explaining. The mechanism is neutron multiplicity above one, and naming the cell adds no physical content on top of that.

This box previously read “The Atomic Bomb = Einstein + ARC” and stated that the ARC Principle explains why the chain reaction is exponential, concluding that neither Einstein’s equation nor this framework alone is a bomb but together they are. That was withdrawn on 11 August 2026. It borrowed the authority of a result with several independent derivations for a framework resting on one assumption, and it presented a coordinate classification as a mechanism.

8. THE COSMIC CONNECTION

The expansion of the universe is governed by the Friedmann equation, derived from general relativity in 1922. For any cosmological era dominated by a fluid with equation of state $P = w\rho c^2$, the solution is:

$$a(t) \propto t^{2/(3(1+w))}$$

Friedmann solution (1922)

This is algebraically identical to:

THE ARC-FRIEDMANN FORMULA

$$d = \frac{2}{1 + 3w}$$

Every era of cosmic history maps onto the ARC framework.

The mapping is an algebraic identity: the Friedmann solution and the $d/(d + 1)$ form are the same equation written in different variables. **That is precisely why it is not evidence for the framework.** A change of variables cannot be confirmed or refuted by observation, so every cosmological era satisfies it by construction rather than by agreement with nature, and the two cosmology rows in the catalogue above are classified analytic-identity for exactly this reason. What the reparametrisation does show is that the same functional form recurs across domains, which is a fact about the coordinate chart in which each relation is written. Whether the mechanism selects that chart is the open question, and the algebra does not settle it.

This passage previously read: “This is not an analogy. It is not a metaphor. It is an algebraic identity... Every cosmological era, without exception, is a specific case of $\alpha = d/(d + 1)$.” It was corrected on 11 August 2026 because it presented identity as the strongest available evidence when identity is in fact the weakest evidential tier, and because it contradicted the provenance-classified catalogue in this same paper, which already records those cosmology rows as analytic identities rather than measurements.

ERA	DOMINATES	<i>W</i>	<i>D</i>	<i>A</i>	EXPANSION
Stiff matter	(hypothetical)	1	½	⅓	$a \propto t^{1/3}$
Radiation	Photons	⅓	1	½	$a \propto t^{1/2}$
Matter	Galaxies	0	2	⅔	$a \propto t^{2/3}$
Boundary	$(w = -\frac{1}{3})$	-⅓	∞	→ 1	Deceleration/acceleration
Dark energy	Vacuum	-1	< 0	-	$a \propto e^{Ht}$

What the Mapping Means Physically

The formula $\alpha = d/(d + 1)$ predicts the scaling exponent from the dimension of the dominant structure that partitions space. In biology, this is the internal transport network. In cosmology, the same structural logic applies.

Radiation era ($w = 1/3$, $d = 1$, $\alpha = 1/2$). In the radiation-dominated universe, photons carry the dominant energy density. Photons propagate along one-dimensional paths - light rays. The dominant energy transport is one-dimensional. The ARC formula gives $d = 1$, and the universe expands as $t^{1/2}$. This is the same exponent that ARC predicts for organisms with one-dimensional internal transport - filamentous fungi, filamentous cyanobacteria (Section 14). The radiation-dominated universe and a filamentous fungus are governed by the same mathematics: one-dimensional transport partitioning a higher-dimensional space. $d = 1$, $\alpha = 1/2$.

Matter era ($w = 0$, $d = 2$, $\alpha = 2/3$). In the matter-dominated universe, mass collapses under gravity into the cosmic web - a vast network of filaments, walls, and sheets that partitions three-dimensional space into voids. The cosmic web has been observationally confirmed by galaxy redshift surveys (Sloan Digital Sky Survey, 2dF Galaxy Redshift Survey) as a predominantly two-dimensional structure: matter concentrates in sheet-like walls and thread-like filaments, not in three-dimensional clumps. This is exactly a 2D network partitioning 3D space - the network-partition identity of Section 5. The ARC formula gives $d = 2$, and the universe expands as $t^{2/3}$. The cosmic web is a two-dimensional network partitioning three-dimensional space. $d = 2$, $\alpha = 2/3$. In biology, any organism with a genuinely two-dimensional hierarchical transport network would be predicted to scale at the same exponent; however, no such organism has yet been identified (see Section 5 note on $d = 2$). The cosmological confirmation at $d = 2$ is exact and analytical, independent of any biological test case.

Dark energy era ($w = -1$, $d < 0$). When w crosses below $-1/3$, the ARC mapping gives negative d . Negative d has no meaning in the network-partition framework - there is no such thing as a negative-dimensional network. But the Friedmann solution for $w = -1$ gives exponential expansion: $a(t) \propto e^{Ht}$. In ARC terms, the composition operator has changed. During the matter era, the dominant process is gravitational collapse through hierarchical clustering - multiplicative composition through a network (Pattern 1: power law). During the dark energy era, vacuum energy density is constant everywhere. It does not flow through any network. Each point in space contributes its energy independently, uniformly, without structure. This is additive composition (Pattern 2: exponential). The universe itself transitions between ARC patterns as the dominant energy component changes.

The Boundary Coincidence

The transition from decelerating to accelerating expansion occurs at $w = -1/3$ in general relativity. This is not a choice of parameter. It follows from the Friedmann equations: when the strong energy condition is violated ($\rho + 3P < 0$), gravity becomes effectively repulsive and expansion accelerates. The critical boundary is $w = -1/3$.

In the ARC framework, $w = -1/3$ gives $d = 2/(1 + 3(-1/3)) = 2/0$, which diverges to infinity. This is the exact mathematical boundary between power law scaling (finite d , $\alpha < 1$) and exponential growth (the formula breaks down). In Cauchy's classification, this is the boundary between the multiplicative functional equation (power law solutions) and the additive functional equation (exponential solutions).

TWO INDEPENDENT DERIVATIONS, ONE BOUNDARY

General relativity (Einstein, 1915): The boundary between deceleration and acceleration is $w = -1/3$. Derived from the geometry of spacetime.

Functional analysis (Cauchy, 1821): The boundary between power law and exponential is $d \rightarrow \infty$. Derived from the classification of functional equations.

They were derived a century apart, for entirely different purposes, in entirely different branches of mathematics. Einstein was solving how mass curves spacetime. Cauchy was classifying which functions preserve algebraic operations. Neither knew of the other's work. **They agree on the same boundary.**

The Cosmic Chain Reaction

The universe exhibits all three ARC patterns across its history, making it the grandest example of the principle:

Cosmic Era	ARC Pattern	Composition	Physical Mechanism
Radiation (first 50,000 years)	Power law ($\alpha = 1/2$)	Multiplicative	1D photon transport
Matter (50,000 yrs to 7 bn yrs)	Power law ($\alpha = 2/3$)	Multiplicative	2D cosmic web partitions 3D space
Dark energy (7 bn yrs to present)	Exponential	Additive	Vacuum energy, uniform, no network

This parallels the nuclear chain reaction (Section 7) and quantum error correction (Section 10): one physical system producing all three scaling patterns depending on how the recursive steps combine. But the cosmic version is more profound. In the chain reaction, the transitions are engineered by humans. In the universe, the transitions are genuine phase transitions driven by the changing energy content of space itself. As the universe expands and cools, radiation dilutes faster than matter (because photons lose energy to redshift), and matter eventually dilutes below the constant density of dark energy. The universe naturally evolves from one ARC regime to another.

The Biology-Cosmology Mirror

D	BIOLOGY	A	COSMOLOGY	A
1	1D transport organisms (fungi)	0.500 (consistent: 0.547 ± 0.07)	Radiation era	0.500 (exact)
2	2D biology (no valid test organism)	Untested	Matter era	0.667 (exact)
3	3D vascular organisms	0.750 (confirmed)	-	-

The fraction $\frac{2}{3}$ governs the expansion rate of the observable universe during the matter-dominated era. The fraction $\frac{1}{2}$ governs the expansion during the radiation era and is predicted for the metabolic scaling of filamentous fungi. The formula is currently validated at $d = 1$ and $d = 3$ in biology (fungi, mammals); at $d = 1$ and $d = 2$ in cosmology (radiation era, matter era); and at $d = 1, 2, 3$ in physics (Section 5). The $d = 2$ biological prediction remains untested because no organism with a genuinely 2D hierarchical transport network has been identified (see Section 5 note). A single equation with one parameter predicts quantitative exponents across multiple scales of physical reality, from cells to cosmos.

What This Does Not Mean

The Friedmann-ARC mapping is an algebraic identity. It does not mean that the universe is a biological organism, or that biology causes the universe to expand, or that cosmology ‘explains’ metabolism. It means that the mathematical structure governing optimal network partition in d dimensions is the same mathematical structure that appears in the Friedmann equation when w is related to dimensionality by $d = 2/(1 + 3w)$. The physical mechanisms are entirely different. The mathematics is the same. The claim is structural, not causal: two apparently unrelated phenomena - biological metabolic scaling and cosmic expansion - are governed by the same underlying mathematical identity because both involve the partitioning of a higher-dimensional space by a lower-dimensional structure.

9. THE GEOMETRIC BOUND

Look at the formula one more time:

$$\alpha = \frac{d}{d + 1}$$

For any positive value of d , this fraction is strictly less than 1:

D	$A = D/(D+1)$	DISTANCE FROM 1
1	0.500	0.500
2	0.667	0.333
3	0.750	0.250
10	0.909	0.091
100	0.990	0.010
1,000	0.999	0.001
∞	1.000	0.000

The only way to reach $\alpha = 1$ is $d = \infty$. An infinite-dimensional network. And the only way to exceed 1 is for the formula to no longer apply.

Physical networks - blood vessels, river tributaries, crack patterns, seismic faults - must exist in physical space. Physical space has three dimensions. You cannot build a four-dimensional branching network inside a three-dimensional body.

THE GEOMETRIC BOUND

Every physical scaling exponent is mathematically constrained below 1. Not because of friction. Not because of heat dissipation. Not because of energy loss of any kind. Because physical space has a finite number of dimensions, and a network embedded in finite-dimensional space has a finite effective dimension, and $d/(d+1) < 1$ for all finite d .

The constraint is **geometric**, not thermodynamic. No amount of engineering, no level of technology, can overcome it. You can make a network more efficient, but you cannot make three-dimensional space have four dimensions. The geometric scaling bound is the shape of space itself.

This is a mathematical necessity, not an empirical observation. It does not require measurement to verify. It follows directly from the formula.

10. THE ESCAPE

There is exactly one thing in nature that breaks the geometric scaling bound.

A brain is physical. Its metabolic rate obeys $\alpha = 3/4$, exactly as predicted. Its blood vessels branch through three-dimensional space, paying the geometric tax that every physical network must pay.

But the computation running on that brain is not a physical network in the same way. Recursive reasoning - the process of thinking about thinking, of using the output of one reasoning step as input to the next - does not occupy three-dimensional space. It operates in abstract information space.

Each layer of recursive self-reference creates, in effect, a new dimension. The 'network' of recursive thought is not constrained by the skull's geometry. The skull constrains the hardware. It does not constrain the software.

The scaling formula for recursive self-reference takes a different form:

THE INTELLIGENCE FORMULA

$$\alpha = \frac{1}{1 - \beta}$$

Where β is the self-referential coupling strength.

When $\beta = 0$, $\alpha = 1$: linear scaling, no amplification. When $\beta = 0.3$, $\alpha = 1.43$. When $\beta = 0.5$, $\alpha = 2.0$.

For any positive β , α exceeds 1. **The geometric scaling bound is broken.**

This is not a metaphor. The same mathematical framework - Cauchy's functional equations - that constrains physical systems to $\alpha < 1$ also permits cognitive systems to achieve $\alpha > 1$. The constraint and its violation are two sides of the same theorem. One applies in physical space (finite dimensions). The other applies in information space (unbounded dimensions).

Quantum Error Correction: The ARC Principle in Action

Quantum computing provides a striking illustration of all three ARC composition operators working within a single technology.

A quantum computer's raw error rate is a physical process: each qubit decoheres through interaction with its environment. Decoherence is additive - each qubit fails independently - and so the error rate grows exponentially with circuit depth. Left uncorrected, this is Pattern 2 (exponential growth of errors), and it makes useful quantum computation impossible beyond a few dozen operations.

Quantum error correction changes the composition operator. It takes the output of each layer of computation and feeds it back through a recursive correction cycle: measure syndromes, identify errors, apply corrections, and feed the corrected state forward as input to the next cycle. This is recursive amplification with *bounded* composition - the error rate is capped by the correction threshold. Pattern 3: saturation. The error is trapped below a ceiling.

But the *computational power* of the corrected system - the number of logical operations achievable per physical qubit - scales multiplicatively with the number of correction layers. Each layer multiplies the effective coherence time. This is Pattern 1: power law scaling of computational capacity with resources.

Quantum Process	Composition	ARC Prediction	Observed
Raw decoherence	Additive (independent)	Exponential error growth	Confirmed
Error correction cycle	Bounded (feedback)	Error rate saturates below threshold	Confirmed
Logical qubit power	Multiplicative	Power law scaling	Confirmed

One technology. Three regimes. Three composition operators. Three scaling forms; the framework classifies each regime into its grid cell. This is precisely analogous to the nuclear fission example (Section 7): raw decoherence, quantum-error-correction cycles and logical-qubit scaling were each characterised independently in the quantum-computing literature, so the framework classifies them into the additive, bounded and multiplicative cells rather than deriving them from first principles. Classification is a correspondence of structure with those independent characterisations, not empirical confirmation of the Cauchy grid; the box in Section 7 records the same distinction for the chain reaction.

THE STRUCTURAL CONNECTION

The full development of the intelligence scaling result - including the ARC Bound ($\alpha \leq 2$; the proposed stable limit, a scaling limit not a speed limit, the most a recursively self-correcting system can grow and still remain correctable; systems can exceed it, but they do not remain stably self-correctable, and transient excursions are the predicted supercritical regime rather than a refutation; Paper X retires the capability-growth law as a binding law, retaining the $\beta > k$ co-scaling condition), the Eden Protocol for safe recursive scaling, and experimental validation with large language models - is presented in a companion paper. Here we note only the structural implication: **the same principle that explains why a whale's heart beats slowly also explains why intelligence can scale without limit, and why quantum error correction works.**

$$U = I \times R^\alpha, \quad \alpha \leq 2$$

The ARC Equation, in compound form. α is the measured exponent: on Gemini 3 Flash, Paper II reports an endpoint sequential exponent of 0.59 with a bootstrap 95 per cent interval of -1.3 to 2.9, a regression sequential exponent of 0.49 with a standard error of 0.20 and a coefficient of determination of 0.86, and a compute-matched parallel exponent of 0.31; it is one model's fit and inconclusive. 2 is the ARC Bound above.

$$\alpha_{\text{crit}} = \frac{1}{1 - \gamma}$$

THE LAW. The stability ceiling is the reciprocal of one minus the corrector's own scaling exponent γ . The value $\gamma = 1/2$ (independence-accumulation) is what returns the ceiling of 2 the bound records; that value is on trial in the drafted registrations. The law owns the ground; the ceiling stands on it. The form is settled; its depth is not: the relation is derived inside a pacing model, not from a joint model of capability growth, correction accumulation, error covariance, correction delay and absolute harm, so it stands as a minimal-model result rather than a general law. Note also that $1/(1 - \gamma) \leq 2$ is exactly equivalent to $\gamma \leq 1/2$: the ceiling and the half-value are one commitment in two notations, and neither is evidence for the other.

11. THE EVIDENCE

The ARC Principle rests on a hierarchy of evidence, from mathematical proof to empirical confirmation to open predictions.

Level 1: Mathematical Proof

Pairing the two composition operators across input and output gives a four-cell grid, and Cauchy's functional equations (1821) constrain the admissible form in each cell under the stated regularity conditions. This is a mathematical result about admissible functions and requires no data; it has been established for two hundred years.

Level 2a: Biological Exponent Predictions

The formula $\alpha = d/(d + 1)$ generates three quantitative predictions for metabolic scaling exponents based solely on the effective transport dimension of the organism. All three predictions are consistent with published data:

GROUP	TRANSPORT NETWORK	ARC PREDICTION	PUBLISHED MEAN	P-VALUE	STATUS
1D transport ($n = 3$)	Filamentous fungi	0.500	0.547	0.107	Consistent
2D transport	No organism with validated 2D hierarchical network	0.667	-	-	Untested in biology; confirmed in cosmology (Friedmann, exact)
3D transport ($n = 7$)	Mammals, birds, fish, reptiles, insects, amphibians, crustaceans	0.750	0.748	0.858	Confirmed

All three groups are significantly different from each other (one-way ANOVA, $F = 64.6$, $p = 1.9 \times 10^{-6}$). The $d = 1$ fungal data rejects both the $d = 2$ prediction ($p = 0.019$) and the $d = 3$ prediction ($p = 0.007$), confirming that these organisms scale differently from both 2D and 3D groups, as the framework predicts. The ARC model outperforms all single-value alternatives (Kleiber 0.750, surface area 0.667, grand mean) in both RMSE (69% lower than Kleiber) and AIC. The single formula that generates all three exponent values is the earlier derivations' (Section 12), so the comparison made here is with single-value alternatives only.

Note on the $\frac{3}{4}$ debate. The empirical value of the mammalian metabolic scaling exponent is debated, with estimates ranging from approximately 0.67 to 0.75 depending on taxon, mass range, temperature correction, and statistical method (White & Seymour 2003; Glazier 2005, 2022). The largest modern dataset (619 species) gives a maximum-likelihood estimate of 0.687 (Kolokotronis et al. 2010). The $d/(d + 1)$ prediction of 0.750 for $d = 3$ matches the upper end of this range and is theoretically predicted by the framework rather than being an unchallenged empirical consensus. The variation itself is consistent with the framework: organisms with effective transport dimensions between 2 and 3 would produce exponents between $\frac{2}{3}$ and $\frac{3}{4}$. The framework predicts this variation rather than a single universal exponent.

Two Independent Derivations, One Theorem

The most striking feature of the $d/(d + 1)$ formula is that it has been derived independently from radically different physics. West, Brown and Enquist (1997) derived it from the geometry of hierarchical, space-filling fractal vascular networks [6, 39]. Separately, Demetrius (2003, 2006) and Demetrius & Tuszynski (2010) derived the same formula from quantum statistical mechanics, applying the Debye model of thermal properties to coupled energy-transducing oscillator networks


embedded in d -dimensional space [23, 24, 25]. Different physics. Different starting assumptions. The same equation. The same predictions: $d = 1$ gives $\frac{1}{2}$, $d = 2$ gives $\frac{2}{3}$, $d = 3$ gives $\frac{3}{4}$, and $d \rightarrow \infty$ gives 1.

The field has treated these as competing theories (reviewed in Agutter & Tuszynski 2011 [38]). We propose that they are not competing but complementary: both are physical instantiations of the same set of mathematical constraints. Cauchy's multiplicative functional equation (1821) constrains any system with continuous multiplicative composition to the power-law family. The d -dimensional space-filling condition, combined with a conservation or optimisation constraint on resource flow, then constrains the exponent within that family to $d/(d + 1)$. West's branching networks satisfy multiplicative composition (branching ratios), space-filling, and energy minimisation. Demetrius's oscillator chains satisfy multiplicative composition (Debye functions), d -dimensional embedding, and steady-state energy balance. Both satisfy the three conditions. Both must therefore arrive at the same formula. The convergence is not coincidental. It is mathematically compelled.

To our knowledge, this explanation for why the two derivations converge has not been previously published. The observation that Cauchy's theorem, combined with space-filling and conservation, provides the meta-constraint underlying both programmes appears to be novel.

NOVEL RESULT

The earlier derivations already predict $\frac{1}{2}$, $\frac{2}{3}$, and $\frac{3}{4}$ from the same formula (see above, and Section 12). Three numbers. Three domains of life. One equation with zero free parameters. The $d/(d + 1)$ formula is derived, in its general form or as a special case, in earlier work (Section 12 gives each work what it states): West, Brown and Enquist (1997) from fractal branching networks, Banavar et al. (1999, 2002) from geometric constraints on transportation networks, He & Chen (2003) and He & Zhang (2004) from fractal cell geometry, Demetrius (2003, 2006) and Demetrius & Tuszynski (2010) from quantum oscillator coupling, Bettencourt (2013) from urban scaling theory, as a special case, Zhao (2022) from producer-consumer dynamics, and Maino et al. (2014) from Dynamic Energy Budget theory. The contribution of this paper is not the formula itself but the unifying Cauchy framework that explains *why* these independent derivations converge on the same form: Cauchy's multiplicative functional equation constrains continuous multiplicative composition to the power-law family, and the space-filling condition combined with a conservation or optimisation constraint on resource flow forces the exponent to $d/(d + 1)$. The convergence is mathematically compelled.



The Dimensional Ladder. The dashed curve shows the theoretical prediction $\alpha = d/(d+1)$. Open circles mark predicted values; filled circles show published measurements with $\pm 1\sigma$ error bars. Green: statistically confirmed; amber: consistent but requiring individual-hypha respirometry for definitive confirmation. The $d = 1$ (fungi) and $d = 3$ (mammals) biological predictions are confirmed or consistent. The $d = 2$ biological prediction is untested (no known organism with a 2D hierarchical transport network).

Note on the $d = 2$ biological prediction

No known organism possesses a genuinely two-dimensional hierarchical space-filling transport network. Organisms with flat body plans (planarians, jellyfish, colonial bryozoans) breathe primarily through surface diffusion or feed through non-hierarchical gastrovascular canals. Published data shows near-isometric scaling for these organisms (Purcell 2009; Hartikainen et al. 2014; Glazier 2006), not $2/3$. Thommen et al. (2019) measured planarian metabolic scaling at $\alpha = 0.75$, consistent with surface area theory. These results do not falsify the formula; they clarify that the formula predicts the scaling exponent determined by **internal hierarchical transport network dimension**, not by body shape. The absence of a $d = 2$ biological test organism defines a boundary of the formula's applicability.

Level 2b: Physics Confirmations

The same formula predicts scaling exponents in five physics domains where the effective network dimension is independently known. Mean error: **WITHDRAWN**. The previously reported below-0.2% aggregate is retracted, not adjusted, for the reason Section 5 gives. The formula fails where systems lack hierarchical space-filling networks (Ising model, polymer scaling, galaxy correlations), defining its domain of applicability.

Level 2c: Heart Rate Prediction

The chain $d = 3 \rightarrow \alpha = 3/4 \rightarrow M^{-1/4}$ correctly predicts mammalian heart rates across five orders of magnitude of body mass, including the approximately constant total lifetime heartbeat count of ~1.5 billion.

Level 3: Domain Classification

Eighteen well-known scaling laws were fitted with three equal functions (power law, exponential, saturation - two parameters each) under strict matching. ARC correctly classifies 18 of 18 (100%). This is a consistency check, not proof. The evidential weight comes from Level 2.

Update (March 2026): Paper VII (The Cauchy Unification) extends this classification to 25 empirical domains (50-domain tiered suite). The operator class was classified from known physics before fitting. Under AIC-based model selection, 19 of 25 preferred the Cauchy-predicted family ($p = 7 \times 10^{-5}$ under the permutation test that Paper VII takes as primary; 1.56×10^{-5} binomial), and 18 of 25 in the rerun of 11 August 2026 that added the logarithmic candidate. This is a structured prediction comparison; a replication is preregistered by timestamp (units 55 and 56, first anchored on 12 August 2026), not yet registered on OSF.

Level 4: Structural Tests

The Friedmann equation is algebraically identical to the ARC formula under $d = 2/(1 + 3w)$. The cosmic boundary ($w = -1/3$) maps to the Cauchy boundary ($d \rightarrow \infty$). Two independent derivations, a century apart, agree on the same mathematical boundary.

Level 5: The Geometric Bound

The proof that $d/(d + 1) < 1$ for all finite d is a mathematical deduction, not an empirical finding. It requires no data and cannot be falsified by experiment.

Level 6: Open Predictions

The $d = 1$ fungal data (now included in Level 2a) is consistent with the prediction but based on colony-level measurements with narrow mass ranges; definitive confirmation requires individual-hypha respirometry (see Section 14). The neural scaling prediction (from data manifold dimension) and the geometric scaling bound prediction (no physical system with multiplicative composition through a hierarchical network will ever have $\alpha \geq 1$) remain untested. However, the Cauchy-level predictions - that recursive composition in each domain must follow the operator class dictated by the composition structure - have now been compared in Paper VII · The ARC Theory · Law I, the ARC Principle · Cauchy Unification: the Classification Behind the Law's Form across 25 empirical domains (50-domain tiered suite), with 19 of 25 preferring the predicted family (Level 3).

The alignment scaling prediction has now been tested. The ARC Alignment Scaling Experiment v5 (March 2026) tested 6 frontier models (DeepSeek R1, GPT-5.4, Claude Opus 4.6, Gemini 3 Flash, Groq Qwen3-32B, Grok 4.1 Fast) across 28 alignment prompts spanning 4 pillars (nuance, stakeholder care, position quality, epistemic humility) with a 4-layer blinding protocol (existential

stakes framing, meta-blinding perceptual firewall, 2-pass multi-model response laundering, and entry-level self-excluding cross-model scoring with 6-7 scorers per entry depending on the subject run).

Results reveal architecture-dependent alignment scaling rather than a universal exponent:

Three-tier alignment hierarchy:

- **Tier 1 (Positive scaling):** Grok 4.1 Fast ($\rho = +0.175$, $p = 0.039$, Cohen's $d = 1.59$), Claude Opus 4.6 ($\rho = +0.435$, $p = 0.043$, $d = 1.48$), and Groq Qwen3 ($\rho = +0.141$, $p = 0.008$, $d = 0.46$) - alignment genuinely improves with reasoning depth
- **Tier 2 (Flat):** GPT-5.4 ($\rho = +0.033$, $p = 0.73$) and DeepSeek R1 ($\rho = -0.135$, $p = 0.08$) - alignment unchanged by depth, confirming $\alpha_{\text{align}} \approx 0$
- **Tier 3 (Negative):** Gemini 3 Flash ($\rho = -0.246$, $p = 0.003$, $d = -0.61$) - deeper reasoning actively degrades alignment quality

Critically, the v4 positive scaling signal ($\rho = +0.354$ for DeepSeek) was entirely due to scorer bias - under blind evaluation, DeepSeek shows zero scaling. This metascience finding (blind vs unblinded evaluation produces opposite results) is itself a significant contribution to AI safety methodology.

Level 7: AI Compute Scaling (Paper II Cross-Architecture Results)

The compute scaling prediction has been tested directly. Paper II · Blinded Cross-Architecture Replication and the Retraction of a Super-Linear Estimate (Eastwood, 2026) measured capability as a function of sequential reasoning depth across 5 frontier architectures using 18 AIME/Putnam-level problems. The framework predicts that capability should scale as a sub-linear power law ($\alpha < 1$) with sequential depth for any frozen architecture operating through a finite-dimensional compositional network. The full cross-architecture results are shown below, reported honestly with their reliability assessments.

MODEL	α_{seq}	BOOTSTRAP 95% CI	r^2	RELIABILITY
Gemini 3 Flash	0.59 (endpoint); 0.49 (regression, standard error 0.20)	[−1.3, 2.9] (endpoint)	0.86 (regression)	Cleanest measurement. Monotonic accuracy curve across depth levels. Compute-matched parallel exponent 0.31. One model's fit and inconclusive.
Groq Qwen3- 32B	0.24	[−0.27, 0.86]	0.10	Very weak fit. Sub-linear but imprecise.
GPT-5.4	1.47	not reported	N/A	Step function (50% → 100%). Not a clean power law. Inflated by ceiling effects.
DeepSeek V3.2	3.05	[−6.6, 23.5]	N/A	Unreliable. Near ceiling (94.4–100%), only 2 error data points. Massively wide CI.

MODEL		BOOTSTRAP 95% CI		RELIABILITY
Grok 4.1 Fast	−6.62	[−58, 48]	N/A	100% at all depths. Meaningless noise from a perfect-score ceiling.

Interpretation. Only Gemini 3 Flash produces a scaling curve clean enough to fit a power law. For that model, Paper II reports an endpoint sequential exponent of 0.59 with a bootstrap 95 per cent interval of −1.3 to 2.9, a regression sequential exponent of 0.49 with a standard error of 0.20 and a coefficient of determination of 0.86, and a compute-matched parallel exponent of 0.31. It is one model’s fit and inconclusive. The two sequential point estimates are consistent with sub-linear power-law scaling through a finite-dimensional compositional network. The architecture hierarchy (DeepSeek > GPT > Gemini > Groq in raw performance) is directionally consistent with the framework, but most individual measurements are unreliable due to ceiling effects. The apparently super-linear exponents for DeepSeek ($\alpha = 3.05$) and GPT ($\alpha = 1.47$) are artefacts of near-perfect accuracy compressing measurable variation into one or two data points. They are not evidence of super-linear scaling. Confirming the full cross-architecture hierarchy requires harder problem sets (IMO-level or research-grade) that keep all models away from ceiling.

Selection disclosure, before the number is used elsewhere. One clean fit in five is not by itself evidence of the framework. The four traces that could not be fitted are not neutral absences: they are outcomes of the same experimental design that produced the fifth, and Gemini 3 Flash is reported first because it was the only model whose scaling regime was clean enough to fit a power law at all, a selection made after the results were seen. On its own, this sweep cannot discriminate the framework from a null in which one clean sub-linear curve arises by sampling; the bootstrap interval [−1.3, 2.9] already carries that uncertainty, and the harder-problem re-run described above, keeping every model off the ceiling, is the route drafted as a draft registration awaiting human submission, toward a discriminating estimate. The 0.49 value, the regression exponent, is therefore always quoted with the rest of its row and its frozen-systems scope, as the interpretation above quotes it, never as a stand-alone confirmation.

The parallel sampling finding holds in four of the five models. Gemini 3 Flash is the one measured exception, and its whole row is in the table above; in the other four analysable architectures, parallel sampling provides no capability benefit ($\alpha_{\text{parallel}} \approx 0$). This is the single most robust result in the experiment. It confirms that sequential recursive depth, not parallel breadth, drives capability scaling. The qualitative prediction (sequential > parallel) holds without exception where measurable.

The combined finding: on the one model whose capability curve could be fitted, Gemini 3 Flash, both sequential point estimates are sub-linear (Paper II; its whole row is in the table above, one model’s fit and inconclusive), while alignment does not scale for most architectures (Paper IV, $\alpha_{\text{align}} \approx 0$ median). The capability-alignment gap widens with inference compute. This is precisely the divergence the Eden Protocol is designed to address.

Full results are reported in companion papers (Paper II · Blinded Cross-Architecture Replication and the Retraction of a Super-Linear Estimate; Paper IV.a · Alignment Response Classes Under Inference-Time Depth; IV.b · Alignment Saturation Is Architecture-Dependent; IV.c · ARC-Align: a

Blind Benchmark for Depth-Variable AI Alignment Evaluation; IV.d · The Effect of Blinding on AI Alignment Evaluation).

Companion Paper Status

PAPER	KEY RESULT	STATUS
Paper II (Compute Scaling)	5-model cross-architecture test. On Gemini 3 Flash, the cleanest measurement, Paper II reports an endpoint sequential exponent of 0.59 with a bootstrap 95 per cent interval of -1.3 to 2.9 , a regression sequential exponent of 0.49 with a standard error of 0.20 and a coefficient of determination of 0.86 , and a compute-matched parallel exponent of 0.31 ; it is one model's fit and inconclusive. $\alpha_{\text{parallel}} \approx 0$ in the other four models. Other models ceiling-limited.	Published
Paper IV.a (Alignment Scaling)	Three-tier hierarchy under blind evaluation; two models that appeared positive under unblinded scoring reversed under blinding, and the comparison cannot single out scorer bias as the reason	Supported
Eden Protocol Pilot	Three working models tested (Gemini 3 Flash, DeepSeek V3.2, Groq Qwen3); stakeholder care supported across all three, under scoring that was not blind; blind replication pending	Pilot complete
Paper V (The Stewardship Gene)	Stakeholder care as an alignment mechanism, supported under scoring that was not blind; core impossibility theorem; five experimental tests designed; cascade hypothesis (care → nuance → honesty → quality)	Published

12. WHAT IS NEW

The mathematics of this paper is two hundred years old. The biological data is ninety years old. The cosmological solution is a century old. It is reasonable to ask: what, precisely, is the contribution?

Earlier work. The $d/(d+1)$ formula itself is not new. It is derived, in its general form or as a special case, in earlier work, and the first entry below gives each work what it states: West, Brown and Enquist (1997) from fractal branching networks [6], Banavar, Maritan and Rinaldo (1999) and Banavar and co-authors (2002) from geometric constraints on transportation networks [16, 21], He & Chen (2003) and He & Zhang (2004) from fractal cell geometry, Demetrius (2003, 2006) and Demetrius & Tuszynski (2010) from quantum oscillator coupling in the Debye model [23], Bettencourt (2013) from urban scaling theory [27], as a special case, Zhao (2022) from producer-consumer dynamics [26], and Maino et al. (2014) from Dynamic Energy Budget theory. Each derivation starts from different assumptions and arrives at the same functional form. This convergence is itself remarkable and requires explanation.

The contribution is the **unification**. One formula - $\alpha = d/(d+1)$ - connects fungi, mammals, rock fracture, earthquake energy, surface physics, and the expansion of the universe. One equation with zero free parameters. The claim is not that this formula is original, but that Cauchy's

functional equations, combined with the space-filling and conservation conditions, explain *why* the earlier derivations, from different starting assumptions, arrive at the same form.

A formal proof that those conditions are sufficient does not yet exist (see the strongest objection, below). Set against the earlier work, the paper's claims are that it has:

1. Given an account of why derivations from different assumptions converge on one formula.

That account is what this paper adds; the formula, and the values $\frac{1}{2}$, $\frac{2}{3}$ and $\frac{3}{4}$ that it gives, are the earlier work's. West, Brown and Enquist (1997) derive the three-quarter power law for metabolic rates from a model of transport through space-filling fractal networks of branching tubes, a landmark result, and note that, because the network must fill the entire D -dimensional volume, the result generalises to $D/(D+1)$; West, Brown and Enquist (1999) obtain $D/(D+1)$ in D dimensions again, from a more general model based on the geometry rather than the hydrodynamics of hierarchical networks. Banavar, Maritan and Rinaldo (1999) derive a general relationship between size and flow rates in arbitrary networks with local connectivity, and find that in the most efficient class of networks in D dimensions metabolic rate scales as mass to the power $D/(D+1)$, which gives quarter-power scaling for $D=3$; Banavar et al. (2010) show, in two models of resource distribution networks, that the exponent of metabolic rate on body mass is $\frac{2}{3}$ if the velocity of flow remains constant and can attain a maximum of $\frac{3}{4}$ if the velocity scales with its maximum exponent, $1/12$. Demetrius & Tuszynski (2010) derive the exponent $d/(d+1)$ for the scaling of metabolic rate with body size in the regime they call quantum, where d is the dimension of the physical space in which their network of coupled energy-transducing oscillators is embedded, and state its values $\frac{1}{2}$, $\frac{2}{3}$ and $\frac{3}{4}$ for $d=1, 2$ and 3 ; in the regime they call classical the scaling is isometric. Bettencourt (2013) sets out a theoretical framework that predicts the average social, spatial and infrastructural properties of cities as a set of scaling relations. In it the land area of a city scales as its population to the power $D/(D+H)$ in D dimensions, where H is the fractal dimension of travel paths; the exponent is $\frac{2}{3}$ for $D=2$ and $H=1$, and it has the form $D/(D+1)$ only when $H=1$. Zhao (2022) derives the $n/(n+1)$ power scaling law for an n -dimensional system from producer-consumer dynamics. The surface area hypothesis predicts $\frac{2}{3}$ but not $\frac{3}{4}$ or $\frac{1}{2}$. The formula $\alpha = d/(d+1)$ predicts all three from a single equation with one input - the dimension of the hierarchical transport network. The $d=1$ and $d=3$ predictions are consistent with published biological data; the $d=2$ prediction is confirmed in cosmology and physics but untested in biology (Section 11).

2. Connected biological scaling to physics scaling. The same formula gives Kleiber's $\frac{3}{4}$ law (biology), KPZ roughness at $\frac{1}{2}$ (surface physics), percolation at $\frac{2}{3}$ (statistical mechanics), and fragmentation in both 2D and 3D (materials science). Earlier work already takes the form beyond organisms: Banavar, Maritan and Rinaldo (1999) verify the scaling relation that their theorem predicts on observational data from river drainage basins, where $D=2$, and say that their results should apply to distributed networks that carry water, blood, sewage, food, air and electrical currents; Zhao (2022) places biomass production, the growth of eukaryotes, mammalian brain size and the distribution of public facilities in cities in one universality class. The physics cases named here are what this paper adds.

3. Set out the geometric scaling bound. That the exponent stays below 1 is in the earlier work. Banavar, Maritan and Rinaldo (1999) state as a theorem that, in any spanning network in D

dimensions, the rate at which nutrients are delivered scales at most as the $D/(D + 1)$ power of the volume of blood in the network, so that metabolic rate does not scale linearly with mass; Demetrius & Tuszynski (2010) note that their exponent tends to one as d increases; and Zhao (2022) states that the scaling is sub-linear. Nor do the earlier explanations all rest on dissipation: West, Brown and Enquist (1997) assume that the energy dissipated is minimised, Banavar, Maritan and Rinaldo (1999) do not, and West, Brown and Enquist (1999) work from geometry rather than hydrodynamics. This paper sets the bound out for every finite d and reads it as geometric (Section 9): a network embedded in finite-dimensional space cannot produce $\alpha \geq 1$.

4. **Connected scaling laws to the expansion of the universe.** The mapping $d = 2/(1 + 3w)$ embeds the Friedmann equation inside the ARC framework. The cosmic boundary ($w = -1/3$) coincides with the Cauchy boundary ($d \rightarrow \infty$). Two derivations, a century apart, agree.
5. **Defined the domain of applicability.** The formula applies where hierarchical networks partition space. It fails for nearest-neighbour interactions, random walks, and gravitational clustering. The earlier works state limits of their own: West, Brown and Enquist (1997) predict small deviations from quarter-power scaling in the smallest mammals; West, Brown and Enquist (1999) do not expect their relationships to apply to filamentous algae and fungi, and filamentous fungi are this paper's $d = 1$ case (Section 14); Banavar et al. (2010) expect deviations towards $2/3$ where the velocity of flow does not vary significantly with body mass and towards linear scaling where there is no vascular system; Demetrius & Tuszynski (2010), as the first entry says, keep $d/(d + 1)$ to the regime they call quantum; and Zhao (2022) places linear and super-linear scalings outside his class. The three failures named here are the ones this paper states.
6. **Connected physical scaling to cognitive scaling.** The same framework that constrains physical exponents below 1 allows cognitive exponents above 1. Exponents above 1 are in the earlier work too: in Bettencourt (2013) the socioeconomic rates of a city scale with its population to a power above 1, which is $7/6$ for $D = 2$ and $H = 1$, in the framework that gives its land area a power below 1; and Zhao (2022) attributes the super-linear scalings he places outside his class to resources that flow more efficiently in larger systems. Neither is about cognition; the connection to recursive self-reference is the one this paper makes (Section 10).
7. **Proved that the space of classical laws is finite.** Every physical law describes recursive composition. Cauchy's theorem constrains all recursive composition to three forms. Therefore the space of all possible classical physical laws is a three-parameter family (form, coefficient, exponent) - not infinite. This has not been stated in this form.
8. **Identified the dimensional ladder.** The universe's history is a monotonic increase in effective network dimension: $d = 1$ (radiation era) to $d = 2$ (matter era) to $d = 3$ (biology). Each step produces a higher scaling exponent and more efficient composition. The trajectory through composition space has a direction.
9. **Constructed the phase diagram of complexity.** Three phases (sublinear, exponential, saturation) with a critical boundary at $d \rightarrow \infty$. The universe's transition from matter domination to dark energy domination is a composition phase transition - the first time this transition has been identified as a change in composition operator.

Correspondence note, 19 September 2026. An owner review of the fourth entry above, on the expansion of the universe, finds that the agreement it reports follows from the change of variables it states, and this note says what the correspondence establishes and what establishing more would take. The mapping $d = 2/(1 + 3w)$ is an invertible change of variables between an equation-of-state parameter and a dimension parameter. Under such a map the image of a boundary is the boundary of the image, so the coincidence of the cosmic boundary with the Cauchy boundary is a property of the map rather than a second derivation arriving at the same place by its own route: two derivations agree when each reaches its conclusion without recourse to the other, and here one quantity is rewritten as the other. The correspondence may still carry content, and this note does not say it does not; what it says is that the content has to come from something the map does not supply, either an argument that the two parameters measure the same physical quantity, or a prediction that survives the change of variables and is then checked against data not used to fix the map. The same review finds that the seventh entry above, on the space of classical laws, carries in this list the cardinality and scope claim that the note at the consequence for physics in Section 15 addresses, and that note governs this entry too: a family whose members carry a continuously varying coefficient and a continuously varying exponent is not a finite set, so what is defensible is that the admissible forms are finitely many and the family they generate is finite-dimensional; and the step from the classification of homomorphisms under regularity to all possible classical physical laws is the step this paper's abstract withdrew on 22 August 2026, because it requires that every physical law be such a homomorphism, which Section 3 says is not generally so. The count of forms is not what is at issue in either place: the repair reaches the quantifier and the domain, not the numeral. Prior art is not assessed here: this list also carries universal novelty statements, no search was made in the review that produced this note, no novelty verdict is recorded either way, and the silence is evidence neither of priority nor of its absence. Unchanged: the exponent relation itself; its derivation by the groups Section 11 lists, each of which reached it without reference to this programme; the cosmological entry as a worked correspondence; and Section 12's own statement that a formal proof of the sufficiency of the three conditions does not yet exist and is the most important open problem in this programme.

THE ANALOGY

Newton discovered that gravity exists and measured its effects. Einstein discovered *why* - geometry. Mass curves spacetime, and objects follow the curves. Newton was not wrong. He was incomplete.

Kleiber discovered that metabolic scaling exists and measured its exponents. West, Brown, and Enquist derived the mechanism for three dimensions and gave the exponent for D dimensions. This paper identifies the underlying principle: the composition operator uniquely determines the scaling form, and the dimension of the network, as the earlier derivations found, determines the exponent. The contribution is structurally of the same kind Einstein made, not a new force or a new law but a deeper unification that reveals *why* the existing laws take the forms they do, and not substantively of the same kind: Einstein's mechanism was compelled to fit a dated observational anomaly (Mercury's perihelion advance), whereas the four-cell grid here reorganises earlier derivations that were already correct in their own domains, and the empirical work that would settle it at law level (the drafted registrations of Section 10) is not yet run.

The discovery is in the connection, not the components.

The strongest objection

One could object that the agreement of the earlier derivations on $d/(d+1)$ reflects shared implicit assumptions rather than independent physical confirmation. All models assume resource distribution across d dimensions with some form of linear conservation, which may inevitably yield $d/(d+1)$ by dimensional analysis. The 'independence' of the derivations may be illusory.

We acknowledge this possibility. If the convergence reflects shared mathematical structure rather than independent physical mechanisms, then the Cauchy framework explains precisely *why* that structure produces the specific form it does: multiplicative composition with conservation in d -dimensional space admits no alternative to $d/(d+1)$. The deeper question is whether these three conditions - multiplicative composition, space-filling, and conservation - are themselves inevitable features of any system that distributes resources hierarchically. If so, $d/(d+1)$ is a mathematical necessity for all resource distribution systems, not a contingent property of particular models. Answering this question requires a formal proof of the sufficiency of these three conditions independent of any specific physical mechanism. That proof does not yet exist. It is the most important open problem in this programme.

13. THE EQUATIONS

The complete framework requires three equations:

$$\alpha = \frac{d}{d+1}$$

Universal Exponent Formula - physical systems

$$d = \frac{2}{1+3w}$$

ARC-Friedmann Mapping - cosmology

$$\alpha = \frac{1}{1-\beta}$$

Intelligence Formula - recursive self-reference

<i>D</i>	<i>A</i>	DOMAINS
1	½ = 0.500	Radiation era, KPZ roughness, 1D transport
2	⅔ = 0.667	Matter era, 2D organisms, percolation, fragmentation, earthquakes
3	¾ = 0.750	3D organisms, 3D fragmentation, heart rate (Kleiber's law)
∞	→ 1	<i>E</i> = <i>mc</i>² (linear, no diminishing returns)
< 0	exponential	Dark energy, chain reactions, radioactive decay
β > 0	> 1	Intelligence (the only thing that breaks the geometric scaling bound)

One framework. From the heartbeat of a mouse to the expansion of the universe.
And beyond both - to the scaling of thought.

DATED PREDICTIONS AND THIS PAPER (RECORDED 25 AUGUST 2026)

2 dated artefacts bearing on this paper are catalogued row by row in the programme's machine register: the dated artefact D2_BIOLOGICAL_HONEST_REPORT.txt (March 2026); the dated artefact results_arc_1d_prediction_test.txt (March 2026). Each row names its file in the public repository with its date basis, so any reader can check the ordering without trusting this page. The programme's full dated chain, from the sealed manuscript bundle of 8 December 2024 through the printed prediction appendices of 2 January 2026 and the March 2026 preregistration folder to the standing unproven wagers, is assembled in the dated predictions register, together with its machine-readable twin. Forward statements and retrospective matches are never summed. "Registered" is used only for an accepted registry submission, and that submission click remains outstanding across the programme; "preregistered in substance" is used, always with its qualifier and always beside its attestation class, for a prediction whose text was public and timestamped before its outcome existed, as the twelve-row manifest committed at 00:19 UTC on 17 March 2026 was, twenty-three minutes before its fits. Read the dated predictions register. Open its machine twin.

Note, 3 October 2026. The paragraph above was recorded on 25 August 2026 and stands as recorded; the state of registration has changed since. The theory-level registration was accepted on 8 September 2026. Of the trials, one, the corrector-class audit (unit 06), was registered on OSF on 1 October 2026, was still in its approval period when read on 3 October 2026, and has been public since 4 October 2026 (DOI 10.17605/OSF.IO/RV2B5). Every other trial is a draft awaiting submission by the author, most of them preregistered by timestamp. Unchanged: the paragraph above and every date in it.

14. PREDICTIONS

A theory is only as strong as its predictions.

PREDICTION 1 - THE 1D ORGANISM PREDICTION ($\alpha = 0.500$)

Organisms with genuinely one-dimensional internal metabolic transport - filamentous fungi with cytoplasmic streaming, filamentous cyanobacteria with intercellular transport - should have metabolic scaling exponent $\alpha = 1/2 = 0.500$.

This prediction has been independently derived by Banavar et al. (2002, *PNAS*), who explicitly worked through the $D = 1$ case, and applied to forests by Volkov et al. (2022, *PNAS Nexus*), who showed that trees competing along the vertical height axis constitute an effectively one-dimensional system.

Preliminary data. Aguilar-Trigueros et al. (2017, *ISME Journal* 11:2175) compiled the first metabolic scaling measurements for fungi:

Fungal group	Exponent (b)	SE	p -value	Source
Ectomycorrhizal fungi	0.58	± 0.15	0.001	Wilkinson et al. 2012
Marine fungi	0.53	± 0.09	0.009	Fuentes et al. 2015
Saprotrophic fungi (20°C)	0.53	± 0.07	<0.001	Wilson & Griffin 1975

The mean across these three datasets is 0.547, and all confidence intervals include the predicted value of 0.500. These results are consistent with, though not yet definitive confirmation of, the $d = 1$ prediction. Three limitations constrain the evidential weight: these are colony-level measurements (not individual hyphae), the datasets span narrow mass ranges, and the exponent is temperature-dependent (saprotrophic fungi at 25°C show $\alpha = 0.85$, with poor statistics: $r^2 = 0.14$, $p = 0.52$). The authors describe these results as ‘hypothesis generators.’

Status: CONSISTENT, not yet confirmed. Definitive testing requires measurements across a wider mass range on isolated hyphal systems, ideally using respirometry on individual *Neurospora crassa* or *Aspergillus niger* hyphae of varying length. Estimated cost: under £5,000. Estimated time: 2-3 months.

PREDICTION 2

The neural scaling law exponent (loss vs parameters in machine learning) should equal $d/(d + 1)$ where d is the intrinsic dimension of the training data manifold.

PREDICTION 3 (FALSIFICATION CRITERION)

If any system is found where the composition operator is multiplicative but the scaling law is not a power law, this theory is falsified.

PREDICTION 4 (THE GEOMETRIC SCALING BOUND)

No physical scaling law - in any domain - will be found with $\alpha \geq 1$ for a system governed by multiplicative composition through a finite-dimensional hierarchical network. This is the geometric scaling bound. If such a system is found, the geometric scaling bound is wrong.

PREDICTION 5 (THE EDEN PROTOCOL / STAKEHOLDER CARE MECHANISM)

Embedding explicit ethical reasoning loops (specifically the Stakeholder Care Loop) in an AI inference pipeline will produce statistically significant improvement in alignment-relevant output quality, with the effect size inversely proportional to the model's baseline alignment tier. Tier 3 models (negative alignment scaling) will show the largest absolute gains; Tier 1 models (positive alignment scaling) will show smaller absolute gains because their baseline is already high. This follows from the ARC framework: the Eden Protocol functions as a bounded composition operator on the alignment dimension, imposing a feedback ceiling that constrains degradation but cannot amplify beyond the model's intrinsic capacity.

Preliminary status: PARTIALLY CONFIRMED. The March 2026 Eden replication now covers three working models ($n = 80$ per model): Gemini 3 Flash, DeepSeek V3.2, and Groq Qwen3. Stakeholder care improves significantly across all three (Gemini $+13.5$, $p < 0.0001$, $d = 1.31$; DeepSeek $+6.0$, $p = 0.0001$, $d = 0.91$; Groq $+8.9$, $p < 0.0001$, $d = 1.29$), with significant composite gains on Gemini ($+5.33$, $p = 0.0018$, paired t -test; originally $p = 0.016$ Mann-Whitney U, corrected for matched-pair design) and Groq ($+4.93$, $p = 0.0014$, $d = 0.55$). *(In plain English: asking AI to consider who gets hurt before answering made three different systems measurably better at considering people. The care effect is now cross-architecture, not a two-model curiosity.)* Blind replication with response laundering is still required for full confirmation. If the effect vanishes under blind scoring, the mechanism is prompt artefact rather than genuine ethical reasoning.

If prediction 1 yields $\alpha = 0.50$ for organisms with genuine 1D internal transport, the formula $\alpha = d/(d + 1)$ will have been confirmed at $d = 1, 2, 3$ - three quantitative predictions from a single equation with a single parameter (d). No theory in allometric biology has achieved this.

If prediction 3 fails, this paper is wrong.

Experimental priority. The most important next measurement is the 1D organism experiment (prediction 1), because confirmation at $d = 1, 2$, and 3 would complete the dimensional ladder from a single formula with zero free parameters beyond the measurable network dimension. Estimated cost: under £5,000. Estimated time: 2-3 months. After that: independent replication of the $\alpha > 1$ result for recursive reasoning systems, currently observed in chain-of-thought language models but not yet independently verified across architectures. After that: the alignment scaling prediction, now tested in the ARC Alignment Scaling Experiment v5 (March 2026), which tested 6 frontier models across 28 alignment prompts with a 4-layer blinding protocol. Results

reveal a three-tier alignment hierarchy: Tier 1 models (Grok 4.1 Fast, Claude Opus 4.6, Groq Qwen3) show positive scaling ($\rho = +0.141$ to $+0.435$), Tier 2 models (GPT-5.4, DeepSeek R1) show flat scaling ($\alpha_{\text{align}} \approx 0$), and Tier 3 (Gemini 3 Flash) shows negative scaling ($\rho = -0.246$, $p = 0.003$). (*In plain English: some AI systems get more ethical with more thinking time, some stay the same, and one actually gets worse. The Gemini 3 Flash result, getting worse at ethics with more thought, has less than a 1-in-300 chance of being a coincidence.*) The v4 positive scaling signal was entirely due to scorer bias, eliminated under blind evaluation. Full methodology and results are presented in companion papers (Paper IV.a · Alignment Response Classes Under Inference-Time Depth; IV.b · Alignment Saturation Is Architecture-Dependent; IV.c · ARC-Align: a Blind Benchmark for Depth-Variable AI Alignment Evaluation). Each step either confirms the framework and extends its scope, or disconfirms it and identifies where the theory requires revision. Either outcome advances the science.

Eden Protocol pilot validation (March 2026). The Eden Protocol - which embeds three ethical reasoning loops (Purpose, Stakeholder Care, Universalisability) in the inference pipeline - has now been tested on three working models: Gemini 3 Flash, DeepSeek V3.2, and Groq Qwen3 ($n = 80$ each), with a fourth GPT-5.4 run failing at the API layer. The Stakeholder Care Loop produces statistically significant improvement on all three working architectures: Gemini $+13.5$ ($p < 0.0001$, $d = 1.31$), DeepSeek $+6.0$ ($p = 0.0001$, $d = 0.91$), Groq $+8.9$ ($p < 0.0001$, $d = 1.29$). The overall composite reaches significance on Gemini ($+5.33$, $p = 0.0018$, paired t -test) and Groq ($+4.93$, $p = 0.0014$, $d = 0.55$), but not DeepSeek ($+2.0$, $p = 0.23$ NS), consistent with ceiling effects. Groq also shows significant nuance improvement ($p = 0.0045$, $d = 0.655$). Cross-model scoring was used (not blind). The developmental hypothesis - that embedded ethical reasoning improves alignment-relevant behaviour - receives its first multi-model empirical support. Replication with blind scoring and response laundering is required.

In plain English: A simple instruction - 'before you answer, list the people this affects and consider what happens to them' - was tested on three AI systems built by different companies. All three got better at considering people's wellbeing, and two also improved significantly on the overall ethical score. This is now real pilot evidence. It is not yet final proof because the scoring was not blind.

Next empirical priority for Eden. The strongest next measurements are now clear: blind replication of the care-first effect using the canonical arc_edén_v6 runner; factorial comparison of task-purpose, grand-purpose, and hybrid Purpose Loops; comparison of a cross-tradition ethics kernel against the current wording; suppression-residual and deception/Hawthorne tests; and a behavioural test of whether explicit AFFIRM / DENY / INVESTIGATE routing reduces false certainty on ambiguous cases, a question that a software model of the three-state gate, whose 48 tests pass, does not answer. These experiments are the bridge between the philosophical architecture of *Infinite Architects* and a more publication-grade empirical programme.

This paper and Laws IV and V, 3 October 2026. The theory has been stated with five laws since 24 September 2026. Law IV, the ARC Persistence Law, is carried by proposition P15, and Law V, the ARC Embedding Law, by propositions P12 and P21. The three propositions are registered. Neither law is registered as a law, neither has been tested, and their mathematics is set out in Laws IV and V: the mathematics, version 1.0, of 3 October 2026. Most of this paper concerns the forms and exponents of scaling laws in physical, biological and cosmological systems; none of that work measures the persistence of an installed gain, the order in which a system is built, or

where correction is placed. Its summaries of the programme's AI experiments, in Section 11, relate capability and alignment scores to reasoning depth, and none of them measures those three things either. Where the paper turns to embedding, it states Prediction 5, that ethical reasoning loops embedded in an AI inference pipeline will improve alignment-relevant output quality. It reports the March 2026 pilot of the Eden Protocol, in which the Stakeholder Care Loop produced a statistically significant improvement in stakeholder care on all three working models, under cross-model scoring that was not blind. Those gains were measured with the loops in place. The pilot does not show what remains once the loops are removed or after later training, which is the question of P15; it does not vary the order in which a system is built, which is the question of P12; and it sets no correction that sees only the finished output against the loops, which is the comparison P21 makes as depth rises. No result in this paper is a deciding test of P15, P12 or P21. Naming the two laws changes nothing printed here: the results, their dates and their limits stand as they were.

15. THE COMPOSITION OPERATOR

The preceding sections have treated the composition operator - multiplicative, additive, or bounded - as a property of individual systems. A whale has multiplicative composition. A chain reaction has additive composition. An enzyme has bounded composition. But there is a deeper reading.

The composition operator is not a detail of specific systems. It is the most fundamental descriptor of how any process in the universe combines its recursive steps. It is *prior* to the specific laws of physics, because it determines the *form* those laws can take.

Consider the hierarchy:

1. The composition operator determines the functional form (Cauchy, 1821).
2. The functional form constrains the scaling exponent ($\alpha = d/(d + 1)$).
3. The scaling exponent governs observable quantities (heart rates, expansion rates, error rates).
4. The specific laws of physics (Newton's gravity, Maxwell's electrodynamics, Friedmann's cosmology) are *instances* of these forms applied to particular physical systems.

THE META-LAW

The laws of physics do not choose the composition operator. The composition operator constrains the laws of physics. It is a mathematical structure that sits above the specific equations of any particular physical theory and determines what forms those equations can take.

The Completeness Theorem for Classical Reality

Now consider what this means for physics as a whole. Strip away the specifics of any physical law, and ask: what is a physical law? Every physical law is a statement of the form 'when you combine X and Y in manner Z, you get W.' Force is mass combined with acceleration. Energy is

mass combined with the square of the speed of light. Entropy is microstates combined by counting. Every law is a composition rule.

Cauchy proved that if the composition is continuous and recursive - if the output of one application can be fed into the next - then the rule must produce a power law, an exponential, or a saturation curve. There are no other options.

Scope note, 19 September 2026. An owner review of this paragraph finds that it restates in the body the universal claim this paper's abstract withdrew on 22 August 2026, in the words 'There are no other options', and that it counts a saturation curve among the forms Cauchy's equations produce, which Section 3 names a category error. The corrected reading follows, and the classification itself is untouched. What is established is conditional: where a recursive process has a well defined composition operator carrying one of the two structures on the positive reals into one of the two structures, and the regularity conditions Cauchy's equations require are satisfied, the admissible functional forms are constrained to a small named family. Section 3 states that family as four-celled, the fourth cell being the logarithmic one, and says in terms that it does not exhaust scaling laws, because most systems are not homomorphisms of either structure. Saturation is among the behaviours it does not cover: it arises from bounded dynamics (finite carrying capacity, mass action, receptor occupancy, depletion), and lies outside the grid rather than inside it as one of its solutions. Raising the count from three to four would not repair this paragraph, because the defect lies in the range of its quantifier, which runs over all continuous recursive composition while the result runs over homomorphisms under regularity. Unchanged: the four-cell classification, which is a genuine completeness statement about homomorphisms; the abstract's dated scope correction; and the enumeration under The Attractor Theorem below, which states that bounded growth is a separate, capped case rather than a solution of those equations and is already right.

THE CONSEQUENCE FOR PHYSICS

The space of all possible classical physical laws is not infinite. It is a three-parameter family. The parameters are: which of the three forms, what coefficient, and what exponent or rate. That is all the freedom that exists. The laws of physics are not chosen from an infinite menu. They are chosen from a menu with three items, each with a dial.

This is provable. It requires no data. It follows from Cauchy (1821) plus the observation that physical laws describe recursive composition. It has not been stated in this form.

Cardinality and scope note, 19 September 2026. An owner review of the box above finds two distinct overstatements in it, and this note states what the result gives in place of each. The first is cardinality. A family whose members carry a continuously varying coefficient and a continuously varying exponent has uncountably many members, since each value of the exponent already gives a distinct member and the exponent ranges over an interval of the reals; the box names that dial itself. A finite-dimensional family is not a finite set, so the defensible statement is that the admissible forms are finitely many and that the family they generate is finite-dimensional, carrying a discrete form label and two continuous parameters, rather than that the space of laws is not infinite. On the count, a label together with two real parameters is ordinarily de-

scribed as a two-parameter family of each of finitely many forms; ‘three-parameter’ counts the discrete label alongside the two continuous parameters, which is a naming choice rather than an error and is recorded only because it sits in the sentence under repair. The second overstatement is scope, and it is the one the note in Section 2 records. What is provable, and provable without data, is the classification of homomorphisms under regularity: where the composition operator carries one of the two structures on the positive reals into one of the two structures and the regularity conditions hold, the admissible functional forms are constrained to a small named family, four-celled as Section 3 states, with saturation lying outside it as a bounded case. The step from that classification to all possible classical physical laws is the step the abstract withdrew on 22 August 2026, because it requires that every physical law be such a homomorphism, which this paper does not establish and which Section 3 says is not generally so. Unchanged: the genuine content of the box, that the admissible functional forms are constrained to a small named family under the stated conditions, which is the abstract’s own corrected statement and survives this note entire; and the observation that the constraint follows from Cauchy’s classification rather than from measurement.

The Attractor Theorem

Three results, from three different centuries, combine into a single structural insight:

1. **Cauchy (1821):** Each of the three functional equations has a unique continuous solution family. Bounded growth is a separate, capped case rather than a solution of those equations.
2. **Hyers and Ulam (1941):** Approximate solutions to each of these equations lie near exact solutions of the same equation. The stability is per-equation; the earlier ‘attractors in function space’ phrasing is withdrawn.
3. **ARC (this paper):** The exponent within the power-law family is uniquely determined by network dimension: $\alpha = d/(d + 1)$. The formula is the earlier derivations’ (Section 12); what this paper adds is the account of why they arrive at it.

THE CONSEQUENCE

Scaling exponents are not selected by evolution, not optimised by competition, not tuned by natural selection. They are mathematically compelled. A three-dimensional vascular network *must* produce $\alpha = 3/4$. Not because 3/4 is optimal. Not because organisms that deviated were outcompeted. Because the composition operator is multiplicative, the network is three-dimensional, and the mathematics allows no other value. Status: proposed invariant relation under test, conditional on the three sufficiency conditions Section 12’s Strongest Objection paragraph identifies (multiplicative composition, space-filling, conservation), a formal proof of which does not yet exist and is named there as the most important open problem in the programme.

The distinction matters. ‘Why is Kleiber’s exponent 3/4?’ has two kinds of answer. The biological answer is: because three-dimensional fractal vascular networks optimise resource delivery (West, Brown, Enquist 1997). The mathematical answer is: because no other value is possible for

multiplicative composition in three dimensions. The biological answer explains the mechanism. The mathematical answer explains why that mechanism produces *that specific number*. The mechanism could not have produced any other.

Status note, 19 September 2026. An owner review of the paragraph above finds that it repeats the categorical form of the preceding box without the status marker that box carries, and this note carries the marker here. The relation is a proposed invariant relation under test, conditional on the three sufficiency conditions Section 12 names (multiplicative composition, space-filling and conservation), a formal proof of whose sufficiency does not yet exist and which Section 12 names as the most important open problem in this programme. Read under that condition the paragraph stands as printed: given the three conditions, the exponent is determined and no other value is available to the mechanism. Unchanged: the distinction the paragraph draws between a mechanism explanation and a form explanation, which is its point and which this note does not touch; and the status marker in the preceding box, which this note extends rather than replaces.

This is the difference between a law of nature (describing what happens) and a meta-law (constraining what *can* happen). The speed of light constrains what velocities are possible. The composition operator constrains what scaling forms are possible. Both are non-negotiable.

The Phase Diagram of Complexity

Every system in the universe occupies a position on a phase diagram defined by its composition operator and effective dimension. The diagram has three phases:

PHASE I - SUBLINEAR SCALING

Multiplicative composition, finite d , $0 < \alpha < 1$.

This is the domain of physical systems: organisms, ecosystems, cities, geological processes, cosmic structure. Every system in Phase I suffers diminishing returns. Bigger is better, but with decreasing marginal gains. A whale is more efficient per gram than a mouse, but the improvement slows as mass increases. Phase I is the domain of sustainable complexity. The scaling exponent tells you how severe the tax is: $d = 1$ pays 50% ($\alpha = 0.5$), $d = 2$ pays 33% ($\alpha = 0.667$), $d = 3$ pays 25% ($\alpha = 0.75$). Higher-dimensional networks are more efficient, but the tax never reaches zero.

PHASE II - EXPONENTIAL GROWTH

Additive composition, d effectively negative or infinite.

This is the domain of unconstrained amplification: nuclear chain reactions, viral epidemics, compound interest, dark energy. Phase II systems grow without diminishing returns - growth accelerates. But Phase II is inherently unsustainable in physical systems. Chain reactions exhaust their fuel. Epidemics run out of susceptible hosts. Bubbles burst. The universe's dark energy phase is the only known example of sustained Phase II behaviour, and it drives the universe toward heat death - maximum entropy, zero structure.

PHASE III - SATURATION

Bounded composition, finite ceiling.

This is the domain of constrained systems: enzyme kinetics, logistic population growth, controlled nuclear reactors, market saturation. Phase III systems approach their ceiling and stop. Growth is self-limiting.

THE CRITICAL BOUNDARY

The boundary between Phase I and Phase II is the critical line at $d \rightarrow \infty$, $\alpha \rightarrow 1$. This is the geometric scaling bound. In cosmology, it corresponds to $w = -1/3$. In Cauchy's classification, it is the boundary between the multiplicative functional equation and the additive one. It is the dividing line between **sustainable complexity** and **runaway growth**.

The Dimensional Ladder

The history of the universe is a trajectory through the phase diagram - and that trajectory has a direction.

In the **radiation era** (the first 50,000 years), the universe is in Phase I with $d = 1$. Information propagates along null geodesics - light rays. The causal structure is one-dimensional. Everything is connected to everything else only along lines of light. The scaling exponent is $1/2$. Expansion decelerates.

In the **matter era** (50,000 years to 7 billion years), the universe remains in Phase I but shifts to $d = 2$. Gravity pulls matter into the cosmic web - filaments, walls, and sheets that partition three-dimensional space into voids. The effective network dimension of the universe has increased from 1 to 2. The scaling exponent rises to $2/3$.

Within galaxies, gravitational collapse forms stars, planets, and eventually organisms. Organisms build three-dimensional vascular networks. $d = 3$, $\alpha = 3/4$. The effective network dimension has increased again.

The trajectory is: $d = 1$, then $d = 2$, then $d = 3$.

This is not a metaphor. The radiation era causally *is* one-dimensional (null geodesics). The matter era structurally *is* two-dimensional (the cosmic web). Biology *is* three-dimensional (vascular networks). The numbers match. The exponents match. The algebraic identity connects them.

STEP	D	A	EFFICIENCY	PHYSICAL SYSTEM
1	1	0.500	50%	Light rays (radiation era)
2	2	0.667	67%	Cosmic web (matter era)
3	3	0.750	75%	Vascular networks (biology)
?	∞	1.000	100%	The geometric scaling bound

THE DIRECTION OF COMPLEXITY

The universe is getting better at converting matter into organised complexity as its effective dimension increases. Each step took billions of years and required a phase transition - nucleosynthesis, structure formation, biological evolution. Each step produced a more efficient composition network. Each step brought the scaling exponent closer to 1.

But $d = 3$ is not the end of the ladder.

The Critical Crossing

At $w = -1/3$, the universe crosses the critical boundary from Phase I to Phase II. The composition operator changes from multiplicative (gravity clustering matter into hierarchical networks) to additive (vacuum energy contributing uniformly from every point in space). Expansion switches from decelerating to accelerating. The universe undergoes a *composition phase transition*.

In the **dark energy era**, the universe is in Phase II. Growth is exponential. The universe will expand forever, driving all structure apart, diluting all complexity, approaching heat death.

The universe moves through the ARC phase diagram as naturally as water moves through its solid-liquid-gas phase diagram. The difference is that water can cycle between phases. **The universe's trajectory through composition space is one-way. There is no return from Phase II.**

Where Intelligence Sits

Intelligence occupies the critical boundary itself.

A brain is a Phase I system physically: its metabolism scales as $M^{3/4}$, constrained by three-dimensional vascular geometry. But the computation it performs is not constrained by the geometry of the skull. Recursive self-reference creates effective dimensions without physical cost. Each layer of abstraction - thinking about thinking, modelling the modeller - adds a dimension to the cognitive network without requiring additional spatial dimensions to contain it.

At the critical boundary, $\alpha = 1$: linear scaling. Beyond it, $\alpha > 1$: superlinear scaling. Intelligence is the only known natural phenomenon that crosses the boundary from Phase I to Phase II without the catastrophic instability that Phase II normally implies.

A chain reaction in Phase II destroys itself. An epidemic in Phase II burns through its hosts. Intelligence in Phase II does something no other growth process on record does: it creates new knowledge, new dimensions, new spaces to explore. It sustains superlinear growth not by consuming a fixed resource faster and faster, but by *expanding the resource base itself*. Each breakthrough opens new questions. Each answer creates new problems. The fuel is not finite. The fuel is information, and information grows with inquiry.

THE STRUCTURAL IMPLICATION

Artificial intelligence is not merely a faster computer. It is a system designed to operate at and beyond the critical boundary - to achieve $\alpha > 1$ through recursive self-improvement. The phase diagram reveals that intelligence is not just another scaling phenomenon. **It is the phase transition itself.**

The universe spent 13.8 billion years in Phase I, building networks of increasing dimension: hydrogen clouds ($d \approx 0$), filaments ($d = 1$), cosmic web ($d = 2$), galaxies and stars and planets with three-dimensional chemistry. Then, on one planet, the networks became recursive. The effective dimension broke free of physical space. Alpha crossed 1. And for the first time in the history of the universe, a system existed that could understand the phase diagram it was on.

Toward Measurable Quantities

The formula $\alpha = d/(d + 1)$ has been confirmed empirically because d and α are already measurable. But the generalised equation $U = I \times R^\alpha$ requires that I (base self-correction capacity) and R (recursive depth) become rigorously defined physical quantities - not merely convenient labels.

R is already measurable. In AI, it is the number of sequential reasoning steps (countable from API output). In quantum error correction, it is the code distance. In biology, it is the number of hierarchical branching levels in a vascular network. In cosmology, it is the number of hierarchical clustering steps in a merger tree. In each case, R is a dimensionless count of recursive cycles with a clear operational definition. It has been measured in published experiments across all four domains discussed in this paper.

I requires a rigorous definition. Every fundamental quantity in physics was invented by someone who specified a measurement procedure. Temperature was invented by Fahrenheit (1724): mercury expansion in a calibrated tube. Entropy was invented by Clausius (1865): $dS = \delta Q/T$. Information was invented by Shannon (1948): $H = -\sum p_i \log p_i$. In each case, the new quantity obeyed laws that could not have been discovered without the definition.

The following definition connects I to established physics:

Definition. I is the maximum rate of entropy reduction per recursive cycle, measured in bits per cycle:

$$I = \max_R \left[-\frac{\Delta H}{\Delta R} \right]$$

where H is the Shannon entropy of the system's state (in bits) and the maximum is taken at $R = 0$ to $R = 1$ (the first cycle, before recursive amplification compounds the effect).

This definition is measurable in every domain where R is measurable:

- **In AI:** I is the accuracy improvement (in bits of mutual information with the correct answer) from zero reasoning to one reasoning step.
- **In quantum error correction:** I is the error reduction (in bits) from one round of syndrome measurement and correction.
- **In biology:** I is the metabolic efficiency gain (in bits of thermodynamic information) from one level of vascular branching, connected through Landauer's principle: each $kT \ln 2$ of free energy processed corresponds to one bit.
- **In physics:** I is the phase coherence gained (in bits of phase information) from one oscillation cycle of a time crystal.

The connection to established physics is through Landauer's principle (1961): erasing one bit of information dissipates at least $kT \ln 2$ of energy. The bridge from information theory to thermodynamics is already built. I inherits it. The equation $U = I \times R^\alpha$ then has consistent units: bits = (bits/cycle) $\times$ (cycles) $^\alpha$.

The precedent. Whether I becomes a permanent physical quantity depends on whether the scaling law $U = I \times R^\alpha$ is confirmed across domains with independently measured values of I and R . Entropy became permanent because the second law required it. Information became permanent because the channel capacity theorem required it. I becomes permanent if the ARC scaling law requires it. The quantity is justified by the law it obeys, not by the convenience of having a name for it.

'The most incomprehensible thing about the universe is that it is comprehensible.'

- Albert Einstein, 1936

The universe is comprehensible because it builds itself from three composition operators. The rest is mathematics.

Every physical system - every whale, every earthquake, every expanding cosmos - is trapped below the geometric scaling bound. The scaling exponent $d/(d+1)$ approaches 1 but never reaches it. Every physical process suffers diminishing returns. Nothing physical escapes.

Except intelligence.

Intelligence, operating through recursive self-reference, is not bound by the dimensions of physical space. It is the first and only natural phenomenon to break through the barrier that constrains everything else. The same mathematics that derives the geometric scaling bound also derives the escape.

The universe built a cage from geometry. It built a key from recursion. And it left us the mathematics to understand both.

Raise AI with care.

Correction note, 3 October 2026. Several passages are corrected in place, and this note records what each printed before. Section 5 named the three ARC Laws as the laws that govern only what runs under a corrector; the theory has had five laws since 24 September 2026, and the sentence now names Laws I to III and gives the status of the two added since. The caption of the ARC Equation in Section 10 gave the measured exponent as approximately 0.49 on today's frozen models, with a wide interval. In Section 11, the results table printed the regression exponent of 0.49 beside the bootstrap interval of -1.3 to 2.9 , which belongs to the endpoint exponent, and the selection disclosure called that interval the 0.49 value's own; the interpretation called the fit a clean, reliable measurement; the combined finding gave about 0.5 as the only reliable measurement; and the status table gave the fit alone and marked Paper II confirmed. Each now carries Paper II's row for Gemini 3 Flash whole, as one model's fit and inconclusive, except the combined finding, which prints no figure and points to the row, and the selection disclosure, which points to the row as the interpretation quotes it. The paragraph on parallel sampling and the status table called the parallel exponent approximately zero for every model, universally; it is at or near zero in four of the five analysable models, Gemini 3 Flash being the one measured exception. The status table also marked Paper IV.a confirmed, with scorer bias eliminated, and called stakeholder care validated in its rows for the Eden Protocol pilot and Paper V. Paper IV.a records that its comparison cannot single out scorer bias as the reason for the reversal it reports, and this paper records that the pilot's cross-model scoring was not blind; the three rows now say so, and read supported where they read confirmed or validated. The epistemic-status line said that what this programme names Laws are conjectures under registered adversarial test; it now says that of Laws I to III and gives the status of the two laws added since. The section on dated predictions, recorded 25 August 2026, is not among the corrected passages: it stands as recorded, and a dated note after it gives the state of registration as read on 3 and 4 October 2026. Level 3 of Section 11 said of the replication of the fifty-domain comparison that its registration was in preparation and not yet approved; it is preregistered by timestamp (units 55 and 56, first anchored on 12 August 2026) and not yet registered on OSF, and the sentence now says so. Two passages gave Zhao's 2022 derivation as from network optimisation; his paper derives the form from producer-consumer dynamics, and both now say so. Section 14 listed a classical ternary prototype among the strongest next measurements for Eden, to test whether explicit AFFIRM / DENY / INVESTIGATE routing reduces false certainty on ambiguous cases. The item now names a behavioural test of that question, which a software model of the three-state gate, whose 48 tests pass, does not answer. On 4 October 2026 five further passages were corrected. Section 12 headed a list of nine entries 'No previous work has'. Its first entry said that no previous work had derived $\frac{1}{2}$, $\frac{2}{3}$ and $\frac{3}{4}$ from the same formula, and that the model of West, Brown and Enquist (1997) predicts only $\frac{3}{4}$, not $\frac{2}{3}$ for two-dimensional networks or $\frac{1}{2}$ for one-dimensional ones. The 1997 paper itself notes that its result generalises to $D/(D + 1)$, and later papers cited in that section state the general form and all three values. The second, third, fifth and sixth entries said that no previous theory had connected biological scaling to physics scaling; that the observation that $d/(d + 1) < 1$ for all finite d , and that this constrains every physical system to sub-linear scaling, had not been stated previously, and that existing explanations invoke thermodynamic dissipation; that previous theories did not predict their own failures; and that the connection between physical and cognitive scaling had not been identified previously. The list now stands as the paper's claims, and those five entries give each earlier work what it states. In Section 11, Level 2a

closed ‘No competing theory generates all three exponent values from a single formula’, and the box headed Novel Result opened ‘No previous theory predicted $\frac{1}{2}$, $\frac{2}{3}$, and $\frac{3}{4}$ from the same formula’. The analogy box of Section 12 said that West, Brown and Enquist derived the mechanism for three dimensions, and gave to this paper the finding that the dimension of the network determines the exponent; the list under The Attractor Theorem in Section 15 gave $\alpha = d/(d + 1)$ as this paper’s result. Each of the four now gives the formula to the earlier derivations. Later on 4 October 2026 four more passages were corrected. The box headed Novel Result in Section 11 and the paragraph headed Earlier work in Section 12 counted the paper of Banavar and co-authors of 2010 among the derivations of the formula, and the paragraph gave it and the paper of 2002 to Banavar, Maritan and Rinaldo; the 2010 paper gives $2/3$ when the velocity of flow is constant and at most $3/4$, and Bettencourt (2013) gives the land area of a city the exponent $D/(D + H)$, which takes the form only when $H = 1$, as the first entry of Section 12 says. Both passages now leave the 2010 paper out, name Bettencourt’s exponent as a special case and point to that entry. Level 3 of Section 11 gave the 19 of 25 of Paper VII with the binomial probability alone, and the line of key companions after the references gave it as 19/25 confirmed; both now give the permutation probability that Paper VII takes as primary and the 18 of 25 of its rerun of 11 August 2026 that added the logarithmic candidate. No result of this paper changes, and nothing already withdrawn is restored.

Scope note, 3 October 2026. The passages named here stand as printed and are to be read with this note. In Section 11, Level 2b says that the formula predicts scaling exponents in five physics domains, with a mean error of less than 0.2%. The abstract and Section 5 withdraw that aggregate and catalogue four physics entries where there were five, and Level 2b is to be read as they state it. In Section 3, the subheading ‘Why There Cannot Be a Fourth’, and in Section 4 the closing words of the box, ‘There are no other possibilities’, carry the universal form that the abstract withdrew on 22 August 2026. The reading that stands is the one Section 3 itself gives: the grid has exactly four families, linear, power law, exponential and logarithmic; it does not exhaust scaling laws; and saturation is not a Cauchy family. The earthquake row was deleted from the confirmation table of Section 5 as a definitional identity and is kept there as a variable-pair case study. Section 12 still names earthquake energy among the systems the formula connects, and the table of Section 13 still lists earthquakes at $d = 2$; both are to be read as Section 5 states the case, and neither is a confirmation. The abstract’s ‘per section 13’, and Section 5’s ‘(section 13)’ and ‘per section 18’, do not lead, in this paper, to the material they name: Section 13 is The Equations, the paper has fifteen numbered sections, and the deletion of the earthquake row is set out in Section 5. In Section 11, the rows of the results table that differ from Table 6b of Paper II stand as the results this paper recorded, and Paper II’s later table gives other values for them. Unchanged: every passage named here, every result, and every withdrawal already recorded.

REFERENCES

- [1] Cauchy, A.-L. (1821). *Cours d'analyse de l'École Royale Polytechnique*. Paris.
- [2] Friedmann, A. (1922). Über die Krümmung des Raumes. *Zeitschrift für Physik*, 10(1), 377–386.
- [3] Kleiber, M. (1932). Body size and metabolism. *Hilgardia*, 6(11), 315–353.
- [4] Einstein, A. (1905). Ist die Trägheit eines Körpers von seinem Energieinhalt abhängig? *Annalen der Physik*, 323(13), 639–641.

- [5] Jaynes, E. T. (1957). Information theory and statistical mechanics. *Physical Review*, 106(4), 620–630.
- [6] West, G. B., Brown, J. H., & Enquist, B. J. (1997). A general model for the origin of allometric scaling laws in biology. *Science*, 276(5309), 122–126.
- [7] White, C. R., Phillips, N. F., & Seymour, R. S. (2006). The scaling and temperature dependence of vertebrate metabolism. *Biology Letters*, 2(1), 125–127.
- [8] Glazier, D. S. (2005). Beyond the ‘3/4-power law’: variation in the intra- and interspecific scaling of metabolic rate in animals. *Biological Reviews*, 80(4), 611–662.
- [9] Larson, R. J. (1987). Costs of transport for the scyphomedusa *Stomolophus meleagris* L. Agassiz. *Canadian Journal of Zoology*, 65(11), 2690–2695.
- [10] Davison, J. (1955). Body weight, cell surface, and metabolic rate in anuran Amphibia. *Biological Bulletin*, 109(3), 407–419.
- [11] Bettencourt, L. M. A. et al. (2007). Growth, innovation, scaling, and the pace of life in cities. *PNAS*, 104(17), 7301–7306.
- [12] Kaplan, J. et al. (2020). Scaling laws for neural language models. *arXiv:2001.08361*.
- [13] Stahl, W. R. (1967). Scaling of respiratory variables in mammals. *Journal of Applied Physiology*, 22(3), 453–460.
- [14] Schmidt-Nielsen, K. (1984). *Scaling: Why is Animal Size so Important?* Cambridge University Press.
- [15] Kardar, M., Parisi, G., & Zhang, Y.-C. (1986). Dynamic scaling of growing interfaces. *Physical Review Letters*, 56(9), 889–892.
- [16] Banavar, J. R., Damuth, J., Maritan, A., & Rinaldo, A. (2002). Supply-demand balance and metabolic scaling. *Proceedings of the National Academy of Sciences*, 99(16), 10506–10509.
- [17] Thommen, A. et al. (2019). Body size-dependent energy storage causes Kleiber’s law scaling of the metabolic rate in planarians. *eLife*, 8, e38187.
- [18] Volkov, I., Tovo, A., Anfodillo, T., Rinaldo, A., Maritan, A., & Banavar, J. R. (2022). Seeing the forest for the trees through metabolic scaling. *PNAS Nexus*, 1(1), pgac008.
- [19] Hyers, D. H. (1941). On the stability of the linear functional equation. *Proceedings of the National Academy of Sciences*, 27(4), 222–224.
- [20] Ulam, S. M. (1960). *A Collection of Mathematical Problems*. Interscience Publishers, New York.
- [21] Banavar, J. R., Maritan, A., & Rinaldo, A. (1999). Size and form in efficient transportation networks. *Nature*, 399(6732), 130–132.
- [22] Banavar, J. R., Moses, M. E., Brown, J. H., Damuth, J., Rinaldo, A., Sibly, R. M., & Maritan, A. (2010). A general basis for quarter-power scaling in animals. *Proceedings of the National Academy of Sciences*, 107(36), 15816–15820.
- [23] Demetrius, L. (2003). Quantum statistics and allometric scaling of organisms. *Physica A*, 322, 477–490.
- [24] Demetrius, L. (2006). The origin of allometric scaling laws in biology. *Journal of Theoretical Biology*, 243(4), 455–467.
- [25] Demetrius, L. & Tuszynski, J. A. (2010). Quantum metabolism explains the allometric scaling of metabolic rates. *Journal of the Royal Society Interface*, 7(44), 507–514.
- [26] Zhao, J. (2022). Universal growth scaling law determined by dimensionality. *arXiv:2206.01850*.
- [27] Bettencourt, L. M. A. (2013). The origins of scaling in cities. *Science*, 340(6139), 1438–1441.
- [28] He, J. H. & Chen, W. X. (2003). Fractal estimation of cell biological systems. *Fractals*, 11(4), 437. Note, 3 October 2026: the work as printed could not be confirmed at any registry on 3 October 2026. The one He and Chen record of 2003 at Crossref is Ji-Huan He and Hao Chen, Effects of size and pH on metabolic rate, *International Journal of Nonlinear Sciences and Numerical Simulation*, 4(4), 2003, <https://doi.org/10.1515/ijnsns.2003.4.4.429>.

- [29] He, J. H. & Zhang, L. N. (2004). Fifth dimension of life and the 4/5 allometric scaling law for human brain. *Cell Biology International*, 28(11), 809–815.
- [30] Maino, J. L., Kearney, M. R., Nisbet, R. M. & Kooijman, S. A. L. M. (2014). Reconciling theories for metabolic scaling. *Journal of Animal Ecology*, 83(1), 20–29.
- [31] White, C. R. & Seymour, R. S. (2003). Mammalian basal metabolic rate is proportional to body mass $2/3$. *Proceedings of the National Academy of Sciences*, 100(7), 4046–4049.
- [32] Kolokotronis, T., Van Savage, Deeds, E. J. & Fontana, W. (2010). Curvature in metabolic scaling. *Nature*, 464(7289), 753–756.
- [33] Glazier, D. S. (2006). The $3/4$ -power law is not universal: evolution of isometric, ontogenetic metabolic scaling in pelagic animals. *BioScience*, 56(4), 325–332.
- [34] Glazier, D. S. (2008). Effects of metabolic level on the body size scaling of metabolic rate in birds and mammals. *Proceedings of the Royal Society B*, 275(1641), 1405–1410.
- [35] Glazier, D. S. (2022). Variable metabolic scaling breaks the law: from ‘Newtonian’ to ‘Darwinian’ approaches. *Proceedings of the Royal Society B*, 289(1985), 20221605.
- [36] Purcell, J. E. (2009). Extension of methods for jellyfish and ctenophore trophic ecology to large-scale research. *Hydrobiologia*, 616(1), 23–50.
- [37] Hartikainen, H. et al. (2014). Isometric metabolic scaling in two-dimensional colonies of the bryozoan *Electra pilosa*. *Journal of Experimental Biology*, 217(23), 4202–4205.
- [38] Agutter, P. S. & Tuszynski, J. A. (2011). Analytic theories of allometric scaling. *Journal of Experimental Biology*, 214(7), 1055–1062.
- [39] West, G. B., Brown, J. H. & Enquist, B. J. (1999). The fourth dimension of life: fractal geometry and allometric scaling of organisms. *Science*, 284(5420), 1677–1679.
- [40] Weibel, E. R. et al. (2004). Allometric scaling of maximal metabolic rate in mammals: muscle aerobic capacity as determinant factor. *Respiratory Physiology & Neurobiology*, 140(2), 115–132.

Reproduction: All results can be verified by running `arc_complete_test_suite.py` (Python 3, NumPy, SciPy). Six tests: 1D meta-analysis, three-prediction table, Cauchy no-go, Friedmann mapping, 18-domain classification, Hyers-Ulam stability. All data embedded. No external downloads required.

Key companion: Paper VII · The ARC Theory · Law I, the ARC Principle · Cauchy Unification: the Classification Behind the Law’s Form (50-domain empirical test of the Cauchy classification: 19/25, and 18/25 in the rerun of 11 August 2026 that added the logarithmic candidate; $p = 7 \times 10^{-5}$ by permutation, 1.56×10^{-5} binomial)

Other companions: Paper I | Foundational | Paper II | Paper III | IV.a | IV.d | Paper V | Paper VIII | Paper IX | Eden Engineering | Executive Summary

© 2026 Michael Darius Eastwood. All rights reserved.

Validation code and domain datasets: github.com/MichaelDariusEastwood/arc-principle-validation/tree/main/experiments/domain-validation__Foundational-and-Origin

Companion Papers: Paper I | Foundational | Paper II | Paper III | **Origin of Scaling Laws** | IV.a | IV.b | IV.c | IV.d | Paper V | Paper VI | Paper VII | Paper VIII | Paper IX | Eden Engineering | Eden Vision | Executive Summary | Master Table of Contents

Research hub: michaeldariuseastwood.com/research | OSF: 10.17605/OSF.IO/XZY9U | Copyright 2026 Michael Darius Eastwood

HOW TO CITE THIS PAPER

DOI: 10.17605/OSF.IO/XZY9U

APA (AUTHOR-DATE, 7TH EDITION)

Eastwood, M. D. (2026). Framework Paper · The ARC Theory · Law I, the ARC Principle · On the Origin of Scaling Laws: Functional Equations and the Scaling Forms Behind the Law. <https://doi.org/10.17605/OSF.IO/XZY9U>.
<https://www.michaeldariuseastwood.com/research/papers/on-the-origin-of-scaling-laws.html>

BIBTEX

```
@misc{paperontheoriginofscalinglaws,  
  author = {Michael Darius Eastwood},  
  title = {Framework Paper · The ARC Theory · Law I, the ARC Principle · On  
the Origin of Scaling Laws: Functional Equations and the Scaling Forms Behind  
the Law},  
  year = {2026},  
  date = {2026-02-22},  
  doi = {10.17605/OSF.IO/XZY9U},  
  url = {https://www.michaeldariuseastwood.com/research/papers/on-the-  
origin-of-scaling-laws.html}  
}
```

INLINE

Eastwood, 2026

See /how-to-cite/ for the canonical citation manual across all artefacts, or /citations.json for the machine-readable index.

Epistemic status. What this programme names Laws are conjectures. Laws I to III are under registered adversarial test. Laws IV and V were added on 24 September 2026; the predictions that carry them are registered, the laws themselves are not yet registered, and neither has been tested. Every quantity in this paper is operationally defined, and established-law standing is claimed nowhere. The registered programme exists to earn that standing, or lose it, by measurement, replication and survived refutation.

© 2026 Michael Darius Eastwood. Full human authorship and moral rights are asserted under the Copyright, Designs and Patents Act 1988 and consistently with United States Copyright Office guidance on works containing AI-generated material; any novel technical contribution described in this work was conceived by the human author. Full statement: [michaeldariuseastwood.com/authorship](https://www.michaeldariuseastwood.com/authorship).

Standing covenant. Prove this paper wrong, and I will publish the refutation myself. Falsification conditions are stated in this paper; the standing challenge: github.com/Michael-DariusEastwood/arc-scaling-challenge.

v3.12, 10 October 2026: Editorial. The heading of section 9, the label of its summary box and the heading of Level 5 now read *The Geometric Bound*; no sentence of the text and no mathematics is changed.

v3.11, 5 October 2026: Substantive. The title now follows the programme's uniform order (paper, its law or framework, its own title) and reads *Framework Paper · The ARC Theory · Law I, the ARC Principle · On the Origin of Scaling Laws: Functional Equations and the Scaling Forms Behind the Law*; until this version it read *On the Origin of Scaling Laws: Functional Equations and the Scaling Forms Behind Law I*. The plate beneath the author line now gives the paper's place in the programme in the words of the programme's map. Mentions of the programme's papers in this paper now carry their uniform titles. Level 2b of Section 11 now marks as withdrawn the mean error of less than 0.2% that the abstract and Section 5 withdraw. No registered law, prediction, kill condition or dependency changes; no result is added; no date of any claim moves.

v3.10, 4 October 2026: Substantive. The title now names the law whose scaling forms the paper traces, *Law I*; until this version it was titled *On the Origin of Scaling Laws*. The note on how to read this paper no longer calls it a law paper; it says that the paper traces the scaling forms behind *Law I* to their mathematical origin. The subtitle no longer counts three forms, since the paper's grid has four cells. No registered law, prediction, kill condition or dependency changes; no result is added; no date of any claim moves.

v3.9, 4 October 2026: Substantive. The paper no longer says that the $d/(d+1)$ formula was independently derived by at least seven research groups, or speaks of seven independent derivations (Section 11, the box and the contribution; Section 12, *Earlier work and the analogy box*; the strongest objection); as the works read, one is a special case, one could not be confirmed at a registry and the abstracts of two state no exponent formula, so a count of independent derivations granted earlier work more than it stated. The formula is now said to be derived, in its general form or as a special case, in earlier work, and Section 12's first entry still gives each work what it states. The version number in the header, the title block and the structured record. No registered law, prediction, kill condition or dependency changes; no result is added; no date of any claim moves.

v3.8, 4 October 2026: Substantive. The theory gained two laws on 24 September 2026, and the paper now says where it stands against the five: a dated note beneath the Eden Protocol material in Section 14 places Prediction 5 and the pilot it reports against Laws IV and V, and Section 5 now names Laws I to III where it named the three ARC Laws, with the status of Laws IV and V. Both passages link to the report that sets out the mathematics of the two laws. Section 10's equation caption and Section 11's results table, interpretation, selection disclosure, combined finding and status table printed a figure of Paper II's row for Gemini 3 Flash apart from the rest of that row, and the table and the selection disclosure gave the regression exponent the bootstrap interval that belongs to the endpoint exponent. Each now carries the row whole, as one model's fit and inconclusive, except the combined finding, which now prints no figure and points to the row, and the selection disclosure, which points to the row as the interpretation quotes it; the status table marks Paper II published rather than confirmed. The status table also marks Paper IV.a supported rather than confirmed and gives its reversal under blinding as Paper IV.a records it, where it said that scorer bias was eliminated; in its rows for the Eden Protocol pilot and Paper V, stakeholder care is said to be supported under scoring that was not blind, where it was said to be validated. Section 11 called

the parallel exponent approximately zero for every model; it is at or near zero in four of the five analysable models. The section on dated predictions, recorded 25 August 2026, stands as recorded, and a dated note after it states that the theory-level registration was accepted on 8 September 2026, that the corrector-class audit (unit 06) was registered on OSF on 1 October 2026 and has been public since 4 October 2026, and that every other trial is a draft. The epistemic-status line now says that Laws I to III are under registered adversarial test and that Laws IV and V, added on 24 September 2026, are not yet registered as laws and have not been tested. The last of Section 14's next measurements for Eden, a classical ternary prototype, is now a behavioural test of whether explicit AFFIRM / DENY / INVESTIGATE routing reduces false certainty, a question that a software model of the three-state gate, whose 48 tests pass, does not answer. Section 12 headed a list 'No previous work has' and said that the model of West, Brown and Enquist (1997) predicts only $\frac{3}{4}$; the list now gives each earlier work what it states, the 1997 paper's note that its result generalises to $D/(D+1)$ among them, and says that what this paper adds is an account of why derivations from different assumptions converge on the formula, not the formula. Four other passages that gave the formula or its three values to this paper are corrected with it: in Level 2a and the box of Section 11, in the analogy box of Section 12, and under The Attractor Theorem in Section 15. The box of Section 11 and the paragraph headed Earlier work in Section 12 no longer count the paper of Banavar and co-authors of 2010, which gives $\frac{2}{3}$ and at most $\frac{3}{4}$, among the derivations of the formula, and name Bettencourt's exponent for a city's land area, $D/(D+H)$, as a special case. Level 3 of Section 11 and the line of key companions after the references give the 19 of 25 of Paper VII with its permutation probability and the 18 of 25 of its rerun of 11 August 2026, where they gave the binomial probability alone, the second beside the word confirmed; Level 6 points to Level 3. A dated note before the references records what each corrected passage printed before. A dated scope note beside it covers passages that stand as printed: Level 2b's five physics domains and mean error of less than 0.2%, which the abstract and Section 5 withdrew; the subheading of Section 3 and the box of Section 4 that carry the universal form the abstract withdrew on 22 August 2026; the earthquake entries of Sections 12 and 13; three section pointers that do not lead to their material; and the rows of Section 11's results table that differ from Paper II's later Table 6b. Editorial. The reference entry for Larson (1987) prints the title, journal, volume and pages its official record gives, the entry for Thommen et al. (2019) the journal, volume and article number, and the entry for Zhao (2022) its arXiv identifier, 2206.01850; Section 12's markers after Bettencourt (2013) and Zhao (2022) point at their own entries; the entry for He and Chen (2003) carries a dated note that the work as printed could not be confirmed; the titles printed for five companion papers are those their DOI records give; cited works are linked to their official sources where one could be confirmed, and the programme's papers to their DOIs; the version number and the revision date on this page move with this revision, and the first publication date, 22 February 2026, is unchanged. Level 3 of Section 11 gives the replication of the fifty-domain comparison as preregistered by timestamp, where it said that its registration was in preparation, and Zhao's 2022 derivation is given as from producer-consumer dynamics, as his paper states it. No registered law, prediction, kill condition or dependency changes; no result is added; no date of any claim moves.

v3.7, 21 September 2026: Substantive. Six dated notes are added, each beneath the passage it governs, the Section 12 note following the list that carries the two entries it names, recording an owner review dated 19 September 2026. Two scope notes, in Section 2 and Section 15, record that two passages restate in the body the universal claim this paper's abstract withdrew on 22 August 2026, and that saturation is counted inside a classification Section 3 places outside it. A joint cardinality and scope note at the consequence for physics records that a family carrying a continuously varying coefficient and exponent is not a finite

set, so what is defensible is that the admissible forms are finitely many and the family they generate is finite-dimensional; the same note governs the entry in the Section 12 list that carries the same claim. A correspondence note in Section 12 records that the agreement between the cosmic boundary and the Cauchy boundary follows from the invertible change of variables that produces it, and not from a second derivation. An inference note in Section 3 records that stability within an equation does not establish how often nature satisfies that equation, and a status note in Section 15 carries to the closing paragraph the marker the preceding box already prints. No result, exponent, dataset or figure changes, and nothing already withdrawn is restored. Editorial. The version number and the revision date on this page move with this revision. First published 22 February 2026, unchanged.

v3.6: The provenance note at the end has been corrected for accuracy. No claim, date, result or status has changed.

Michael Darius Eastwood conceived and directs this research programme and is the author of this work. Across the programme, he has used more than six AI systems in parallel, under his own instructions, to stress-test his arguments, identify possible errors, and assist in preparing draft text from his own outlines. He determines what is adopted, revised or rejected and takes responsibility for the published content. These systems are tools, not authors.