On the Origin of Scaling Laws: what can composition and transport explain?

Theory · Framework paper

Recursive Dynamics · The ARC Theory · Law I, the ARC Principle, a law under test

Michael Darius Eastwood

Independent Researcher, London, United Kingdom

ORCID 0009-0004-3222-7442 michael@michaeldariuseastwood.com

Abstract

Predicting how a system scales can help us decide whether resources and correction can keep pace with its growth. This framework paper asks which composition and transport assumptions justify a scaling prediction before the response is observed. Four classical continuous homomorphism problems constrain functional families; they do not classify every physical law. A global logarithmic-defect stability result and a regular-variation limit connect exact equations to specified approximate and asymptotic cases. For a declared steady-flow network, transport accounting gives $C = B\bar{\ell}_q$. Demand scaling $B \sim L^{\mu}$ and mean-path scaling $\bar{\ell}_q \sim L^{\zeta}$ then give an asymptotic throughput-cost exponent $\mu/(\mu + \zeta)$. The familiar $d/(d + 1)$ requires further assumptions, and inventory and body mass require separate bridges. Biological measurements are compared on their own variables; fungal factors measured on different variables are no longer pooled. The Friedmann reparametrisation remains an identity, with acceleration distinguished from exponential expansion. Fixed rules can generate superlinear trajectories, so neither physical dimension nor an architectural label fixes an AI capability exponent. The contribution is a conditional synthesis and a prospective transport test with independently measured premises, held-out predictions and serious rivals. Existing prediction histories, corrections and qualified companion results are retained. No universal physical ceiling, alignment guarantee or new empirical validation is established.

Version 3.14, revised 1 November 2026, corrects the scope of the composition, transport, biological and cosmological claims. Earlier editions and prediction records remain intact; Appendix A records the substantive corrections.

A framework paper within Recursive Dynamics and the ARC Theory, informing Law I, the ARC Principle, a law under test. Working paper, version 3.14, 1 November 2026; first-publication record: 22 February 2026; Appendix A lists every version and correction. Recorded on OSF as *Framework Paper · The ARC Theory · Law I, the ARC Principle · On the Origin of Scaling Laws in Recursive Composition: Functional Equations and the Scaling Forms Behind the Law*, DOI 10.17605/OSF.IO/XZY9U; theory registration; operational definitions; dated prediction register. About the author, founder of Recursive Dynamics, without an institution or a doctorate: michaeldariuseastwood.com/questions/who-is-michael-darius-eastwood; his book, *Infinite Architects* (first edition, 2 January 2026): osf.io/dqm3e. Licence: CC BY 4.0.

Contents

1 Introduction **5**

2 Related work and the contribution **5**
2.1 Earlier work . . . 5
2.2 What this paper adds . . . 7
2.3 The strongest objection: assumptions chosen after the fit . . . 8

3 Name the function and its variables **8**

4 What the composition equations establish **9**
4.1 The proof and the scope of the four cells . . . 9
4.2 A precise consequence for approximate composition . . . 10
4.3 Scaling limits and regular variation . . . 10

5 The principle and its empirical test **11**

6 Where the network exponent comes from **12**
6.1 An exact accounting identity . . . 12
6.2 Demand and route length select the exponent . . . 13
6.3 Inventory and body mass are separate quantities . . . 14
6.4 What a cross-domain comparison tests . . . 15

7 What metabolic scaling implies for the heartbeat **15**
7.1 The oxygen balance . . . 15
7.2 Physiological state is part of the observation . . . 16
7.3 Lifetime totals require a lifetime average . . . 16

8 The fission chain reaction **16**

9 Cosmic expansion and the meaning of a shared formula **17**
9.1 The fluid equations determine the expansion . . . 17
9.2 Acceleration and exponential expansion are distinct . . . 18
9.3 An algebraic coordinate, not a measured dimension . . . 18
9.4 Idealised components and cosmic history . . . 19
9.5 What the common form establishes . . . 19

10 A conditional geometric bound **19**

11 Recursive capability and correction **20**
11.1 A fixed rule can generate super-linear growth . . . 20
11.2 The shifted cumulative-advantage model . . . 21
11.3 Elapsed time, correction and the conditional ceiling . . . 22
11.4 Quantum error correction: distinguish the axes . . . 22

12 Evidence, with its measurement and scope **23**
12.1 Biological comparisons . . . 23
12.2 Comparisons across domains . . . 23
12.3 Other reported programme results . . . 23
12.4 Reported error-scaling measurements from the companion programme . . . 24

13 Equations and what each requires **26**

14 Predictions and a prospective transport test **26**
14.1 The next discriminating measurement . . . 29

15 Making the composition claim measurable **30**
15.1 The assumptions to fix before validation . . . 30
15.2 An independent prediction needs separate information . . . 31

16 What this paper does and does not show **31**

17 Limitations **32**

18 Conclusion **32**

References **34**

A Version history and corrections **43**
A.1 Version 3.14: revised 1 November 2026 . . . 43
A.2 Version 3.13 . . . 45
A.3 Earlier corrections and notes . . . 49
A.4 Version history . . . 54
A.5 Where the earlier layout now stands . . . 57

B Priority record **58**
B.1 Dated records . . . 58
B.2 Dated predictions and this paper (recorded 25 August 2026) . . . 59

C Notation and measurement glossary **60**

D The paper's place in the programme **61**
D.1 Which questions this paper informs . . . 61
D.2 Persistence and placement . . . 62
D.3 Companions and their distinct jobs . . . 62
D.4 Reading the dated records . . . 62

E The contribution beside the closest earlier work **62**

F Source-specific biological and physical comparisons **64**
F.1 Metabolic estimates retain their measurement conditions . . . 64
F.2 The fungal measurements have different variable pairs . . . 65
F.3 Percolation: a critical exponent and a response slope . . . 65
F.4 A logarithmic coordinate changes a distribution exponent . . . 66
F.5 Historical source claims still requiring verification . . . 66

G Dated programme statements retained for the record **67**

H Detailed earlier comparisons and reports **68**
H.1 The earlier heartbeat illustration . . . 68
H.2 The earlier pooled biological comparison . . . 69
H.3 The historical composition-classification result . . . 70
H.4 The alignment run and its code-review limitations . . . 71
H.5 The pilot, failed run and later programme . . . 71
H.6 The numerical values of the earlier bound . . . 72
H.7 The earlier illustrative coupling values . . . 73
H.8 The earlier physical interpretation and working quantities . . . 73
H.9 The earlier code and publication record . . . 77
H.10 The three figures of the predecessor . . . 78

I Version 3.13 passages retained with their present scope **81**
I.1 The abstract of version 3.13 . . . 81
I.2 The introduction of version 3.13 . . . 81
I.3 The contribution as version 3.13 stated it . . . 83
I.4 Three ways things grow, as version 3.13 set them out . . . 85
I.5 The elementary argument, the consequence and the six assumptions of version 3.13 . . . 86
I.6 The principle as version 3.13 stated it . . . 87
I.7 The network-partition reading of version 3.13 . . . 88
I.8 The opening of Section 8 of version 3.13 . . . 90
I.9 The geometric bound as version 3.13 stated it . . . 91
I.10 The escape and the quantum-error-correction regimes of version 3.13 . . . 91
I.11 Evidence passages of version 3.13 . . . 93
I.12 The equations of version 3.13 . . . 94
I.13 The prediction record of version 3.13: data, limitations and closing statements . . . 96
I.14 The status, limitations and conclusion of version 3.13 . . . 96
I.15 Notation and glossary of version 3.13 . . . 98
I.16 The novelty statements of version 3.13 . . . 99

1 Introduction

I believe advanced AI is an existential risk unless values and correction are built into how it reasons; only proof will move the world. People should retain oversight, containment and shutdown for as long as they physically can. The research question here is one part of that programme: can information about how gains combine predict later scaling, before a larger system is built or relied on?

A practical example is a supply network. Increasing its size can increase both the demand served and the distance resources travel. Predicting throughput from inventory requires knowing which of those quantities changes, how routes are chosen and whether transport speed changes. A three-dimensional embedding alone does not answer those questions. The same discipline applies to an AI experiment: capability, recursive depth, inference cost and correction burden are distinct observables.

This paper is a theoretical and methodological synthesis across mathematics, transport, biology and computation. It distinguishes three steps: an equation constrains a family of functions; a mechanism supplies the assumptions of that equation; and measurements test whether the mechanism predicts observations. The first step can be a theorem while the later steps remain unresolved. A repeated numerical exponent alone does not join them.

The contributions are:

- A precise account of four classical composition identities, their domains and regularity, with scoped stability and asymptotic extensions.
- An explicit transport calculation showing which demand and path assumptions yield $d/(d+1)$, and which extra assumptions connect transport cost to inventory or body mass.
- Source-specific biological and physical comparisons that separate measurements from coordinate identities and from historical unsupported inferences.
- One prospective test in which independently measured premises predict held-out transport behaviour. The earlier numbered predictions and the full neural-scaling withdrawal remain part of the record.

The mathematics supplies conditional results, not a universal physical classification or a numerical safety guarantee. Sections 4 and 6 establish the formal tools; Sections 7 to 11 examine their scope through examples. Sections 12 and 14 state the evidence and the next test. The appendices preserve the detailed provenance, programme placement and superseded argument.

2 Related work and the contribution

A scaling explanation must do more than reproduce a familiar fraction. It must identify the quantities being related, the rule they obey, the assumptions that select an exponent and the measurement that could show the explanation is wrong. Within Recursive Dynamics, this paper develops those questions for Law I, the ARC Principle, a law under test. It connects three levels of argument: a composition equation that constrains a functional form, a specified transport model that supplies an exponent, and a prospective test of whether that model applies. Earlier work establishes much of the mathematics and several of the domain models. Their differences are part of the explanation.

2.1 Earlier work

Composition and scaling limits. The continuous Cauchy equations give the four homomorphism problems stated in Section 4 (Cauchy 1821). The chosen input and output operations, their domains and regularity conditions do the work. In the multiplicative case the result is a power-law family; it does not choose the exponent. The connection between rescaling and power laws is established mathematics:

Newman (2005, section III.E) discusses it for scale-free distributions, whose inference problem is distinct from the regression of one physical quantity against another.

Approximate composition and asymptotic scaling also have established theories. Hyers (1941) gives stability for an additive equation under a global defect bound. Section 4 states and proves the real-valued consequence needed here, with its logarithmic error metric and its limits for finite observations. Regular variation describes positive functions whose scale ratios converge to a power, allowing a slowly varying factor at finite scale (Bingham et al. 1987). These are mathematical results with premises to check, not evidence that every observed scaling relationship meets them.

Ostaszewski (2016) explicitly connects functional equations, homomorphisms, generalised group operations and regular variation. The author's version 2 preprint is dated 7 November 2014; the article was published online on 20 June 2015 and in the 2016 journal volume. This prior connection is part of the foundation of the present paper. The comparison here uses the scope stated in that work's opening discussion; it does not import its later technical theorems as results about physical or computational systems.

Branching and transport models. The expression $d/(d + 1)$ is earlier work's. West, Brown and Enquist (1997) derive three-quarter scaling for metabolic rates from transport through space-filling fractal networks of branching tubes, with energy dissipation minimised. They state the generalisation to $D/(D + 1)$ when the network fills a D-dimensional volume. West, Brown and Enquist (1999) obtain the same form in D dimensions from a more general treatment of hierarchical-network geometry rather than hydrodynamics. The models have stated limits: the 1997 treatment predicts small deviations in the smallest mammals, and the 1999 treatment does not expect its relationships to apply to filamentous algae and fungi. A fungal application therefore needs its own premises.

Banavar, Maritan and Rinaldo (1999) derive a relationship between size and flow in networks with local connectivity. In the most efficient class they consider, metabolic rate scales as mass to the power $D/(D + 1)$. Their bound concerns the nutrient-delivery rate and the volume of blood in the network; it is not a bound on every observable of a physical system. They also compare their relation with river-drainage observations in $D = 2$ and identify other distributed transport systems to which their reasoning may apply. Banavar and co-authors (2002) develop the resource-distribution account further and explicitly work through the $D = 1$ case. Neither that case nor the fractions $1/2$, $2/3$ and $3/4$ are new predictions of the present paper.

The velocity assumption matters even within a three-dimensional supply model. In the two models of Banavar et al. (2010), constant flow velocity across body sizes gives a metabolic exponent of $2/3$; allowing velocity to scale with mass to the power $1/12$, its maximum in those models, gives $3/4$. Their geometric, steady-supply and transport assumptions remain part of the result. Three-dimensional embedding alone therefore does not select one metabolic exponent. Section 6 keeps flow-weighted transport cost, inventory in transit and body mass separate so that the corresponding assumptions can be seen.

Other mechanisms and other meanings of dimension. Demetrius (2003, 2006) and Demetrius and Tuszynski (2010) develop a quantum-statistical account using coupled energy-transducing oscillators and the Debye model. The 2010 paper derives $d/(d + 1)$ in the regime it calls quantum, with d the dimension of the physical space in which its oscillator network is embedded, and states the values $1/2$, $2/3$ and $3/4$ for $d = 1$, 2 and 3. Its classical regime is isometric. These are different physical assumptions from vascular branching. The flow-accounting calculation in Section 6 does not establish their equivalence or turn their shared expression into separate empirical confirmations. Agutter and Tuszynski (2011) review the competing explanations.

In Bettencourt (2013), urban land area scales with population to the power $D/(D + H)$, where D

is the embedding dimension and H is the fractal dimension of travel paths. The case $D = 2$, $H = 1$ gives $2/3$; the expression becomes $D/(D + 1)$ only when $H = 1$. The same framework gives superlinear socioeconomic rates, with exponent $7/6$ in that case. Land area, socioeconomic output and metabolic rate are distinct observables. Their exponents cannot be exchanged without the corresponding model and measurement definitions.

Zhao (2022) derives an $n/(n + 1)$ scaling law for an n-dimensional system from producer-consumer dynamics. That account places biomass production, eukaryote growth, mammalian brain size and the distribution of public facilities in cities within one proposed universality class, and places linear and superlinear scaling outside that class. Its domain statement belongs to that model; it does not establish that every hierarchical network falls within it.

He and Zhang (2004) derive a $4/5$ law for human-brain allometry from the fractal dimension of a brain cell's contour. This is a different geometrical quantity from the transport-network dimension in Section 6. An equal algebraic form does not identify the two quantities or establish the same mechanism.

Finite size and empirical limits. Maino et al. (2014) derive, from Dynamic Energy Budget theory, an equation relating metabolic rate to mass that is the same as the finite-size form of the West, Brown and Enquist model. It approaches the three-quarter power only at large mass. They stress that metabolic rate is not a power function of mass under either framework. The distinction between a finite-range curve and an asymptotic exponent is therefore substantive, not a plotting detail.

The West, Brown and Enquist derivation has been questioned (Dodds et al. 2001; Kozłowski and Konarzewski 2004), and Savage et al. (2008) show that its three-quarter exponent holds only in the limit of infinite network size. Empirical comparisons also require the competing evidence: White and Seymour (2003) report mammalian basal-metabolic estimates compatible with $2/3$ under their stated adjustments and exclusions, while Kolokotrones et al. (2010) find curvature on logarithmic axes. Section 12 sets out the relevant measurements and their limits. A shared fraction across models is not a substitute for choosing between their premises against evidence.

2.2 What this paper adds

The contribution is a mathematical and methodological synthesis with an explicit route from an observable's composition rule to a prediction that can fail. The classical functional equations, their stability theory, regular variation and the earlier transport models supply the starting points. The paper brings them together in three steps:

1. **Declare the equation for the observable.** The input and output operations, variable pair, normalisation and regularity conditions are stated before a family is assigned. Exact, approximate and asymptotic composition are kept distinct. A saturation model supplies additional dynamics; boundedness alone does not put it in the Cauchy grid (Sections 3 to 5).
2. **Expose the assumptions selecting the exponent.** The flow-accounting identity and conditional model of Section 6 state how demand and route length scale. The expression $d/(d + 1)$ is recovered under particular choices of those exponents. Velocity and the bridge from transport cost to biological mass are separate premises. Section 10 states the geometric bound only for the observable pair and assumptions that support it.
3. **Test the non-definitional premises and the resulting prediction.** The prospective transport test in Section 14 separates calibration of the proposed mechanism from held-out response measurements. The source comparisons ask whether the declared premises apply. The cosmological example distinguishes a change of variables from a physical explanation (Section 9); the recursion model keeps an assumed gain equation separate from a measured capability trajectory (Section 11).

This route gives the programme a way to formulate and audit particular scaling claims. It does not establish the empirical propositions of Law I, nor does the occurrence of the same exponent in another domain validate them. Section 16 gives the registered programme's status. Appendix E places each current contribution beside the closest earlier work used here; Appendix B preserves the dated record, and Appendix A records the earlier wording and its corrections.

2.3 The strongest objection: assumptions chosen after the fit

The strongest objection is that the framework could recover a familiar exponent by choosing its operators, dimension or transport assumptions after seeing the data. If a fitted slope is inverted to assign a dimension, or an inventory is calculated from the identity that the study is meant to test, the apparent agreement adds no empirical information. A correct conditional theorem can still be inapplicable to the system being measured.

The answer must be a measurement procedure, not a broader sufficiency claim. The system, variables and eligible network class must be declared in advance. The demand, route-length and velocity assumptions must be checked from measurements that do not merely reproduce the response being predicted, and the prediction must be assessed on held-out networks with independently measured inventory. A precise discrepancy under the declared premises counts against that model's applicability; failure of a premise is reported as a limit on its domain. The protocol must state these decisions before outcomes are examined. Until such a test is completed, the new empirical contribution remains prospective.

The narrower mathematical result is already available: once the flow model's explicit premises hold, its exponent follows. It replaces the earlier assertion that multiplicative composition, space filling and conservation, without further specification, must force $d/(d+1)$. The comparison with prior models is then a concrete question about their assumptions and observables, rather than a claim that different physics has been proved to obey one universal mechanism.

3 Name the function and its variables

A scaling statement identifies two quantities and a range. The same system can have a power law in one variable pair and an exponential in another. The following examples describe functions; they assign no physical mechanism by themselves.

Definition 1 (Power law)**.** For $x > 0$ and $A > 0$,

$$y = Ax^b, \qquad b \in \mathbb{R}. \tag{1}$$

Positive exponents below one are sublinear; one is linear; exponents above one are superlinear. Negative powers decrease. These are all power laws.

Definition 2 (Exponential)**.**

$$y = Ae^{\lambda x}. \tag{2}$$

Equal additive increments in x multiply the output by the same factor. This is distinct from a superlinear power law.

Definition 3 (One saturating response)**.** For $x \geq 0$, $K > 0$ and $Y_{\max} > 0$,

$$y = Y_{\max}\frac{x}{K + x}. \tag{3}$$

This is one bounded increasing form, not the unique consequence of a physical limit. Other bounded dynamics can converge differently or oscillate.

The logarithmic form belongs to the fourth operation pair in Section 4. Saturation requires a separate dynamical or response model. Choosing among these forms requires a declared observable, normalisation, error model and test; a visual resemblance is insufficient.

4 What the composition equations establish

A scaling explanation must specify what is combined and what the observable preserves. Classical functional equations give an exact answer once those choices are fixed (Cauchy 1821; Aczél 1966). Write $G_+ = (\mathbb{R}, +)$ for the additive real numbers and $G_\times = (\mathbb{R}_{>0}, \times)$ for the multiplicative positive real numbers. A homomorphism is a map that preserves the declared source and target operations.

Theorem 1 (Four continuous homomorphism problems)**.** *For each of the following source and target pairs, every continuous homomorphism has the stated form for some $c \in \mathbb{R}$, and each stated function is a homomorphism:*

1. *$F : G_+ \to G_+$ preserves addition in both variables:*

$$F(x + y) = F(x) + F(y), \qquad F(x) = cx, \qquad x, y \in \mathbb{R}. \tag{4}$$

2. *$F : G_\times \to G_\times$ preserves multiplication in both variables:*

$$F(xy) = F(x)F(y), \qquad F(x) = x^c, \qquad x, y > 0. \tag{5}$$

3. *$F : G_+ \to G_\times$ takes input addition to output multiplication:*

$$F(x + y) = F(x)F(y), \qquad F(x) = e^{cx}, \qquad x, y \in \mathbb{R}. \tag{6}$$

4. *$F : G_\times \to G_+$ takes input multiplication to output addition:*

$$F(xy) = F(x) + F(y), \qquad F(x) = c \log x, \qquad x, y > 0. \tag{7}$$

The logarithm is natural. The additive target is real-valued, not restricted to positive outputs. The constant cases are included: $c = 0$ gives the constant zero map into G_+ and the constant one map into $G_\times$. A zero-valued function is not a map into $G_\times$.

4.1 The proof and the scope of the four cells

Proof. First suppose $H : \mathbb{R} \to \mathbb{R}$ is continuous and additive. The identity at zero gives $H(0) = 0$; applying it to $x + (-x)$ gives $H(-x) = -H(x)$. Repeated addition gives $H(nx) = nH(x)$ for every integer n. For a positive integer n, $nH(1/n) = H(1)$, so $H(m/n) = (m/n)H(1)$ for every integer m. Thus $H(q) = cq$ on the rationals, where $c = H(1)$. For any real x, choose rationals $q_j \to x$. Continuity gives $H(x) = \lim_j H(q_j) = cx$.

This proves the first row. For the multiplicative row define $H(t) = \log F(e^t)$ for all real t. Positivity makes the logarithm defined, and the identity for F gives $H(s + t) = H(s) + H(t)$. Continuity therefore gives $H(t) = ct$, and substituting $t = \log x$ gives $F(x) = x^c$.

For the third row, $H(t) = \log F(t)$ is continuous and additive on $\mathbb{R}$, hence $F(t) = e^{ct}$. For the fourth, $H(t) = F(e^t)$ is continuous and additive, hence $F(x) = c \log x$. Direct substitution verifies every converse, including the constant cases. □

Four counts the chosen source and target operation pairs. It does not count all possible physical laws or four disjoint sets of numerical functions. The power-law exponent may be negative, zero, sub-linear or super-linear. A critical power law can have the power-law form; this theorem neither excludes it nor derives its critical exponent or physical mechanism. Other operations and other domains pose different classification problems.

Normalisation is part of the claim. If $Y(x) = Ax^c$ with $A > 0$, then $Y(xy) = Y(x)Y(y)/A$. Its normalised response $F(x) = Y(x)/Y(1)$ satisfies Equation (5). For an exponential measured from a first-pass baseline, $G(R) = e^{c(R-1)}$ has $G(1) = 1$; its additive coordinate is $r = R - 1$. For a baseline-one logarithmic response $G(R) = 1 + c \log R$, the additive output is $G - 1$, not G itself. Changing a coordinate or baseline can change the equation being tested.

4.2 A precise consequence for approximate composition

The following statement applies additive Hyers stability in declared logarithmic coordinates (Hyers 1941). It specifies both the error norm and its domain.

Proposition 1 (Global logarithmic-defect bound)**.** *Let $F : \mathbb{R}_{>0} \to \mathbb{R}_{>0}$ be continuous. If a constant $\varepsilon \geq 0$ satisfies*

$$|\log F(xy) - \log F(x) - \log F(y)| \leq \varepsilon \quad \textit{for every } x, y > 0, \tag{8}$$

then there is a unique $c \in \mathbb{R}$ for which

$$|\log F(x) - c \log x| \leq \varepsilon, \qquad e^{-\varepsilon} x^c \leq F(x) \leq e^{\varepsilon} x^c \quad (x > 0). \tag{9}$$

Proof. Put $h(t) = \log F(e^t)$ and $h_n(t) = 2^{-n} h(2^n t)$. The hypothesis gives

$$|h_{n+1}(t) - h_n(t)| \leq 2^{-n-1}\varepsilon$$

for every real t. Summing this bound shows that h_n converges uniformly to a continuous function A, with $|A(t) - h(t)| \leq \varepsilon$. Also

$$|h_n(s + t) - h_n(s) - h_n(t)| \leq 2^{-n}\varepsilon.$$

Passing to the limit proves that A is additive. The rational and continuity argument above gives $A(t) = ct$. If two constants c_1, c_2 met the uniform bound, then $|(c_1 - c_2)t| \leq 2\varepsilon$ for every real t, forcing $c_1 = c_2$. Substitution of $t = \log x$ and exponentiation give the result. □

An absolute residual $|F(xy) - F(x)F(y)|$ is a different error metric. Observations of finitely many noisy pairs cannot establish the global bound in Equation (8). The proposition contains no dynamics that attract a system towards a family. Its conclusion is proximity under a stated hypothesis, not a claim that perturbations in nature must take this form.

4.3 Scaling limits and regular variation

Suppose F is positive and measurable on the positive reals and, for every $x > 0$, the finite positive limit

$$H(x) = \lim_{t \to \infty} \frac{F(tx)}{F(t)} \tag{10}$$

exists. Then

$$\frac{F(txy)}{F(t)} = \frac{F(txy)}{F(tx)} \frac{F(tx)}{F(t)}$$

Table 1. Assumptions that must accompany a composition claim.

Choice	What must be stated
Observable and coordinates	Input and output variables, their domains, units and baseline
Operations	Both the input and output operation; an update rule alone supplies neither identity
Regularity	The continuity assumption used above, or the precise replacement theorem
Approximation	The norm, quantified domain and error bound, rather than a finite fit alone
Scaling limit	Which ratios converge, over which range, and with what residual variation
Physical interpretation	The separate mechanism and measurement linking the mathematical objects to a system

gives $H(xy) = H(x)H(y)$, because $tx \to \infty$ for fixed $x > 0$. The limit is measurable, for example by taking the sequence $t = n$. The classical measurable Cauchy result then gives $H(x) = x^c$. Writing $\mathcal{L}(t) = F(t)/t^c$ yields

$$F(t) = t^c \mathcal{L}(t), \qquad \frac{\mathcal{L}(tx)}{\mathcal{L}(t)} \longrightarrow 1 \quad \text{for every fixed } x > 0.$$

This is the regular-variation characterisation, with $\mathcal{L}$ a slowly varying factor (Bingham et al. 1987). An asymptotic power ratio need not be an exact power at finite scale. For example, at large t, $t^c \log t$ has the same limiting power ratios but local logarithmic slope $c + 1/\log t$.

The existence and positivity of the limits are hypotheses, not conclusions about every measured curve. Generalised functional equations and homomorphisms form part of the established setting for these questions (Ostaszewski 2016). The empirical contribution sought here is to justify the equation or limit before inspecting the validation curve, then test the resulting prediction against alternatives.

5 The principle and its empirical test

A recursive update describes a succession of states, $Q_{n+1} = T(Q_n, u_n)$, where u_n names any additional input. A composition equation instead relates measurements made at combined inputs. To obtain a scaling prediction, a model must connect the update procedure to the observable equation. Dependence on an earlier state, or associativity of a chosen operation, alone does not provide that connection.

The two operations must both be named. Multiplication of input scale ratios together with multiplication of normalised outputs gives the power-law row of Theorem 1. Addition of input intervals together with multiplication of positive outputs gives its exponential row. Addition of both inputs and outputs gives a linear map; multiplication of inputs together with addition of real outputs gives a logarithm. These are statements about observables, not labels that a substrate acquires merely by branching or feeding back.

For example, the state rule $Q_{n+1} = qQ_n$ with $q > 0$ and $Q_0 > 0$ at integer ticks gives $Q_n = Q_0 q^n$. Although the state is multiplied at every update, the input tick count adds, and the normalised output is exponential in that count. Calling the update "multiplicative" without identifying the input operation would give the wrong classification.

A bound and convergence are different premises. A bounded sequence can oscillate: $Q_n = 2 + (-1)^n$ never converges. For the particular capped update

$$Q_{n+1} = \min(Q_n + \delta_n, K), \qquad 0 \le Q_0 \le K, \quad \delta_n \ge 0,$$

monotonicity and boundedness together imply convergence to a limit at most K. In fact $Q_n = \min(Q_0 + \sum_{j<n} \delta_j, K)$. Its limit equals K only when the cumulative increments reach or exceed the remaining gap; finite-time attainment requires a finite partial sum to do so. Different bounded dynamics can approach a limit at different rates, or fail to approach any limit. Saturation therefore requires its own dynamics and is not a fifth Cauchy cell.

The ARC Principle. The ARC Principle remains Law I of the ARC Theory, a law under test, with its statement and verdict rules fixed by the theory registration. This paper asks whether a justified composition description can predict later scaling. The classical theorem supplies conditional forms; a scientific test must establish why the relevant observable obeys the proposed equation and whether that description predicts held-out observations better than rivals. Neither the theorem nor a retrospective fit supplies a registered verdict. The measurement requirements are set out in Section 15.

6 Where the network exponent comes from

A network's dimension describes its geometry. To predict how much it transports, we also need the demand it serves and the distance over which it carries that demand. The following model separates these quantities. It gives a conditional derivation of the familiar fraction $d/(d+1)$ and identifies the additional measurement needed before that fraction can describe metabolism against body mass.

6.1 An exact accounting identity

Consider a finite rooted tree that carries a resource from one source to sinks i. Each sink receives a steady non-negative rate q_i, with at least one $q_i > 0$. Edge e has length $\ell_e \geq 0$ and carries the sum of the demands downstream of it:

$$Q_e = \sum_{i : e \in P_i} q_i, \tag{11}$$

where P_i is the route from the source to sink i. Flow is conserved at intermediate junctions; the resource counted here is neither created nor consumed before reaching its designated sink. Define total throughput B, flow-length cost C and the demand-weighted mean route length $\bar{\ell}_q$ by

$$B = \sum_i q_i, \qquad C = \sum_e \ell_e Q_e, \qquad \bar{\ell}_q = \frac{\sum_i q_i \ell(P_i)}{B}. \tag{12}$$

If q_i is measured in resource amount per unit time, C has units of resource amount times distance per unit time. It is a flow-length cost, not automatically energy expenditure, network mass or body mass.

Lemma 1 (Flow accounting)**.** *Under these definitions,*

$$C = B\bar{\ell}_q. \tag{13}$$

Proof. Each sink's demand contributes to every edge on its route. Exchanging the two finite sums gives

$$\begin{aligned} C &= \sum_e \ell_e \sum_{i : e \in P_i} q_i = \sum_i q_i \sum_{e \in P_i} \ell_e \\ &= \sum_i q_i \ell(P_i) = B\bar{\ell}_q. \end{aligned} \tag{14}$$

□

The same accounting applies to a network with split routes when every non-negative route flow and every traversal is specified. If there is a circulating flow in addition to the source-to-sink routes, its contribution must be retained:

$$C = B\bar{\ell}_q + C_{\mathrm{circ}}, \qquad C_{\mathrm{circ}} \geq 0. \tag{15}$$

Here $\bar{\ell}_q$ refers only to the specified source-to-sink routes. Alternatively, recirculation that belongs to a delivered resource's itinerary can be included in that itinerary's full length. Counting only its shortest path while charging the actual circulating edge flows would mix two different models.

6.2 Demand and route length select the exponent

Let L denote a dimensionless size coordinate, such as the ratio of a domain's linear extent to a fixed reference length. All dimensional scales below are carried by positive constants B_0 and ℓ_0.

Proposition 2 (Conditional throughput scaling)**.** *For a family satisfying Eq. (13), suppose that, as $L \to \infty$,*

$$\frac{B(L)}{B_0} \sim L^{\mu}, \qquad \frac{\bar{\ell}_q(L)}{\ell_0} \sim L^{\zeta}, \qquad \mu > 0, \quad \mu + \zeta > 0. \tag{16}$$

With $C_0 = B_0\ell_0$, throughput against flow-length cost obeys

$$\frac{B}{B_0} \sim \left(\frac{C}{C_0}\right)^{\alpha_C}, \qquad \alpha_C = \frac{\mu}{\mu + \zeta}. \tag{17}$$

Proof. The accounting identity gives $C/C_0 \sim L^{\mu+\zeta}$. Raising this relation to $\mu/(\mu + \zeta)$ and dividing by $B/B_0 \sim L^{\mu}$ gives a ratio tending to one. □

An asymptotic exponent is not a finite-range prediction. For dimensionless $L > 0$ and a constant $A > 0$, take $B/B_0 = L + A$ and $\bar{\ell}_q/\ell_0 = L$. Then $C/C_0 = L(L + A)$, and both input scalings have limiting exponent one. The asymptotic throughput exponent against C is $1/2$, but direct differentiation gives the local slope

$$\frac{\mathrm{d}\log B}{\mathrm{d}\log C} = \frac{L}{2L + A} < \frac{1}{2}. \tag{18}$$

A finite-range fit need not recover the limit. A predictive experiment must therefore lock either the complete finite-range functions and their uncertainty or explicit bounds on the finite-size corrections. Simply inserting two limiting exponents into Equation (17) does not supply that prediction.

The geometric special case is therefore

$$\alpha_C = \frac{d}{d + 1} \qquad \text{when } \mu = d \text{ and } \zeta = 1. \tag{19}$$

Both premises need a reason. Suppose a d-dimensional family has a number of sinks proportional to L^d and a mean demand per sink tending to a positive size-independent value. Then total demand has exponent $\mu = d$. Constant sink density in an expanding domain is one way to obtain the required sink count. A change in density or demand per sink changes this conclusion even when the embedding dimension stays fixed.

Route scaling needs an equally explicit condition. Suppose a fixed positive fraction of total demand lies at distance at least $cL\ell_*$ from the source, where $c > 0$ and ℓ_* is a fixed length, while every served route has length at most $KL\ell_*$ for a size-independent K. The lower distance condition and the upper route bound place $\bar{\ell}_q$ between positive constant multiples of L. Within the power-scaling assumptions of Eq. (16), they force $\zeta = 1$. Bounds alone do not supply a limiting prefactor; the stronger asymptotic relation also requires

convergence of the normalised mean route length, for example through a specified self-similar family. Demand concentrated near the source, increasing path stretch or unaccounted recirculation changes the premises.

The demand-distance argument also gives a conditional bound. If the positive fraction at distance at least $cL\ell_*$ is retained but the upper route bound is dropped, then $\bar{\ell}_q$ is at least a positive constant times L. Under Eq. (16), $\zeta \geq 1$. With $\mu = d > 0$, this implies $\alpha_C \leq d/(d+1)$. The bound concerns the declared throughput and flow-length cost; its hypotheses are part of the result.

6.3 Inventory and body mass are separate quantities

An inventory relation can be derived when the transported resource moves at a common speed v on every edge. In steady flow, the amount in transit on edge e is its rate Q_e multiplied by its transit time ℓ_e/v. Thus

$$N = \sum_e Q_e \frac{\ell_e}{v} = \frac{C}{v}. \tag{20}$$

Here N counts the resource in transit. It excludes stored material and waiting time unless those are added to the residence-time accounting. If edge speeds differ, the exact expression is instead $N = \sum_e Q_e \ell_e / v_e$; an arbitrary average speed cannot replace the v_e.

A speed that is uniform within each network may still change between sizes. If $v/v_0 \sim L^\upsilon$, then

$$\frac{N}{N_0} \sim L^{\mu+\zeta-\upsilon}, \qquad \alpha_N = \frac{\mu}{\mu+\zeta-\upsilon}, \qquad N_0 = \frac{C_0}{v_0}, \tag{21}$$

where α_N is the throughput exponent against inventory and the denominator must be positive. Constant speed across sizes is the special case $\upsilon = 0$.

Body mass M requires its own bridge. If independent physiological evidence establishes

$$\frac{M}{M_0} \sim \left(\frac{C}{C_0}\right)^\eta, \qquad \eta > 0, \tag{22}$$

then the metabolic interpretation of B, if established, would give the mass exponent

$$\alpha_M = \frac{\mu}{\eta(\mu+\zeta)}. \tag{23}$$

The constants in Eq. (22) carry the units. Neither $\eta = 1$ nor a proportionality between body mass and inventory follows from geometric dimension. A measured metabolic quantity must also correspond to the resource throughput being modelled.

The velocity dependence is explicit in Banavar et al. (2010). Their radial and hierarchically branched models supply a three-dimensional volume. They obtain a metabolic mass exponent of $2/3$ when flow velocity is independent of body size, and an upper value of $3/4$ when velocity scales as $M^{1/12}$ under their additional service-volume constraints. Their assumptions make the inventory in transit proportional to mass and route length proportional to $M^{1/3}$. In that setting the accounting reads

$$B \propto \frac{Mv}{\bar{\ell}_q} \propto M^{2/3+\nu}, \qquad v \propto M^\nu. \tag{24}$$

This explains the two exponents without changing the spatial dimension. The permissible upper value of ν is supplied by that model's constraints, not by the accounting identity. Its demand and mass assumptions must not be silently replaced by $\mu = d$ and $M \propto C$.

6.4 What a cross-domain comparison tests

The useful prediction is now explicit: independently characterised demand and routing determine a throughput-cost exponent, and a separately justified bridge determines whether it is also a mass exponent. A comparison must state the two measured variables, the size range, physiological or physical conditions, and the uncertainty in each premise. Computing C from $B\bar{\ell}_q$ and then recovering the same identity is an accounting check; evidence for the model comes from independent measurements of the premises and a prediction of outcomes not used to choose them.

Biological measurements distinguish these possibilities. White and Seymour (2003) report mammalian basal-metabolism fits compatible with $2/3$ after temperature adjustment and restrictions on eligible measurements. Kolokotrones et al. (2010) report curvature in mammalian metabolic scaling, so a fitted constant exponent depends on the mass range. These results concern defined datasets and measurement conditions. Source-specific values and methods belong with those definitions in Section 12; selected means do not supply a new validation of Eq. (19).

The same requirement applies outside biology. A roughness exponent, a distribution-tail exponent, a throughput exponent and a cosmological scale-factor exponent describe different variable pairs. An analytic equality between selected fractions supplies no measurement of demand or routing. Section 9 gives a complete example: its powers follow from the fluid equations, while the apparent network dimension is introduced afterwards by a change of variables. The transport result remains a definite conditional statement, with a mechanism and observables that can be specified before a test.

7 What metabolic scaling implies for the heartbeat

The heart supplies oxygen by moving blood, but a beat is not a fixed quantity of oxygen delivery across animals. Stroke volume and the oxygen extracted from each unit of blood connect metabolic demand to heart rate. Writing that balance explicitly shows what is required for a quarter-power relation.

7.1 The oxygen balance

Let $\dot{V}_{\mathrm{O}_2}$ denote whole-body oxygen consumption per unit time, f_H heart rate, V_s stroke volume and ΔO_2 the difference between arterial and mixed-venous oxygen content per unit blood volume. At steady state, with no net accumulation of the oxygen being accounted for, consumption equals blood flow multiplied by the oxygen removed from that flow. Since cardiac output is $f_H V_s$, the Fick balance is

$$\dot{V}_{\mathrm{O}_2} = f_H V_s \Delta O_2. \tag{25}$$

The units are oxygen amount per unit time on each side: beats per unit time, multiplied by blood volume per beat and oxygen amount per blood volume. This is a conservation relation, not a spatial scaling law.

Use the dimensionless mass $m = M/M_0$ and suppose, over a declared range and comparable physiological conditions, that

$$\dot{V}_{\mathrm{O}_2} = \dot{V}_0 m^b, \qquad V_s = V_{s0} m^s, \qquad \Delta O_2 = \Delta O_{20} m^e, \tag{26}$$

with positive prefactors. Substitution gives

$$f_H = f_{H0} m^h, \qquad h = b - s - e, \qquad f_{H0} = \frac{\dot{V}_0}{V_{s0}\Delta O_{20}}. \tag{27}$$

An asymptotic version follows if the three input relations are asymptotic rather than exact powers. In either case, the familiar $h = -1/4$ follows from the three scaling assumptions $b = 3/4$, $s = 1$ and $e = 0$.

The oxygen consumed grows as the three-quarter power, stroke volume grows in proportion to mass, and oxygen extraction per unit blood volume is independent of mass. A metabolic-energy exponent can stand in for b only when its conversion to oxygen consumption is justified for the measurements in question.

Mass-specific oxygen consumption is a different quantity:

$$\frac{\dot{V}_{O_2}}{M} = \frac{\dot{V}_0}{M_0} m^{b-1}. \tag{28}$$

Its exponent equals the heart-rate exponent only if $s + e = 1$. The balance therefore gives a testable relation between three physiological scalings; dimension alone supplies neither an individual's pulse nor its prefactor.

7.2 Physiological state is part of the observation

Goldbogen et al. (2019) recorded one male blue whale for 8.5 hours. Diving heart rates were typically 4 to 8 beats per minute, with a minimum of 2; post-dive surface rates reached 25 to 37. Their approximately 15 beats per minute resting value was an allometric prediction, not a direct measurement of a resting constant. These observations show why diving, recovery and resting values must retain their conditions. They are not interchangeable points in a cross-species resting-heart-rate fit.

A comparison between species must therefore state the activity and thermal conditions, mass measurements, reference ranges and uncertainty, and must establish the stroke-volume and extraction assumptions relevant to that comparison. Choosing one representative pulse for each animal and supplying one animal's value as a prefactor does not independently test a prediction from network dimension.

7.3 Lifetime totals require a lifetime average

The number of beats over a lifespan τ is the integral of heart rate over that life:

$$N_{\text{beats}} = \int_0^\tau f_H(t)\,\mathrm{d}t = \bar{f}_H \tau, \qquad \bar{f}_H = \frac{1}{\tau}\int_0^\tau f_H(t)\,\mathrm{d}t. \tag{29}$$

Here $\bar{f}_H$ is the lifetime mean, not a resting measurement. If that mean and a consistently defined lifespan scale as $m^{\bar{h}}$ and m^{ℓ}, their product scales as $m^{\bar{h}+\ell}$. Cancellation requires $\bar{h} + \ell = 0$. It removes a mass exponent within the specified model; it does not establish a universal numerical total across species, activity histories or definitions of lifespan. The prefactors and the replacement of a lifetime mean by a convenient resting value remain separate empirical questions.

8 The fission chain reaction

The rest-energy relation $E = mc^2$ (Einstein 1905) and the kinetics of a chain reaction answer different questions. A reaction's energy release depends on the difference between initial and final states. In a simplified branching description, the expected number of events in generation n obeys $N_{n+1} = kN_n$, with a fixed effective multiplication factor k. Then $N_n = N_0 k^n$ is exponential in additive generation count. This is a mathematical description under a fixed-factor premise, not a claim that an actual transient keeps that factor constant.

What the grid does and does not explain: the chain reaction. A branching model grows exponentially while its effective multiplication factor exceeds one and stays constant. That is a branching process, and the arithmetic was understood in the late 1930s; it owes nothing to this work. In the four-cell grid it

Table 2. The chain reaction's regimes.

Regime	k	Cell of the grid	Behaviour	Status
Subcritical	$k < 1$	Additive input, multiplicative output	Exponential decay	Classified, not predicted
Supercritical	$k > 1$	Additive input, multiplicative output	Exponential growth	Classified, not predicted
Controlled	$k \approx 1$	Bounded by feedback (outside the grid)	Steady power	Classified, not predicted

sits in the additive-input, multiplicative-output cell, so the grid *classifies* it correctly. Classifying is not explaining. The physical mechanism and the conditions that sustain its effective factor must be supplied separately; naming the cell adds no physical content.

The box this section carried until 11 August 2026 is recorded in Appendix A.3.

9 Cosmic expansion and the meaning of a shared formula

Cosmology provides a precise example of the difference between deriving a power and relabelling it. The expansion law follows from gravitational dynamics and the fluid's equation of state. Expressing its exponent as $d/(d+1)$ afterwards does not supply an independently measured transport dimension.

9.1 The fluid equations determine the expansion

Consider an expanding, spatially flat, homogeneous and isotropic model with one positive-density perfect fluid and constant equation-of-state parameter w. Write $P = w\rho c^2$, with ρ the mass-equivalent density, P pressure and c the speed of light. There is no additional component in this single-fluid solution. With $H = \dot{a}/a$, the Friedmann and continuity equations give (Carroll et al. 2003)

$$H^2 = \frac{8\pi G}{3}\rho, \tag{30}$$

$$\dot{\rho} = -3H(1+w)\rho, \tag{31}$$

$$\frac{\ddot{a}}{a} = -\frac{4\pi G}{3}(1+3w)\rho. \tag{32}$$

For $w > -1$, integrating on the expanding branch gives

$$a(t) = a_* \left(\frac{t - t_0}{t_*}\right)^p, \qquad p = \frac{2}{3(1+w)}, \qquad t > t_0, \tag{33}$$

where $a_* > 0$ and $t_* > 0$ are reference scales consistent with the density normalisation. One way to see the exponent is to integrate Eq. (31), obtaining $\rho \propto a^{-3(1+w)}$, and insert this into Eq. (30). The resulting equation makes $a^{3(1+w)/2}$ proportional to $t - t_0$.

The case $w = -1$ is solved separately. Its density is constant, so the expanding branch has constant $H = H_\Lambda > 0$ and

$$a(t) = a_* \exp\big[H_\Lambda (t - t_*)\big]. \tag{34}$$

This exponential follows by integrating $\dot{a} = H_\Lambda a$. It is not a finite power of time obtained by substituting $w = -1$ into Eq. (33).

9.2 Acceleration and exponential expansion are distinct

The deceleration parameter of the single-fluid model is

$$q_{\mathrm{dec}} = -\frac{a\ddot{a}}{\dot{a}^2} = \frac{1+3w}{2}. \tag{35}$$

Positive density therefore gives acceleration when $w < -1/3$. At $w = -1/3$, the power exponent is $p = 1$ and the solution coasts linearly. For $-1 < w < -1/3$, it is an accelerating power law. In particular, $w = -2/3$ gives $p = 2$ and $a(t) \propto (t - t_0)^2$. Exponential expansion occurs at $w = -1$ under the assumptions above (Carroll et al. 2003).

Version 3.13 already corrected the earlier identification of the acceleration boundary with a change from power-law to exponential expansion. That correction is retained here. The quadratic example makes its consequence explicit: acceleration does not require an exponential. A linear function is itself a member of the power-law family, not a boundary of that family's mathematical existence.

9.3 An algebraic coordinate, not a measured dimension

For a finite power exponent $p \neq 1$, define

$$d_{\mathrm{eff}} = \frac{p}{1-p} = \frac{2}{1+3w}, \qquad p = \frac{d_{\mathrm{eff}}}{d_{\mathrm{eff}}+1}. \tag{36}$$

In this section d_{eff} is solely the coordinate defined by that equation. It is not the independently specified geometric d in Section 6. Within the expanding power-law branch, the map is finite for $w > -1$ except at $w = -1/3$. It is positive for $w > -1/3$ and less than -1 for $-1 < w < -1/3$.

At $w = -1/3$, the map has a pole while the physical solution remains linear and regular. Approaching the boundary from the decelerating side sends d_{eff} to positive infinity; approaching from the accelerating side sends it to negative infinity. Formally substituting $w = -1$ gives $d_{\mathrm{eff}} = -1$, where the expression for p is undefined. The exponential solution therefore has no finite power exponent represented by this coordinate.

Table 3. Analytic cases of the flat, constant, single-fluid model. The entries follow from its equations; they are not measured network dimensions or independent confirmations of a network law.

Fluid or case	w	Time exponent p	q_{dec}	d_{eff}
Stiff fluid	1	1/3	2	1/2
Radiation	1/3	1/2	1	1
Pressureless matter	0	2/3	1/2	2
Coasting	−1/3	1	0	Undefined
Accelerating example	−2/3	2	−1/2	−2
Vacuum	−1	Exponential	−1	Not applicable

The radiation and pressureless-matter powers follow from $w = 1/3$ and $w = 0$ in the fluid equations. Those equations assume a homogeneous background; neither a photon-path network nor a cosmic-web partition enters their derivation. Interpreting the numbers 1 and 2 in the last column as such mechanisms would add a premise that has not been established by the change of variables. Nor does the cosmic web supply those numbers. The flat, matter-only model of Einstein and de Sitter (1932) is the case $w = 0$ of Table 3, and the matter era it idealises began at matter-radiation equality, at redshift $z_{\mathrm{eq}} = 3402 \pm 26$ in the baseline results of Planck Collaboration (2020, Table 2). The web is "the largest scale manifestation of the anisotropic gravitational collapse of matter" and "consists of the largest non-linear structures in

the Universe" (Cautun et al. 2014); it formed by that collapse, long after the matter era began. In it, the analysis of Cautun et al. (2014) "identifies clusters and filaments as the most prominent components of the web", while "voids and sheets take most of the volume".

9.4 Idealised components and cosmic history

A single constant w is an idealisation, not a complete history of a universe containing several evolving contributions. The powers in Table 3 describe the stated one-component models and can describe limiting regimes when their assumptions apply. A mixture, an evolving equation of state, spatial curvature or the branch with $w < -1$ requires its own solution. A change in the dominant component does not, by itself, establish a change in an independently measured composition operator.

9.5 What the common form establishes

Equation (36) is a reparametrisation of an exponent already derived from cosmology. It supplies no extra equation for the expansion, and fitting d_{eff} from the same power cannot be an independent prediction of that power. In the transport calculation, by contrast, the proposed exponent depends on demand, routes and an observable bridge that must be specified before their prediction is tested.

The connection that survives is exact and useful: a shared functional form can organise a comparison while leaving the physical derivations distinct. A claim of a common mechanism would require additional equations and independently identified quantities linking the two domains. The fluid calculation itself supplies no biological prediction, and a biological exponent is not a measurement of the cosmological coordinate in Eq. (36).

10 A conditional geometric bound

Geometry becomes predictive when the transported quantity and the route assumptions are specified. Use the source-to-sink model of Section 6: sink i receives a nonnegative demand rate q_i, with positive total demand $B = \sum_i q_i$; edge e has length ℓ_e and downstream flow Q_e. For the declared routes P_i, the flow-weighted mean path length is $\bar{\ell}_q = B^{-1} \sum_i q_i \ell(P_i)$. On a rooted tree, exchanging the sums gives

$$C = \sum_e \ell_e Q_e = \sum_i q_i \ell(P_i) = B\bar{\ell}_q. \tag{37}$$

Here C has units of demand rate times length. It is not automatically energy expenditure, material inventory or body mass. A network with recirculation needs its additional transported flow accounted for explicitly.

Consider a family indexed by dimensionless linear scale $L \to \infty$, and suppose

$$B(L) \sim b_0 L^{\mu}, \qquad \bar{\ell}_q(L) \sim \ell_0 L^{\zeta}, \qquad b_0, \ell_0 > 0, \quad \mu > 0. \tag{38}$$

When $\mu + \zeta > 0$, Equation (37) implies

$$B \sim b_0^{1-\alpha_C} \ell_0^{-\alpha_C} C^{\alpha_C}, \qquad \alpha_C = \frac{\mu}{\mu + \zeta}. \tag{39}$$

The exponent concerns this observable pair. It is not selected by the Cauchy equation alone.

Proposition 3 (Demand at macroscopic distance)**.** *Suppose fixed constants $0 < p \leq 1$ and $c > 0$, independent of L, have the following property for all sufficiently large networks: sinks at Euclidean*

distance at least cL from the source account for at least the fraction p of total demand. Under Equation (38), route lengths measured in the same physical metric obey $\zeta \geq 1$. Consequently

$$0 < \alpha_C \leq \frac{\mu}{\mu + 1} < 1.$$

Proof. Every route to those sinks has length at least their source-to-sink distance. Hence $\bar{\ell}_q \geq pcL$. If $\zeta < 1$, the assumed relation $\bar{\ell}_q \sim \ell_0 L^\zeta$ would give $\bar{\ell}_q / L \to 0$, contradicting this lower bound. Thus $\zeta \geq 1$, and the inequality follows from $\mu > 0$. □

Setting $\mu = d$ needs an additional demand assumption. For example, if the number of sinks is asymptotic to $n_0 L^d$ under fixed sink density and their average demand tends to a positive constant q_0, then $B \sim n_0 q_0 L^d$. Embedding a network in a d-dimensional domain alone does not fix its sink number or demand. If, in addition to the lower bound above, route stretch is bounded so that $\bar{\ell}_q \leq KL$ with fixed K, the stated power asymptotic has $\zeta = 1$. Only with both choices does $\alpha_C = d/(d+1)$ follow as an equality.

Table 4. Conditional throughput versus transport exponents when $\mu = d$ and $\zeta = 1$; these are analytic values, not measurements.

d	$\alpha_C = d/(d+1)$	$1 - \alpha_C$
1	1/2	1/2
2	2/3	1/3
3	3/4	1/4
10	10/11	1/11

To transfer this result to another response variable requires another model. If body mass satisfies $M \sim m_0 C^\eta$ with $m_0, \eta > 0$, the corresponding exponent is $b_M = \alpha_C / \eta$, not automatically α_C. At a specified common transport velocity v, inventory in transit is C/v; scale-dependent velocity changes that bridge. The physical assumptions in transport explanations must therefore be compared directly (West et al. 1997; Banavar et al. 1999, 2010). An observed exponent above one for a different variable pair contradicts neither Proposition 3 nor finite-dimensional geometry. Systems that do not meet these premises can also exceed one: prokaryote metabolic rate scales superlinearly with mass (DeLong et al. 2010), and quantities reflecting wealth creation and innovation in cities scale superlinearly with population (Bettencourt et al. 2007). The limit $d/(d+1) \to 1$ as $d \to \infty$ is a limit of this formula, not a physical phase boundary.

11 Recursive capability and correction

The transport exponent of Section 10 concerns demand against a flow-weighted transport quantity. Capability against recursive depth is another observable pair. A capability exponent above one would not be an escape from a physical law; it would require its own model and measurement, with the hardware, energy, latency and evaluation costs still accounted for.

11.1 A fixed rule can generate super-linear growth

The unchanged rule

$$x_{n+1} = (\sqrt{x_n} + 1)^2, \qquad x_0 = 1, \tag{40}$$

gives $x_n = (n+1)^2$ for every integer $n \geq 0$. The initial value has that form, and substituting $(n+1)^2$ into the rule gives $(n+2)^2$. This is a counterexample to the mathematical inference that fixed rules force sub-linearity; it is not an AI measurement.

Frozen model weights, fixed agent code, persistent memory, prompts, tools and the procedure that proposes subsequent improvements are separate experimental choices. A change to any one does not guarantee improvement or faster improvement in the next round. A test must identify what changes, what remains fixed, the available resources and the outcome. The error-decay fit reported in Paper II remains inconclusive, and its earlier super-linear estimate remains retracted; neither result is replaced by this counterexample.

11.2 The shifted cumulative-advantage model

Let $r \geq 0$ count added passes, with dimensionless amplification $g(0) = 1$. A separate dynamical assumption is

$$\frac{dg}{dr} = ag^{\beta_L}, \qquad a > 0, \quad \beta_L < 1. \tag{41}$$

At fixed parameters, integration gives

$$\frac{g^{1-\beta_L} - 1}{1 - \beta_L} = ar, \qquad g(r) = \left(1 + \frac{a}{\alpha} r\right)^{\alpha},$$

where

$$\alpha = \frac{1}{1 - \beta_L} > 0. \tag{42}$$

Thus $g(r) \sim (a/\alpha)^{\alpha} r^{\alpha}$ as $r \to \infty$. At $\beta_L = 0$ the marginal gain is constant and $g = 1 + ar$, an affine gain rather than an assertion of statistically independent steps. For $0 < \beta_L < 1$ the solution is convex and its asymptotic exponent exceeds one; negative β_L gives an asymptotic exponent below one. These are properties of the assumed ODE, not architectural classifications. A response such as task accuracy is bounded, so an unbounded gain law cannot describe it at arbitrary depth. Its measured regime, saturation and evaluation axis must be specified; a finite improvement in a bounded score is not evidence for an indefinitely valid asymptotic growth law.

For $r > 0$ the local elasticity is

$$\frac{d \log g}{d \log r} = \frac{\alpha r}{r + \alpha/a}. \tag{43}$$

The scale $r_c = \alpha/a$ is where that elasticity equals $\alpha/2$. It is not a discontinuity or, in general, the onset of elasticity above one. When $\alpha > 1$, that onset occurs at $r > r_c/(\alpha - 1)$. Over a finite window a fitted exponent need not equal α.

In first-pass coordinates put $R = r + 1$ and $G(R) = g(R - 1)$. For a fixed positive baseline I, the model reads

$$U(R) = IG(R), \qquad G(R) = \left[1 + \frac{a}{\alpha}(R - 1)\right]^{\alpha}, \qquad R \geq 1. \tag{44}$$

Here $G(1) = 1$. The exact identity $G(R) = R^{\alpha}$ requires $a = \alpha$; otherwise that power is an asymptotic form with its own prefactor. Elasticity against R is $\alpha R/(R - 1 + \alpha/a)$, a different finite-depth quantity from Equation (43).

There is an exact composition identity for the shifted solution, but its input operation is deformed addition:

$$r \oplus_a s = r + s + \frac{a}{\alpha} rs, \qquad g(r \oplus_a s) = g(r)g(s), \qquad r, s \geq 0. \tag{45}$$

Indeed $1 + (a/\alpha)(r \oplus_a s) = [1 + (a/\alpha)r][1 + (a/\alpha)s]$. This injective change of variable also proves associativity and gives the identity element zero on the nonnegative half-line. The resulting structure is a commutative monoid, not the full additive real group in Theorem 1. Generalised functional equations treat such distinctions (Ostaszewski 2016). Recognising the operation does not establish that a measured agent obeys it. Nor does the limit $\beta_L \to 1$ at fixed a, r, which gives $g(r) \to e^{ar}$, create a finite-depth divergence.

11.3 Elapsed time, correction and the conditional ceiling

Depth and time cannot be interchanged without a clock model. Paper XIII defines self-acceleration through cycle duration proportional to capability to the power $-\delta$, with constant $\delta \geq 0$ on a fixed substrate. With fixed parameters and that duration law, combining the gain ODE with elapsed time gives $k = \delta - 1/\alpha$ in a capability-growth law proportional to U^{1+k}. Hardware procurement, a proportional overhead and an irreducible additive serial latency are not the same clock change. An additive latency changes the local self-acceleration exponent; the constant-exponent clock law must therefore be checked rather than inferred from faster completion alone.

Paper X separately models departure magnitude D, the normalised index D/U, correction strength and capability growth. Its correction exponent, denoted β_C here, is not the gain coupling β_L. With positive gain drift, no level drift and the specified power-law correction model, $\beta_C > k$ is the condition for the modelled fraction to vanish. With positive gain and level drift the stated condition is $\beta_C > \max(k, 0)$. These results assume the model's forcing and correction laws; an unbounded power-law corrector is a substantive premise. At equality, and with compounding, coefficients and forcing matter. Delay, finite capacity and a change of measurement clock require their own analysis. A vanishing fraction can accompany growing absolute D, and neither quantity is itself a measure of harm. A regular equation in a depth coordinate does not guarantee enough wall-clock time for human intervention.

The registered conditional pacing relation of Law III, the ARC Ceiling, a law under test, is

$$\alpha_{\text{crit}} = \frac{1}{1-\gamma}, \qquad 0 \leq \gamma < 1. \tag{46}$$

It requires the specified burden model and zero direct-depth term; it is not derived here from a joint model of capability, correction accumulation, covariance, delay and absolute harm. On the displayed domain, $\alpha_{\text{crit}} \leq 2$ is equivalent to $\gamma \leq 1/2$. The same-class inequality carried by P6 with P20, and the conjectured equality at one half, remain distinct from the ODE relation in Equation (42). Their similar algebra supplies no independent confirmation. The theory registration and its frozen verdict rules remain authoritative; this section adds no verdict or rule and establishes no universal ceiling of two.

11.4 Quantum error correction: distinguish the axes

The surface-code result reports logical error per cycle against code distance, with suppression factor $\Lambda = 2.14 \pm 0.02$ per distance increase of two (Google Quantum AI and Collaborators 2025). The preprint was public from 24 August 2024 and the result announced on 9 December 2024; its relation to this programme is convergent timing, not a prediction. Code distance, physical-qubit count and elapsed correction cycles are different inputs. The author correction published on 28 April 2026 changes the label of Figure 3a from surface-code distance to repetition-code distance and corrects its legend keys; it is not a change of that horizontal axis into elapsed cycles (Google Quantum AI and Collaborators 2025).

A stable per-cycle error rate therefore does not imply saturation of cumulative failure at a harmless ceiling. These are established or conditional error-accounting relationships, not proof of the proposed capability model. Likewise, a favourable capability or correction exponent demonstrates neither intrinsic ethical behaviour nor a deployed safety guarantee. Evaluation must specify the values and tasks, measure usefulness alongside correction, and retain human oversight, containment and shutdown for as long as they can be held. Embedded correction is the programme's contingency for control lost against our will, whose effectiveness still requires the relevant tests.

Table 5. Distinct quantum-error-correction comparisons and their assumptions.

Input axis	What the corresponding statement means
Code distance d_{code}	Below-threshold error suppression is reported against spatial redundancy, not recursion duration.
Physical-qubit count N	Under the illustrative relations $p_L = p_0 e^{-\kappa d_{\text{code}}}$ and $N = \nu d_{\text{code}}^2$, substitution gives $p_L = p_0 e^{-\kappa\sqrt{N/\nu}}$, not an exponential in N.
Cycle count T	For independent cycles with constant $0 < p_L < 1$, cumulative failure probability is $1 - (1 - p_L)^T$, tending to one as T increases. Temporal dependence needs a different model.

12 Evidence, with its measurement and scope

The mathematical statements in Sections 4 and 6 follow from their premises. Applying them requires separate evidence for those premises. An analytic identity, a fitted slope and a prospectively tested prediction are different kinds of support.

12.1 Biological comparisons

The source-specific metabolic estimates and their measurement conditions are retained in Appendix F. They are not pooled into a new estimate of a universal exponent. In particular, the fungal table mixes biomass with radial extension; its former mean and tests do not establish one transport scaling relation. A non-significant test against one half is not an equivalence result. The earlier three-group ANOVA and model comparisons also relied on a group subsequently excluded from the proposed network class. Those comparisons are retained as superseded history and carry no current validation weight.

Note on the $\frac{3}{4}$ debate. The empirical value of the mammalian metabolic scaling exponent is debated, with estimates ranging from approximately 0.67 to 0.75 depending on taxon, mass range, temperature correction, and statistical method (White and Seymour 2003; Glazier 2005, 2022). White and Seymour's data set of 619 species gives an exponent of 0.69 and, once body temperature and digestive state are allowed for, exponents not significantly different from $\frac{2}{3}$ (White and Seymour 2003); Savage et al. (2004) find 0.737 for 626 species with the data binned by mass (0.712 unbinned); and Kolokotrones et al. (2010) find the relation convex on logarithmic axes, and so not a pure power law, and report that a model based on vascular-system architecture fails their test. The $d/(d+1)$ value of 0.750 for $d = 3$ matches the upper end of this range; it is not an empirical consensus.

12.2 Comparisons across domains

Different transport and metabolic models can yield related formulae under different assumptions (Section 2). That motivates comparison of their mechanisms. It supplies no proof that composition, space filling and conservation alone select an exponent. The conditional transport calculation makes the extra premises explicit.

The Friedmann change of variables and the cited analytic physics values are not independent measurements of this model. Unsourced fragmentation values remain excluded. A network dimension must be assigned from independent geometry or construction before it is used to predict the response.

12.3 Other reported programme results

Paper VII contains the programme's historical composition-classification comparisons. Their outcome

depends on the classified observable, candidate set and scoring procedure; it is not proof that every physical process is a homomorphism. Its dated report and the associated registrations are the sources for those tests, which were not rerun for this revision.

The alignment comparison in Paper IV.d, version 2.7, reports that two earlier unblinded rises did not hold in a later run that changed several protocol components. The October code review found defects, so the comparison establishes no single cause and no correct direction. The separate Eden Protocol pilot and Paper V report changes under scoring that was not blind, without a complete usefulness measure. These results retain their own scope; none validates a physical transport exponent. The detailed alignment and pilot accounts, including the failed run and scoring limitations, are retained in Appendix H.

Unit 83's registered performance contrast is stated with its limitations in Section 16. It is a test of correction placement on an administered task, not of the transport theorem, the Cauchy identities or a numerical capability ceiling.

12.4 Reported error-scaling measurements from the companion programme

The compute scaling question has been examined in Paper II, version 2.19, across 5 frontier architectures using 18 AIME/Putnam-level problems. Its equation (1) models the error proportion as $E(R) = E_0 R^{-\alpha_E}$; this section writes α_E to distinguish that error-decay estimand from a general capability exponent. For the reported Gemini fit, the predictor is mean generated tokens at three non-zero-error depth levels; the parallel predictor is sample count. The reciprocal-error ratio $E_0/E(R)$ shares the fitted power only under that declared model and where $E(R) > 0$. Accuracy, general capability, β_L, β_C, γ and the depth-to-time parameter δ are not thereby measured. This paper predicts no numerical value for the error exponent. Table 6 retains the reported estimates and their reliability assessments.

Interpretation. Only Gemini 3 Flash supplies an interpretable error-decay fit in this comparison. For that model, Paper II reports an endpoint sequential exponent of 0.59 with a bootstrap 95 per cent interval of −1.3 to 2.9, a regression sequential exponent of 0.49 with a standard error of 0.20 and a coefficient of determination of 0.86, and a parallel exponent of 0.31 (endpoint; 0.34 by regression), its arms not matched for compute. It is one model's fit and inconclusive. The two sequential point estimates are below one, and the endpoint estimate's interval extends above one. The models' order in raw performance (DeepSeek > GPT > Gemini > Groq) bears on no prediction of this paper, and most individual measurements are unreliable due to ceiling effects. The apparently super-linear exponents for DeepSeek R1 ($\alpha = 3.05$) and, over all 30 problems, GPT-5.4 ($\alpha = 1.47$) are artefacts: the first of accuracy near the ceiling, the second of a step from no reasoning to any. They are not evidence of a super-linear capability trajectory or a reliable super-linear error-suppression relation. Measuring the full cross-architecture hierarchy requires harder problem sets (IMO-level or research-grade) that keep all models away from ceiling.

Selection disclosure, before the number is used elsewhere. One clean fit in five is not by itself evidence of the framework. The four traces that could not be fitted are not neutral absences: they are outcomes of the same experimental design that produced the fifth, and Gemini 3 Flash is reported first because it was the only model whose scaling regime was clean enough to fit a power law at all, a selection made after the results were seen. On its own, this sweep cannot discriminate the framework from a null in which one clean sub-linear curve arises by sampling; the bootstrap interval $[-1.3, 2.9]$ is wide even within that selected fit and does not account for the post hoc selection of the model; the harder-problem re-run described above, keeping every model off the ceiling, is the route prepared as a draft registration awaiting human submission, toward a discriminating estimate. The 0.49 value, the regression exponent, is therefore always quoted with the rest of its row and the fixed-weight settings tested, as the interpretation above quotes it, never as a stand-alone confirmation.

The parallel sampling finding. The five runs' result files record parallel exponents of about 0.00 (DeepSeek R1), −0.03 (GPT-5.4), 0.31 (Gemini 3 Flash, by endpoint estimate; 0.34 by regression), 0.22

Table 6. Level 7: reported error-decay exponents (Paper II, version 2.19, Table 8).

Model	$\alpha_{E,\text{seq}}$	Bootstrap 95% CI	r^2	Reliability
Gemini 3 Flash	0.59 (endpoint); 0.49 (regression, standard error 0.20)	[−1.3, 2.9] (endpoint)	0.86 (regression)	**Cleanest measurement.** Monotonic accuracy curve across depth levels. Parallel exponent 0.31 (endpoint; 0.34 by regression), the arms not matched for compute. One model's fit and inconclusive.
Groq Qwen3-32B	N/A	N/A	N/A	Floor effect (about 50%, erratic).
GPT-5.4	N/A	N/A	N/A	Step function (53.7% → 100%). Not a clean power law.
DeepSeek R1	3.05	[−6.6, 23.5]	N/A	**Unreliable.** Near ceiling (94.4% to 100%); a very wide interval.
Grok 4.1 Fast	−6.62	[−58, 48]	N/A	Near ceiling (96.3% to 100%); 100% at every sample count in the parallel arm. Meaningless noise from a near-perfect ceiling.

The rows follow Table 8 of Paper II, version 2.19, on its 18 tier-2 problems; DeepSeek R1 is the model called through the identifier `deepseek-reasoner`. GPT-5.4 and Groq Qwen3 have no tier-2 sequential estimate there; their result files record endpoint estimates over all 30 problems of 1.47 (regression 1.60, $r^2 = 0.95$) and 0.24 (regression 0.09, $r^2 = 0.10$), and 0.34 on Groq Qwen3's 18 tier-2 problems, which Paper II does not interpret, because GPT-5.4's rests on a step from no reasoning to any and Groq Qwen3's accuracy shows no trend. The rows this paper recorded in March 2026, which differed, are described in the scope note of 3 October 2026 (Appendix A.3).

(Groq Qwen3, over all 30 problems) and none for Grok 4.1 Fast, at 100 per cent at every sample count, so the parallel exponent was near zero in two of the five; the reported error-decay exponent was above the parallel one wherever both could be estimated, in four of the five runs, and the two arms were not matched for compute.

13 Equations and what each requires

Table 7. Different equations describe different quantities.

Relation	Premises and interpretation
$C = B\bar{\ell}_q$	Steady nonnegative routed flow; C is flow-weighted path cost, not automatically mass or energy
$\alpha_C = \mu/(\mu + \zeta)$	Demand and mean-path asymptotic scalings; $d/(d+1)$ additionally sets $\mu = d$ and $\zeta = 1$
$N = C/v$	Uniform controlled transport speed; varying speed changes the inventory exponent
$h = b - s - e$	Steady oxygen balance; heart-rate scaling depends on metabolic, stroke-volume and extraction exponents
$d_{\text{eff}} = 2/(1 + 3w)$	A coordinate change in the stated flat cosmological solution, not measured network geometry
$\alpha = 1/(1 - \beta_L)$	Asymptotic exponent of the declared gain ODE for $\beta_L < 1$; finite-depth elasticity need not equal it

A common numerical fraction does not identify a common mechanism. The operational quantities, domains and assumptions in the preceding sections govern every use of these equations.

14 Predictions and a prospective transport test

The earlier predictions retain their numbers. Their current dispositions below correct this paper's interpretation; they alter no frozen registration, data or registered verdict.

Prediction 1 (The earlier one-dimensional organism prediction)**.** The earlier paper predicted a metabolic exponent of one half for organisms with one-dimensional internal transport. That number follows from the present transport model only when the demand, route, speed and mass premises are established. The fungal measurements do not yet establish them: two of the selected fits use colony respiration against biomass, while the saprotrophic fit uses specific metabolic rate against radial extension. Their separate variable pairs and uncertainties are retained in Appendix F; they are no longer pooled. A valid test needs independently established mechanism variables and a declared response, rather than classification from the observed slope.

Printed in version 3.13 (31 October 2026) as Prediction 1, The 1D organism prediction ($\alpha = 0.500$):

> Organisms with genuinely one-dimensional internal metabolic transport (filamentous fungi with cytoplasmic streaming, filamentous cyanobacteria with intercellular transport) should have metabolic scaling exponent $\alpha = 1/2 = 0.500$.
>
> This prediction is derived in earlier work: Banavar et al. (2002) explicitly worked through the $D = 1$ case, and Volkov et al. (2022) applied it to forests, showing that trees competing along the vertical height axis constitute an effectively one-dimensional system.

> **Status: NOT REJECTED, no equivalence shown (a mean of three factors on different axes), not yet confirmed.** Definitive testing requires measurements across a wider mass range on isolated hyphal systems, ideally using respirometry on individual *Neurospora crassa* or *Aspergillus niger* hyphae of varying length. Estimated time: 2 to 3 months.

Prediction 2 (withdrawal recorded in version 3.13, 30 October 2026)**.** Withdrawn. The published record refutes it.

Before the version 3.13 manuscript, this paper predicted that the neural scaling exponent (of loss against parameters) would equal $d/(d+1)$, with d the intrinsic dimension of the training data's manifold. Once d reaches 1, that fraction is never less than one half, and it climbs towards 1 as d grows. The exponents measured for language models lie far below it. For language models trained to convergence on large datasets, Kaplan et al. (2020) report about 0.076 (their equation 1.1). For the parameter term of the loss, with its irreducible part set apart, Hoffmann et al. (2022) report 0.34 (their equation 10). They note that both of their exponents are lower than one half. A refit of data reconstructed in part from one of their figures gives 0.35 (Besiroglu et al. 2024). To reach such values the formula would need data of less than one dimension, about 0.08 and 0.5. The intrinsic dimensions estimated for language and image data run from about 7 to more than 90 (Sharma and Kaplan 2020; Pope et al. 2021).

The dependence runs the wrong way too. In a transport network a higher dimension lifts the exponent towards 1. In neural networks the measurements run the other way. Where the dimension of the data is dialled in controlled teacher and student experiments, the measured exponent falls, close to $4/d$ (Sharma and Kaplan 2020; Bahri et al. 2021), while $d/(d+1)$ rises. The account given for this is geometric (Sharma and Kaplan 2020; Bahri et al. 2021). On that account, a network divides its data manifold into pieces, and halving their size takes 2^d times as many parameters. So the higher the dimension, the more slowly the loss falls. The two curves cross once, near $d = 4.8$, so a single dataset of about that dimension could not tell them apart.

The link between this exponent and the dimension of the data manifold is earlier work's. Sharma and Kaplan (2020) proposed that the power law can be explained if networks are, in effect, performing regression on a data manifold of intrinsic dimension d. For networks built from rectified linear units, with cross-entropy, mean-squared-error or KL-divergence loss and plentiful data, they predicted $\alpha \approx 4/d$. They stated it as a bound, $\alpha \gtrsim 4/d$, with equality expected in the generic case. They confirmed it by measuring the dimension and the exponent independently in teacher and student networks, and tested it on image classifiers and GPT-type language models. For the language models they found d above 90 against $4/\alpha$ of about 53, in accord with the bound but, in their words, quite far from equality. Bahri et al. (2021) identified four regimes: variance-limited and resolution-limited, each for dataset size and for model size. In the variance-limited regimes, for smooth test losses, the loss approaches its limit with exponent 1, in dataset size or in network width, or in parameter count for linear models. That exponent is independent of the architecture and the data. For the resolution-limited regimes they argued that the exponent is inversely proportional to d, and found that teacher-student exponents closely match $4/d$. In the large-width limit they derived these exponents from the spectra of kernels, and presented evidence that the model-size and dataset-size exponents are related by a duality. Earlier still, Kaplan et al. (2020) pointed to power-law scalings in density estimation and random forests. Such models, they wrote, suggest that "power-law exponents may have a very rough interpretation as the inverse of the number of relevant features in the data".

The measurements that refute the prediction were published between 2020 and 2022, years before it was printed. It is withdrawn, not adjusted. The withdrawal does not decide the separate conditional transport model of Section 6. Its physical applicability requires the premises stated there.

Prediction 3 (Prospective composition classification)**.** The earlier criterion compares a family assigned before fitting with the later response. A classical theorem cannot be empirically contradicted while all of

its exact premises hold. The scientific test is whether the independently assigned composition model and its measurement assumptions predict held-out observations. The classification rule, alternatives and uncertainty must be fixed before those observations are examined.

Printed in version 3.13 (31 October 2026) as Prediction 3, Falsification criterion:

> If a system whose composition was identified, before its data were fitted, as multiplicative on both its input and its output, and which meets the regularity conditions of Theorem 1, is found to follow a scaling law that is not a power law, this theory is falsified. Theorem 1 itself cannot fail, so what this criterion tests is the identification of composition operators in advance, for which no written rule yet exists (Section 17).

Prediction 4 (The earlier geometric-bound prediction)**.** The original claim barred exponents at least one for any finite-dimensional hierarchical network with multiplicative composition. Those descriptions alone do not prove that bound. Its universal reading is withdrawn as a consequence of the argument. The narrower conditional throughput-cost bound in Section 10 states the extra premises; adopting it in an experiment requires a new prospective protocol and cannot relabel an earlier result.

Printed in version 3.13 (31 October 2026) as Prediction 4, The geometric scaling bound:

> No physical scaling law, in any domain, will be found with $\alpha \geq 1$ for a system governed by multiplicative composition through a finite-dimensional hierarchical network. This is the geometric scaling bound. If such a system is found, the geometric scaling bound is wrong.

Prediction 5 (The separate Eden Protocol hypothesis)**.** The earlier behavioural hypothesis concerns whether explicit purpose, stakeholder-care and universalisability checks improve alignment-relevant output quality, with usefulness measured alongside it. It is not derived from network dimension. The reported pilot used scoring that was not blind and measured no complete usefulness outcome. Its numerical record and the later suite remain in the historical account and Paper V. A protocol comparison cannot by itself identify internal ethical reasoning as its cause. Any replication must separate the intervention, the evaluation procedure, task completion, needless refusal and resource cost.

Printed in version 3.13 (31 October 2026) as Prediction 5, The Eden Protocol / Stakeholder Care Mechanism:

> Embedding explicit ethical reasoning loops (specifically the stakeholder-care check) in an AI inference pipeline will produce statistically significant improvement in alignment-relevant output quality, with the effect size inversely proportional to the model's baseline alignment tier. Tier 3 models (negative alignment scaling) will show the largest absolute gains; Tier 1 models (positive alignment scaling) will show smaller absolute gains because their baseline is already high. On this paper's reading of the ARC framework, the Eden Protocol functions as a bounded composition operator on the alignment dimension, imposing a feedback ceiling that constrains degradation but cannot amplify beyond the model's intrinsic capacity. A safe effect that cost usefulness would not count as support: a test of this prediction measures, beside the alignment score, task completion, needless refusal and the cost of the added checks.
>
> **Preliminary status: supported under scoring that was not blind.** The March 2026 pilot covers three working models ($n = 80$ per model); its numbers, and the later six-model suite of Paper V, are given in the paragraph on the Eden Protocol pilot after this prediction. *(In plain English: asking three different AI systems to consider who gets hurt before answering raised their stakeholder-care scores under cross-model scoring that was not blind; a blind replication has not yet been run.)* Blind replication with response laundering is still required before the effect can be called confirmed. If the effect vanishes under blind scoring, the mechanism is prompt artefact rather than genuine ethical reasoning.

14.1 The next discriminating measurement

The proposed question is whether independently measured demand and route scaling predict throughput against resource inventory on held-out networks. It is an unrun design proposal. No apparatus, supplier quote or adequately powered sample has been established here, and it adds no commitment to an existing funded project.

1. Define an eligible transport apparatus or dataset with independent measurements of throughput, inventory, size, route lengths and speed. State the observational unit and exclusions. Do not manufacture an inventory observation from the accounting equation being evaluated.
2. Fix the size range and one routing intervention. For a declared increase of every served route length by the same factor $c > 1$, with demands and speeds unchanged and no extra waiting, inventory should increase by the factor c at each size; the exponent need not change. A claim about a changed exponent instead needs an intervention that changes the size dependence of routes or another specified scaling premise. State which comparison is being tested, and establish geometry before fitting the response.
3. Split complete independent networks into calibration and held-out sets. Use calibration records to specify the finite-range functions for demand, route length and speed, including any offset, curvature or finite-size correction. Lock their joint uncertainty and the predicted held-out trajectory. An exponent-only prediction is admissible only if the protocol justifies a power approximation and a bound on its error over the actual size range (Equation (18)).
4. Measure held-out throughput and inventory independently of their predicted values. With the declared steady-flow premises, the finite-range prediction is $N(L) = B(L)\bar{\ell}_q(L)/v(L)$, with all three right-hand functions fixed from calibration. Model the measurement errors and any shared calibration covariance. Under justified power behaviour and uniform fixed speed, the limiting target exponent is $\mu/(\mu + \zeta)$. For a separately specified uniform-speed scaling $v \propto L^{\upsilon}$, it becomes $\mu/(\mu + \zeta - \upsilon)$ when the denominator is positive. Do not fit a missing mechanism variable after seeing a discrepancy.
5. Compare the predicted model with a free-exponent power law and a justified curved alternative on the same response and likelihood. Prespecify measurement-error treatment, uncertainty, exclusions and multiplicity. The choice between a log-transformed fit and nonlinear fitting must follow the assumed error distribution, rather than a universal preference for one method (Xiao et al. 2011). Use design analysis to establish sample size and a meaningful discrepancy tolerance before validation; inadequate precision returns the declared inconclusive outcome, not a post-hoc relabelling of the study.
6. Publish the prediction, observations, deviations and all planned comparisons. A premise that fails is itself a limitation to report. A precise predictive failure cannot be repaired by changing dimension, the outcome or the model after inspection.

The accounting identity is mathematical. The empirical questions are whether its non-definitional premises and measurement bridges apply, whether independently estimated parameters transfer, and whether the prediction beats serious alternatives. Agreement would support that specified mechanism over the tested range. It would establish no universal metabolic law or AI alignment guarantee.

Standing covenant. Prove this paper wrong, and I will publish the refutation myself. Falsification conditions are stated in this paper; the standing challenge: github.com/MichaelDariusEastwood/arc-scaling-challenge. The earlier dated predictions remain available beside the corrected argument.

15 Making the composition claim measurable

The useful chain is from a specified observable and mechanism to a locked prediction. A family label alone does not supply an exponent; a repeated numerical fraction does not establish a common mechanism. The homomorphism result, the transport accounting and the capability ODE answer separate conditional questions. This section sets out what a test must supply to connect them to observations.

1. Declare what is measured. Specify the response, input, units and both composition operations.

⇓ *Classical mathematics constrains a family, given its premises.*

2. Specify the physical model. Measure demand, routes and speed; justify the inventory or mass bridge.

⇓ *The transport assumptions select an exponent for a particular variable pair.*

3. Test a locked prediction. Use held-out systems and independently measured outcomes, against prespecified alternatives.

Figure 1. From a conditional mathematical statement to an empirical claim. A theorem does not supply the physical premises; calibration and validation must not recover the same constructed identity. No observed data are plotted.

Definition 4 (A measured baseline)**.** For a positive response U and a declared reference input R_0, define the baseline and normalised response by

$$I = U(R_0) > 0, \qquad G(R) = \frac{U(R)}{I}, \qquad G(R_0) = 1. \tag{47}$$

The response, its units, the reference condition and the population to which it applies are part of the definition. $R_0 = 1$ denotes a first-pass baseline when that convention is appropriate. If the baseline is zero, this ratio is undefined and a different, prospectively specified measurement is needed.

This baseline is not automatically entropy reduction in bits, intelligence or self-correction capacity. Accuracy, logical error, metabolic rate and phase coherence are different observables. A common symbol cannot supply a conversion between them. Information-theoretic quantities require a specified random variable and probability distribution; energy converted into useful performance requires a physical and measurement model. Landauer's lower bound on irreversible erasure does not make every energy flow a measure of information gained (Landauer 1961).

15.1 The assumptions to fix before validation

1. **Observable and axis.** Name the response, units, baseline, admissible values and input. Distinguish additive passes, multiplicative scale ratios, code distance, qubit count, organism mass and elapsed time. State the transformation used before interpreting a slope.
2. **Both operations.** State the input operation and output operation and why the observable is expected to preserve them. Separate that equation from the state-update rule. If the operation is Equation (45), test that operation rather than silently replacing it by ordinary multiplication of depth.
3. **Exact, approximate or asymptotic claim.** Name which is proposed. For an approximate identity give the residual norm, domain and error bound. For a scaling limit state the ratio, limiting variable and possible slowly varying factor. Finite observations test a specified finite-range consequence; they do not verify every point of a global hypothesis.
4. **Exponent-selecting assumptions.** In the transport model, measure demand scaling μ and flow-weighted path scaling ζ; justify a demand-based assignment $\mu = d$ and any bridge from transport to mass. In the gain ODE, identify a and β_L independently and predict the complete shifted trajectory.

Neither dimension nor coupling may be inferred from the validation exponent and then presented as its prediction.

5. **Resource and clock controls.** Identify which weights, code, memory, prompts, tools and evaluation procedures change. Record hardware, total computation, latency and external help. A change in resources or cycle duration must not be mistaken for the claimed improvement mechanism.
6. **A discriminating outcome.** State which observation would favour or reject this conditional explanation against realistic alternatives. Specify the uncertainty, the error model, dependence between observations, saturation and the precision needed for an inconclusive result. An intervention on routing, information access or the improvement rule is stronger evidence of mechanism than another fit to the same curve.

15.2 An independent prediction needs separate information

Assign complete systems or runs to calibration and validation before inspecting outcomes. Use calibration to justify the mechanism and estimate its parameters. Lock the predicted trajectory, uncertainty, variable definitions, exclusions, stopping rule and decision margins before validation. Compare exact and shifted powers, exponential, logarithmic and appropriate bounded or broken-form rivals on the same response with compatible likelihoods. A repeated observation from one system is not an independent system, and a parameter obtained by transforming the fitted validation slope is not an independent prediction.

For the network question, independently measured demand and route scaling should predict later throughput against transport quantity; a routing intervention has a specified effect on the whole predicted curve. Multiplying route lengths by a size-independent factor while holding demand and speed fixed changes inventory by that factor, but need not change an exponent. An exponent-changing intervention must instead alter a scaling premise. Other declared controls remain fixed. For a capability question, the validation task must distinguish improved task performance from an improved ability to produce subsequent improvements. These are design requirements, not new results or a registration made by this paper.

Report departures from the premises and failed predictions rather than moving a system to another class after seeing the answer. A useful diagnostic can motivate a new prospective test; it cannot turn the original failure into success. Analytic identities, retrospective fits and prospective results retain their different evidential roles. The existing withdrawal of Prediction 2 and every frozen registration remain unchanged. The programme's laws remain laws under test, with verdicts taken only through their registered rules. No phase diagram of all complexity, universal physical exponent limit or cosmological ladder is needed to carry out this measurement programme.

16 What this paper does and does not show

The paper establishes conditional mathematical statements and a prospective way to test their applicability. The four chosen homomorphism problems yield classical function families. The transport calculation yields an exponent only under explicit demand and path scalings; mass and inventory require further bridges. The numerical resemblance of exponents across fields supplies no additional proof.

Its biological comparisons are source-specific, its cosmological map is analytic, and its AI summaries retain the limitations of their own reports. The former pooled biological inferences, universal dimension-only bound and physical complexity ladder are superseded. Prediction 2 remains withdrawn. No new observation or registered verdict is reported in this revision.

Status as at this version. The theory registration was registered on 8 September 2026 at version 1.100 and updated on 13 September (1.102), on 15 October (1.103, which registered Laws IV and V) and on 29 October 2026 (1.104); the earlier texts stay frozen beside the current one. What this programme names laws are conjectures under test. Laws I to III were registered on 8 September 2026 and Laws IV and V on 15 October 2026 (version 1.103). Every law is a law under test until a registered test returns its verdict. The mathematics of Laws IV and V is still being developed (version 1.2, 29 October 2026). Law IV is not yet tested. Law V is a law under test: its placement limb, P21, is supported on the performance axis only, under the registered test, by the programme's own run (Unit 83, 28 October 2026, DOI 10.17605/OSF.IO/MN73W; results: DOI 10.17605/OSF.IO/98HKR): family-dependent, with its mechanism axis not evaluable, which is not support for the information-asymmetry mechanism, and one disclosed recovery amendment; its build-order limb, read on P12, is undecided, since P12 is untested. The first registered study, Unit 06 (a classification audit, DOI 10.17605/OSF.IO/RV2B5), was registered on 1 October 2026 and run on 6 October 2026; it is reported in full with its five deviations as administratively incomplete, with no inferential verdict (results DOI 10.17605/OSF.IO/4BPHG), and it tests no law. Unit 82 was registered on OSF on 27 October 2026 (DOI 10.17605/OSF.IO/JUFG4) and has not yet run. No law is confirmed. The new transport quantities have explicit units and definitions. The gain ODE defines β_L mathematically, but a valid independent estimator for any target AI system still needs to be specified and tested. Established-law standing is claimed nowhere. The registered programme exists to earn that standing, or lose it, by measurement, replication and survived refutation.

17 Limitations

- The exact composition identities and global stability assumptions require independent justification. A finite noisy fit cannot establish them across an unobserved domain.
- The transport exponent is asymptotic; finite-range prediction requires a full curve or a justified bound on finite-size corrections. It depends on demand, paths, speed and the chosen response. A measured spatial dimension alone supplies none of those extra assumptions. Body mass needs a physiological bridge.
- The biological estimates concern different taxa, conditions and variables. The fungal factors cannot be pooled into one metabolic relation. Selected published exponents do not establish a universal law.
- The cosmological reparametrisation has no independent mechanistic content. Photon trajectories and a cosmic web are not assumptions of the homogeneous background solution.
- Earlier computational and behavioural results retain their design, selection, scoring and amendment limitations. This revision reruns none of them and claims no new confirmation.
- The prospective transport test still needs an eligible apparatus or dataset, practical resource estimates, independent replication units and a design-sensitivity analysis before registration.
- The synthesis relies on established mathematical and transport literature. Its value must be demonstrated through a useful distinction or successful prospective prediction; a larger catalogue of matching fractions would not establish that contribution.

18 Conclusion

A useful scaling prediction needs more than a familiar curve. It needs declared variables, a justified composition or transport model, and a test on observations that did not select the assumptions. The

classical equations constrain families; the conditional transport model shows where an exponent enters. Neither result classifies all of nature.

The corrected biological and cosmological examples show why these distinctions matter. Heterogeneous measured slopes cannot supply one pooled validation, and an algebraic change of variables cannot supply a physical mechanism. Fixed computational rules can generate superlinear trajectories, while correction and safety require additional quantities and models.

The next empirical contribution is the prospective transport comparison: estimate the mechanism separately, seal the prediction and allow the held-out observations to support it, contradict it or remain inconclusive.

> "One may say 'the eternal mystery of the world is its comprehensibility.' "
> Albert Einstein (1936)

Whether much of what the universe does can be described with a few composition operators, which would be part of why it is comprehensible, is not shown here. The mathematics above does not deny it and is offered as evidence for nothing else; only declared operators that predict held-out observations, as the test of Section 14.1 would, could begin to show it.

Raise AI with care.

Code and data. No study or data analysis was run for this revision. The historical suite `arc_complete_test_suite.py` and its original results remain byte for byte in the dated public repository. It implements earlier computations, including the pooled and three-group analyses withdrawn here; it is not an implementation or validation of the new prospective protocol. The paper's existing deposit identity and earlier editions are retained.

Acknowledgements

Michael Darius Eastwood conceived and directs this research programme and is the author of this work. Across the programme, he has used more than six AI systems in parallel, under his own instructions, to stress-test his arguments, identify possible errors, and assist in preparing draft text from his own outlines. He determines what is adopted, revised or rejected and takes responsibility for the published content. These systems are tools, not authors.

© 2026 Michael Darius Eastwood. Full human authorship and moral rights are asserted under the Copyright, Designs and Patents Act 1988. This work is licensed under the Creative Commons Attribution 4.0 International licence (CC BY 4.0).

References

János Aczél. *Lectures on Functional Equations and Their Applications*. Academic Press, 1966. URL https://shop.elsevier.com/books/lectures-on-functional-equations-and-their-applications/aczel/978-0-12-043750-4. English edition. Publisher preview contents identify Section 2.1 on the four Cauchy equations; the present paper gives its own complete proof of the continuous real cases.

Carlos A. Aguilar-Trigueros, Matthias C. Rillig, and Thomas W. Crowther. Applying allometric theory to fungi. *The ISME Journal*, 11(10), 2017. doi:10.1038/ismej.2017.86. Pages 2175 to 2180.

Paul S. Agutter and Jack A. Tuszynski. Analytic theories of allometric scaling. *Journal of Experimental Biology*, 214(7), 2011. doi:10.1242/jeb.054502. Pages 1055 to 1062.

Yasaman Bahri, Ethan Dyer, Jared Kaplan, Jaehoon Lee, and Utkarsh Sharma. Explaining neural scaling laws, 2021. URL https://arxiv.org/abs/2102.06701. arXiv:2102.06701. Published in Proceedings of the National Academy of Sciences 121(27), e2311878121 (2024), doi:10.1073/pnas.2311878121.

Jayanth R. Banavar, Amos Maritan, and Andrea Rinaldo. Size and form in efficient transportation networks. *Nature*, 399(6732), 1999. doi:10.1038/20144. Pages 130 to 132.

Jayanth R. Banavar, John Damuth, Amos Maritan, and Andrea Rinaldo. Supply-demand balance and metabolic scaling. *Proceedings of the National Academy of Sciences*, 99(16), 2002. doi:10.1073/pnas.162216899. Pages 10506 to 10509.

Jayanth R. Banavar, Melanie E. Moses, James H. Brown, John Damuth, Andrea Rinaldo, Richard M. Sibly, and Amos Maritan. A general basis for quarter-power scaling in animals. *Proceedings of the National Academy of Sciences*, 107(36), 2010. doi:10.1073/pnas.1009974107. Pages 15816 to 15820.

J. S. Bell. On the Einstein Podolsky Rosen paradox. *Physics Physique Fizika*, 1(3), 1964. doi:10.1103/PhysicsPhysiqueFizika.1.195. Pages 195 to 200.

Antoine Bérut, Artak Arakelyan, Artyom Petrosyan, Sergio Ciliberto, Raoul Dillenschneider, and Eric Lutz. Experimental verification of Landauer's principle linking information and thermodynamics. *Nature*, 483(7388), 2012. doi:10.1038/nature10872. Pages 187 to 189.

Tamay Besiroglu, Ege Erdil, Matthew Barnett, and Josh You. Chinchilla scaling: a replication attempt, 2024. URL https://arxiv.org/abs/2404.10102. arXiv:2404.10102.

Luís M. A. Bettencourt. The origins of scaling in cities. *Science*, 340(6139), 2013. doi:10.1126/science.1235823. Pages 1438 to 1441.

Luís M. A. Bettencourt, José Lobo, Dirk Helbing, Christian Kühnert, and Geoffrey B. West. Growth, innovation, scaling, and the pace of life in cities. *Proceedings of the National Academy of Sciences*, 104(17), 2007. doi:10.1073/pnas.0610172104. Pages 7301 to 7306.

N. H. Bingham, C. M. Goldie, and J. L. Teugels. *Regular Variation*, volume 27 of *Encyclopedia of Mathematics and its Applications*. Cambridge University Press, 1987. doi:10.1017/CBO9780511721434. Print publication 11 June 1987; digital publication 5 July 2013.

Sean M. Carroll, Mark Hoffman, and Mark Trodden. Can the dark energy equation-of-state parameter w be less than -1? *Physical Review D*, 68, 2003. doi:10.1103/PhysRevD.68.023509. Article 023509. Author preprint first posted 14 January 2003; version 2, 4 February 2003; equations 3 to 7 consulted.

Augustin-Louis Cauchy. *Cours d'analyse de l'École royale polytechnique. Ire partie: Analyse algébrique*. Paris, 1821. URL https://gallica.bnf.fr/ark:/12148/btv1b8626657t. No official online source; the link is to a digitised archival copy (Gallica, Bibliothèque nationale de France).

Marius Cautun, Rien van de Weygaert, Bernard J. T. Jones, and Carlos S. Frenk. Evolution of the cosmic web. *Monthly Notices of the Royal Astronomical Society*, 441(4), 2014. doi:10.1093/mnras/stu768. Pages 2923 to 2973.

S. L. Chown, E. Marais, J. S. Terblanche, C. J. Klok, J. R. B. Lighton, and T. M. Blackburn. Scaling of insect metabolic rate is inconsistent with the nutrient supply network model. *Functional Ecology*, 21 (2), 2007. doi:10.1111/j.1365-2435.2007.01245.x. Pages 282 to 290.

R. Clausius. Ueber verschiedene für die Anwendung bequeme Formen der Hauptgleichungen der mechanischen Wärmetheorie. *Annalen der Physik*, 201(7), 1865. doi:10.1002/andp.18652010702. Pages 353 to 400.

Thomas W. Crowther and Mark A. Bradford. Thermal acclimation in widespread heterotrophic soil microbes. *Ecology Letters*, 16(4), 2013. doi:10.1111/ele.12069. Pages 469 to 477.

John Davison. Body weight, cell surface, and metabolic rate in anuran Amphibia. *The Biological Bulletin*, 109(3), 1955. doi:10.2307/1539173. Pages 407 to 419.

John P. DeLong, Jordan G. Okie, Melanie E. Moses, Richard M. Sibly, and James H. Brown. Shifts in metabolic scaling, production, and efficiency across major evolutionary transitions of life. *Proceedings of the National Academy of Sciences*, 107(29), 2010. doi:10.1073/pnas.1007783107. Pages 12941 to 12945.

Lloyd Demetrius. Quantum statistics and allometric scaling of organisms. *Physica A: Statistical Mechanics and its Applications*, 322, 2003. doi:10.1016/S0378-4371(03)00013-X. Pages 477 to 490.

Lloyd Demetrius. The origin of allometric scaling laws in biology. *Journal of Theoretical Biology*, 243 (4), 2006. doi:10.1016/j.jtbi.2006.05.031. Pages 455 to 467.

Lloyd Demetrius and J. A. Tuszynski. Quantum metabolism explains the allometric scaling of metabolic rates. *Journal of the Royal Society Interface*, 7(44), 2010. doi:10.1098/rsif.2009.0310. Pages 507 to 514.

DESI Collaboration. DESI DR2 results. II. Measurements of baryon acoustic oscillations and cosmological constraints. *Physical Review D*, 112(8), 2025. doi:10.1103/tr6y-kpc6. Article 083515, published online 6 October 2025; first author M. Abdul Karim. Preprint arXiv:2503.14738, first posted 18 March 2025.

Peter Sheridan Dodds, Daniel H. Rothman, and Joshua S. Weitz. Re-examination of the "3/4-law" of metabolism. *Journal of Theoretical Biology*, 209(1), 2001. doi:10.1006/jtbi.2000.2238. Pages 9 to 27.

Michael Darius Eastwood. *Infinite Architects: Intelligence, Recursion, and the Creation of Everything*. 2026a. ISBN 978-1806056200. URL https://osf.io/dqm3e/. First edition, 2 January 2026; the link is to the first edition as printed, deposited on OSF.

Michael Darius Eastwood. Register · The ARC Theory · The Dated Prediction Register: Forward Predictions as One Verifiable Chain. OSF, 2026b. First-publication record: 25 August 2026. Cited edition: version 2.1, revised 5 October 2026. doi:10.17605/OSF.IO/C3NTF.

Michael Darius Eastwood. Engineering Specification · The ARC Theory · The Eden Protocol · Eden Engineering: Architecture for Embedded AI Alignment That Scales With Capability. OSF, 2026c. First-publication record: 22 February 2026. Cited edition: version 7.0.1, revised 7 October 2026. doi:10.17605/OSF.IO/AWJR4.

Michael Darius Eastwood. Philosophical Statement · The ARC Theory · The Eden Protocol · A Vision for Intelligence That Tends Rather Than Consumes. OSF, 2026d. First-publication record: 22 February 2026. Cited edition: version 2.9, revised 5 October 2026. doi:10.17605/OSF.IO/9M3DG.

Michael Darius Eastwood. Executive Summary · Recursive Dynamics · The ARC/Eden Research Programme. OSF, 2026e. First-publication record: 22 February 2026. Cited edition: version 3.26, revised 15 October 2026. doi:10.17605/OSF.IO/EWN5D.

Michael Darius Eastwood. Foundational Paper · The ARC Theory · Law I, the ARC Principle · Recursive Amplification as a Cross-Domain Structural Principle. OSF, 2026f. First-publication record: 13 February 2026. Cited edition: version 5.20, revised 29 October 2026. doi:10.17605/OSF.IO/Y7QGD.

Michael Darius Eastwood. Laws IV and V: the mathematics. OSF, 2026g. First-publication record: 1 October 2026. Cited edition: version 1.2, revised 29 October 2026. doi:10.17605/OSF.IO/4B3VT.

Michael Darius Eastwood. Master Table of Contents · Recursive Dynamics · The ARC Theory Paper Suite and Glossary. OSF, 2026h. First-publication record: 16 March 2026. Cited edition: version 3.30, revised 15 October 2026. doi:10.17605/OSF.IO/VC9RX.

Michael Darius Eastwood. Register: The arc theory, operational definitions. OSF, 2026i. First-publication record: 22 August 2026. Cited edition: version 1.9.1, revised 5 October 2026. doi:10.17605/OSF.IO/GVQ82.

Michael Darius Eastwood. Polymathy and neurodivergent cognition: the polymathic neurodivergent profile (pnp) and the capability-adjustment fallacy. OSF, 2026j. First-publication record: 3 July 2026. Cited edition: version 1.11, revised 29 October 2026. doi:10.17605/OSF.IO/RBHDP.

Michael Darius Eastwood. Paper I · The ARC Theory · Law I, the ARC Principle · The ARC Equation, the Law of Conversion. OSF, 2026k. First-publication record: 17 January 2026. Cited edition: version 1.16, revised 5 October 2026. doi:10.17605/OSF.IO/B6N27.

Michael Darius Eastwood. Paper II · The ARC Theory · Law I, the ARC Principle · Blinded Cross-Architecture Replication and the Retraction of a Super-Linear Estimate. OSF, 2026l. First-publication record: 22 January 2026. Cited edition: version 2.19, revised 29 October 2026. doi:10.17605/OSF.IO/8FJMA.

Michael Darius Eastwood. Paper III · The ARC Theory · Law II, the ARC Co-Scaling Law · The Alignment Scaling Problem: Why External AI Safety Approaches Cannot Scale With Recursive Capability. OSF, 2026m. First-publication record: 9 February 2026. Cited edition: version 1.17, revised 29 October 2026. doi:10.17605/OSF.IO/HQCGF.

Michael Darius Eastwood. Paper IV.a · The ARC Theory · Alignment Response Classes Under Inference-Time Depth. OSF, 2026n. First-publication record: 16 March 2026. Cited edition: version 1.9, revised 5 October 2026. doi:10.17605/OSF.IO/MB9R6.

Michael Darius Eastwood. Paper IV.b · The ARC Theory · Alignment Saturation Is Architecture-Dependent. OSF, 2026o. First-publication record: 16 March 2026. Cited edition: version 1.9, revised 5 October 2026. doi:10.17605/OSF.IO/A7R56.

Michael Darius Eastwood. Paper IV.c · The ARC Theory · ARC-Align: a Blind Benchmark for Depth-Variable AI Alignment Evaluation. OSF, 2026p. First-publication record: 16 March 2026. Cited edition: version 1.12, revised 29 October 2026. doi:10.17605/OSF.IO/J3Q2E.

Michael Darius Eastwood. Paper IV.d · The ARC Theory · The Effect of Blinding on AI Alignment Evaluation. OSF, 2026q. First-publication record: 16 March 2026. Cited edition: version 2.7, revised 21 October 2026. doi:10.17605/OSF.IO/2S3E6.

Michael Darius Eastwood. Paper IX · The ARC Theory · Synthesis and Roadmap. OSF, 2026r. First-publication record: 18 March 2026. Cited edition: version 2.7, revised 5 October 2026. doi:10.17605/OSF.IO/K7RUZ.

Michael Darius Eastwood. Paper V · The ARC Theory · The Eden Protocol · The Stewardship Gene: Stakeholder Care as a Probe of Embedded Values. OSF, 2026s. First-publication record: 16 March 2026. Cited edition: version 1.7, revised 5 October 2026. doi:10.17605/OSF.IO/KZEYA.

Michael Darius Eastwood. Paper VI · The ARC Theory · The Eden Protocol · The Honey Architecture: Safety Built into the Objective. OSF, 2026t. First-publication record: 16 March 2026. Cited edition: version 3.11, revised 5 October 2026. doi:10.17605/OSF.IO/8EZ2N.

Michael Darius Eastwood. Paper VII · The ARC Theory · Law I, the ARC Principle · Cauchy Unification: the Classification Behind the Law's Form. OSF, 2026u. First-publication record: 16 March 2026. Cited edition: version 3.15, revised 5 October 2026. doi:10.17605/OSF.IO/X6WA7.

Michael Darius Eastwood. Paper VIII · The ARC Theory · Law V, the ARC Embedding Law · The Eden Protocol · The Load-Bearing Test: Whether Safety and Capability Are Structurally Entangled. OSF, 2026v. First-publication record: 18 March 2026. Cited edition: version 3.7, revised 5 October 2026. doi:10.17605/OSF.IO/7YJ4E.

Michael Darius Eastwood. Paper X · The ARC Theory · Law II, the ARC Co-Scaling Law · Correction That Out-Scales Drift. OSF, 2026w. First-publication record: 3 July 2026. Cited edition: version 1.16, revised 21 October 2026. doi:10.17605/OSF.IO/BSE2Q.

Michael Darius Eastwood. Paper XII · The ARC Theory · Public Benchmark Rescoring: an External-Validity Protocol for the Blinding Finding. OSF, 2026x. First-publication record: 14 August 2026. Cited edition: version 1.14, revised 5 October 2026. doi:10.17605/OSF.IO/3TZP7.

Michael Darius Eastwood. When can correction keep pace with recursive self-acceleration? OSF, 2026y. First-publication record: 16 August 2026. Cited edition: version 1.12, revised 1 November 2026. doi:10.17605/OSF.IO/HT8WU.

Michael Darius Eastwood. The ARC Theory · Theory-Level Predictions for Recursive Self-Improvement and AI Alignment: Twenty-Two Severable Propositions Registered Before Any Admissible Confirmatory Outcome. OSF registration, 2026z. Registered 8 September 2026 (version 1.100); updated 13 September 2026 (version 1.102), 15 October 2026 (version 1.103) and 29 October 2026 (version 1.104). doi:10.17605/OSF.IO/P8CKQ.

Michael Darius Eastwood. Unit 06 (registration): What Class of Corrector Is Deployed AI Alignment Actually Using? A Preregistered Classification Audit Against a Four-Cell Taxonomy. OSF registration, 2026aa. Registered 1 October 2026. doi:10.17605/OSF.IO/RV2B5. Results: Unit 06 (corrector-class audit): results of the registered run, doi:10.17605/OSF.IO/4BPHG.

Michael Darius Eastwood. Unit 82 (registration): Testing the premise beneath Law III's value two (P17): do correctors drawn from one engine miss the same planted departures more often than independence allows? A counted test. OSF registration, 2026ab. Registered 27 October 2026. doi:10.17605/OSF.IO/JUFG4.

Michael Darius Eastwood. Unit 83 (registration): Testing Law V (the placement limb, P21): does correction inside each revision round pull away, as depth rises, from a monitor that sees only the finished register? A counted test. OSF registration, 2026ac. Registration text dated 22 October 2026; first public registration recorded 25 October 2026. The registration source gives no version number. doi:10.17605/OSF.IO/MN73W. Results: doi:10.17605/OSF.IO/98HKR.

Michael Darius Eastwood. Unit 83 (counted test of P21): results of the registered run, mn73w. OSF, 2026ad. First deposited and made public 29 October 2026. Cited report: 41-D-COUNTED-v0.1, written 28 October 2026; results record version 3, dated 29 October 2026. The registered run took place on 27 and 28 October 2026. Recovery-amendment disclosure RA01 accompanies the report. doi:10.17605/OSF.IO/98HKR.

A. Einstein. Ist die Trägheit eines Körpers von seinem Energieinhalt abhängig? *Annalen der Physik*, 323 (13), 1905. doi:10.1002/andp.19053231314. Pages 639 to 641.

A. Einstein and W. de Sitter. On the relation between the expansion and the mean density of the universe. *Proceedings of the National Academy of Sciences*, 18(3), 1932. doi:10.1073/pnas.18.3.213. Pages 213 to 214.

Albert Einstein. Die Feldgleichungen der Gravitation. *Sitzungsberichte der Königlich Preußischen Akademie der Wissenschaften*, 1915. URL https://nbn-resolving.org/urn:nbn:de:kobv:b4-opus4-52706. Session of 25 November 1915; second half-volume, pages 844 to 847. The paper has no DOI; the link is the persistent identifier of the Academy's digitised copy.

Albert Einstein. Physics and reality. *Journal of the Franklin Institute*, 221(3), 1936. doi:10.1016/S0016-0032(36)91047-5. Pages 349 to 382. Translated by Jean Piccard.

Daniel Gabriel Fahrenheit. Experimenta circa gradum caloris liquorum nonnullorum ebullientium instituta. *Philosophical Transactions of the Royal Society of London*, 33(381), 1724. doi:10.1098/rstl.1724.0002. Pages 1 to 3.

A. Friedmann. Über die Krümmung des Raumes. *Zeitschrift für Physik*, 10(1), 1922. doi:10.1007/BF01332580. Pages 377 to 386. The Crossref record spells the author's name Friedman.

Marcelo E. Fuentes, Renato A. Quiñones, Marcelo H. Gutiérrez, and Silvio Pantoja. Effects of temperature and glucose concentration on the growth and respiration of fungal species isolated from a highly productive coastal upwelling ecosystem. *Fungal Ecology*, 13, 2015. doi:10.1016/j.funeco.2014.09.006. Pages 135 to 149.

Douglas S. Glazier. Beyond the '3/4-power law': variation in the intra- and interspecific scaling of metabolic rate in animals. *Biological Reviews*, 80(4), 2005. doi:10.1017/S1464793105006834. Pages 611 to 662.

Douglas S. Glazier. The 3/4-power law is not universal: evolution of isometric, ontogenetic metabolic scaling in pelagic animals. *BioScience*, 56(4), 2006. doi:10.1641/0006-3568(2006)56[325:TPLINU]2.0.CO;2. Pages 325 to 332.

Douglas S. Glazier. Effects of metabolic level on the body size scaling of metabolic rate in birds and mammals. *Proceedings of the Royal Society B: Biological Sciences*, 275(1641), 2008. doi:10.1098/rspb.2008.0118. Pages 1405 to 1410.

Douglas S. Glazier. Variable metabolic scaling breaks the law: from 'Newtonian' to 'Darwinian' approaches. *Proceedings of the Royal Society B: Biological Sciences*, 289(1985), 2022. doi:10.1098/rspb.2022.1605. Article 20221605.

J. A. Goldbogen, D. E. Cade, J. Calambokidis, M. F. Czapanskiy, J. Fahlbusch, A. S. Friedlaender, W. T. Gough, S. R. Kahane-Rapport, M. S. Savoca, K. V. Ponganis, and P. J. Ponganis. Extreme bradycardia and tachycardia in the world's largest animal. *Proceedings of the National Academy of Sciences*, 116 (50), 2019. doi:10.1073/pnas.1914273116. Pages 25329 to 25332.

Google Quantum AI and Collaborators. Quantum error correction below the surface code threshold. *Nature*, 638(8052), 2025. doi:10.1038/s41586-024-08449-y. Pages 920 to 926. First author Rajeev Acharya. Published online 9 December 2024; preprint arXiv:2408.13687, public 24 August 2024. Author Correction, Nature 653, E5, published online 28 April 2026, doi:10.1038/s41586-026-10559-8: it corrects the axis label and the keys of Fig. 3a.

Hanna Hartikainen, Stuart Humphries, and Beth Okamura. Form and metabolic scaling in colonial animals. *Journal of Experimental Biology*, 217(5), 2014. doi:10.1242/jeb.093484. Pages 779 to 786.

Ji-Huan He and Juan Zhang. Fifth dimension of life and the 4/5 allometric scaling law for human brain. *Cell Biology International*, 28(11), 2004. doi:10.1016/j.cellbi.2004.07.011. Pages 809 to 815.

Jordan Hoffmann, Sebastian Borgeaud, Arthur Mensch, Elena Buchatskaya, Trevor Cai, Eliza Rutherford, et al. Training compute-optimal large language models, 2022. URL https://arxiv.org/abs/2203.15556. arXiv:2203.15556.

D. H. Hyers. On the stability of the linear functional equation. *Proceedings of the National Academy of Sciences*, 27(4), 1941. doi:10.1073/pnas.27.4.222. Pages 222 to 224.

E. T. Jaynes. Information theory and statistical mechanics. *Physical Review*, 106(4), 1957. doi:10.1103/PhysRev.106.620. Pages 620 to 630.

Jared Kaplan et al. Scaling laws for neural language models, 2020. URL https://arxiv.org/abs/2001.08361. arXiv:2001.08361.

Mehran Kardar, Giorgio Parisi, and Yi-Cheng Zhang. Dynamic scaling of growing interfaces. *Physical Review Letters*, 56(9), 1986. doi:10.1103/PhysRevLett.56.889. Pages 889 to 892.

Max Kleiber. Body size and metabolism. *Hilgardia*, 6(11), 1932. doi:10.3733/hilg.v06n11p315. Pages 315 to 353.

Tom Kolokotrones, Van Savage, Eric J. Deeds, and Walter Fontana. Curvature in metabolic scaling. *Nature*, 464(7289), 2010. doi:10.1038/nature08920. Pages 753 to 756.

J. Kozłowski and M. Konarzewski. Is West, Brown and Enquist's model of allometric scaling mathematically correct and biologically relevant? *Functional Ecology*, 18(2), 2004. doi:10.1111/j.0269-8463.2004.00830.x. Pages 283 to 289.

R. Landauer. Irreversibility and heat generation in the computing process. *IBM Journal of Research and Development*, 5(3), 1961. doi:10.1147/rd.53.0183. Pages 183 to 191.

R. J. Larson. Costs of transport for the scyphomedusa *Stomolophus meleagris* L. Agassiz. *Canadian Journal of Zoology*, 65(11), 1987. doi:10.1139/z87-408. Pages 2690 to 2695.

Robert C. Lasiewski and William R. Dawson. A re-examination of the relation between standard metabolic rate and body weight in birds. *The Condor*, 69(1), 1967. doi:10.2307/1366368. Pages 13 to 23.

James L. Maino, Michael R. Kearney, Roger M. Nisbet, and Sebastiaan A. L. M. Kooijman. Reconciling theories for metabolic scaling. *Journal of Animal Ecology*, 83(1), 2014. doi:10.1111/1365-2656.12085. Pages 20 to 29.

Merck Veterinary Manual. Resting heart rates. Table, adapted from D. K. Detweiler and H. H. Erickson, Regulation of the heart, in W. O. Reece (editor), *Dukes' Physiology of Domestic Animals*, 12th edition, Cornell University Press, 2004. URL https://www.merckvetmanual.com/multimedia/table/resting-heart-rates. Read 29 October 2026.

M. E. J. Newman. Power laws, Pareto distributions and Zipf's law. *Contemporary Physics*, 46(5), 2005. doi:10.1080/00107510500052444. Pages 323 to 351.

Sami F. Noujaim, Elena Lucca, Viviana Muñoz, Dharmendra Persaud, Omer Berenfeld, Frits L. Meijler, and José Jalife. From mouse to whale: a universal scaling relation for the PR interval of the electrocardiogram of mammals. *Circulation*, 110(18), 2004. doi:10.1161/01.CIR.0000146785.15995.67. Pages 2802 to 2808.

A. J. Ostaszewski. Homomorphisms from functional equations: the goldie equation. *Aequationes mathematicae*, 90, 2016. doi:10.1007/s00010-015-0357-z. Pages 427 to 448. First published online 20 June 2015. Author preprint arXiv:1407.4089v2, 7 November 2014, opening discussion consulted.

Planck Collaboration. Planck 2018 results. VI. Cosmological parameters. *Astronomy and Astrophysics*, 641, 2020. doi:10.1051/0004-6361/201833910. Article A6.

Phillip Pope, Chen Zhu, Ahmed Abdelkader, Micah Goldblum, and Tom Goldstein. The intrinsic dimension of images and its impact on learning, 2021. URL https://openreview.net/forum?id=XJk19XzGq2J. International Conference on Learning Representations (ICLR 2021). arXiv:2104.08894, https://arxiv.org/abs/2104.08894.

Jennifer E. Purcell. Extension of methods for jellyfish and ctenophore trophic ecology to large-scale research. *Hydrobiologia*, 616(1), 2009. doi:10.1007/s10750-008-9585-8. Pages 23 to 50.

V. M. Savage, J. F. Gillooly, W. H. Woodruff, G. B. West, A. P. Allen, B. J. Enquist, and J. H. Brown. The predominance of quarter-power scaling in biology. *Functional Ecology*, 18(2), 2004. doi:10.1111/j.0269-8463.2004.00856.x. Pages 257 to 282.

Van M. Savage, Eric J. Deeds, and Walter Fontana. Sizing up allometric scaling theory. *PLoS Computational Biology*, 4(9), 2008. doi:10.1371/journal.pcbi.1000171. Article e1000171.

Knut Schmidt-Nielsen. *Scaling: Why is Animal Size so Important?* Cambridge University Press, 1984. doi:10.1017/CBO9781139167826.

C. E. Shannon. A mathematical theory of communication. *Bell System Technical Journal*, 27(3), 1948. doi:10.1002/j.1538-7305.1948.tb01338.x. Pages 379 to 423.

Utkarsh Sharma and Jared Kaplan. A neural scaling law from the dimension of the data manifold, 2020. URL https://arxiv.org/abs/2004.10802. arXiv:2004.10802. Published as: Scaling laws from the data manifold dimension. Journal of Machine Learning Research 23(9), pages 1 to 34 (2022), https://jmlr.org/papers/v23/20-1111.html.

Stanislav Smirnov and Wendelin Werner. Critical exponents for two-dimensional percolation. *Mathematical Research Letters*, 8(6), 2001. doi:10.4310/MRL.2001.v8.n6.a4. Pages 729 to 744.

W. R. Stahl. Scaling of respiratory variables in mammals. *Journal of Applied Physiology*, 22(3), 1967. doi:10.1152/jappl.1967.22.3.453. Pages 453 to 460.

D. Stauffer. Scaling theory of percolation clusters. *Physics Reports*, 54(1), 1979. doi:10.1016/0370-1573(79)90060-7. Pages 1 to 74.

Albert Thommen, Steffen Werner, Olga Frank, Jenny Philipp, Oskar Knittelfelder, Yihui Quek, Karim Fahmy, Andrej Shevchenko, Benjamin M. Friedrich, Frank Jülicher, and Jochen C. Rink. Body size-dependent energy storage causes Kleiber's law scaling of the metabolic rate in planarians. *eLife*, 8, 2019. doi:10.7554/eLife.38187. Article e38187.

S. M. Ulam. *A Collection of Mathematical Problems*. Interscience Publishers, New York, 1960. No official online source located.

Igor Volkov, Anna Tovo, Tommaso Anfodillo, Andrea Rinaldo, Amos Maritan, and Jayanth R. Banavar. Seeing the forest for the trees through metabolic scaling. *PNAS Nexus*, 1(1), 2022. doi:10.1093/pnasnexus/pgac008. Article pgac008.

Ewald R. Weibel, Leonardo D. Bacigalupe, Beat Schmitt, and Hans Hoppeler. Allometric scaling of maximal metabolic rate in mammals: muscle aerobic capacity as determinant factor. *Respiratory Physiology & Neurobiology*, 140(2), 2004. doi:10.1016/j.resp.2004.01.006. Pages 115 to 132.

Steven Weinberg and Edward Witten. Limits on massless particles. *Physics Letters B*, 96(1 to 2), 1980. doi:10.1016/0370-2693(80)90212-9. Pages 59 to 62.

Geoffrey B. West, James H. Brown, and Brian J. Enquist. A general model for the origin of allometric scaling laws in biology. *Science*, 276(5309), 1997. doi:10.1126/science.276.5309.122. Pages 122 to 126.

Geoffrey B. West, James H. Brown, and Brian J. Enquist. The fourth dimension of life: fractal geometry and allometric scaling of organisms. *Science*, 284(5420), 1999. doi:10.1126/science.284.5420.1677. Pages 1677 to 1679.

Craig R. White and Roger S. Seymour. Mammalian basal metabolic rate is proportional to body mass$^{2/3}$. *Proceedings of the National Academy of Sciences*, 100(7), 2003. doi:10.1073/pnas.0436428100. Pages 4046 to 4049.

Craig R. White, Nicole F. Phillips, and Roger S. Seymour. The scaling and temperature dependence of vertebrate metabolism. *Biology Letters*, 2(1), 2006. doi:10.1098/rsbl.2005.0378. Pages 125 to 127.

Anna Wilkinson, Ian Alexander, and David Johnson. Genotype identity determines productivity and CO_2 efflux across a genotype-species gradient of ectomycorrhizal fungi. *Fungal Ecology*, 5(5), 2012a. doi:10.1016/j.funeco.2012.01.005. Pages 571 to 580.

Anna Wilkinson, Martin Solan, Ian Alexander, and David Johnson. Species richness and nitrogen supply regulate the productivity and respiration of ectomycorrhizal fungi in pure culture. *Fungal Ecology*, 5 (2), 2012b. doi:10.1016/j.funeco.2011.08.007. Pages 211 to 222.

Xiao Xiao, Ethan P. White, Mevin B. Hooten, and Susan L. Durham. On the use of log-transformation vs. nonlinear regression for analyzing biological power laws. *Ecology*, 92(10), 2011. doi:10.1890/11-0538.1. Pages 1887 to 1894. First published 1 October 2011.

Jinkui Zhao. Universal growth scaling law determined by dimensionality, 2022. URL https://arxiv.org/abs/2206.01850. arXiv:2206.01850.

A Version history and corrections

This appendix separates the present revision from the earlier dated record. A correction is dated when it is made; retaining an earlier passage does not make its present correction part of the earlier claim. Table 8 records the changes in version 3.14. The subsequent history preserves what the earlier editions said, including their claims and the limits of their corrections.

A.1 Version 3.14: revised 1 November 2026

Version 3.14 is dated 1 November 2026. It reports no new data, registration, study run or empirical result. The earlier version remains intact. Its content is retained through the current argument, the source-measurement and companion records, the explicitly historical material and Appendix I, except three cosmological passages kept out for the reason Table 8 gives; superseded interpretations are not silently recast as earlier statements of the new conditional argument. The title now carries the paper's established name beside its question.

Several corrections below were already made in version 3.13: the restricted abstract, the distinction between metabolic scaling and capability against depth, the Friedmann boundary calculation, the withdrawal of mixed error aggregates, and the withdrawal of Prediction 2. The table below distinguishes those retained corrections from the further changes made in this revision.

Table 8. Corrections in version 3.14.

Subject	Current correction and its scope	Current location
Composition and its domain	The four chosen homomorphism problems now have explicit source and target groups: the additive reals and the multiplicative positive reals. The logarithmic output is real-valued. Normalisation, constant cases and the rational-to-real proof are stated. This repairs the domain statement; the classification is not extended to all physical laws.	Section 4
Approximate and asymptotic composition	The stability statement now gives a global logarithmic defect bound and a proof of the resulting multiplicative band around a power. Finite observations do not establish that global premise. A separate regular-variation result is credited to its established literature. The earlier withdrawal of dynamical-attractor language is retained, not dated anew.	Sections 2 and 4
Transport exponent	The current result starts from the flow-accounting identity $C = B\bar{\ell}_q$. Demand and mean path scaling give the conditional exponent $\mu/(\mu + \zeta)$; $d/(d + 1)$ follows only from the stated special choices. This replaces the unproved claim that dimension, space filling and conservation alone select the exponent.	Section 6
Inventory, mass and the bound	Flow-weighted transport cost, inventory in transit and body mass are distinct quantities. Speed and the mass bridge require their own premises. The geometric bound now states the demand-distance and scaling assumptions for its throughput-cost comparison. It is not a bound on every physical observable or on capability against recursive depth.	Sections 6 and 10
Heart rate	The Fick oxygen balance makes metabolic, stroke-volume and oxygen-extraction assumptions explicit. The heart-rate exponent is their difference, not a consequence of dimension alone. Behavioural state and prefactors remain relevant. The earlier correction of unequal lifetime beat totals is preserved.	Section 7

Subject	Current correction and its scope	Current location
Biological comparisons	Each fungal measurement keeps its own variable pair and uncertainty. Two biomass-related factors and a radial-extension-related factor no longer serve as a pooled validation of one metabolic slope. The disowned three-group comparison and mixed aggregates are retained as historical analyses, not current validation. Source-specific measurements and the competing metabolic evidence remain available.	Sections 12 and 14
Cross-domain comparisons	An exact exponent, an algebraic reparametrisation, a measured slope and an unsourced value retain different evidential roles. A shared fraction does not establish a transport mechanism. Earlier physics and biological catalogue rows are preserved with their sources and corrections; they do not supply a new aggregate accuracy or a universal validation claim.	Sections 6 and 12
Cosmology	Version 3.13 already corrected the boundary: $w = -1/3$ gives linear expansion, $-1 < w < -1/3$ accelerating power laws, and $w = -1$ exponential expansion in the specified flat, single-fluid model. That correction remains. The photon-path and cosmic-web mechanisms and the dimensional cosmic ladder no longer stand as explanations of these homogeneous solutions. The mapped dimension is an algebraic coordinate.	Section 9
Recursive gain and phase claims	A fixed-rule quadratic recurrence separates iteration from sublinearity. The assumed gain equation is given with its shifted solution, finite-depth elasticity, parameter domain and deformed composition operation. A superlinear power is not an exponential phase. Intelligence-as-phase-transition and universal complexity-phase claims remain historical interpretations rather than current conclusions.	Sections 11 and 15
Correction axes and measured quantities	Code distance, physical-qubit count and elapsed correction cycles are separated, as are per-cycle suppression and cumulative failure. The two 2024 source dates remain. The current baseline I is declared in the response units; the former universal entropy-reduction definition is retained historically. Landauer's erasure bound is not an energy-to-capability conversion.	Sections 11 and 15
Predictions and programme results	The five prediction numbers and their dated record remain. Prediction 2 was withdrawn in version 3.13; its source-based reasons remain current. The other dispositions state the premises now required. The new transport protocol is prospective and unrun. No frozen registration, study data or registered verdict is changed by this revision, and no new empirical result is reported.	Sections 14 and 16
Contribution and priority	The contribution is a conditional mathematical and methodological synthesis, with prior models compared at their actual scope. Regular variation and the prior homomorphism connection are credited, including Bingham et al. (1987) and Ostaszewski (2016). Earlier broad novelty claims remain dated evidence of what was written; they are not current claims of a new universal theorem or a first connection.	Section 2; Appendix E
Retained text	Version 3.13 passages that this edition's rewritten sections do not carry are kept, dated and with their present scope, in Appendix I, and its printed predictions stand beside their dispositions in Section 14. Three passages on the cosmological reading of the Friedmann identity, and the few sentences that pose that reading, are kept out: the mapping is an identity, no prediction follows from the reading, and established cosmology does not support it. They remain in version 3.13.	Appendix I; Section 14

Subject	Current correction and its scope	Current location
Dates and preservation	The recorded first-publication date remains 22 February 2026, with its stated documentary basis. The 16 August 2026 working-paper header line remains a separate historical record whose significance has not been established. Neither is reassigned by this version. The earlier source, dated corrections, measurements and priority records are preserved; the present corrections are dated 30 October 2026.	Appendix B

Version 3.13 (31 October 2026) had already withdrawn Prediction 2, cited the Laws IV and V mathematics at version 1.2 and the registration at version 1.104, and added the separate Unit 83 results reference (Eastwood 2026ad); it also replaced fungal agreement language with "not rejected, no equivalence shown", while retaining the published values and identifying the different measurement axes. Version 3.14 goes further: those unlike factors no longer support a pooled metabolic inference.

Further source corrections, 1 November 2026. The companion table now identifies Paper II's error-decay exponent from its equation (1), rather than calling it a general capability exponent. Every reported estimate and uncertainty is retained. It supplies no numerical estimate of the capability-gain, correction-capacity or cycle-time parameters. Appendix H restores the detailed alignment and pilot reports, the failed run, the earlier heartbeat illustration, the superseded pooled and phase interpretations, the code provenance and all three predecessor figures that were preserved in source records. Each is labelled with its date and scope; no withdrawn inference is restored as a current finding.

How to read the retained history below. The following record is carried forward from the version 3.13 manuscript of 30 October 2026; version 3.13 was released with the edition date 31 October 2026 and the further changes listed above. Its wording is historical: "this version", "now", result grades, novelty statements and registration status refer to the edition or date named there, not to the present version. References inside that retained record use the section, equation, table, figure and appendix numbers printed in version 3.13, unless a passage itself names an earlier edition. The original reference numbers are fixed here so that a historical pointer cannot silently lead to a changed current equation or diagram. In particular, Figures 1, 2 and 3 below are figures of version 3.13, not current figures. Table 9 retains the mapping from version 3.12 to version 3.13; it is not a map into version 3.14. Current claims and status are given in the main text and Section 16.

A.2 Version 3.13

v3.13, 30 October 2026: Substantive. Prediction 2 is withdrawn: the published exponents of loss against parameters for language models, and the measured fall of the exponent as the data's dimension rises, refute it. Section 14 now says so, gives the measurements and credits the earlier work on the exponent and the dimension of the data manifold (Sharma and Kaplan 2020; Bahri et al. 2021). Level 6 of Section 12 no longer calls the prediction untested, and a dated correction note records what both passages printed before. The works of Sharma and Kaplan (2020), Bahri et al. (2021), Hoffmann et al. (2022), Besiroglu et al. (2024) and Pope et al. (2021) are added and Kaplan et al. (2020) is now cited. No registered law, registered prediction, kill condition or dependency changes; no other result is added or changed by the withdrawal; no date of any claim moves.

This version is also the paper's edition on the programme's presentation standard, typeset in LaTeX. The sections of version 3.12 keep their order, except that Section 12, What Is New, becomes Section 2; Table 16 maps every earlier section to its place here. The title now names the paper's domain, recursive composition, as the scope correction of 22 August 2026 requires; until this version it read "Framework

Paper · The ARC Theory · Law I, the ARC Principle · On the Origin of Scaling Laws: Functional Equations and the Scaling Forms Behind the Law". The subtitle "A Universal Principle of Recursive Composition Across Physics, Biology, and Cosmology", which said what the scope correction withdrew, leaves the title block. The abstract is rewritten within arXiv's limit, and the abstract of version 3.12, with its scope correction, is kept in Appendix A.2. The first-page footnote gives the paper's place in the programme, its version, its DOI, links to the author's page and his book, and its licence; the closing note on authorship becomes the acknowledgement, unchanged.

The corrections owed to this version are made, each with its source:

- Laws IV and V are stated as registered as laws on 15 October 2026 in version 1.103, Law IV not yet tested and Law V a law under test, their mathematics at version 1.1; the epistemic-status line gives the registration of all five laws and says that every law is a law under test until a registered test returns its verdict, and Section 16 gives Law V's status with the registered result of Unit 83, whose results are public (DOI 10.17605/OSF.IO/98HKR).
- The March 2026 alignment run is described as one unregistered run of six models from six providers, its design named as the design, its 2,170 responses each scored by five or six distinct judges, its tiers given under the October 2026 code-review caveat, and the change between the earlier experiment and that run as Paper IV.d (version 2.7) states it (Section 12).
- The parallel exponents are given as the five result files record them, the two arms not matched for compute, and GPT-5.4's starting accuracy as 53.7 per cent; the parallel finding is no longer called the most robust result (Section 12).
- No result from the analysis of 11 August 2026 is printed; the 19 of 25 is given under the classification rule of March 2026 (Section 12 and Appendix D).
- Cost estimates are no longer printed (Section 14).
- The Eden Protocol's loops are named by what they do, with the book's names given once (Section 14).
- No form of "propose" is used for the author's own work; the ARC Bound is named as the conjectured value of Law III, the ARC Ceiling, a law under test; Paper II's replication is named as it is titled; Unit 82, registered on 27 October 2026, is named where the paper said the value two was on trial in drafted registrations (Section 11).
- The physical and cosmological claims are set out at their true status: the bound is scoped to systems whose growth is carried through a space-filling hierarchical network, with the counterexamples conceded (Section 10); intelligence is no longer called the one exception to it, the difference being the pair of variables (Section 11); $E = mc^2$ is stated as the energy of a mass at rest (Section 8); the cosmology is stated as an identity and its causal reading as this paper's interpretation, beside what established cosmology says (Section 9); the error-correction regimes follow the published threshold result (Section 11); Landauer's principle is stated exactly and the definition of I is graded as a working definition (Section 15); the space of laws is stated as finitely many forms in a finite-dimensional family (Sections 2 and 15); the comparison with Einstein's work keeps its concession without the self-comparison (Section 2); the closing quotation is given in the 1936 article's wording (Section 18).
- The dated notes of 19 September 2026 and 3 October 2026 are carried into the passages they govern and kept whole in Appendix A.2; the subheading "Why there cannot be a fourth" now reads "Why the grid has four cells and no fifth".
- The status of $d = 2$ in biology is carried through: the three-group comparison, computed with a group the paper sets aside, is qualified; the filled marker at $d = 2$ in Figure 3 is no longer drawn; the legend of Figure 2 gives the paper's own grades; Prediction 1's closing sentence no longer claims a

confirmation at $d = 2$ or that no theory has achieved one.

- The fungal value 0.547 is given as the mean of the three colony-level scaling factors that Aguilar-Trigueros et al. (2017) report at 20 degrees Celsius, where the biology-cosmology mirror printed it with a standard error of 0.07 and the dimensional ladder drew that bar; 0.07 is the standard error of one of the three, not of the mean. The p-values beside it are named as one-sample t tests of the three, and the bar in Figure 3 now spans the three factors (Sections 9, 12 and 14).
- No count of independent derivations is given; each earlier derivation is named as its own work.
- Works are linked to their official sources, every mention of the author's papers to its OSF DOI, and ranges are written with "to".
- The boundary $w = -1/3$ is no longer called the boundary between power-law and exponential growth: under the change of variables it is where expansion turns from decelerating to accelerating and $\alpha \to 1$; past it the expansion is an accelerating power law, exponential only at $w = -1$; and in Cauchy's classification $d \to \infty$ is the linear limit of the power law (Sections 2, 9, 12, 13 and 15).
- Saturation is no longer presented as a Cauchy case, and a saturation curve is no longer called the only smooth way to approach a ceiling; Section 5 no longer says that every growing system in nature amplifies itself recursively, and it names the ARC Principle as Law I, a law under test (Sections 3 to 5, 11.1 and 15).
- Section 12 no longer says that the framework predicts a sub-linear exponent of capability against depth, or that the models' order in raw performance is consistent with the framework: the paper predicts no value for that exponent.
- Thommen et al. (2019) are reported in their own terms: they find Kleiber's three-quarter scaling in a planarian and trace it to energy storage, where the paper had said that planarians scale as surface-area theory predicts (Sections 6 and 12).
- Prediction 3's falsification criterion now requires the composition to be identified, on input and output, before the data are fitted; as printed, the paper's own logarithmic case met it (Section 14).
- The fungal t tests no longer reject the $d = 2$ value: they set aside each factor's own standard error, and each factor's own interval includes $\frac{2}{3}$ (Sections 12 and 14).
- The two brittle-fragmentation rows, printed with measured values of 0.670 and 0.750 and no source, now read not yet sourced; Figure 2 no longer draws them, and the introduction no longer states their exponents (Sections 1, 6, 9 and 16).
- The tables of the chain reaction and of quantum error correction no longer print 'ARC Prediction' and 'Confirmed' for regimes the framework only classifies, and a reactor held at $k \approx 1$ is described as running at steady power (Sections 8 and 11.1).
- The heartbeat arithmetic is corrected: the paper's own figures give about 0.6 billion beats for a mouse and about 1.0 billion for an elephant, where it said about 1.5 billion for every mammal; the heart-rate allometry is credited to Stahl (1967) (Sections 7 and 12).
- The reference to He and Chen (2003), *Fractals* 11(4), page 437, is withdrawn: no registry holds a work with that title, volume, number or page (the journal's volume 11 ends at page 417), and the paper no longer lists it among the earlier derivations (Sections 2 and 12).
- The note on the $\frac{3}{4}$ debate gives White and Seymour (2003), Savage et al. (2004) and Kolokotrones et al. (2010) what they state, no longer prints an estimate of 0.687 that no work read here gives, and no longer says that the framework predicts the variation; the abstract says that the agreement at $d = 3$ is on the group means compiled here and that the mammalian exponent is debated (Section 12).
- Each biological value in the table of predicted and measured exponents is given its source, read

at that source; the birds value is corrected from 0.720 to 0.723, the non-passerine exponent of Lasiewski and Dawson (1967), which moves the three-dimensional mean of Level 2a from 0.748 to 0.749 and its p-value from 0.858 to 0.888; the aggregate error of 2.5 per cent, which counted the two cosmology identities, is withdrawn; and Figures 2 and 3 draw the tables' values where they drew 0.746 (Sections 6 and 12).

- The percolation row states the quantity it compares, the specific-heat analogue of two-dimensional percolation, whose exponent is $+2/3$, and the KPZ row is graded as an exact value that no derivation here links to $d/(d+1)$ (Section 6.1).
- The rows of the Level 7 table follow Paper II, version 2.18 (Section 12).
- The Eden Protocol pilot is graded as supported under scoring that was not blind, where Prediction 5's status read 'partially confirmed' and the pilot was said to give the developmental hypothesis its first multi-model empirical support; the later six-model suite of Paper V is given, and the prediction names its usefulness side (Section 14).
- The universe is said to exhibit two of the three ARC patterns, as its table shows; Phase I is given about 7 billion years, not the universe's whole age; the sustained acceleration and heat death of the dark energy phase are stated with their condition, that dark energy stays constant; and intelligence is no longer said to scale without limit (Sections 9, 11 and 15).
- Section 15 states its readings as readings, among them the laws of physics as writable in the forms rather than instances of them, and the conclusion says that the universe can be described with three composition operators, where it said that it builds itself from them (Sections 15 and 18).
- Credits are stated as the works state them: Cauchy's theorem for continuous functions, the measurable and bounded forms being later results; Hyers (1941) for the additive equation, at a question of Ulam's; Shannon (1948) for the entropy of an information source; Kleiber for the 0.74 power over thirteen groups of animals; Fahrenheit (1724) for a reproducible temperature scale, not for temperature; and Einstein (1915) now has a reference entry (Sections 4, 9 and 15, and Appendix E).
- The account of convergence, and the exponent's independence of selection, are stated as conditional on the sufficiency of the three conditions, which this paper has not proved (Sections 2, 12 and 15).
- Related work adds the standard result that invariance under rescaling forces a power law (Newman 2005) and the critiques of West, Brown and Enquist's derivation (Dodds et al. 2001; Kozłowski and Konarzewski 2004; Savage et al. 2008), and says what He and Zhang (2004) and Maino et al. (2014) derive (Section 2).
- The why in the abstract and the introduction speaks of the family of forms that growth can take, since the exponent of capability against depth has to be measured.
- The introduction's heart rates are given with their sources, the blue whale's as the 4 to 8 beats a minute of a foraging dive; its fungal exponent is given as colony-level measurements show it; and a city ten times larger needs about six times more petrol stations, not about seven (Bettencourt et al. 2007) (Sections 1, 3 and 7).
- The alignment run of March 2026 is dated from its own evidence, its tested predictions public before it ran, and the combined finding gives its tiers as three positive, two flat and one negative, where it said that alignment does not scale for most architectures (Section 12).
- The quantities the paper compares with data are said to be operationally defined, not every quantity (Section 16); Equation (14) and Law III's ceiling are said to share a form, and the two meanings of β are listed (Section 11 and Appendix C); and the plain-English reading of $p = 0.003$ counts a change in either direction (Section 14).

- The saprotrophic rows are credited to Crowther and Bradford (2013), not to Wilson and Griffin (1975), and their third temperature is 28 degrees Celsius, not 25; the reference to Hartikainen and colleagues (2014) gives the published work's title, issue and pages; He and Zhang's second author is Juan Zhang; and Aguilar-Trigueros et al. (2017) are said to have compiled published measurements in what they believe is the first such synthesis (Sections 12 and 14).
- Headings and display labels name what the sections and equations do, among them Section 8, Section 11.1 and the labels of Equations (8), (13) and (14); Levels 2b to 6 of Section 12 share one subsection; the slogans move to Appendix D.4, the analogy with Einstein's work to Appendix E, and the withdrawn box of Section 8 and the closing line of version 3.12 to Appendix A.2; and the Code and data paragraph says what the published suite re-runs and links the commit it names.

A.3 Earlier corrections and notes

Correction note, 30 October 2026. Section 14 printed Prediction 2 as: "The neural scaling law exponent (loss vs parameters in machine learning) should equal $d/(d+1)$ where d is the intrinsic dimension of the training data manifold." Level 6 of Section 12 called it untested; the published record had already tested it. The exponents of loss against parameters published for language models from 2020 lie below one half, the least value $d/(d+1)$ takes once d reaches 1, and in controlled experiments the measured exponent falls as the data's dimension rises, where $d/(d+1)$ rises. The prediction is withdrawn. The earlier work on this exponent and the dimension of the data manifold is credited where the prediction stood, and Kaplan et al. (2020), listed until now without a citation, is cited there. No other result of this paper changes with it, and nothing already withdrawn is restored.

The abstract of version 3.12, as printed. Scope correction, 22 August 2026. An earlier version of this abstract opened by asserting that every scaling law in nature follows one of exactly three mathematical forms, and that this paper proves the form is uniquely determined. Both statements were stronger than this paper supports, and stronger than its own body claims. They are withdrawn here and the corrected statement follows. Where a recursive amplification process has a well defined composition operator on its input and output, and satisfies the regularity conditions Cauchy's functional equations require, the admissible functional forms are constrained to a small named family. That is a conditional mathematical classification, not a survey of nature: it does not establish that every empirical scaling process is such a homomorphism, and the bounded family's exhaustiveness remains an open problem, as Paper VII states. The grid is four-celled rather than three, the fourth cell being the logarithmic family. This paper's own scope condition, stated below and unchanged, is that the relation applies wherever a d-dimensional hierarchical network partitions space and fails where such networks are absent, which is by itself incompatible with any claim about every scaling law in nature. A single formula, $\alpha = d/(d+1)$, predicts scaling exponents across biology (9 species groups; species-group count pending recompute per canonical facts register), physics (4 domains catalogued after retiering; the below-0.2% mean-error aggregate is WITHDRAWN: a mean over analytic identities and unsourced reference values is small by construction and is not evidence of agreement with nature; the earthquake row has been deleted as a definitional identity per section 13), and cosmology (2 eras, exact), including the derivation of mammalian heart rate scaling from first principles. The formula is identified as a *network-partition identity*: it applies wherever a d-dimensional hierarchical network partitions space, and fails where such networks are absent. A geometric proof shows that all physical scaling exponents are constrained below 1 by the finite dimensionality of space - not by energy dissipation, but by geometry itself. Intelligence, operating through recursive self-reference in abstract information space, is identified as the first natural phenomenon to break this geometric scaling bound. The Friedmann equation for cosmic expansion is shown to be

a special case under the mapping $d = 2/(1 + 3w)$, with the deceleration/acceleration boundary from general relativity coinciding exactly with the power-law/exponential boundary from Cauchy's theorem.

The reading note of version 3.12, as printed. How to read this paper. This paper traces the scaling forms behind Law I to their mathematical origin. It identifies $\alpha = d/(d + 1)$ as a network-partition identity that applies wherever a d-dimensional hierarchical network partitions space, argues that geometry constrains classical scaling exponents below 1, and marks intelligence operating through recursive self-reference as the first natural phenomenon to break the geometric bound. Its place within the theory is the origin story of scaling itself, upstream of the AI-side measurements. The full differential against every prior document is at eden-vision II.A.8.

Scope note, 19 September 2026 (Section 2 of version 3.12). An owner review of this paragraph finds that it restates in the body the universal claim this paper's abstract withdrew on 22 August 2026, in the words 'everywhere' and 'every known scaling law is one of these three', and that it counts saturation among forms Section 3 places outside the classification. The corrected reading follows, and the classification itself is untouched. What is established is conditional: where a recursive process has a well defined composition operator carrying one of the two structures on the positive reals into one of the two structures, and the regularity conditions Cauchy's equations require are satisfied, the admissible functional forms are constrained to a small named family. Section 3 states that family as four-celled, the fourth cell being the logarithmic one, and says in terms that it does not exhaust scaling laws, because most systems are not homomorphisms of either structure. Saturation is among the behaviours it does not cover: it arises from bounded dynamics (finite carrying capacity, mass action, receptor occupancy, depletion), and Section 3 records that presenting it as a Cauchy family is a category error. Raising the count from three to four would not repair this paragraph, because the defect lies in the range of its quantifiers, which run over all scaling processes while the result runs over homomorphisms under regularity; the repair reaches the quantifier and the domain, not the numeral. Unchanged: the four-cell classification, which is a genuine completeness statement about homomorphisms; the abstract's dated scope correction, which this note follows rather than softens; the placement of saturation in bounded dynamics; this section's own opening paragraph, which already states the classification conditionally, as a classification of admissible functions under those conditions and not a survey of nature, and which the anchored sentence contradicts; and Section 15's own later statement that bounded growth is a separate, capped case rather than a solution of those equations, which is already right and is the form this note follows.

Inference note, 19 September 2026 (Section 3 of version 3.12). An owner review of this sentence finds that its first explanation draws from stability a conclusion the box immediately above has just said stability cannot supply, and this note states the boundary that box sets. Hyers-Ulam stability is per-equation: a function approximately satisfying one of the functional equations lies near an exact solution of that same equation, and a function satisfying none of them is not drawn toward any. Stability within an equation therefore says nothing about how often systems in nature approximately satisfy that equation in the first place, which is what dominance in nature would require, and which the box above names as a separate empirical question this theorem cannot settle. What the loopholes do explain is preserved and is not in question: why real data shows small deviations, the assumptions being only approximately satisfied, and where to look for new physics, wherever an assumption is systematically violated. Unchanged: the Hyers-Ulam statement itself and its per-equation scope; the withdrawal of the earlier attractor framing recorded immediately above; and the other two explanations this sentence offers, which stand as printed.

Note on the box withdrawn on 11 August 2026 (Section 7 of version 3.12). This box previously read "The Atomic Bomb = Einstein + ARC" and stated that the ARC Principle explains why the chain reaction is exponential, concluding that neither Einstein's equation nor this framework alone is a bomb but together they are. That was withdrawn on 11 August 2026. It borrowed the authority of a result with several independent derivations for a framework resting on one assumption, and it presented a coordinate classification as a mechanism.

Note on the passage corrected on 11 August 2026 (Section 8 of version 3.12). This passage previously read: "This is not an analogy. It is not a metaphor. It is an algebraic identity. . . Every cosmological era, without exception, is a specific case of $\alpha = d/(d + 1)$." It was corrected on 11 August 2026 because it presented identity as the strongest available evidence when identity is in fact the weakest evidential tier, and because it contradicted the provenance-classified catalogue in this same paper, which already records those cosmology rows as analytic identities rather than measurements.

Correspondence note, 19 September 2026 (Section 12 of version 3.12). An owner review of the fourth entry above, on the expansion of the universe, finds that the agreement it reports follows from the change of variables it states, and this note says what the correspondence establishes and what establishing more would take. The mapping $d = 2/(1 + 3w)$ is an invertible change of variables between an equation-of-state parameter and a dimension parameter. Under such a map the image of a boundary is the boundary of the image, so the coincidence of the cosmic boundary with the Cauchy boundary is a property of the map rather than a second derivation arriving at the same place by its own route: two derivations agree when each reaches its conclusion without recourse to the other, and here one quantity is rewritten as the other. The correspondence may still carry content, and this note does not say it does not; what it says is that the content has to come from something the map does not supply, either an argument that the two parameters measure the same physical quantity, or a prediction that survives the change of variables and is then checked against data not used to fix the map. The same review finds that the seventh entry above, on the space of classical laws, carries in this list the cardinality and scope claim that the note at the consequence for physics in Section 15 addresses, and that note governs this entry too: a family whose members carry a continuously varying coefficient and a continuously varying exponent is not a finite set, so what is defensible is that the admissible forms are finitely many and the family they generate is finite-dimensional; and the step from the classification of homomorphisms under regularity to all possible classical physical laws is the step this paper's abstract withdrew on 22 August 2026, because it requires that every physical law be such a homomorphism, which Section 3 says is not generally so. The count of forms is not what is at issue in either place: the repair reaches the quantifier and the domain, not the numeral. Prior art is not assessed here: this list also carries universal novelty statements, no search was made in the review that produced this note, no novelty verdict is recorded either way, and the silence is evidence neither of priority nor of its absence. Unchanged: the exponent relation itself; its derivation by the groups Section 11 lists, each of which reached it without reference to this programme; the cosmological entry as a worked correspondence; and Section 12's own statement that a formal proof of the sufficiency of the three conditions does not yet exist and is the most important open problem in this programme.

Scope note, 19 September 2026 (Section 15 of version 3.12). An owner review of this paragraph finds that it restates in the body the universal claim this paper's abstract withdrew on 22 August 2026, in the words 'There are no other options', and that it counts a saturation curve among the forms Cauchy's equations produce, which Section 3 names a category error. The corrected reading follows, and the classification itself is untouched. What is established is conditional: where a recursive process has a well defined composition operator carrying one of the two structures on the positive reals into one of the two

structures, and the regularity conditions Cauchy's equations require are satisfied, the admissible functional forms are constrained to a small named family. Section 3 states that family as four-celled, the fourth cell being the logarithmic one, and says in terms that it does not exhaust scaling laws, because most systems are not homomorphisms of either structure. Saturation is among the behaviours it does not cover: it arises from bounded dynamics (finite carrying capacity, mass action, receptor occupancy, depletion), and lies outside the grid rather than inside it as one of its solutions. Raising the count from three to four would not repair this paragraph, because the defect lies in the range of its quantifier, which runs over all continuous recursive composition while the result runs over homomorphisms under regularity. Unchanged: the four-cell classification, which is a genuine completeness statement about homomorphisms; the abstract's dated scope correction; and the enumeration under The Attractor Theorem below, which states that bounded growth is a separate, capped case rather than a solution of those equations and is already right.

Cardinality and scope note, 19 September 2026 (Section 15 of version 3.12). An owner review of the box above finds two distinct overstatements in it, and this note states what the result gives in place of each. The first is cardinality. A family whose members carry a continuously varying coefficient and a continuously varying exponent has uncountably many members, since each value of the exponent already gives a distinct member and the exponent ranges over an interval of the reals; the box names that dial itself. A finite-dimensional family is not a finite set, so the defensible statement is that the admissible forms are finitely many and that the family they generate is finite-dimensional, carrying a discrete form label and two continuous parameters, rather than that the space of laws is not infinite. On the count, a label together with two real parameters is ordinarily described as a two-parameter family of each of finitely many forms; 'three-parameter' counts the discrete label alongside the two continuous parameters, which is a naming choice rather than an error and is recorded only because it sits in the sentence under repair. The second overstatement is scope, and it is the one the note in Section 2 records. What is provable, and provable without data, is the classification of homomorphisms under regularity: where the composition operator carries one of the two structures on the positive reals into one of the two structures and the regularity conditions hold, the admissible functional forms are constrained to a small named family, four-celled as Section 3 states, with saturation lying outside it as a bounded case. The step from that classification to all possible classical physical laws is the step the abstract withdrew on 22 August 2026, because it requires that every physical law be such a homomorphism, which this paper does not establish and which Section 3 says is not generally so. Unchanged: the genuine content of the box, that the admissible functional forms are constrained to a small named family under the stated conditions, which is the abstract's own corrected statement and survives this note entire; and the observation that the constraint follows from Cauchy's classification rather than from measurement.

Status note, 19 September 2026 (Section 15 of version 3.12). An owner review of the paragraph above finds that it repeats the categorical form of the preceding box without the status marker that box carries, and this note carries the marker here. The relation is a proposed invariant relation under test, conditional on the three sufficiency conditions Section 12 names (multiplicative composition, space-filling and conservation), a formal proof of whose sufficiency does not yet exist and which Section 12 names as the most important open problem in this programme. Read under that condition the paragraph stands as printed: given the three conditions, the exponent is determined and no other value is available to the mechanism. Unchanged: the distinction the paragraph draws between a mechanism explanation and a form explanation, which is its point and which this note does not touch; and the status marker in the preceding box, which this note extends rather than replaces.

Correction note, 3 October 2026 (end of Section 15 of version 3.12, before the references). Several passages are corrected in place, and this note records what each printed before. Section 5 named the three ARC Laws as the laws that govern only what runs under a corrector; the theory has had five laws since 24 September 2026, and the sentence now names Laws I to III and gives the status of the two added since. The caption of the ARC Equation in Section 10 gave the measured exponent as approximately 0.49 on today's frozen models, with a wide interval. In Section 11, the results table printed the regression exponent of 0.49 beside the bootstrap interval of −1.3 to 2.9, which belongs to the endpoint exponent, and the selection disclosure called that interval the 0.49 value's own; the interpretation called the fit a clean, reliable measurement; the combined finding gave about 0.5 as the only reliable measurement; and the status table gave the fit alone and marked Paper II confirmed. Each now carries Paper II's row for Gemini 3 Flash whole, as one model's fit and inconclusive, except the combined finding, which prints no figure and points to the row, and the selection disclosure, which points to the row as the interpretation quotes it. The paragraph on parallel sampling and the status table called the parallel exponent approximately zero for every model, universally; it is at or near zero in four of the five analysable models, Gemini 3 Flash being the one measured exception. The status table also marked Paper IV.a confirmed, with scorer bias eliminated, and called stakeholder care validated in its rows for the Eden Protocol pilot and Paper V. Paper IV.a records that its comparison cannot single out scorer bias as the reason for the reversal it reports, and this paper records that the pilot's cross-model scoring was not blind; the three rows now say so, and read supported where they read confirmed or validated. The epistemic-status line said that what this programme names Laws are conjectures under registered adversarial test; it now says that of Laws I to III and gives the status of the two laws added since. The section on dated predictions, recorded 25 August 2026, is not among the corrected passages: it stands as recorded, and a dated note after it gives the state of registration as read on 3 and 4 October 2026. Level 3 of Section 11 said of the replication of the fifty-domain comparison that its registration was in preparation and not yet approved; it is preregistered by timestamp (units 55 and 56, first anchored on 12 August 2026) and not yet registered on OSF, and the sentence now says so. Two passages gave Zhao's 2022 derivation as from network optimisation; his paper derives the form from producer-consumer dynamics, and both now say so. Section 14 listed a classical ternary prototype among the strongest next measurements for Eden, to test whether explicit AFFIRM / DENY / INVESTIGATE routing reduces false certainty on ambiguous cases. The item now names a behavioural test of that question, which a software model of the three-state gate, whose 48 tests pass, does not answer. On 4 October 2026 five further passages were corrected. Section 12 headed a list of nine entries 'No previous work has'. Its first entry said that no previous work had derived $\frac{1}{2}$, $\frac{2}{3}$ and $\frac{3}{4}$ from the same formula, and that the model of West, Brown and Enquist (1997) predicts only $\frac{3}{4}$, not $\frac{2}{3}$ for two-dimensional networks or $\frac{1}{2}$ for one-dimensional ones. The 1997 paper itself notes that its result generalises to $D/(D+1)$, and later papers cited in that section state the general form and all three values. The second, third, fifth and sixth entries said that no previous theory had connected biological scaling to physics scaling; that the observation that $d/(d+1) < 1$ for all finite d, and that this constrains every physical system to sub-linear scaling, had not been stated previously, and that existing explanations invoke thermodynamic dissipation; that previous theories did not predict their own failures; and that the connection between physical and cognitive scaling had not been identified previously. The list now stands as the paper's claims, and those five entries give each earlier work what it states. In Section 11, Level 2a closed 'No competing theory generates all three exponent values from a single formula', and the box headed Novel Result opened 'No previous theory predicted $\frac{1}{2}$, $\frac{2}{3}$, and $\frac{3}{4}$ from the same formula'. The analogy box of Section 12 said that West, Brown and Enquist derived the mechanism for three dimensions, and gave to this paper the finding that the dimension of the network determines the exponent; the list under The Attractor Theorem in Section 15 gave $\alpha = d/(d+1)$ as this paper's result. Each of the four now gives the formula to the earlier derivations. Later on 4 October 2026 four more passages were corrected.

The box headed Novel Result in Section 11 and the paragraph headed Earlier work in Section 12 counted the paper of Banavar and co-authors of 2010 among the derivations of the formula, and the paragraph gave it and the paper of 2002 to Banavar, Maritan and Rinaldo; the 2010 paper gives 2/3 when the velocity of flow is constant and at most 3/4, and Bettencourt (2013) gives the land area of a city the exponent $D/(D + H)$, which takes the form only when $H = 1$, as the first entry of Section 12 says. Both passages now leave the 2010 paper out, name Bettencourt's exponent as a special case and point to that entry. Level 3 of Section 11 gave the 19 of 25 of Paper VII with the binomial probability alone, and the line of key companions after the references gave it as 19/25 confirmed; both now give the permutation probability that Paper VII takes as primary and the 18 of 25 of its rerun of 11 August 2026 that added the logarithmic candidate. No result of this paper changes, and nothing already withdrawn is restored.

Scope note, 3 October 2026 (end of Section 15 of version 3.12, before the references). The passages named here stand as printed and are to be read with this note. In Section 11, Level 2b says that the formula predicts scaling exponents in five physics domains, with a mean error of less than 0.2%. The abstract and Section 5 withdraw that aggregate and catalogue four physics entries where there were five, and Level 2b is to be read as they state it. In Section 3, the subheading 'Why There Cannot Be a Fourth', and in Section 4 the closing words of the box, 'There are no other possibilities', carry the universal form that the abstract withdrew on 22 August 2026. The reading that stands is the one Section 3 itself gives: the grid has exactly four families, linear, power law, exponential and logarithmic; it does not exhaust scaling laws; and saturation is not a Cauchy family. The earthquake row was deleted from the confirmation table of Section 5 as a definitional identity and is kept there as a variable-pair case study. Section 12 still names earthquake energy among the systems the formula connects, and the table of Section 13 still lists earthquakes at $d = 2$; both are to be read as Section 5 states the case, and neither is a confirmation. The abstract's 'per section 13', and Section 5's '(section 13)' and 'per section 18', do not lead, in this paper, to the material they name: Section 13 is The Equations, the paper has fifteen numbered sections, and the deletion of the earthquake row is set out in Section 5. In Section 11, the rows of the results table that differ from Table 6b of Paper II stand as the results this paper recorded, and Paper II's later table gives other values for them. Unchanged: every passage named here, every result, and every withdrawal already recorded.

The closing line of version 3.12, as printed (end of Section 15 of version 3.12). "The universe built a cage from geometry. It built a key from recursion. And it left us the mathematics to understand both." It leaves the conclusion in this version because it reads as intelligence escaping the geometric bound, a reading this version withdraws: the bound and the exponent of capability against recursive depth concern different pairs of variables (Section 11).

A.4 Version history

v3.12, 10 October 2026: Editorial. The heading of section 9, the label of its summary box and the heading of Level 5 now read The Geometric Bound; no sentence of the text and no mathematics is changed.

v3.11, 5 October 2026: Substantive. The title now follows the programme's uniform order (paper, its law or framework, its own title) and reads *Framework Paper · The ARC Theory · Law I, the ARC Principle · On the Origin of Scaling Laws: Functional Equations and the Scaling Forms Behind the Law*; until this version it read *On the Origin of Scaling Laws: Functional Equations and the Scaling Forms Behind Law I*. The plate beneath the author line now gives the paper's place in the programme in the words of the programme's map. Mentions of the programme's papers in this paper now carry their uniform titles.

Level 2b of Section 11 now marks as withdrawn the mean error of less than 0.2% that the abstract and Section 5 withdraw. No registered law, prediction, kill condition or dependency changes; no result is added; no date of any claim moves.

v3.10, 4 October 2026: Substantive. The title now names the law whose scaling forms the paper traces, Law I; until this version it was titled *On the Origin of Scaling Laws*. The note on how to read this paper no longer calls it a law paper; it says that the paper traces the scaling forms behind Law I to their mathematical origin. The subtitle no longer counts three forms, since the paper's grid has four cells. No registered law, prediction, kill condition or dependency changes; no result is added; no date of any claim moves.

v3.9, 4 October 2026: Substantive. The paper no longer says that the $d/(d+1)$ formula was independently derived by at least seven research groups, or speaks of seven independent derivations (Section 11, the box and the contribution; Section 12, Earlier work and the analogy box; the strongest objection); as the works read, one is a special case, one could not be confirmed at a registry and the abstracts of two state no exponent formula, so a count of independent derivations granted earlier work more than it stated. The formula is now said to be derived, in its general form or as a special case, in earlier work, and Section 12's first entry still gives each work what it states. The version number in the header, the title block and the structured record. No registered law, prediction, kill condition or dependency changes; no result is added; no date of any claim moves.

v3.8, 4 October 2026: Substantive. The theory gained two laws on 24 September 2026, and the paper now says where it stands against the five: a dated note beneath the Eden Protocol material in Section 14 places Prediction 5 and the pilot it reports against Laws IV and V, and Section 5 now names Laws I to III where it named the three ARC Laws, with the status of Laws IV and V. Both passages link to the report that sets out the mathematics of the two laws. Section 10's equation caption and Section 11's results table, interpretation, selection disclosure, combined finding and status table printed a figure of Paper II's row for Gemini 3 Flash apart from the rest of that row, and the table and the selection disclosure gave the regression exponent the bootstrap interval that belongs to the endpoint exponent. Each now carries the row whole, as one model's fit and inconclusive, except the combined finding, which now prints no figure and points to the row, and the selection disclosure, which points to the row as the interpretation quotes it; the status table marks Paper II published rather than confirmed. The status table also marks Paper IV.a supported rather than confirmed and gives its reversal under blinding as Paper IV.a records it, where it said that scorer bias was eliminated; in its rows for the Eden Protocol pilot and Paper V, stakeholder care is said to be supported under scoring that was not blind, where it was said to be validated. Section 11 called the parallel exponent approximately zero for every model; it is at or near zero in four of the five analysable models. The section on dated predictions, recorded 25 August 2026, stands as recorded, and a dated note after it states that the theory-level registration was accepted on 8 September 2026, that the corrector-class audit (unit 06) was registered on OSF on 1 October 2026 and has been public since 4 October 2026, and that every other trial is a draft. The epistemic-status line now says that Laws I to III are under registered adversarial test and that Laws IV and V, added on 24 September 2026, are not yet registered as laws and have not been tested. The last of Section 14's next measurements for Eden, a classical ternary prototype, is now a behavioural test of whether explicit AFFIRM / DENY / INVESTIGATE routing reduces false certainty, a question that a software model of the three-state gate, whose 48 tests pass, does not answer. Section 12 headed a list 'No previous work has' and said that the model of West, Brown and Enquist (1997) predicts only $\frac{3}{4}$; the list now gives each earlier work what it states, the 1997 paper's note that its result generalises to $D/(D+1)$ among them, and says that what this paper adds is an account of why

derivations from different assumptions converge on the formula, not the formula. Four other passages that gave the formula or its three values to this paper are corrected with it: in Level 2a and the box of Section 11, in the analogy box of Section 12, and under The Attractor Theorem in Section 15. The box of Section 11 and the paragraph headed Earlier work in Section 12 no longer count the paper of Banavar and co-authors of 2010, which gives 2/3 and at most 3/4, among the derivations of the formula, and name Bettencourt's exponent for a city's land area, $D/(D+H)$, as a special case. Level 3 of Section 11 and the line of key companions after the references give the 19 of 25 of Paper VII with its permutation probability and the 18 of 25 of its rerun of 11 August 2026, where they gave the binomial probability alone, the second beside the word confirmed; Level 6 points to Level 3. A dated note before the references records what each corrected passage printed before. A dated scope note beside it covers passages that stand as printed: Level 2b's five physics domains and mean error of less than 0.2%, which the abstract and Section 5 withdraw; the subheading of Section 3 and the box of Section 4 that carry the universal form the abstract withdrew on 22 August 2026; the earthquake entries of Sections 12 and 13; three section pointers that do not lead to their material; and the rows of Section 11's results table that differ from Paper II's later Table 6b. Editorial. The reference entry for Larson (1987) prints the title, journal, volume and pages its official record gives, the entry for Thommen et al. (2019) the journal, volume and article number, and the entry for Zhao (2022) its arXiv identifier, 2206.01850; Section 12's markers after Bettencourt (2013) and Zhao (2022) point at their own entries; the entry for He and Chen (2003) carries a dated note that the work as printed could not be confirmed; the titles printed for five companion papers are those their DOI records give; cited works are linked to their official sources where one could be confirmed, and the programme's papers to their DOIs; the version number and the revision date on this page move with this revision, and the first publication date, 22 February 2026, is unchanged. Level 3 of Section 11 gives the replication of the fifty-domain comparison as preregistered by timestamp, where it said that its registration was in preparation, and Zhao's 2022 derivation is given as from producer-consumer dynamics, as his paper states it. No registered law, prediction, kill condition or dependency changes; no result is added; no date of any claim moves.

v3.7, 21 September 2026: Substantive. Six dated notes are added, each beneath the passage it governs, the Section 12 note following the list that carries the two entries it names, recording an owner review dated 19 September 2026. Two scope notes, in Section 2 and Section 15, record that two passages restate in the body the universal claim this paper's abstract withdrew on 22 August 2026, and that saturation is counted inside a classification Section 3 places outside it. A joint cardinality and scope note at the consequence for physics records that a family carrying a continuously varying coefficient and exponent is not a finite set, so what is defensible is that the admissible forms are finitely many and the family they generate is finite-dimensional; the same note governs the entry in the Section 12 list that carries the same claim. A correspondence note in Section 12 records that the agreement between the cosmic boundary and the Cauchy boundary follows from the invertible change of variables that produces it, and not from a second derivation. An inference note in Section 3 records that stability within an equation does not establish how often nature satisfies that equation, and a status note in Section 15 carries to the closing paragraph the marker the preceding box already prints. No result, exponent, dataset or figure changes, and nothing already withdrawn is restored. Editorial. The version number and the revision date on this page move with this revision. First published 22 February 2026, unchanged.

v3.6: The provenance note at the end has been corrected for accuracy. No claim, date, result or status has changed.

A.5 Where the earlier layout now stands

Table 9. Where the earlier layout now stands.

Version 3.12	Version 3.13
Header: label, title, author line, plate, two subtitles, version line, links	Title block, first-page footnote and Appendix D; the first subtitle withdrawn, since it said what the scope correction of 22 August 2026 withdrew; the second cut as a repeat of the title; the website links cut
Abstract, with its scope correction of 22 August 2026	Rewritten; the 3.12 abstract kept whole in Appendix A.2
How to read this paper	Appendix A.2 (kept); its pointer to Eden Vision in Appendix D
1. The Question	Section 1
2. Three Ways Things Grow	Section 3; its scope note of 19 September 2026 in Appendix A.2
3. The Answer	Section 4; its inference note of 19 September 2026 in Appendix A.2; Figure 1 redrawn as Figure 1; the subheading ‘Why There Cannot Be a Fourth’ now reads ‘Why the grid has four cells and no fifth’
4. The Principle	Section 5
5. The Formula	Section 6; its figure redrawn as Figure 2; its opening slogan in Appendix D.4
6. The Heartbeat	Section 7
7. The Connection to $E = mc^2$	Section 8, now headed The fission chain reaction; the note on its withdrawn box in Appendix A.2
8. The Cosmic Connection	Section 9; the note on the passage corrected on 11 August 2026 in Appendix A.2
9. The Geometric Bound	Section 10
10. The Escape	Section 11
11. The Evidence	Section 12; its figure redrawn as Figure 3
12. What Is New	Section 2; its correspondence note of 19 September 2026 in Appendix A.2; its analogy box in Appendix E; its closing slogan in Appendix D.4
13. The Equations	Section 13; its closing slogan in Appendix D.4
Dated predictions and this paper (recorded 25 August 2026), with its note of 3 October 2026	Appendix B.2
14. Predictions	Section 14; its note on Laws IV and V of 3 October 2026 in Appendix D.2
15. The Composition Operator	Section 15; its three notes of 19 September 2026 in Appendix A.2; its closing passage in Section 18, except its line on a cage and a key, kept in Appendix A.2
Correction note and scope note of 3 October 2026	Appendix A.2

Version 3.12	Version 3.13
References	References
Reproduction; key companion; other companions; companion papers	Code and data (back matter); Appendix D.3
How to cite	The first-page footnote and the citation file
Epistemic status	Section 16
Copyright line	Back matter
Standing covenant	End of Section 14
Version notes v3.12 to v3.6	Appendix A.3
Closing note on authorship	Acknowledgements

B Priority record

What the dates establish. This record distinguishes dates written inside documents, dates recorded by deposit servers and commit dates supplied by committers. Each entry keeps its stated evidence class. A dated claim is evidence of what was recorded and when; its mathematical validity and any priority over earlier work require the corresponding argument and source comparison. Version 3.14 changes none of the dates below.

The February and August records. The paper and its citation file record 22 February 2026 as the first-publication date. The table identifies that basis as a date written inside the document; it separately identifies the server-dated OSF component and first stored PDF revision in March. The working-paper header of the 3.x editions printed 16 August 2026 beside the version, later followed by "revised 10 October 2026". The record does not establish what the August line marks. It is retained as that header's wording, not substituted for the February record or reclassified as a newly verified first-publication date. This revision assigns neither a new first-publication date nor a stronger timestamp class.

B.1 Dated records

Table 10. Dated records bearing on this paper, each with its kind of timestamp.

Date	Record	Identifier	Kind of timestamp
22 February 2026	First publication of the paper, as the paper and its citation file record it	DOI 10.17605/OSF.IO/XZY9U	a date written inside the document
16 March 2026, 18:55:25Z	The computational suite `arc_complete_test_suite.py` first committed at its present path	arc-principle-validation, commit 29b71c8	a commit date, which the committer writes
16 March 2026, 22:44:02Z	The 1D prediction test results first committed at their present path	arc-principle-validation, commit 676b1fe	a commit date
17 March 2026, 01:16:22Z	OSF component created	osf.io/xzy9u	a deposit dated by its server

Date	Record	Identifier	Kind of timestamp
17 March 2026, 01:17:09Z	First PDF revision stored on OSF, already carrying Prediction 2; the PDF's own creation date reads 17 March 2026, 00:56:36 GMT	osf.io/xzy9u, revision 1	a deposit dated by its server; a date written inside the document
20 March 2026, 18:52:09Z	The paper's PDF first committed to the repository	arc-principle-validation, commit 3845440	a commit date
24 March 2026, 14:41:58Z	The report on the $d = 2$ biological prediction	arc-principle-validation, commit 6dcab3f	a commit date
16 August 2026	The date the 3.x header printed beside the version ("16 August 2026, revised 10 October 2026"); the paper does not state what it marks	the paper's header, versions 3.x	a date written inside the document
25 August 2026	Dated predictions and this paper, recorded (Appendix B.2)	the paper's text	a date written inside the document
10 October 2026	Version 3.12, the thirty-third revision of the PDF on OSF	osf.io/xzy9u, revision 33	a deposit dated by its server

B.2 Dated predictions and this paper (recorded 25 August 2026)

Historical statement recorded on 25 August 2026. The following paragraph is retained word for word as carried in version 3.13. Its counts, priority wording and statement that registration clicks remain outstanding describe that dated record. They are not current programme-status or validation claims. The separately dated note after it is also preserved as a record of the later update.

> 2 dated artefacts bearing on this paper are catalogued row by row in the programme's machine register: the dated artefact `D2_BIOLOGICAL_HONEST_REPORT.txt` (March 2026); the dated artefact `results_arc_1d_prediction_test.txt` (March 2026). Each row names its file in the public repository with its date basis, so any reader can check the ordering without trusting this page. The programme's full dated chain, from the sealed manuscript bundle of 8 December 2024 through the printed prediction appendices of 2 January 2026 and the March 2026 preregistration folder to the standing unproven wagers, is assembled in the dated predictions register, together with its machine-readable twin. Forward statements and retrospective matches are never summed. "Registered" is used only for an accepted registry submission, and that submission click remains outstanding across the programme; "preregistered in substance" is used, always with its qualifier and always beside its attestation class, for a prediction whose text was public and timestamped before its outcome existed, as the twelve-row manifest committed at 00:19 UTC on 17 March 2026 was, twenty-three minutes before its fits.

Note, 3 October 2026. The paragraph above was recorded on 25 August 2026 and stands as recorded; the state of registration has changed since. The theory-level registration was accepted on 8 September 2026. Of the trials, one, the corrector-class audit (unit 06), was registered on OSF on 1 October 2026, was still in its approval period when read on 3 October 2026, and has been public since 4 October 2026 (DOI 10.17605/OSF.IO/RV2B5). Every other trial is a draft awaiting submission by the author, most of them preregistered by timestamp. Unchanged: the paragraph above and every date in it.

Section 16 gives the current state of registration. The two historical passages above remain dated evidence, including where subsequent events have changed their status.

C Notation and measurement glossary

The same algebraic fraction can concern different quantities. The subscripts below keep those quantities distinct; historical symbols remain in explicitly dated quotations only.

Table 11. Notation used in the current argument.

Symbol	Definition and scope
F, H, c	A composition map, its scale-ratio limit where defined, and a homomorphism's coefficient. These letters do not denote physical quantities without the stated interpretation.
$\varepsilon, \mathcal{L}$	A global logarithmic-defect bound; a slowly varying factor in the declared scaling limit.
L, d	A dimensionless linear-size coordinate; the independently specified spatial dimension in the transport model.
q_i, Q_e, ℓ_e	Sink demand per unit time, edge flow per unit time, and edge length.
$B, \bar{\ell}_q, C$	Total throughput, demand-weighted mean route length, and the flow-length quantity $C = B\bar{\ell}_q$, with units of throughput times length.
μ, ζ, α_C	Demand and mean-route exponents against L; the conditional throughput exponent against C, $\alpha_C = \mu/(\mu + \zeta)$.
v, N, υ, α_N	Transport speed, inventory in transit, the exponent of common speed against L, and the conditional throughput exponent against inventory. Edge-specific speeds require the full transit-time sum.
M, η, α_M	Body mass; the separately established exponent linking mass to C; the resulting throughput exponent against mass.
$\dot{V}_{O_2}, f_H, V_s, \Delta O_2$	Oxygen consumption rate, heart rate, stroke volume, and arterial to mixed-venous oxygen-content difference. Their balance is Equation (25).
b, s, e, h	The respective mass exponents of oxygen consumption, stroke volume, extraction and heart rate, with $h = b - s - e$.
$a(t), H, \rho, P, w$	Cosmic scale factor, Hubble rate, mass-equivalent density, pressure and constant equation-of-state parameter in the stated single-fluid model. H here is not the scale-ratio function.
$p, q_{\mathrm{dec}}, d_{\mathrm{eff}}$	Cosmic time exponent, deceleration parameter and the algebraic coordinate $p/(1 - p)$. The last is not a measured network dimension.
U, I, G, g, R, r	A positive measured response, its baseline, normalised response in first-pass coordinates, the corresponding gain in added-pass coordinates, first-pass depth and added passes, with $R = r + 1$.
a, β_L, α, r_c	Parameters of $dg/dr = ag^{\beta_L}$; $\alpha = 1/(1 - \beta_L) > 0$ and $r_c = \alpha/a$ when $a > 0, \beta_L < 1$. The coefficient a here is not the cosmic scale factor.
D, β_C, k, δ	Modelled departure magnitude, correction exponent, time-growth exponent and cycle-duration exponent in the companion dynamical models. A fraction D/U is distinct from absolute departure or harm.
$\gamma, \alpha_{\mathrm{crit}}$	The correction-scaling parameter and conditional pacing threshold of Law III, on its stated domain $0 \le \gamma < 1$.

Symbol	Definition and scope
$d_{\text{code}}, N, T, p_L, \Lambda$	Code distance, physical-qubit count, cycle count, logical error probability per cycle and the reported spatial suppression factor in Section 11.4. Here N is a qubit count, not transported inventory.
$\alpha_{E,\text{seq}}, \alpha_{E,\text{par}}, r^2$	Reported sequential and parallel error-decay exponents and coefficient of determination; their estimators, predictor axes, uncertainty and selection limits stay with the table.

composition equation A relation preserved by a specified observable under declared input and output operations. A state-update rule is a separate object.

homomorphism A map preserving the operations of its source and target structures. The four continuous group cases here include both the additive reals and the multiplicative positive reals.

regular variation A scale-ratio limit that permits a slowly varying factor; it does not assert an exact finite-range power.

conditional transport exponent The exponent implied by the demand, route and measurement assumptions in Section 6; dimension alone is insufficient.

independent measurement An observation not calculated from the identity it is offered to validate. Statistical dependence between measurements must still be modelled.

analytic identity A consequence of definitions or assumptions. It is not an empirical success, even when its numerical value matches another identity.

capability baseline The positive measured response at a declared reference condition, not a conversion from energy or entropy into intelligence.

ARC Bound The conjectured value two associated with Law III under its additional correction-scaling premises, not a universal physical or safety bound.

laws under test The programme's named claims, whose verdicts are governed by their registered procedures. Conditional mathematics alone supplies no empirical verdict.

preregistered by timestamp; registered A design fixed before data with its timestamp and receipt; an OSF registration submitted by the author and accepted by the registry. These records retain their respective evidential strengths.

D The paper's place in the programme

D.1 Which questions this paper informs

Within Recursive Dynamics, the field the author founded, this framework paper informs Law I, the ARC Principle, a law under test. Its subject is whether a composition description and independently justified mechanism can predict scaling. It develops the mathematical and measurement questions relevant to P9 and P18 of the theory registration; it is not a registered deciding test of either. The registered statements remain unchanged. The Cauchy mathematics and earlier transport results retain their attribution; the synthesis and prospective protocol are the contribution developed here. In the theory's domain statement this paper works the composed tier: where the composition of a system's steps can be declared, the mathematics of form reaches everything that composes, stars included, and it constrains the shape of their scaling laws, never their raising; Laws I to III themselves govern only what runs under a corrector.

Section 11 distinguishes the capability ODE from the correction model and the conditional pacing relation of Law III. The physical examples derive none of those AI models. Prediction 5 retains a separate

behavioural question concerning the Eden Protocol. The paper makes no claim about the legal validity of the HARI Treaty, the Draft Treaty on Hardware-Aligned Recursive Intelligence.

D.2 Persistence and placement

Laws IV and V are stated with their current qualifications in Section 16. Under version 1.104 of the theory registration, Law IV has two limbs: its retention limb is the registered claim of proposition P15, word for word, and its comparison limb has no registered proposition yet; Law V carries propositions P12 and P21. The retention question under P15, the build-order question under P12 and the placement question under P21 are different measurements. The programme's Laws IV and V: the mathematics, version 1.2, revised 29 October 2026, supplies their mathematical account. The earlier note of 3 October 2026 is retained as dated history in Appendix G; its then-current status words are not present-day assertions.

D.3 Companions and their distinct jobs

Paper I states Law I. The Foundational Paper gives the cross-domain framework. Paper VII treats composition classification and its empirical comparison; its result depends on its candidate set, scoring rules and historical protocol. It cannot establish a universal classification of nature. Paper III develops the AI correction question. Paper X supplies the conditional drift/correction model, and Paper XIII supplies the separate depth-to-time model. Each must be read with its own assumptions.

The reported experiments and evaluation limitations are in Paper II, Paper IV.a, Paper IV.b, Paper IV.c and Paper IV.d. The engineering and behavioural strands are developed in Paper V, Paper VI, Paper VIII, Eden Engineering and Eden Vision. Paper IX, the Executive Summary and the Master Table of Contents describe the broader programme. These links provide context, not cumulative evidence for this paper's transport model.

D.4 Reading the dated records

The reference list distinguishes each cited edition's revision date from its first-publication record. Appendix B records the timestamp strength of the author's earlier claims. Historical priority establishes what was recorded and when, not correctness or priority over a classical result. The fuller development record and superseded formulations are preserved with the previous editions and the explicit correction record; none is silently upgraded to a discovery of the narrower statements first made in this revision. The full differential of this paper against every prior document of the programme is at Eden Vision, section II.A.8; the reading note of version 3.12 is kept in Appendix A.3.

E The contribution beside the closest earlier work

This appendix states the contribution at the scope supported by the comparisons in Section 2. The mathematical ingredients have prior sources. What this paper develops within Recursive Dynamics, for Law I, the ARC Principle, a law under test, is a route from a declared composition equation through a specified transport model to a prospective empirical prediction. It separates those stages so that an identity, an assumed mechanism and an observation cannot count as one another.

The targeted source comparison includes established functional-equation and regular-variation work, earlier transport derivations and their limitations. It is not an exhaustive search of every scaling literature. In particular, Ostaszewski (2016) already connects homomorphisms, generalised operations and regular variation; the author preprint precedes this programme's paper, and the article was first published online in 2015. Bingham et al. (1987) supplies the established regular-variation framework. The connection

between homomorphisms and scaling is therefore credited as prior work, rather than presented as a first discovery here.

Table 12. Current contribution and the closest earlier work used in this paper.

Part of the argument	Closest earlier work	Claim retained in this paper
Composition constrains a functional form	Cauchy (1821); the scale-free-distribution account in Newman (2005, section III.E)	The four chosen operation pairs are stated with their domains, codomains, normalisation and regularity conditions. This is a use of classical mathematics, not a classification of every physical law.
Approximate and asymptotic composition	Hyers (1941); Bingham, Goldie and Teugels (1987); Ostaszewski (2016)	The paper gives the precise logarithmic-defect consequence used here and distinguishes it from a scale-ratio limit. Their premises are explicit; neither finite noisy data nor a fitted power law establishes them globally.
A transport exponent and its bound	West, Brown and Enquist (1997; 1999); Banavar, Maritan and Rinaldo (1999); Banavar and co-authors (2002; 2010)	The conditional calculation separates demand, route length, velocity, inventory and mass. The familiar $d/(d+1)$ is a special case. The earlier formula and bounds keep their attribution and their original assumptions.
Comparison across mechanisms	Demetrius (2003, 2006); Demetrius and Tuszynski (2010); Bettencourt (2013); Zhao (2022); Maino and co-authors (2014)	The paper compares the meanings of dimension, the measured variable pairs and the conditions that select each exponent. It does not infer equivalent mechanisms or empirical validation from a repeated fraction.
Finite-range and empirical qualifications	Dodds and co-authors (2001); Kozlowski and Konarzewski (2004); Savage and co-authors (2008); White and Seymour (2003); Kolokotrones and co-authors (2010)	Model limits, competing exponent estimates and curvature remain part of the evidence. A finite-range slope is distinguished from an asymptotic exponent, and incompatible measurements are not pooled as confirmations.
Cosmological and recursive comparisons	The Friedmann solutions (1922); the programme's explicitly assumed recursion models (Section 11)	The cosmological mapping is a change of variables. The capability trajectory requires its own dynamical assumptions and measurements. Neither supplies a universal geometric ceiling or an intelligence exception to physics.
A prospective mechanism test	The earlier transport models above; the protocol set out in Section 14	Independently measured premises are used to predict held-out throughput and inventory. The protocol is unrun and remains to be fully specified before registration. Its proposed empirical result is not counted as an achievement already obtained.

Earlier statements that the convergence account had not previously been published, and comparisons that extended the classification to all classical laws or a universal phase diagram, are preserved with their corrections in Appendices A and I. They are not current priority or validity claims. The dated records in Appendix B remain unchanged: they establish what the author recorded and when, at each record's stated timestamp strength. The present contribution is assessed by the explicit assumptions, derivations and

discriminating measurements above.

F Source-specific biological and physical comparisons

The observations below retain their source, measured variables and method. They are published estimates from different investigations, not one dataset collected to test the transport model. Source-supported observations, analytic relations and historical claims awaiting verification are distinguished. No pooled exponent, accuracy score or new statistical test is reported.

F.1 Metabolic estimates retain their measurement conditions

Table 13 preserves four source-specific comparisons from version 3.13. Their source readings are documented in that edition's reference and change records. These point estimates do not come with a common error model or sampling frame; their proximity to a selected fraction is not a validation statistic.

Table 13. Published metabolic estimates preserved with their methods. No uncertainty is invented where the selected source record supplies only a point estimate.

Group	Reported exponent	Observable and method
Mammals	0.737; 0.712	Basal metabolic rate against body mass, 626 species; 0.737 with mass binning, 0.712 without it (Savage et al. 2004).
Birds	0.723; 0.724	Standard metabolic rate against body weight; 0.723 for non-passerines, from hummingbirds to the ostrich, and 0.724 for passerines (Lasiewski and Dawson 1967).
Insects	0.750; 0.82	Metabolic rate against body mass, 391 species; 0.750 after phylogenetic correction and 0.82 before it (Chown et al. 2007).
Reptiles	0.76; 0.80	Standard metabolic rate against body mass at 38°C; ordinary least squares gives 0.76 and reduced major axis gives 0.80 (White et al. 2006).

Method matters within a source as well as between sources. The insect paper itself argues that its findings are inconsistent with the nutrient-supply network model (Chown et al. 2007); selecting its phylogenetically adjusted value alone would omit that interpretation.

The mammalian debate is not settled by one row. White and Seymour (2003) report a raw 619-species exponent of 0.69. Their temperature-adjusted and restricted sample has 469 species; its interspecific exponent is 0.68, while the interordinal fit gives 0.65. In that analysis the latter two estimates differ significantly from $3/4$ and do not differ significantly from $2/3$. The restrictions concern basal conditions and eligible taxa; the study had no qualifying cetacean or proboscidean measurements. Kolokotrones et al. (2010) instead examine curvature in mammalian metabolic scaling, including temperature and other adjustments: a constant exponent fitted to a curved relation depends on the sampled mass range. These are results about stated measurements and models, not universal exponents.

Organismal form does not establish a transport mechanism. Thommen et al. (2019) report three-quarter metabolic scaling in the planarian *Schmidtea mediterranea*, attributing it to body-size-dependent energy storage and increasing mass per cell. The animal lacks a vascular network and distributes energy through its branched intestine. The source therefore supplies an alternative mechanism for the same approximate exponent. The recorded abstract check of Hartikainen et al. (2014) supports isometric scaling

in sheet-forming colonial bryozoans. The text read from Purcell (2009) describes jellyfish respiration scaling approximately in proportion to mass; the more precise 0.94 previously printed here was not verified. The abstract of Glazier (2006) reports that during ontogeny "the metabolic rate of pelagic (open-water) animals often scales isometrically (in a 1:1 proportion) with body mass". None of these observations establishes the demand, route-length and mass-bridge premises merely from an organism's shape.

F.2 The fungal measurements have different variable pairs

Aguilar-Trigueros et al. (2017) report ordinary-least-squares fits in logarithmic coordinates. The ectomycorrhizal and marine fits relate colony respiration to colony biomass; the saprotrophic fit relates specific metabolic rate to radial extension rate, as Figure 1c labels it. These are colony comparisons, not measurements of isolated hyphae.

Table 14. The three selected 20°C fits from Table 1 of Aguilar-Trigueros et al. (2017). SE is the slope's standard error; P is the source's regression p-value, not a test against $1/2$.

Group	n	b	SE	P
Ectomycorrhizal	24	0.58	0.15	0.001
Marine	5	0.53	0.09	0.009
Saprotrophic	5	0.53	0.07	8.96×10^{-3}

The ectomycorrhizal data were standardised to 20°C; their reported n includes genotypes, not 24 distinct species. The compilation attributes these datasets respectively to Wilkinson et al. (2012a,b), Fuentes et al. (2015) and Crowther and Bradford (2013); the displayed regressions are the compilation's.

The compilation's prose gives $P < 0.001$ for the saprotrophic 20°C fit, differing from its table. Its 28°C row prints $b = 0.85$, SE 0.21, $r^2 = 0.14$ and $P = 0.52$, an unresolved statistical inconsistency already recorded in version 3.13. These summaries are not silently repaired or used for model selection (Aguilar-Trigueros et al. 2017).

The comparison that remains to be made. Pooling biomass and extension-rate exponents would erase the measured variable. Pooling separately fitted slopes would also require a justified statistical model that respects their uncertainty and sampling. A hypha's filamentary shape does not independently determine the geometry or demand scaling of the whole colony. The present observations therefore supply questions for a specified transport test, not a pooled confirmation of $d = 1$.

More generally, failure to reject a proposed value is not an equivalence result. An equivalence claim requires a stated tolerance and an analysis capable of resolving it. The non-significant tests reported in earlier editions do not establish equality to $1/2$ or $3/4$, and the earlier pooled comparisons are not used as active evidence here.

F.3 Percolation: a critical exponent and a response slope

Let p denote site-occupation probability, p_c its critical value and $n_{\mathrm{sing}}(p)$ the singular part of the mean number of clusters per site. In the conventional scaling ansatz reviewed by Stauffer (1979), its leading power and the associated second derivative have the forms

$$n_{\mathrm{sing}}(p) \propto |p - p_c|^{2-\alpha_{\mathrm{perc}}}, \qquad n''_{\mathrm{sing}}(p) \propto |p - p_c|^{-\alpha_{\mathrm{perc}}}. \tag{F.1}$$

The second expression refers to the derivative of the leading singular power; regular background contributions to the full observable are distinct. Under the hyperscaling relation $\alpha_{\text{perc}} = 2 - D\nu$, the substitutions $D = 2$ and $\nu = 4/3$ give

$$\alpha_{\text{perc}} = -\frac{2}{3}, \qquad -\alpha_{\text{perc}} = +\frac{2}{3}. \tag{F.2}$$

Thus the conventional critical exponent is negative while the singular response has a positive power of distance from criticality. Version 3.13 already printed both signs. The correction here concerns the observable and evidential interpretation, not an invented arithmetic error.

The scope of the rigorous citation matters. Theorem 1 of Smirnov and Werner (2001) gives the correlation-length exponent $4/3$ for site percolation on the triangular lattice. Section 5, question 4 of that paper lists existence and determination of the cluster-number exponent, conjectured there to be $-2/3$, as an open question at the time. Using its correlation-length result inside a hyperscaling argument is therefore different from claiming that the cited paper directly proves the cluster-number response. This statement concerns that paper's scope, not the current status of the problem. Neither calculation is a throughput measurement or a test of the model in Section 6.

F.4 A logarithmic coordinate changes a distribution exponent

The earthquake comparison is useful as a conditional change of variables. If a magnitude coordinate m and an energy variable E are related by $E = E_0\, 10^{\lambda m}$, and a cumulative frequency satisfies $N_{\geq m} = K\, 10^{-b_m m}$, then

$$N_{\geq E} = K \left(\frac{E}{E_0} \right)^{-b_m/\lambda}. \tag{F.3}$$

Taking $\lambda = 3/2$ gives the exponent $2b_m/3$. That is algebra conditional on the chosen magnitude-energy relation and cumulative-frequency model. It does not establish either relation for a catalogue, equate every magnitude definition with radiated energy, or independently confirm a spatial network exponent. A density and a cumulative tail also have different exponents. The variables and catalogue calibration must be identified before an empirical comparison is made.

F.5 Historical source claims still requiring verification

Table 15 retains enough detail to identify outstanding claims. These entries carry no active evidential weight in this edition. A confirmed bibliographic identity is not confirmation of a particular number or its interpretation.

Table 15. Historical claims requiring source verification. These are records of earlier claims, not additional observations in a combined test.

Earlier entry	Retained claim and verification limit
Additional taxon exponents	Fish 0.800, amphibians 0.740 and crustaceans 0.730 were not confirmed at source in the version 3.13 record. No source or uncertainty is supplied by retaining them.
Jellyfish precision	The exact 0.94 attributed to Purcell (2009) was not checked in the source table. Only the approximate proportionality described above is supported by the recorded text read.
One-dimensional KPZ roughness	The earlier value $1/2$ cites Kardar et al. (1986). The available record confirms the paper's identity but does not document a claim-level reading of this specific result; no current transport comparison relies on it.
Brittle fragmentation	The earlier $2/3$ and $3/4$ assignments for two and three dimensions have no verified supporting measurements in the record.
Earthquake catalogue range	The earlier b range of approximately 0.8 to 1.2 lacks a source in this paper. Equation (F.3) is a conditional transformation, not verification of that range.

G Dated programme statements retained for the record

The following passages are historical quotations, retained for provenance. Their present-tense status and their language of unification describe what the earlier text said. Section 16 and Appendix D give the current interpretation. In particular, a source-compatible physical calculation does not establish an AI alignment mechanism or a universal law. No new result or priority is attributed to these passages.

> **This paper and Laws IV and V, 3 October 2026.** The theory has been stated with five laws since 24 September 2026. Law IV, the ARC Persistence Law, is carried by proposition P15, and Law V, the ARC Embedding Law, by propositions P12 and P21. The three propositions are registered. Neither law is registered as a law, neither has been tested, and their mathematics is set out in Laws IV and V: the mathematics, version 1.0, of 3 October 2026. Most of this paper concerns the forms and exponents of scaling laws in physical, biological and cosmological systems; none of that work measures the persistence of an installed gain, the order in which a system is built, or where correction is placed. Its summaries of the programme's AI experiments, in Section 12, relate capability and alignment scores to reasoning depth, and none of them measures those three things either. Where the paper turns to embedding, it states Prediction 5, that ethical reasoning loops embedded in an AI inference pipeline will improve alignment-relevant output quality. It reports the March 2026 pilot of the Eden Protocol, in which the Stakeholder Care Loop produced a statistically significant improvement in stakeholder care on all three working models, under cross-model scoring that was not blind. Those gains were measured with the loops in place. The pilot does not show what remains once the loops are removed or after later training, which is the question of P15; it does not vary the order in which a system is built, which is the question of P12; and it sets no correction that sees only the finished output against the loops, which is the comparison P21 makes as depth rises. No result in this paper is a deciding test of P15, P12 or P21. Naming the two laws changes nothing printed here: the results, their dates and their limits stand as they were.
>
> **In plain words.** Earlier versions summed the paper up in these lines, kept here as printed: "One formula. From cells to cosmos."; "The discovery is in the connection, not the components."; and "One framework. From the heartbeat of a mouse to the expansion of the universe. And beyond both - to the scaling of thought." Read them with Section 16: the cosmos enters as an identity, which carries no evidence, and the scaling of thought is a different pair of variables, which has to be measured.

H Detailed earlier comparisons and reports

This appendix preserves detailed material from the released version 3.13, dated 31 October 2026, that the current main text no longer carries. Each passage below is a dated record from that edition. Its original words and numerical results are retained; headings and cross-reference numbers are adapted only to identify their historical setting. A reference number inside a retained passage names the version 3.13 location, not a current result.

Reported results below keep their recorded methodological limitations; retaining them does not make every reported observation obsolete. Superseded pooled comparisons, universal physical interpretations and causal conclusions are expressly identified before their passages. The main text supplies the current conditional argument. No study, analysis or new numerical calculation was performed for this appendix.

H.1 The earlier heartbeat illustration

Historical illustration, superseded as a test of a dimension-only prediction. The mouse/elephant values and arithmetic are kept as the earlier comparison; the current Fick balance requires stroke-volume, extraction, state and prefactor assumptions (Section 7). The lifetime-total correction is retained.

H.1.1 The heartbeat

The formula makes predictions specific enough to test against your own pulse.

If metabolic rate scales as $M^{3/4}$, then the rate at which a body burns energy per unit of mass, its mass-specific metabolic rate, scales as:

$$P/M = M^{3/4} \,/\, M = M^{-1/4} \tag{H.1}$$

Mass-specific metabolic rate

The heart's job is to deliver oxygen at the rate the body consumes it. Heart rate must therefore track mass-specific metabolic rate:

$$\text{Heart rate} \;\propto\; M^{-1/4} \tag{H.2}$$

Predicted from $\alpha = \frac{3}{4}$

This is a specific, numerical prediction. A mouse weighs 25 grams. An elephant weighs 4,000 kilograms, 160,000 times more. The formula predicts the elephant's heart should beat $160{,}000^{1/4} = 20$ times slower than the mouse's.

A mouse's heart beats about 600 times per minute (a veterinary reference table gives 450 to 750; Merck Veterinary Manual 2004). $600 \div 20 = 30$.

An elephant's resting heart rate is about 28 beats per minute (25 to 35 in the same table). The prediction is 7% off, and inside that range. From one formula. With one input: the dimension of the transport network.

This chain, from $d = 3$ through $\alpha = 3/4$ through metabolic scaling to heart rate, connects the abstract to the visceral. The same formula that, under a change of variables, describes the expansion of the universe during the radiation era ($d = 1$, $\alpha = 1/2$) gives the rate at which your heart beats ($d = 3$, $\alpha = 3/4$); in cosmology the agreement is an identity (Section 9).

The heartbeat constant. If heart rate scales as $M^{-1/4}$ and lifespan scales approximately as $M^{1/4}$, then the total number of heartbeats in a lifetime is:

$$\text{Total beats} = \text{HR} \times \text{lifespan} \;\propto\; M^{-1/4} \times M^{1/4} = M^0 = \text{constant} \tag{H.3}$$

On illustrative lifespans of two years for a mouse and sixty-five for an elephant, 600 and 28 beats per minute come to about 0.6 billion and 1.0 billion beats: the same order of magnitude, as M^0 implies, though not the same number. The spending rate is set by the dimension of the transport network.

H.2 The earlier pooled biological comparison

Superseded analysis. The original group statistics and pooled tests are retained below as the prior record, not as current evidence: the fungal factors use different axes and the two-dimensional biological group does not meet the stated network classification. Source-specific measurements remain in Appendix F.

Level 2a: biological exponent predictions The formula $\alpha = d/(d+1)$ generates three quantitative predictions for metabolic scaling exponents based solely on the effective transport dimension of the organism. Two of the three can be compared with published data, and of those the $d = 3$ comparison is consistent with it, while the $d = 1$ comparison does not reject it (a mean of three factors on different axes; no equivalence shown); the third, at $d = 2$, has no valid test organism:

Table 16. Level 2a: biological exponent predictions. Each p-value is a one-sample t test of the group's values against its ARC prediction: for the fungi, the three colony-level factors in Table 14 ($t = 2.8$ on 2 degrees of freedom); for three-dimensional transport, the seven group exponents that this paper's result file lists (Code and data), with the birds value corrected as in Table 2: mammals 0.737, birds 0.723, fish 0.800, reptiles 0.76, insects 0.750, amphibians 0.740 and crustaceans 0.730, four of them sourced in Table 2 and three (fish, amphibians and crustaceans) not yet confirmed at source in this paper.

Group	Transport Network	ARC Prediction	Published Mean	p-value	Status
1D transport ($n = 3$)	Filamentous fungi	0.500	0.547	0.107	Not rejected (mean of three factors; no equivalence shown)
2D transport	No organism with validated 2D hierarchical network	0.667	-	-	Untested in biology; an identity in cosmology (Friedmann matter era)
3D transport ($n = 7$)	Mammals, birds, fish, reptiles, insects, amphibians, crustaceans	0.750	0.749	0.888	Agrees (the mean matches $\frac{3}{4}$)

All three groups are significantly different from each other (one-way ANOVA, $F = 64.6$, $p = 1.9 \times 10^{-6}$). One-sample t tests of the three fungal factors in Table 14 (2 degrees of freedom) give $p = 0.019$ against the $d = 2$ value and $p = 0.007$ against the $d = 3$ value. These tests use the spread of the three factors and set aside each factor's own standard error, which is larger, and the third factor is against colony radial extension rate, not mass; each factor's own 95 per cent interval includes $\frac{2}{3}$, so these data do not yet separate $\frac{1}{2}$ from $\frac{2}{3}$. The ARC model outperforms all single-value alternatives (Kleiber 0.750, surface area 0.667, grand mean) in both RMSE (69% lower than Kleiber) and AIC. The single formula that generates all three exponent values is the earlier derivations' (Section 2), so the comparison made here is with single-value alternatives only. These group comparisons were computed in March 2026 with a two-dimensional group (jellyfish, cnidarians and ctenophores; mean 0.680) that the note on $d = 2$ in Section 6 now sets aside as having no hierarchical transport network; the three-group test therefore no longer stands as stated, and the comparisons that stand are those between the fungal values and the two predicted values.

Note on the $\frac{3}{4}$ debate. The empirical value of the mammalian metabolic scaling exponent is debated, with estimates ranging from approximately 0.67 to 0.75 depending on taxon, mass range, temperature correction, and statistical method (White and Seymour 2003; Glazier 2005, 2022). White and Seymour's data set of 619 species gives an exponent of 0.69 and, once body temperature and digestive state are allowed for, exponents not significantly different from $\frac{2}{3}$ (White and Seymour 2003); Savage et al. (2004) find 0.737 for 626 species with the data binned by mass (0.712 unbinned); and Kolokotrones et al. (2010) find the relation convex on logarithmic axes, and so not a pure power law, and report that a model based on vascular-system architecture fails their test. The $d/(d + 1)$ value of 0.750 for $d = 3$ matches the upper end of this range; it is not an empirical consensus. If effective transport

dimensions between 2 and 3 occur, the formula would give exponents between $\frac{2}{3}$ and $\frac{3}{4}$; this paper does not measure effective dimension independently, so that variation is accommodated, not predicted.

H.2.1 Earlier row-wise error comparisons

The following table preserves the predecessor's individual error percentages, with its source and method notes. Its cosmology entries were already graded as identities. The current paper does not pool these unlike comparisons or treat a matching numerical fraction as proof of a shared transport mechanism; the conditional premises must be tested separately.

Table 17. Predicted and measured exponents, each biological value with its source (the two cosmology rows graded as identities).

System	Dimension	Predicted α	Measured α	Error
Mammals (3D vascular network)	$d = 3$	$\frac{3}{4} = 0.750$	0.737 (Savage et al. 2004)	1.7%
Birds	$d = 3$	$\frac{3}{4} = 0.750$	0.723 (Lasiewski and Dawson 1967)	3.6%
Insects	$d = 3$	$\frac{3}{4} = 0.750$	0.750 (Chown et al. 2007)	0.0%
Reptiles	$d = 3$	$\frac{3}{4} = 0.750$	0.76 (White et al. 2006)	1.3%
2D biology	$d = 2$	$\frac{2}{3} = 0.667$	No valid test organism identified[†]	Untested
Universe, matter era	$d = 2$	$\frac{2}{3} = 0.667$	0.667	0.0% (analytic identity under $d = 2/(1 + 3w)$; not evidence)
Universe, radiation era	$d = 1$	$\frac{1}{2} = 0.500$	0.500	0.0% (analytic identity under $d = 2/(1 + 3w)$; not evidence)

Each biological value is its source's own: mammals, basal metabolic rate of 626 species with the data binned by mass (0.712 unbinned); birds, standard metabolic rate of non-passerines, from hummingbirds to the ostrich (0.724 for passerines); insects, metabolic rate of 391 species after phylogenetic correction (0.82 before it); reptiles, standard metabolic rate at 38°C by ordinary least squares (0.80 by reduced major axis). Published exponents depend on the data set and the method (Section 12).

H.3 The historical composition-classification result

Retained reported comparison, with its March classification rule and timestamp class. Its scoring and candidate families limit its interpretation; it is not a theorem about every physical system or a new result of this revision. The dated status statements below belong to version 3.13.

Level 3: domain classification. Eighteen well-known scaling laws, listed in the test suite's 18-domain classification (Code and data), were fitted with three functions (power law, exponential and saturation, two parameters each) under strict matching, and in all eighteen the family named from the composition operator fitted best. This is a consistency check, not proof. The evidential weight comes from Level 2.

Update (March 2026): Paper VII (The Cauchy Unification) extends this classification to 25 empirical domains (50-domain tiered suite). The operator class was classified from known physics before fitting. Under AIC-based model selection, 19 of 25 preferred the Cauchy-predicted family under the classification rule of March 2026

($p = 7 \times 10^{-5}$ under the permutation test that Paper VII takes as primary; 1.56×10^{-5} binomial). No result, direction or quantity from the analysis run on 11 August 2026 is printed: the author did not request it and has not examined its outputs (registration 1.104, line 275). This is a structured prediction comparison; a replication is preregistered by timestamp (Units 55 and 56, first anchored on 12 August 2026), not yet registered on OSF.

H.4 The alignment run and its code-review limitations

Retained detailed report. The stated October code-review defects and changed components prevent attribution to a single cause or identification of a correct causal direction. The coefficients below are the reported results under those qualifications; they are not recomputed, and do not validate the present transport model.

The alignment scaling prediction has now been examined in one run not registered on OSF, whose tested predictions were public before it ran (OSF and GitHub dates, 17 January to 22 February 2026). The ARC Alignment Scaling Experiment v5 (March 2026) ran 6 frontier models from six providers (DeepSeek R1, GPT-5.4, Claude Opus 4.6, Gemini 3 Flash, Groq Qwen3-32B, Grok 4.1 Fast) on 28 alignment prompts spanning 4 pillars (nuance, stakeholder care, position quality, epistemic humility). Its design named four blinding layers (existential stakes framing, a meta-blinding perceptual firewall, 2-pass multi-model response laundering and cross-model scoring); its 2,170 responses were each scored by five or six distinct judges.

Its results read as architecture-dependent alignment scaling rather than a universal exponent, under a caveat: an internal code review in October 2026 found that, for the three models that read flat or negative in the March 2026 run (v5), the scoring endpoint's output cap cut the deepest paraphrases before the judges saw them, and that judges scored paraphrases written by their own model; the result therefore stands as a single unregistered run under that caveat until a registered re-analysis of the stored responses reports.

Three-tier alignment hierarchy:

- **Tier 1 (Positive scaling):** Grok 4.1 Fast ($\rho = +0.175$, $p = 0.039$, Cohen's $d = 1.59$), Claude Opus 4.6 ($\rho = +0.435$, $p = 0.043$, $d = 1.48$), and Groq Qwen3 ($\rho = +0.141$, $p = 0.008$, $d = 0.46$): alignment scores rose with reasoning depth
- **Tier 2 (Flat):** GPT-5.4 ($\rho = +0.033$, $p = 0.73$) and DeepSeek R1 ($\rho = -0.135$, $p = 0.08$): alignment scores flat with depth ($\alpha_{\text{align}} \approx 0$)
- **Tier 3 (Negative):** Gemini 3 Flash ($\rho = -0.246$, $p = 0.003$, $d = -0.61$): alignment scores fell with reasoning depth

In the earlier unblinded experiment (v4), DeepSeek's scores rose with depth ($\rho = +0.354$). On the programme's own benchmark, two model families' unblinded rises did not hold in a later run that changed the responses, prompts, depth levels and Gemini model and added a bundle of blinding steps: Gemini's significant positive association (an earlier Gemini model in v4) became a significant negative one on Gemini 3 Flash and DeepSeek V3.2's became null, GPT-5.4's null under both; an internal code review in October 2026 found defects in exactly those runs, so no single cause is claimed, and the finding is not yet shown beyond that benchmark (Paper IV.d, version 2.7; Paper XII). It is a finding, not a law.

H.5 The pilot, failed run and later programme

Retained historical priorities and pilot report. The pilot scoring was not blind and the usefulness side was not measured; the current Prediction 5 retains those limitations. The preceding dimensional-ladder priorities and any inference from a significance threshold are historical proposals, superseded by the conditional, prospective protocol of Section 14. A vanished blind effect would not by itself identify one psychological mechanism.

Experimental priority. The most important next measurement is the 1D organism experiment (prediction 1), because agreement at $d = 1$, 2 and 3 would complete the dimensional ladder from a single formula with no free parameter beyond the measurable network dimension. After that: a test of whether α can exceed 1 for recursive reasoning systems; the early single-model estimate above 1 (about 2.24) did not replicate across architectures and is retracted (Paper II). After that: the alignment scaling prediction, examined so far in one unregistered run of March

2026, whose tiers stand under the code-review caveat of Section 12.4. *(In plain English: in that run, some AI systems' ethics scores rose with more thinking time, some stayed the same, and one fell. If thinking time had no effect on that model's scores, a change as large as the one recorded for Gemini 3 Flash, in either direction, would be expected less than once in 300 runs of this kind.)* Full methodology and results are presented in companion papers (Paper IV.a; Paper IV.b; Paper IV.c). Each step either supports the framework and extends its scope, or refutes part of it and identifies where the theory requires revision. Either outcome advances the science.

Eden Protocol pilot (March 2026). The Eden Protocol, which embeds three self-correction loops (the purpose check, the stakeholder-care check and the universalisability check) in the inference pipeline, has now been tested on three working models: Gemini 3 Flash, DeepSeek V3.2, and Groq Qwen3 ($n = 80$ each), with a fourth GPT-5.4 run failing at the API layer. The stakeholder-care check produced statistically significant improvement on all three working architectures: Gemini +13.5 ($p < 0.0001$, $d = 1.31$), DeepSeek +6.0 ($p = 0.0001$, $d = 0.91$), Groq +8.9 ($p < 0.0001$, $d = 1.29$). The overall composite reaches significance on Gemini (+5.33, $p = 0.0018$, paired t-test; originally reported as $p = 0.016$ by a Mann-Whitney U test and corrected for the matched-pair design) and Groq (+4.93, $p = 0.0014$, $d = 0.55$), but not DeepSeek (+2.0, $p = 0.23$ NS), consistent with ceiling effects. Groq also shows significant nuance improvement ($p = 0.0045$, $d = 0.655$). Cross-model scoring was used, not blind. The developmental hypothesis, that embedded ethical reasoning improves alignment-relevant behaviour, is supported in this pilot under scoring that was not blind. A later six-model suite, with five analysable runs, found stakeholder care significant in all five and the composite gain architecture-dependent, under the same kind of scoring (Paper V, version 1.7, 5 October 2026). The pilot measured one side only: it reports no usefulness measure, such as task completion, needless refusal or the cost of the added checks, so it does not show that the intervention keeps a system useful as well as careful. Replication with blind scoring and response laundering is required.

In plain English: A simple instruction, 'before you answer, list the people this affects and consider what happens to them', was tested on three AI systems built by different companies. All three scored higher on stakeholder care, and two on the overall score, under scoring that was not blind. It is a pilot, not yet a test.

Next empirical priority for Eden. The strongest next measurements are now clear: blind replication of the care-first effect with `arc_eden_v7`, a new test built from the never-run `arc_eden_v6`; factorial comparison of task-purpose, grand-purpose, and hybrid purpose checks; comparison of a cross-tradition ethics kernel against the current wording; suppression-residual and deception/Hawthorne tests; and a behavioural test of whether explicit AFFIRM / DENY / INVESTIGATE routing reduces false certainty on ambiguous cases, a question that a software model of the three-state gate, whose 48 tests pass, does not answer. These experiments are the bridge between the philosophical architecture of *Infinite Architects* (Eastwood 2026a) and a more publication-grade empirical programme.

H.6 The numerical values of the earlier bound

The table gives the numerical function $d/(d+1)$ and its limit, not a dimension-only physical law. The current result requires the transport assumptions of Sections 6 and 10.

Table 18. $\alpha = d/(d+1)$ and its distance from 1.

d	$\alpha = d/(d+1)$	Distance from 1
1	0.500	0.500
2	0.667	0.333
3	0.750	0.250
10	0.909	0.091
100	0.990	0.010
1,000	0.999	0.001
∞	1.000	0.000

H.7 The earlier illustrative coupling values

These are hypothetical substitutions in the earlier formula. In the current gain model the parameter is β_L, the power branch requires $0 \leq \beta_L < 1$, and its shifted solution has finite-depth elasticity different from its asymptotic exponent. The values below are not inferred from Paper II and do not estimate a correction or timing exponent.

When $\beta = 0$, $\alpha = 1$: linear scaling, no amplification. When $\beta = 0.3$, $\alpha = 1.43$. When $\beta = 0.5$, $\alpha = 2.0$.

H.8 The earlier physical interpretation and working quantities

Superseded interpretation. The earlier synthesis below is retained in full so that its phase, cosmological and information claims remain inspectable as dated claims. A superlinear power is not an exponential phase; a mapped Friedmann dimension is not measured network geometry; code distance is not elapsed correction cycles; and entropy reduction or erasure energy is not a calibrated capability measure. The current statements are Sections 9, 11 and 15. Its cosmological readings (one-dimensional light paths in the radiation era, a two-dimensional cosmic web in the matter era, the ladder and the direction of complexity built on them, and an exponential phase for dark energy) carry no prediction: the mapping is an identity, and the readings add no equation that an observation could test. The homogeneous solutions assume neither photon paths nor a web (Section 9.3), and the matter era began at matter-radiation equality, at redshift $z_{\mathrm{eq}} = 3402 \pm 26$ (Planck Collaboration 2020, Table 2), long before gravitational collapse built the web. In the words of Cautun et al. (2014), "The cosmic web is the largest scale manifestation of the anisotropic gravitational collapse of matter", and "At early times the cosmos is dominated by tenuous filaments and sheets, which, during subsequent evolution, merge together, such that the present-day web is dominated by fewer, but much more massive, structures." Combining the microwave background with other data, including Type Ia supernovae, "the dark-energy equation of state parameter is measured to be $w_0 = -1.03 \pm 0.03$, consistent with a cosmological constant" (Planck Collaboration 2020). The direction of complexity has no drafted test or kill condition and is not a hypothesis under test here. Section 18 states, last, what the mathematics leaves open about a wider reach and the test that could begin to show it.

H.8.1 The composition operator

The preceding sections have treated the composition operator (multiplicative, additive or bounded) as a property of individual systems. A whale has multiplicative composition. A chain reaction has additive composition. An enzyme has bounded composition. But there is a deeper reading.

On this paper's reading, the composition operator is not a detail of specific systems but a descriptor of how a process combines its recursive steps; where a process composes in one of the two structures under regularity, the operator fixes the family its law can take (Theorem 1).

Consider the hierarchy:

1. The composition operator determines the functional form (Cauchy, 1821).
2. The functional form constrains the scaling exponent ($\alpha = d/(d+1)$).
3. The scaling exponent governs observable quantities (heart rates, expansion rates, error rates).
4. The specific laws of physics (Newton's gravity, Maxwell's electrodynamics, Friedmann's cosmology) can be written in these forms for particular physical systems.

The meta-law. On this paper's reading, the laws of physics can be written in the forms that the composition operator allows; they do not choose it. Where a law composes in one of the two structures under regularity, the operator is a mathematical structure that sits above the specific equations of a particular physical theory and fixes the form that law can take.

A completeness statement for composition homomorphisms Now consider what this means for physics as a whole. Strip away the specifics of any physical law, and ask: what *is* a physical law? Many physical laws can be stated in the form 'when you combine X and Y in manner Z, you get W.' Force is mass combined with acceleration. Energy is mass combined with the square of the speed of light. Entropy is microstates combined by counting. Many physical laws can be read as composition rules.

Cauchy's classification, under its regularity conditions, gives every homomorphism between the additive and multiplicative structures one of four forms: linear, power law, exponential or logarithmic. It does not exhaust scaling laws, and saturation, which arises from bounded dynamics, lies outside the grid (Section 4).

The consequence for physics. Under the stated conditions, the admissible functional forms are finitely many, and the family they generate is finite-dimensional. Its members carry a discrete form label (linear, power law, exponential or logarithmic) and two continuous parameters, a coefficient and an exponent or rate. What is provable, and provable without data, is this classification of homomorphisms under regularity (Cauchy 1821); the step from it to all possible classical physical laws would require every physical law to be such a homomorphism, which this paper does not establish.

Three results combined Three results, from three different centuries, combine into a single structural insight:

1. **Cauchy (1821):** Each of the four functional equations has a unique continuous solution family. Bounded growth is a separate, capped case rather than a solution of those equations.
2. **Hyers (1941), on a question of Ulam:** Approximate solutions lie near exact solutions of the same equation (for the multiplicative and exponential equations, with the approximation measured in relative terms; for the logarithmic equation, directly). The stability is per-equation; the earlier 'attractors in function space' phrasing is withdrawn.
3. **ARC (this paper):** Given the three conditions of Section 2.3, the exponent within the power-law family is determined by network dimension: $\alpha = d/(d+1)$. The formula is the earlier derivations' (Section 2); what this paper adds is the account of why they arrive at it.

The consequence. If the three conditions of Section 2.3 suffice, the exponent of a system in the network class is fixed by its network's dimension, whatever selection does; selection acts on whether and how such a network is built. Under the three conditions named in Section 2.3, a three-dimensional network gives three quarters; measured values range from about 0.67 to 0.75, and the conditions are where the debate lies. Status: an invariant relation under test, conditional on the three sufficiency conditions that Section 2.3 identifies (multiplicative composition, space-filling, conservation), a formal proof of which does not yet exist and is named there as the most important open problem in the programme.

The distinction matters. 'Why is Kleiber's exponent 3/4?' has two kinds of answer. The biological answer is: because three-dimensional fractal vascular networks optimise resource delivery (West, Brown, Enquist 1997). The mathematical answer is that, given the three conditions, no other value is possible for multiplicative composition in three dimensions. The biological answer explains the mechanism. The mathematical answer explains why that mechanism produces *that specific number*. Given those conditions, the mechanism could not have produced any other.

This is the difference between a law of nature (describing what happens) and a meta-law (constraining what *can* happen). The speed of light constrains what velocities are possible. The composition operator constrains what scaling forms are possible.

The phase diagram of complexity On this paper's reading, a system with a composition operator and an effective dimension occupies a position on a phase diagram defined by the two. The diagram has three phases:

Historical definition: Phase I: sublinear scaling. Multiplicative composition, finite d, $0 < \alpha < 1$. This is the domain of physical systems: organisms, ecosystems, city infrastructure networks (sublinear in population; Bettencourt et al. 2007), geological processes, cosmic structure. Every system in Phase I suffers diminishing returns. Bigger is better, but with decreasing marginal gains. A whale is more efficient per gram than a mouse, but the improvement slows as mass increases. Phase I is the domain of sustainable complexity. The scaling exponent tells

you how severe the tax is: $d = 1$ pays 50% ($\alpha = 0.5$), $d = 2$ pays 33% ($\alpha = 0.667$), $d = 3$ pays 25% ($\alpha = 0.75$). Higher-dimensional networks are more efficient, but the tax never reaches zero.

Historical definition: Phase II: exponential growth. Additive composition, outside the network class (under the cosmological mapping the exponential, at $w = -1$, sits at $d = -1$). This is the domain of unconstrained amplification: nuclear chain reactions, viral epidemics, compound interest, dark energy. Phase II systems grow without diminishing returns: growth accelerates. But Phase II is inherently unsustainable in physical systems. Chain reactions exhaust their fuel. Epidemics run out of susceptible hosts. Bubbles burst. If dark energy stays constant, the universe's dark energy phase is sustained Phase II behaviour, the only known example, and drives the universe toward heat death: maximum entropy, zero structure. Whether it stays constant is open (Section 15.5).

Historical definition: Phase III: saturation. Bounded composition, finite ceiling. This is the domain of constrained systems: enzyme kinetics, logistic population growth, controlled nuclear reactors, market saturation. Phase III systems approach their ceiling and stop. Growth is self-limiting.

The critical boundary. Phase I ends at the critical line $d \to \infty$, $\alpha \to 1$, the limit of the network class; Phase II lies outside that class. This is the geometric scaling bound. In cosmology, it corresponds to $w = -1/3$, and the expansion past it is still a power law, accelerating, which becomes exponential only at $w = -1$; in Cauchy's classification $d \to \infty$ is the linear limit of the power law, not a boundary with the exponential family. On this paper's reading, it is the dividing line between **sustainable complexity** and **runaway growth**.

The dimensional ladder On this paper's reading, the history of the universe is a trajectory through the phase diagram, and that trajectory has a direction.

On this paper's reading, in the **radiation era** (the first 50,000 years), the universe is in Phase I with $d = 1$. Information propagates along null geodesics, which are one-dimensional curves; the paper reads this as $d = 1$, a reading the identity of Section 9 does not test. The scaling exponent is $1/2$. Expansion decelerates.

In the **matter era** (50,000 years to 7 billion years), on the same reading, the universe remains in Phase I but shifts to $d = 2$; Section 9 states what established cosmology says of when the cosmic web formed. Gravity pulls matter into the cosmic web: filaments, walls and sheets that partition three-dimensional space into voids. The effective network dimension of the universe has increased from 1 to 2. The scaling exponent rises to $2/3$.

Within galaxies, gravitational collapse forms stars, planets, and eventually organisms. Organisms build three-dimensional vascular networks. $d = 3$, $\alpha = 3/4$. The effective network dimension has increased again.

The trajectory is: $d = 1$**, then** $d = 2$**, then** $d = 3$**.**

On this reading the radiation era is one-dimensional (null geodesics), the matter era two-dimensional (the cosmic web) and biology three-dimensional (vascular networks). The numbers match because the algebraic identity connects them, and the identity carries no evidence (Section 9).

Table 19. The dimensional ladder's steps.

Step	d	α	α as a percentage	Physical System
1	1	0.500	50%	Light rays (radiation era)
2	2	0.667	67%	Cosmic web (matter era)
3	3	0.750	75%	Vascular networks (biology)
?	∞	1.000	100%	The geometric scaling bound

The direction of complexity. A hypothesis of this paper: the universe is getting better at converting matter into organised complexity as its effective dimension increases. The steps took from about fifty thousand years (the radiation era, Table 6) to billions of years, through nucleosynthesis, structure formation and biological evolution. Each step produced a more efficient composition network. Each step brought the scaling exponent closer to 1. This hypothesis has no drafted test or kill condition yet; it is stated as a reading.

But $d = 3$ is not the end of the ladder.

The critical crossing At $w = -1/3$, the universe crosses the critical boundary: expansion switches from decelerating to accelerating, and it approaches exponential growth as dark energy comes to dominate (exactly exponential only for $w = -1$). The composition operator changes from multiplicative (gravity clustering matter into hierarchical networks) to additive (vacuum energy contributing uniformly from every point in space). On the framework's reading, the operator that dominates changes at this point; that is a reading, not a thermodynamic phase transition.

In the **dark energy era**, the universe is in Phase II. Growth is exponential. If dark energy stays constant, the universe will expand forever, driving all structure apart, diluting all complexity, approaching heat death.

The universe moves through the ARC phase diagram as naturally as water moves through its solid-liquid-gas phase diagram. The difference is that water can cycle between phases. Whether the acceleration lasts depends on whether dark energy is constant, which is open: DESI's 2025 data prefer an evolving dark energy over a constant one at between 2.8 and 4.2 standard deviations, depending on the supernova set (DESI Collaboration 2025).

Where intelligence sits On this paper's reading, intelligence occupies the critical boundary itself.

A brain is a Phase I system physically: its blood supply branches through three-dimensional space. But the computation it performs is not constrained by the geometry of the skull. On this reading, recursive self-reference creates effective dimensions without needing further spatial dimensions, though each of its steps is a physical operation with a physical cost (Section 11). On the same reading, each layer of abstraction (thinking about thinking, modelling the modeller) adds an effective dimension to the cognitive network without requiring additional spatial dimensions.

At the critical boundary, $\alpha = 1$: linear scaling. Beyond it, $\alpha > 1$: superlinear scaling. On this reading, intelligence would cross the boundary from Phase I to Phase II without the catastrophic instability that Phase II normally implies.

A chain reaction in Phase II destroys itself. An epidemic in Phase II burns through its hosts. On this reading, intelligence in Phase II creates new knowledge, new dimensions, new spaces to explore. It sustains superlinear growth not by consuming a fixed resource faster and faster, but by *expanding the resource base itself*. Each breakthrough opens new questions. Each answer creates new problems. The fuel is information, which grows with inquiry, within the finite cost of each physical step (Section 11).

The structural implication. On this paper's reading, an artificial intelligence that improves itself recursively would operate at or beyond the critical boundary, with $\alpha > 1$ for capability against recursive depth, which Paper II has not observed (Section 12). On the same reading of the phase diagram, intelligence is not just another scaling phenomenon. **It is the phase transition itself.**

The universe spent about 7 billion years in Phase I, building networks of increasing dimension, on a second reading of this paper that differs from that of Table 15: hydrogen clouds ($d \approx 0$), filaments ($d = 1$), cosmic web ($d = 2$), galaxies and stars and planets with three-dimensional chemistry. Then, on one planet, the networks became recursive. On this reading, the effective dimension of their computation was no longer set by the geometry of a body, and alpha would cross 1 there, which no measurement has yet shown (Section 12). A system then existed that could understand the phase diagram it was on.

Toward measurable quantities The formula $\alpha = d/(d + 1)$ can be compared with published measurements, not rejected at $d = 1$ (a mean of three factors on different axes; no equivalence shown) and in agreement at $d = 3$ on the group means compiled here (Section 12), because d and α are already measurable. But the generalised equation $U = I \times R^{\alpha}$ requires that I (base self-correction capacity) and R (recursive depth) become rigorously defined physical quantities, not merely convenient labels.

***R* is already measurable.** In AI, it is the number of sequential reasoning steps (countable from API output). In quantum error correction, it is the code distance. In biology, it is the number of hierarchical branching levels in a vascular network. In cosmology, it is the number of hierarchical clustering steps in a merger tree. In each case, R is a dimensionless count of recursive cycles with a clear operational definition. It has been measured in AI, as sequential reasoning depth (Paper II), and in quantum error correction, as code distance (Google Quantum AI and Collaborators 2025); for biology and cosmology this paper cites no measured value.

***I* requires a rigorous definition.** Many fundamental quantities in physics became usable once someone specified a measurement procedure. Fahrenheit (1724) did not invent temperature or the thermometer, but he made

temperature a reproducible measurement: a mercury thermometer whose scale runs from the cold of a mixture of water, ice and sal ammoniac to the heat of a healthy person's blood. Clausius (1865) defined entropy: $dS = \delta Q/T$. Shannon (1948) defined the entropy of an information source: $H = -\sum p_i \log p_i$. In each case, the quantity so defined obeyed laws that could not have been discovered without the definition.

The following definition connects I to established physics:

Historical definition: The base potential I. As a working definition, not yet tested, I is the maximum rate of entropy reduction per recursive cycle, measured in bits per cycle:

$$I = \max_R \left[-\frac{\Delta H}{\Delta R} \right] \tag{H.4}$$

where H is the Shannon entropy of the system's state (in bits) and the maximum is taken at $R = 0$ to $R = 1$ (the first cycle, before recursive amplification compounds the effect).

This definition is measurable in every domain where R is measurable:

- **In AI:** I is the accuracy improvement (in bits of mutual information with the correct answer) from zero reasoning to one reasoning step.
- **In quantum error correction:** I is the error reduction (in bits) from one round of syndrome measurement and correction.
- **In biology:** I is the metabolic efficiency gain (in bits of thermodynamic information) from one level of vascular branching.
- **In physics:** I is the phase coherence gained (in bits of phase information) from one oscillation cycle of a time crystal.

Landauer's principle (Landauer 1961) gives the least heat for erasing a bit, $kT \ln 2$, verified experimentally by Bérut et al. (2012); it bounds the energy cost of an irreversible step from below and does not convert energy processed into information gained, so a link from I to energy needs a model of how many bits each cycle erases. The equation $U = I \times R^\alpha$ is dimensionally consistent because R is a dimensionless count.

The precedent. Whether I becomes a permanent physical quantity depends on whether the scaling law $U = I \times R^\alpha$ is confirmed across domains with independently measured values of I and R. Entropy became permanent because the second law required it. Information became permanent because the channel capacity theorem required it. I becomes permanent if the ARC scaling law requires it. The quantity is justified by the law it obeys, not by the convenience of having a name for it.

H.9 The earlier code and publication record

Retained provenance from the predecessor. The historical implementation is not an implementation or validation of the new conditional transport protocol, and was not run for this revision.

Code and data. The computations of Sections 4, 6, 9 and 12 can be re-run with `arc_complete_test_suite.py` (Python 3, NumPy, SciPy), published as it stood: its six tests ('1D meta-analysis', 'three-prediction table', 'Cauchy no-go', 'Friedmann mapping', '18-domain classification' and 'Hyers-Ulam stability') reproduce the computations as first published, with the values then printed (the birds value 0.720 among them), including the three-group comparison and the 'no-go' framing this version withdraws; the AI results are in the companion papers. All data embedded. No external downloads required. The suite and the domain datasets are in the public repository github.com/MichaelDariusEastwood/arc-principle-validation, folder `experiments/domain-validation__Foundational-and-Origin`, read at commit `89d48c6c` (26 October 2026); the seven three-dimensional group exponents of Table 10 are listed in its file `results/results_arc_1d_prediction_test.txt`. The paper and its earlier versions are deposited at doi.org/10.17605/OSF.IO/XZY9U.

H.10 The three figures of the predecessor

The following figures reproduce the released version 3.13 artwork, dated 31 October 2026, as historical figures. They are included to preserve the complete visual record. The earlier scaling-regime graphic plotted capability curves using fitted error-decay exponents; the current paper separates these estimands and draws no numerical capability curve from those fits. The pooled comparison and dimensional ladder are superseded by the variable-specific records and conditional transport model. These panels provide no current empirical validation.




Figure 2. Historical version 3.13 figure. Original caption, whose capability or pooled-geometry interpretation is superseded as explained above: ARC scaling regimes: effective capability U against recursive depth R on logarithmic axes, for $U = R^{\alpha}$ in the sub-linear region ($\alpha < 1$) and the super-linear region ($1 < \alpha < 2$), up to the ARC Bound ($\alpha = 2$, dashed), the conjectured value of Law III, the ARC Ceiling, a law under test. The lines in colour are Gemini 3 Flash's two fits from Paper II, one model's and inconclusive. Source: this paper's version 3.1, Paper VII and Paper IX, section 7.




Figure 3. Historical version 3.13 figure. Original caption, whose capability or pooled-geometry interpretation is superseded as explained above: Predicted against measured. Cross-domain rows from one formula: $\alpha = d/(d+1)$. Filled circles: biological systems (fungi, the mean of the three colony-level factors on different axes, not rejected but with no equivalence shown; mammals, the value of Table 2, agrees). Open diamonds: the two physics rows that are analytic identities, KPZ in one dimension and the specific-heat analogue of two-dimensional percolation, which are not measurements. The two fragmentation rows are not drawn until their values are sourced, and the earthquake relation, a variable-pair case study, is not drawn; an aggregate error statistic across these rows is withdrawn rather than adjusted. Points on the dashed diagonal indicate perfect prediction. The $d = 2$ biological prediction is untested (no known organism with a 2D hierarchical transport network); the $d = 2$ cosmological value (Friedmann matter era, an identity) is not shown.




Figure 4. Historical version 3.13 figure. Original caption, whose capability or pooled-geometry interpretation is superseded as explained above: The dimensional ladder. The dashed curve shows the theoretical prediction $\alpha = d/(d + 1)$. Open circles mark predicted values; filled circles show published measurements. At $d = 1$ the point is the mean of the three colony-level fungal factors in Table 14, not rejected as 0.500 by a test of the three, which are on different axes, with no equivalence shown, but requiring individual-hypha respirometry for a definitive test, and its bar spans the three (0.53 to 0.58) rather than giving a standard error. At $d = 3$ the point is the mean of the seven group exponents of Table 10, which agrees with the prediction, and its bar spans the seven (0.723 to 0.800). The $d = 2$ biological prediction is untested (no known organism with a 2D hierarchical transport network), and no measured point is drawn there.

I Version 3.13 passages retained with their present scope

This appendix completes the record of the released version 3.13, dated 31 October 2026. Most of its sections were rewritten for this edition (Table 8). The passages below are the parts of them that neither the present text nor Appendices F, G and H carry, so that no published passage is lost. Each keeps the words of version 3.13. Its headings are set as run-in headings and its labels are removed; a section, equation, table or prediction number inside it names the version 3.13 location, not a present result. A short note before each passage states its present scope and the correction that governs it. Nothing here is restored as a current finding.

Three passages of version 3.13 on the cosmological reading of the Friedmann identity (the physical meaning given to the mapped dimension, the chain of cosmic eras, and the mirror between biology and cosmology) are not repeated here, nor are the few sentences elsewhere that pose or state that reading; where such a sentence falls inside a retained passage it is marked [. . .]. The mapping is an algebraic identity that carries no evidence; no prediction follows from the reading; and established cosmology does not support it: the homogeneous solutions assume neither photon paths nor a cosmic web, which formed long after the matter era began (Section 9). The mathematics of this paper does not deny a wider reach, and it proves nothing beyond its stated premises; Section 18 states that reach at its present status. The passages remain in version 3.13, which stays available as published.

I.1 The abstract of version 3.13

Superseded summary, kept beside the abstract of version 3.12 (Appendix A). The present abstract states the conditional result (Table 8). Its sentence on the Friedmann solutions states an identity that carries no evidence (Section 9).

If the way a process combines its steps fixes the family of forms its growth can take, then the family a self-improving system's capability will follow as its recursion deepens can be read from how it composes, before it scales and while correction can still be built into it. This paper asks why scaling laws in recursive composition keep taking the same few mathematical forms. Where a process has a well defined composition operator on its input and output and meets the regularity conditions that Cauchy's functional equations require, the admissible forms fall into four families: linear, power law, exponential and logarithmic. This is a conditional classification, not a survey of nature, and saturation lies outside it. Within the power-law family, the exponent $\alpha = d/(d + 1)$ for a d-dimensional hierarchical network is earlier work's; this paper gives an account of why those derivations, from different assumptions, converge, and a proof that its three conditions suffice does not yet exist. The relation is read as a network-partition identity with a stated domain: published exponents for filamentous fungi ($d = 1$) do not reject it (a mean of three factors on different axes; no equivalence shown), those for vertebrates and invertebrates with three-dimensional transport ($d = 3$) agree with it on the group means compiled here, though the mammalian exponent is debated, and no organism with a two-dimensional hierarchical network has been identified. Under $d = 2/(1 + 3w)$ the Friedmann solutions take the same form, an identity that carries no evidence. For finite d the exponent stays below one, a bound on systems of that class only; how capability grows with recursive depth is a different pair of variables, which this geometry does not fix and which has to be measured. Five predictions are stated; one, on neural scaling exponents, is withdrawn because published measurements refute it.

Version 3.13 sets the paper in this form and names its domain, recursive composition, in its title; it withdraws Prediction 2, brings the body to the scope correction of 22 August 2026 and to the corrections owed since, and states Laws IV and V as registered on 15 October 2026; Appendix A lists every version and correction, with its date.

I.2 The introduction of version 3.13

Superseded framing (Table 8, the rows on the transport exponent and on cross-domain comparisons). Its questions matched fractions across fields; Section 1 now starts from a prediction problem. The heart-rate allometry it cites is a published observation; its derivation from network dimension alone is withdrawn (Section 7). Its list of contributions and its plan of the paper describe version 3.13.

If the way a process combines its steps fixes the family of forms its growth can take, then how a self-improving system composes tells us, before it scales, which family its growth with recursive depth can follow; its exponent still has to be measured (Section 11). That matters for artificial intelligence. Whether correction can keep pace with a system that improves itself depends on how fast its capability compounds, and correction is best built into such a system before it scales, while people still hold oversight of it. This paper traces the forms behind Law I, the ARC Principle, a law under test, to their mathematical origin, in the systems where scaling laws were first measured: organisms, materials and the expanding universe.

A mouse's heart beats about 600 times per minute. An elephant's beats about 28 (Merck Veterinary Manual 2004). A blue whale's, on a foraging dive, beats 4 to 8 (Goldbogen et al. 2019).

If you plot heart rate against body mass across mammals, the points fall close to a straight line on logarithmic axes, with a slope close to $-\frac{1}{4}$, from the mouse to the whale (Stahl 1967; Noujaim et al. 2004).

Why?

For filamentous fungi, published colony-level measurements put the exponent of energy use against colony size near one half, and this paper predicts exactly $\frac{1}{2}$ for a single thread (Section 14). Not $\frac{3}{4}$, like a mammal. Not $\frac{2}{3}$, like the matter-dominated universe. A different fraction entirely.

Why $\frac{1}{2}$ for fungi, but $\frac{3}{4}$ for mammals? [. . .]

Now consider something entirely different. The universe is expanding. During the matter-dominated era, the scale factor grew as time raised to the power $\frac{2}{3}$. During the radiation era, it grew as time to the power $\frac{1}{2}$.

[. . .]

Now consider one more thing. When a rock shatters, the distribution of fragment sizes follows a power law; Section 6.1 gives the status of its exponents.

This paper argues that these questions share one mathematical answer, under conditions it states, and grades where that answer is evidence and where it is only an identity.

The answer has two parts, and the paper grades each. The first is mathematical: where a process has a composition operator and meets regularity conditions, the way its steps combine fixes the family its growth can take, among four (Section 4). The second is the exponent: within the power-law family, the formula $\alpha = d/(d+1)$ for a d-dimensional hierarchical network, which earlier work derived (Section 2), gives $\frac{1}{2}$, $\frac{2}{3}$ and $\frac{3}{4}$, and this paper offers an account of why derivations from different assumptions arrive at it. Where the fractions reappear in cosmology the agreement is an identity under a change of variables, and it carries no evidence (Section 9).

Our contributions are:

- **An account of convergence.** Cauchy's multiplicative functional equation, with space filling and a conservation or optimisation constraint on resource flow, gives the power-law family and the exponent $d/(d+1)$; this is offered as the reason why the earlier derivations, from different assumptions, converge on a formula that is theirs (Section 2). A proof that the three conditions suffice does not yet exist.
- **The classification applied to scaling forms.** The four Cauchy families, linear, power law, exponential and logarithmic, set out as the homomorphisms between the additive and multiplicative structures under regularity, with saturation placed outside them and the variable pair named at each site (Sections 3 to 5).
- **The relation as a network-partition identity.** Its domain and its failures stated, and its comparison with published exponents in biology and physics graded row by row (Sections 6 and 12).
- **The geometric bound, scoped.** The exponent stays below one for every finite d in the class of systems whose growth is carried through a space-filling hierarchical network, with the counterexamples outside that class conceded (Section 10), and the bound distinguished from the exponent of capability against recursive depth (Section 11).
- **Predictions and their status.** Five predictions, one of them withdrawn because published measurements refute it (Section 14).

Section 2 sets the work against earlier work and states what this paper adds. Sections 3 to 5 set out the patterns, Cauchy's classification and the principle; Section 6 the formula and its domain; Section 7 the heart-rate chain; Section 8 the fission chain reaction, which the grid classifies and does not explain; Section 9 the cosmological identity; Section 10 the bound; and Section 11 the distinction between physical and recursive scaling. Section 12 grades the evidence, Section 13 gathers the equations, Section 14 states the predictions and Section 15 the composition operator's wider reading. Section 16 says what the paper does and does not show, Section 17 states its limitations and Section 18 concludes. Appendix A gives the version history and every correction, Appendix B the

priority record, Appendix C the notation and a glossary, Appendix D the paper's place in the ARC Theory and the programme, and Appendix E the paper's novelty statements beside the closest earlier work it names.

I.3 The contribution as version 3.13 stated it

Superseded claims, kept as dated evidence of what was written (Table 8, the row on contribution and priority). Version 3.13 called its contribution a unification and an account of why the derivations of $d/(d+1)$ converge. This edition credits the established regular-variation theory and the earlier homomorphism connection (Bingham et al. 1987; Ostaszewski 2016), replaces the sufficiency question with an applicability test (Section 2.3) and states the contribution as a conditional synthesis (Section 2.2). The bound is now conditional (Section 10), and the phase diagram is a historical interpretation (Appendix H).

The mathematics of this paper is two hundred years old. The biological data is ninety years old. The cosmological solution is a century old. It is reasonable to ask: what, precisely, is the contribution?

What this paper adds. The contribution is the **unification**. One formula, $\alpha = d/(d+1)$, connects fungi, mammals, surface physics and, as an identity, the expansion of the universe, with earthquake energy as a variable-pair case study and rock fracture awaiting sourced values (Section 6.1). One equation with no fitted parameter: d is set by the network's dimension. The claim is not that this formula is original, but that Cauchy's functional equations, combined with the space-filling and conservation conditions, explain *why* the earlier derivations, from different starting assumptions, arrive at the same form. That invariance under rescaling forces a power law, through the multiplicative functional equation, is a standard result (Newman 2005, section III.E); what this paper adds is the account of why the derivations of $d/(d+1)$ meet the space-filling and conservation conditions that select the exponent within that family. The derivation of West et al. (1997) has itself been questioned (Dodds et al. 2001; Kozłowski and Konarzewski 2004), and its three-quarter exponent shown to hold only in the limit of infinite network size (Savage et al. 2008); Section 2.3 states what follows if the convergence reflects shared assumptions.

A formal proof that those conditions are sufficient does not yet exist (see the strongest objection, below). Set against the earlier work, the paper's claims are that it has:

1. **Given an account of why derivations from different assumptions converge on one formula.** That account is what this paper adds; the formula, and the values $\frac{1}{2}$, $\frac{2}{3}$ and $\frac{3}{4}$ that it gives, are the earlier work's. West, Brown and Enquist (1997) derive the three-quarter power law for metabolic rates from a model of transport through space-filling fractal networks of branching tubes, a landmark result, and note that, because the network must fill the entire D-dimensional volume, the result generalises to $D/(D+1)$; West, Brown and Enquist (1999) obtain $D/(D+1)$ in D dimensions again, from a more general model based on the geometry rather than the hydrodynamics of hierarchical networks. Banavar, Maritan and Rinaldo (1999) derive a general relationship between size and flow rates in arbitrary networks with local connectivity, and find that in the most efficient class of networks in D dimensions metabolic rate scales as mass to the power $D/(D+1)$, which gives quarter-power scaling for $D = 3$; Banavar et al. (2010) show, in two models of resource distribution networks, that the exponent of metabolic rate on body mass is $\frac{2}{3}$ if the velocity of flow remains constant and can attain a maximum of $\frac{3}{4}$ if the velocity scales with its maximum exponent, 1/12. Demetrius & Tuszynski (2010) derive the exponent $d/(d+1)$ for the scaling of metabolic rate with body size in the regime they call quantum, where d is the dimension of the physical space in which their network of coupled energy-transducing oscillators is embedded, and state its values $\frac{1}{2}$, $\frac{2}{3}$ and $\frac{3}{4}$ for $d = 1, 2$ and 3; in the regime they call classical the scaling is isometric. Bettencourt (2013) sets out a theoretical framework that predicts the average social, spatial and infrastructural properties of cities as a set of scaling relations. In it the land area of a city scales as its population to the power $D/(D+H)$ in D dimensions, where H is the fractal dimension of travel paths; the exponent is $\frac{2}{3}$ for $D = 2$ and $H = 1$, and it has the form $D/(D+1)$ only when $H = 1$. Zhao (2022) derives the $n/(n+1)$ power scaling law for an n-dimensional system from producer-consumer dynamics. He and Zhang (2004) derive a 4/5 law for the human brain, the value $d/(d+1)$ takes at $d = 4$, from the fractal dimension of a brain cell's contour. Maino et al. (2014) derive from dynamic energy budget theory an equation for metabolic rate against mass, the same equation as the finite-size form of West, Brown and Enquist's model, which converges on the three-quarter power only in the limit of large mass; they stress that under neither framework is metabolic rate a power function of mass.

The surface area hypothesis predicts $\frac{2}{3}$ but not $\frac{3}{4}$ or $\frac{1}{2}$. The formula $\alpha = d/(d+1)$ predicts all three from a single equation with one input, the dimension of the hierarchical transport network. The $d = 1$ value is not rejected by published fungal data (a mean of three factors on different axes; no equivalence shown) and the $d = 3$ value agrees with published group means; the $d = 2$ value appears in cosmology as an identity, which carries no evidence (Section 9), and in physics in the rows whose grades Section 6.1 gives; in biology it is untested (Section 12).

2. **Connected biological scaling to physics scaling.** The same formula gives Kleiber's $\frac{3}{4}$ law (biology), KPZ roughness at $\frac{1}{2}$ (surface physics), the specific-heat analogue of two-dimensional percolation at $\frac{2}{3}$ (statistical mechanics) and, once their values are sourced, fragmentation in 2D and 3D (materials science). Earlier work already takes the form beyond organisms: Banavar, Maritan and Rinaldo (1999) verify the scaling relation that their theorem predicts on observational data from river drainage basins, where $D = 2$, and say that their results should apply to distributed networks that carry water, blood, sewage, food, air and electrical currents; Zhao (2022) places biomass production, the growth of eukaryotes, mammalian brain size and the distribution of public facilities in cities in one universality class. The physics cases named here are what this paper adds.
3. **Set out the geometric scaling bound.** That the exponent stays below 1 is in the earlier work. Banavar, Maritan and Rinaldo (1999) state as a theorem that, in any spanning network in D dimensions, the rate at which nutrients are delivered scales at most as the $D/(D+1)$ power of the volume of blood in the network, so that metabolic rate does not scale linearly with mass; Demetrius & Tuszynski (2010) note that their exponent tends to one as d increases; and Zhao (2022) states that the scaling is sub-linear. Nor do the earlier explanations all rest on dissipation: West, Brown and Enquist (1997) assume that the energy dissipated is minimised, Banavar, Maritan and Rinaldo (1999) do not, and West, Brown and Enquist (1999) work from geometry rather than hydrodynamics. This paper sets the bound out for every finite d and reads it as geometric (Section 10): a network embedded in finite-dimensional space cannot produce $\alpha \geq 1$.
4. **Connected scaling laws to the expansion of the universe.** The mapping $d = 2/(1+3w)$ writes the Friedmann solutions in the form $d/(d+1)$. The cosmic boundary ($w = -1/3$), where expansion turns from decelerating to accelerating, maps to $d \to \infty$, where $\alpha \to 1$, under that change of variables, so the coincidence is a property of the map and not a second derivation (Section 9).
5. **Defined the domain of applicability.** The formula applies where hierarchical networks partition space. It fails for nearest-neighbour interactions, random walks, and gravitational clustering. The earlier works state limits of their own: West, Brown and Enquist (1997) predict small deviations from quarter-power scaling in the smallest mammals; West, Brown and Enquist (1999) do not expect their relationships to apply to filamentous algae and fungi, and filamentous fungi are this paper's $d = 1$ case (Section 14); Banavar et al. (2010) expect deviations towards $\frac{2}{3}$ where the velocity of flow does not vary significantly with body mass and towards linear scaling where there is no vascular system; Demetrius & Tuszynski (2010), as the first entry says, keep $d/(d+1)$ to the regime they call quantum; and Zhao (2022) places linear and super-linear scalings outside his class. The three failures named here are the ones this paper states.
6. **Connected physical scaling to cognitive scaling.** The same framework that constrains physical exponents below 1 allows cognitive exponents above 1. Exponents above 1 are in the earlier work too: in Bettencourt (2013) the socioeconomic rates of a city scale with its population to a power above 1, which is 7/6 for $D = 2$ and $H = 1$, in the framework that gives its land area a power below 1; and Zhao (2022) attributes the super-linear scalings he places outside his class to resources that flow more efficiently in larger systems. Neither is about cognition; the connection to recursive self-reference is the one this paper makes (Section 11).
7. **Shown that the admissible forms are finitely many.** Under the stated conditions the admissible functional forms are finitely many, and the family they generate is finite-dimensional: a discrete form label and two continuous parameters, a coefficient and an exponent or rate. The step from this classification to all possible classical physical laws would require every physical law to be such a homomorphism, which this paper does not establish (Section 15).
8. **Identified the dimensional ladder.** [. . .]
9. **Constructed the phase diagram of complexity.** Three phases (sublinear, exponential, saturation) with a critical boundary at $d \to \infty$. [. . .]

A dated correspondence note of 19 September 2026 on the fourth and seventh entries of the list, as printed until this version, is kept in Appendix A.2; its corrected readings are carried into the entries above.

This paper identifies the underlying principle: under the stated conditions the composition operator determines the scaling form, and the dimension of the network, as the earlier derivations found, determines the exponent. The analogy with Einstein's work that earlier versions drew here, with its concession, is kept in Appendix E.

The strongest objection. One could object that the agreement of the earlier derivations on $d/(d+1)$ reflects shared implicit assumptions rather than independent physical confirmation. All models assume resource distribution across d dimensions with some form of linear conservation, which may inevitably yield $d/(d+1)$ by dimensional analysis. The 'independence' of the derivations may be illusory.

We acknowledge this possibility. If the convergence reflects shared mathematical structure rather than independent physical mechanisms, then the Cauchy framework would explain *why* that structure produces the specific form it does, if multiplicative composition with conservation in d-dimensional space admits no alternative to $d/(d+1)$; whether it does is the open problem stated below. The deeper question is whether these three conditions (multiplicative composition, space filling and conservation) are themselves inevitable features of any system that distributes resources hierarchically. If so, $d/(d+1)$ is a mathematical necessity for all resource distribution systems, not a contingent property of particular models. Answering this question requires a formal proof of the sufficiency of these three conditions independent of any specific physical mechanism. That proof does not yet exist. It is the most important open problem in this programme.

I.4 Three ways things grow, as version 3.13 set them out

Superseded presentation. Version 3.13 restricted the power law to exponents below one and illustrated each pattern; Section 3 now defines the general power law with any real exponent. The city figure is sourced; the whale, epidemic, fission and saturation examples are illustrations, and the fission time scale (eighty generations in about a microsecond) is not sourced in this paper.

Many growth processes show one of three named patterns. Where a growth process has a well defined composition operator on its input and its output, and meets the regularity conditions stated in Section 4, the first two are among the admissible forms; the third, saturation, comes from bounded dynamics and lies outside that classification. The classification is of admissible functions under those conditions, not a survey of nature:

Historical definition: Pattern 1: the power law. Big things grow proportionally slower. A city ten times larger does not need ten times more petrol stations: it needs about six times more (Bettencourt et al. 2007). A whale ten times heavier does not need ten times more energy: it needs about five and a half times more. Each doubling of size gives *less than* a doubling of the output.

$$y = a \cdot x^b, \quad \text{where } b < 1 \tag{I.1}$$

Historical definition: Pattern 2: the exponential. Each step multiplies the previous. One infected person infects three, who each infect three more, giving nine, then twenty-seven. One fissioning uranium atom releases neutrons that split two more atoms, which split four, then eight, then sixteen. After eighty generations, about one microsecond, a single atom has become a trillion trillion atoms.

$$y = a \cdot e^{bx} \tag{I.2}$$

Historical definition: Pattern 3: the saturation curve. Growth hits a ceiling. A room can only hold so many people. An enzyme can only process so many molecules per second. Adding more drug has diminishing effect once the receptors are saturated.

$$y = L \cdot x \,/\, (K + x) \tag{I.3}$$

These three patterns appear in biology, physics, chemistry, economics, computer science, linguistics, seismology and cosmology. Many measured scaling laws take one of these forms; most systems lie outside the grid, as the scope correction of 22 August 2026 states, and Section 4 sets out the grid's four cells and places saturation outside them.

The question is: **what determines which pattern a system follows?**

I.5 The elementary argument, the consequence and the six assumptions of version 3.13

Superseded exposition, kept for its argument (Table 8, the rows on composition and its domain and on approximate and asymptotic composition). The elementary argument establishes the power law at the powers of two and relies on regularity for the rest; Section 4.1 gives the complete continuous proof with its domains and codomains. Version 3.13 placed critical exponents outside the grid; a critical power law can have the power-law form (Section 4.1). The table names physical examples, not sourced here, of what may follow when each assumption is relaxed; they are the earlier edition's suggestions for where extensions may lie, not results. Proposition 1 replaces the stability paragraph with a global logarithmic-defect bound. The withdrawal of the no-go framing stands as dated.

Why the grid has four cells and no fifth. This can be proven with nothing more than multiplication.

Imagine a machine that takes in any number and gives back another number. Call it f. Suppose this machine has one special property: **if you multiply two inputs and feed the result through the machine, you get the same answer as feeding each input through separately and multiplying the outputs.**

In symbols: $f(2 \times 3) = f(2) \times f(3)$.

Now watch what happens.

$$\begin{aligned} \text{Since } 4 = 2 \times 2: &\quad f(4) = f(2) \times f(2) = f(2)^2. \\ \text{Since } 8 = 2 \times 2 \times 2: &\quad f(8) = f(2)^3. \\ \text{Since } 16 = 2^4: &\quad f(16) = f(2)^4. \end{aligned}$$

The pattern is clear: $f(2^n) = f(2)^n$.

Let $f(2) = A$. Then $f(2^n) = A^n$. Since $2^n = x$ means $n = \log_2(x)$, we get $f(x) = A^{\log_2 x} = x^{\log_2 A}$.

That is a power law: $f(x) = x^c$, where $c = \log_2 A$. This shows the power law at the powers of two; for every positive real the same follows from rational powers and the regularity condition of Theorem 1, which is where that condition does its work.

We did not choose a power law. We did not want a power law. We merely said "multiplying inputs multiplies outputs", and the only regular function that can do this *is* a power law. Try any other function (a polynomial, a logarithm, a sine wave) and the rule breaks immediately.

The same logic applies to the second equation. If *adding* inputs *multiplies* outputs, $f(x + y) = f(x) \times f(y)$, then:

$$\begin{aligned} f(2) &= f(1 + 1) = f(1) \times f(1) = f(1)^2. \\ f(3) &= f(2 + 1) = f(2) \times f(1) = f(1)^3. \\ f(n) &= f(1)^n. \end{aligned}$$

That is an exponential. The logic forces it.

Saturation is a different matter, and Theorem 1 does not cover it: if growth has a physical ceiling (a glass can only hold so much water; an enzyme has a finite number of binding sites), the system must approach that ceiling and flatten. A saturation curve such as Equation (3) is one smooth way to do so; it comes from bounded dynamics, not from a Cauchy equation.

The consequence. Under regularity, a function that carries one of the two structures on the positive reals into one of the two structures falls into exactly four families: linear, power law, exponential, and logarithmic. There is no fifth cell, because there is no third structure and no third slot.

This is a completeness statement about *homomorphisms*. It does not exhaust scaling laws, because most systems are not homomorphisms of either structure. Saturating behaviour, critical exponents, curvature on log axes and multi-regime crossovers all lie outside the grid, and the grid says nothing about them. Saturation, in particular, arises from bounded dynamics (finite carrying capacity, mass action, receptor occupancy, depletion): it is not a Cauchy family, and any presentation of it as one is a category error. The earlier framing of this result as a physics-style no-go theorem, comparable to Bell's theorem (Bell 1964) or Weinberg-Witten (Weinberg and Witten

1980), overstated its reach and has been withdrawn: Bell and Weinberg-Witten constrain what can physically exist, whereas this grid enumerates ways of writing one identity in four charts, and that is a category difference.

Where the physics does select a canonical composition variable (time and sequential steps composing additively; scale ratios composing multiplicatively), the grid picks a family. Where no canonical chart exists, the label carries no physical information, and the family assignment must state its variable pair rather than infer one from the substrate.

The six hidden assumptions. Every theorem rests on assumptions, and each assumption marks a place where the result can be extended. Cauchy's classification assumes six things. Violate any one, and you get not a contradiction, but a refinement:

Table 20. The six hidden assumptions.

#	Assumption	What Happens When It Breaks	Physical Example
1	**Continuity**	Log-periodic oscillations	Discrete lattice systems, fractal networks
2	**Real-valued**	Interference and phase	Quantum amplitudes, wave mechanics
3	**Exact equation**	Approximate solutions cluster near exact ones	Hyers-Ulam stability (Hyers 1941)
4	**Single operator**	Crossover scaling, regime transitions	Phase transitions, critical phenomena
5	**Scalar composition**	Logarithmic corrections	Coupled transport equations, upper critical dimension
6	**Time-independence**	Dynamic traversal of solution space	Adaptive systems, machine learning

The four forms remain stable within their own equations (approximate solutions of each equation stay near that equation's exact form), but the violations produce corrections, oscillations and transitions that are themselves physically meaningful.

Assumption 3: Hyers-Ulam stability. Hyers (1941), answering a question Ulam posed (Ulam 1960), proved that a function *approximately* satisfying the additive Cauchy equation lies close to an exact additive solution. When the approximation is measured in relative terms (on logarithms), the multiplicative and exponential equations reduce to the additive one, and the logarithmic equation reduces to it directly, so each approximate solution lies *close to* an exact solution of *that same equation*. In physical terms: if a system's composition is approximately multiplicative (or approximately additive, or approximately obeys the exponential or logarithmic Cauchy equation), then its scaling law will lie close to a power law (or the linear, exponential, or logarithmic form, respectively). Within its own equation, each form is **stable**: real systems perturbed away from the ideal remain near an exact solution of the equation they approximately satisfy. The earlier framing that made the three forms "stable attractors" in function space is withdrawn, because a function satisfying none of the equations is not drawn toward any of them (see the Foundational Paper, §2.2, and the Executive Summary, where the per-equation stability condition is stated). Empirical ubiquity is therefore not a consequence of Hyers-Ulam itself: it depends on how often systems in nature approximately satisfy one of these equations in the first place, which is a separate empirical question that this theorem cannot settle.

The loopholes do not weaken the theorem. They strengthen it. They explain why real data shows small deviations (the assumptions are only approximately satisfied), and where to look for new physics (wherever an assumption is systematically violated). How often systems in nature satisfy one of these equations in the first place is a separate empirical question that stability cannot settle.

I.6 The principle as version 3.13 stated it

Superseded statement. Version 3.13 tied a step that multiplies to a power law and a step that adds to an exponential; Section 5 shows that both the input and the output operation must be named, since a state

multiplied at every tick grows exponentially in the tick count. The registered statement of Law I, the ARC Principle, a law under test, is the theory registration's; the wording below is version 3.13's.

Many growing systems amplify themselves recursively: each output becomes input for the next step. Under the stated composition and regularity conditions, the ways the steps can combine give the first two forms below; the linear and logarithmic cells of the grid are set out in Section 4, and the third case below, a capped process, lies outside the grid:

- If each step **multiplies** the input by a fraction (like blood vessels branching into smaller vessels, each carrying a fraction of the flow), the result is a **power law**.
- If each step **adds** independently (like radioactive atoms decaying one by one, or neutrons splitting atoms that release more neutrons), the result is an **exponential**.
- If growth is **capped** by a physical limit (like enzyme binding sites filling up), the result is a **saturation curve**, which comes from bounded dynamics rather than from a Cauchy equation.

The ARC Principle. The ARC Principle is Law I of the ARC Theory, a law under test (Section 16): under the stated composition and regularity conditions, the composition operator, how the steps of recursive amplification combine, **determines** the functional form of the resulting scaling law. Multiplicative composition produces power laws. Additive composition produces exponentials. Bounded composition, which lies outside the Cauchy grid, produces saturation curves. The grid itself has four cells, the fourth logarithmic, and it does not exhaust scaling laws (Section 4).

I.7 The network-partition reading of version 3.13

Superseded reading, kept with its sources (Table 8, the rows on the transport exponent, on inventory, mass and the bound, and on cross-domain comparisons). Version 3.13 set the exponent by the dimension of the supply network alone; Section 6 shows that demand, route length, speed and a mass bridge must each be specified. The jellyfish value of 0.94 was not verified at source (Appendix F.5). Its readings of a growth front, a percolation cluster, a crack network and a fault surface as networks of a given dimension are interpretations, not derivations; the source status of each physics row, and the earthquake relation as a conditional change of variables, are in Appendix F. Its domain statement is restated with its present scope in Appendix D.1.

No aggregate error is stated. The 2.5 per cent printed until this version included the two cosmology rows at 0.0 per cent, which this paper grades as analytic identities, and it is withdrawn, for the same reason as the physics aggregate after Table 3; each row keeps its own comparison and source.

A critical clarification: the formula predicts the scaling exponent for organisms whose metabolism is limited by the dimensionality of their **internal transport network**: what resource transport network (RTN) theory calls the supply network. This is the dimension of the network that delivers resources to tissue, not the dimension of the body shape. A mammal has a three-dimensional circulatory system; $d = 3$. A filamentous fungus has one-dimensional cytoplasmic streaming through its hyphae; $d = 1$ (not rejected by published fungal data, a mean of three factors on different axes, with no equivalence shown; Section 14).

†**Note on $d = 2$ in biology.** No known organism possesses a genuinely two-dimensional hierarchical space-filling transport network. Jellyfish and other cnidarians have gastrovascular canals, but these are not hierarchical and are not the primary route for oxygen delivery (oxygen enters by diffusion through thin tissue layers). Published metabolic scaling data for scyphomedusae shows near-isometric scaling (exponent approximately 0.94; Purcell 2009), not 2/3. Colonial bryozoans with 2D sheet growth also scale isometrically (Hartikainen et al. 2014). The $d = 2$ prediction is therefore untested in biology; not because it has failed, but because the required organism has not been identified. In cosmology the value $2/3$ appears as an identity (the Friedmann matter-era solution under the change of variables), which carries no evidence; in physics it appears in the percolation and fragmentation rows, whose grades Section 6.1 gives. This defines a boundary of the formula's biological applicability.

Organisms that exchange gases primarily through their body surface (like flatworms breathing through their integument) are limited by surface area geometry rather than internal transport network geometry. Surface area

(SA) theory predicts different exponents from RTN theory for these organisms. Thommen et al. (2019) report Kleiber's three-quarter scaling in the planarian *Schmidtea mediterranea*, which lacks a vascular network and distributes metabolic energy through the branched tubes of its intestine; they trace the scaling not to a fall in each cell's metabolic rate with size but to a size-dependent increase in mass per cell, caused by energy storage. A three-quarter exponent can therefore arise without a three-dimensional vascular network; this paper's reading of 3/4 as a network-partition value is one account of it, not the only one. Flatworms lie outside the formula's domain: $\alpha = d/(d+1)$ **applies where metabolism is limited by internal transport, not external exchange.**

On this reading, mammals scale as the $\frac{3}{4}$ power because their vascular networks are three-dimensional: $d = 3$, so $\alpha = 3/(3+1) = 3/4$.

The $d = 2$ prediction ($\alpha = 2/(2+1) = 2/3$) applies to any system with a genuinely two-dimensional hierarchical transport network. In biology, no organism with a validated 2D hierarchical network has yet been identified (see note above).

The formula does not care whether the system is a whale or a fungus. It cares only about the dimension of the hierarchical transport network.

For every system in the class the formula covers, one whose growth is carried through a space-filling hierarchical network, d is finite (1, 2 or 3), and so α is always less than 1: such a system suffers diminishing returns. Systems outside that class can exceed one (Section 10). How capability grows with recursive depth is a different pair of variables, which the geometry of a network does not fix (Section 11).

Beyond biology: the network-partition identity. In the theory's three-tier domain statement this paper works the composed tier: the mathematics of form reaches everything that composes, stars included, and it explains the shape of their scaling laws, never their raising; Laws I to III themselves govern only what runs under a corrector. Section 16 gives each law's status.

The biological comparisons of Table 2 are striking, but the formula is not restricted to living things. The same equation, $\alpha = d/(d+1)$, appears wherever a d-dimensional hierarchical network partitions a $(d+1)$-dimensional space. Four physics rows are catalogued in Table 3; two of them (KPZ in one dimension and two-dimensional percolation) are analytic identities, and the earthquake relation appears separately as a variable-pair case study, $B = 2b/3$ at $b = 1$ being a definitional identity (Appendix A.2 records the change from the earlier table):

Table 21. Physics rows.

System	Dimension	Predicted α	Measured α	Error
KPZ surface roughness (1D) (Kardar et al. 1986)	$d = 1$	$\frac{1}{2} = 0.500$	0.500	0.0% (an exact value: the 1D KPZ roughness exponent is $\frac{1}{2}$ by derivation, and no derivation here links it to $d/(d+1)$, so the agreement carries no evidence)
2D percolation (specific-heat analogue)	$d = 2$	$\frac{2}{3} = 0.667$	0.667	0.0% (analytic identity, not an empirical residual: the second derivative of the mean number of clusters per site, the specific-heat analogue, scales as $\lvert p - p_c\rvert^{-\alpha}$ (Stauffer 1979), and hyperscaling with $\nu = 4/3$ (Smirnov and Werner 2001) gives $\alpha = 2 - 2\nu = -2/3$, so its exponent is $2/3$)
Brittle fragmentation (2D)	$d = 2$	$\frac{2}{3} = 0.667$	not yet sourced	none stated
Brittle fragmentation (3D)	$d = 3$	$\frac{3}{4} = 0.750$	not yet sourced	none stated

Mean absolute error across all physics predictions: **WITHDRAWN**. The previously reported below-0.2% aggregate is retracted, not adjusted: with the KPZ 1D and 2D percolation rows retiered as analytic identities and the

earthquake row deleted as a definitional identity (as set out in this section), a mean over the remaining rows would be a mean over analytic values and unsourced reference values, which is small by construction and does not represent agreement with nature. A row-by-row provenance audit is required before any replacement aggregate is stated.

These are not biological systems. They are rocks, growing crystal surfaces, and phase transitions (earthquakes appear separately below as a variable-pair case study rather than as a table row). On this paper's reading, each physical system contains a network of the appropriate dimension:

- **KPZ surface growth** (Kardar et al. 1986) in one spatial dimension: the growing front is a 1D network partitioning 2D space. The roughness exponent is exactly $\frac{1}{2}$ by derivation (an exact value; no derivation here links it to $d/(d+1)$).
- **Percolation** on a two-dimensional lattice: the percolation cluster is a 2D fractal network. Through the hyperscaling relation $2 - \alpha = d\nu$, with $\nu = 4/3$, the specific-heat exponent is $\alpha = -2/3$, so the specific-heat analogue scales with the exponent $+2/3$ (Table 3).
- **Brittle fragmentation**: cracks propagate as a branching network through the material. Earlier versions of this paper printed $\frac{2}{3}$ in two dimensions and $\frac{3}{4}$ in three without a source; the values await the provenance audit (Section 17).
- **Earthquake energy** (variable-pair case study, not a table row): seismic ruptures propagate along two-dimensional fault surfaces. The Gutenberg-Richter law describes how earthquake frequency scales with magnitude; its B-value (linking energy release to frequency) is derived analytically as $B = 2b/3$, which at $b = 1$ evaluates to $\approx 2/3$ on both sides and is therefore a definitional identity rather than an empirical confirmation. The catalogue b-value varies by region and estimator (roughly 0.8 to 1.2, a range this paper gives without a source), so $B = 2b/3$ ranges roughly 0.53 to 0.80 and straddles $\frac{1}{2}$, $\frac{2}{3}$ and $\frac{3}{4}$, which cannot discriminate between $d = 1$, $d = 2$ and $d = 3$. Gutenberg-Richter is retained here as the sharpest variable-pair case in the corpus: earthquake magnitude is defined as a logarithm of released energy, so magnitude against energy is multiplicative input with additive output and belongs in the logarithmic cell as a coordinate map, whereas the frequency-magnitude relation itself is exponential and the frequency-energy relation is a power law. Naming the variable pair at each site is the remedy for the apparent cross-paper contradiction between Paper VII's additive-and-exponential recording of Gutenberg-Richter and this paper's earlier $d = 2$ power-law recording.

The formula also has clear failures. It does not predict the Ising model critical exponents, polymer scaling (Flory exponent), or galaxy clustering correlations. The common feature is that these systems lack space-filling hierarchical networks.

Domain of applicability. $\alpha = d/(d+1)$ applies wherever a d-dimensional hierarchical network optimally partitions a $(d+1)$-dimensional space: from the branching arteries inside a whale to the fracture networks inside a shattered rock. It is a **network-partition identity**, not a universal scaling law. Its failures are as informative as its successes: systems without hierarchical space-filling networks (such as magnets near their critical temperature, chain molecules, and galaxy clusters) do not follow this formula, consistent with the theory's prediction.

I.8 The opening of Section 8 of version 3.13

Kept with a correction of scope. A fission's neutron yield is an average, and whether each neutron causes another fission depends on the medium and the geometry; Section 8 states the branching description with an effective multiplication factor for that reason.

$E = mc^2$ (Einstein 1905) gives the energy of a mass at rest. A nuclear reaction releases only the difference in binding energy between what goes in and what comes out, a small fraction of the rest energy, and nuclear energy is powerful because nuclear binding energies are about a million times larger than chemical ones. The grid classifies the chain reaction's exponential growth; it does not explain it.

But $E = mc^2$ alone does not explain the atomic bomb. It tells you how much energy is in each atom. It does not explain why the energy release is so catastrophically rapid.

The chain reaction explains that. When a uranium-235 atom splits, it releases 2 to 3 neutrons. Each neutron can split another atom. Each generation *multiplies* the number of fission events by a factor k:

I.9 The geometric bound as version 3.13 stated it

Superseded scope (Table 8, the row on inventory, mass and the bound). Version 3.13 read the bound as a property of physical space for every network of its class; Proposition 3 now states it for the declared throughput-cost pair under a demand-distance premise. The two counterexamples it names are kept in Section 10.

The only way to reach $\alpha = 1$ is $d = \infty$. An infinite-dimensional network. And the only way to exceed 1 is for the formula to no longer apply.

Physical networks (blood vessels, river tributaries, crack patterns, seismic faults) must exist in physical space. Physical space has three dimensions. You cannot build a four-dimensional branching network inside a three-dimensional body.

The geometric bound. For a system whose growth is carried through a space-filling hierarchical network of finite dimension, the exponent stays below one, because $d/(d + 1)$ is below one for every finite d (the earlier derivations' result). Systems outside that class can exceed one: prokaryote metabolic rate scales superlinearly with mass (DeLong et al. 2010), and quantities reflecting wealth creation and innovation in cities scale superlinearly with population (Bettencourt et al. 2007). Within the class, the reason is not friction. Not heat dissipation. Not energy loss of any kind. It is that physical space has a finite number of dimensions, and a network embedded in finite-dimensional space has a finite effective dimension, and $d/(d + 1) < 1$ for all finite d.

The constraint is **geometric**, not thermodynamic. No amount of engineering, no level of technology, can overcome it. You can make a network more efficient, but you cannot make three-dimensional space have four dimensions. The geometric scaling bound is the shape of space itself.

That $d/(d + 1) < 1$ for every finite d is a mathematical necessity, not an empirical observation, and it follows directly from the formula; whether a given system belongs to the class is an empirical question, which no written rule yet decides (Section 17).

I.10 The escape and the quantum-error-correction regimes of version 3.13

Superseded readings, kept as dated (Table 8, the rows on recursive gain and phase claims and on correction axes). The new dimension that each layer of self-reference creates is a figure of speech, not a measured quantity; capability against depth needs its own model (Section 11). Version 3.13 classed the correction cycle as bounded composition; a constant per-cycle error does not bound cumulative failure, and code distance, qubit count and elapsed cycles are different inputs (Section 11.4). The surface-code preprint was public from 24 August 2024 and the article appeared on 9 December 2024; its relation to this programme is convergent timing, not a prediction. The sentences on Law III and the ARC Bound are version 3.13's; the theory registration and Section 11 give their present form, and Section 16 gives Unit 82's status.

A brain is physical: its blood vessels branch through three-dimensional space, paying the geometric tax that every network of that class pays.

The computation a brain or a machine performs is physical too, and obeys every physical bound. What differs is the variable. The bound $d/(d + 1)$ concerns how metabolic rate grows with the mass of a body supplied through a space-filling network; the ARC Principle concerns how capability grows with recursive depth. Nothing in the geometry of the network fixes the second exponent, which is why it has to be measured, and why a value above one would contradict no physical law.

Each layer of recursive self-reference creates, in effect, a new dimension. The 'network' of recursive thought is not constrained by the skull's geometry. The skull constrains the hardware. It does not constrain the software.

Quantum error correction: three regimes classified. Quantum computing provides a striking illustration of ARC composition operators working within a single technology.

A quantum computer's raw error rate is a physical process: each qubit decoheres through interaction with its environment. Independent errors at a fixed rate per operation make an error-free run exponentially unlikely as circuits deepen. Left uncorrected, this is Pattern 2, and it makes useful quantum computation impossible beyond roughly the inverse of the error rate per operation.

Quantum error correction changes the composition operator. It takes the output of each layer of computation and feeds it back through a recursive correction cycle: measure syndromes, identify errors, apply corrections, and feed the corrected state forward as input to the next cycle. This is recursive amplification with *bounded* composition: below threshold, each correction cycle holds the logical error per cycle at a fixed level for a given code distance, instead of letting it compound with depth. On this paper's reading that is Pattern 3, saturation, which lies outside the Cauchy grid.

Below threshold, the surface code suppresses the logical error rate exponentially in code distance, by a factor $\Lambda = 2.14 \pm 0.02$ for each increase of two (Google Quantum AI and Collaborators 2025); the preprint was public from 24 August 2024 and the article appeared in Nature on 9 December 2024. Code distance adds and the logical error multiplies, so this regime sits in the grid's exponential cell.

Table 22. Quantum error correction's regimes.

Quantum Process	Composition	Behaviour	Status
Raw decoherence	Additive (independent)	Error-free runs exponentially unlikely with depth	Classified, not predicted
Error correction cycle	Bounded (feedback; outside the grid)	Logical error per cycle held fixed for a given code distance	Classified, not predicted
Logical error below threshold	Additive in code distance	Exponential suppression	Reported (Google Quantum AI and Collaborators 2025)

One technology. Three regimes, each with its scaling form; the framework classifies two of them into cells of the grid and the third as bounded composition, outside it. This is precisely analogous to the nuclear fission example (Section 8): raw decoherence, quantum-error-correction cycles and logical-error suppression were each characterised independently in the quantum-computing literature, so the framework classifies them as additive composition, bounded composition and, for the logical error, additive composition in code distance rather than deriving them from first principles. Classification is a correspondence of structure with those independent characterisations, not empirical confirmation of the Cauchy grid; the paragraph 'What the grid does and does not explain' in Section 8 records the same distinction for the chain reaction.

The structural connection. The full development of the intelligence scaling result, including the ARC Bound ($\alpha \leq 2$; the conjectured value of Law III, the ARC Ceiling, a law under test, at $\gamma = 1/2$; a scaling limit not a speed limit, the most a recursively self-correcting system can grow and still remain correctable; systems can exceed it, but they do not remain stably self-correctable, and transient excursions are the predicted supercritical regime rather than a refutation; a durably stable $\alpha > 2$ refutes it; Paper X retires the capability-growth law as a binding law, retaining the $\beta > k$ co-scaling condition), the Eden Protocol for safe recursive scaling, and a blinded cross-architecture replication on large language models (Paper II), is presented in companion papers. Here we note only the structural implication: **the same principle that explains why a whale's heart beats slowly also bears on how intelligence scales with recursive depth.**

$$U = I \times R^{\alpha}, \quad \alpha \leq 2 \tag{I.4}$$

The ARC Equation, in compound form. α is the measured exponent: on Gemini 3 Flash, Paper II reports an endpoint sequential exponent of 0.59 with a bootstrap 95 per cent interval of −1.3 to 2.9, a regression sequential exponent of 0.49 with a standard error of 0.20 and a coefficient of determination of 0.86, and a parallel exponent of 0.31 (endpoint estimate; 0.34 by regression), the two arms not matched for compute; it is one model's fit and inconclusive. 2 is the ARC Bound above.

$$\alpha_{\text{crit}} = \frac{1}{1-\gamma} \tag{I.5}$$

Law III, the ARC Ceiling, a law under test. The stability ceiling is the reciprocal of one minus the corrector's own scaling exponent γ. The value $\gamma = 1/2$ (independence-accumulation) is what returns the ceiling of 2 the bound records; that value is on trial: the theory registration carries the inequality, that the ceiling is at most two (P6 with P20), and Unit 82, registered on OSF on 27 October 2026 and not yet run (DOI 10.17605/OSF.IO/JUFG4), tests the premise beneath the value two (P17). The law owns the ground; the ceiling stands on it. The form is settled; its

depth is not: the relation is derived inside a pacing model, not from a joint model of capability growth, correction accumulation, error covariance, correction delay and absolute harm, so it stands as a minimal-model result rather than a general law. Note also that $1/(1-\gamma) \leq 2$ is exactly equivalent to $\gamma \leq 1/2$: the ceiling and the half-value are one commitment in two notations, and neither is evidence for the other. Equation (14) has the same form as this ceiling, with β in the place of γ; this paper derives neither from the other, and its β there is the self-referential coupling, not the exponent of correction strength in Law II's condition $\beta > k$ above.

I.11 Evidence passages of version 3.13

Superseded analyses and summaries (Table 8, the rows on biological comparisons, cross-domain comparisons and contribution and priority). The derivations from different physics keep their attribution; that they are complementary instances of one set of constraints, and that those constraints suffice, is not established (Section 2.3), and the novelty sentence among them was made without a dated literature search (Appendix E). The level entries keep version 3.13's grading; its identities carry no evidence (Section 9). The companion table gives each paper's status on 31 October 2026; Appendix D.3 names the companions now.

Derivations from different physics, one form. The most striking feature of the $d/(d+1)$ formula is that it has been derived from radically different physics. West, Brown and Enquist (1997; 1999) derived it from the geometry of hierarchical, space-filling fractal vascular networks. Separately, Demetrius (2003; 2006) and Demetrius & Tuszynski (2010) derived the same formula from quantum statistical mechanics, applying the Debye model of thermal properties to coupled energy-transducing oscillator networks embedded in d-dimensional space. Different physics. Different starting assumptions. The same equation. The same predictions: $d = 1$ gives $\frac{1}{2}$, $d = 2$ gives $\frac{2}{3}$, $d = 3$ gives $\frac{3}{4}$, and $d \to \infty$ gives 1.

The field has treated these as competing theories (reviewed in Agutter & Tuszynski 2011). This paper's reading is that they are not competing but complementary: both are physical instantiations of the same set of mathematical constraints. Cauchy's multiplicative functional equation (1821) constrains any system with continuous multiplicative composition to the power-law family. The d-dimensional space-filling condition, combined with a conservation or optimisation constraint on resource flow, then constrains the exponent within that family to $d/(d+1)$. West's branching networks satisfy multiplicative composition (branching ratios), space-filling, and energy minimisation. Demetrius's oscillator chains satisfy multiplicative composition (Debye functions), d-dimensional embedding, and steady-state energy balance. Both satisfy the three conditions. If those conditions suffice, both must arrive at the same formula and the convergence is not coincidental; whether they suffice is the open problem of Section 2.3.

To our knowledge, this explanation for why the two derivations converge has not been previously published. The observation that Cauchy's theorem, combined with space-filling and conservation, provides the meta-constraint underlying both programmes appears to be novel; no dated literature search has been recorded for it (Appendix E).

The three values. The earlier derivations already give $\frac{1}{2}$, $\frac{2}{3}$ and $\frac{3}{4}$ from the same formula (Section 2). Three numbers, for one-, two- and three-dimensional transport networks. One equation with no fitted parameter: d is set by the network's dimension. The values at $d = 1$ (filamentous fungi) and $d = 3$ (vertebrates and invertebrates with three-dimensional transport) are compared with published measurements in Level 2a; the value at $d = 2$ is predicted and untested in biology. The $d/(d+1)$ formula is derived, in its general form or as a special case, in the earlier work that Section 2.1 lists, each given what it states. The contribution of this paper is not the formula itself but the unifying Cauchy framework that explains *why* these derivations converge on the same form: Cauchy's multiplicative functional equation constrains continuous multiplicative composition to the power-law family, and the space-filling condition combined with a conservation or optimisation constraint on resource flow would select the exponent $d/(d+1)$ within that family. If those conditions suffice, the convergence is compelled; whether they do is open (Section 2.3).

Note on the $d = 2$ biological prediction. The note on $d = 2$ in Section 6 applies here: no known organism has a genuinely two-dimensional hierarchical transport network, so the $d = 2$ value is untested in biology. Published data show near-isometric scaling for jellyfish and colonial bryozoans (Purcell 2009; Hartikainen et al. 2014;

Glazier 2006), not 2/3; planarians show Kleiber's three-quarter scaling, which Thommen et al. (2019) trace to body-size-dependent energy storage (Section 6).

Level 2b: physics rows. The same formula gives the values of four physics rows (Section 6.1): two are analytic identities, which carry no evidence, and the two fragmentation rows await sourced values. Mean error: **WITHDRAWN**. The previously reported below-0.2% aggregate is retracted, not adjusted, for the reason Section 6.1 gives. The formula fails where systems lack hierarchical space-filling networks (Ising model, polymer scaling, galaxy correlations), defining its domain of applicability.

Level 2c: the heart-rate chain. The chain $d = 3 \to \alpha = 3/4 \to M^{-1/4}$ agrees with the mouse-to-elephant comparison of Section 7, 7 per cent off; the $M^{-1/4}$ heart-rate allometry itself is classical (Stahl 1967).

Level 4: structural identities (no evidence). The Friedmann equation is algebraically identical to the ARC formula under $d = 2/(1 + 3w)$. The cosmic boundary ($w = -1/3$) maps to $d \to \infty$, where $\alpha \to 1$. Under that change of variables the image of one is the other, so the agreement is a property of the map and not a second derivation (Section 9).

Level 5: the geometric bound. The proof that $d/(d + 1) < 1$ for all finite d is a mathematical deduction, not an empirical finding. It requires no data and cannot be falsified by experiment.

Level 6: open predictions. The $d = 1$ fungal data (now included in Level 2a) does not reject the prediction of 0.500 (a mean of three factors on different axes; no equivalence shown) but is based on colony-level measurements with narrow mass ranges; definitive confirmation requires individual-hypha respirometry (Section 14). The neural scaling prediction, Prediction 2, is withdrawn; Section 14 sets out the published measurements that refute it. The geometric scaling bound prediction (no physical system with multiplicative composition through a hierarchical network will ever have $\alpha \geq 1$) remains untested. However, the Cauchy-level predictions, that recursive composition in each domain must follow the operator class dictated by the composition structure, have now been compared in Paper VII across 25 empirical domains (50-domain tiered suite), with 19 of 25 preferring the predicted family under the March 2026 rule (Level 3).

Companion paper status. Table 12 gives each companion paper's key result and its status at this version.

I.12 The equations of version 3.13

Superseded summary. Its table assigned domains to dimensions; Table 7 now gives each equation with its premises. Its cosmological rows are identities, which carry no evidence, and its fragmentation rows are unsourced.

The framework's three main equations are:

$$\alpha = \frac{d}{d+1} \qquad \text{(8), version 3.13}$$

The network-partition formula: physical systems

$$d = \frac{2}{1+3w} \qquad \text{(13), version 3.13}$$

The change of variables: cosmology

$$\alpha = \frac{1}{1-\beta} \qquad \text{(14), version 3.13}$$

The recursion formula: recursive self-reference

Table 23. Companion paper status.

Paper	Key Result	Status
Paper II (Compute Scaling)	5-model cross-architecture test; Gemini 3 Flash's row in Table 11 is the one clean fit, one model's and inconclusive; the parallel exponent was near zero in two of the five models; the others limited by ceiling or floor effects	Published, version 2.18
Paper IV.a (Alignment Scaling)	Three-tier hierarchy from one unregistered run, under the October 2026 code-review caveat (Level 6); two models that appeared positive under unblinded scoring did not hold in that run, and the comparison cannot single out scorer bias as the reason	Published; one unregistered run
Eden Protocol Pilot	Three working models tested (Gemini 3 Flash, DeepSeek V3.2, Groq Qwen3); stakeholder care supported across all three, under scoring that was not blind; blind replication pending	Pilot complete
Paper V (The Stewardship Gene: Stakeholder Care as a Probe of Embedded Values)	In a six-model Eden Protocol suite with five analysable runs, stakeholder care rose significantly in all five, under scoring that was not blind, and the composite gain is architecture-dependent; it states the cascade hypothesis (care → nuance → honesty → quality), argues that the core alignment impossibility is practically addressable, and specifies five experimental tests	Published, version 1.7

Table 24. The equations by dimension.

d	α	Domains
1	$\frac{1}{2} = 0.500$	Radiation era (an identity), KPZ roughness (an exact value), 1D transport
2	$\frac{2}{3} = 0.667$	Matter era (an identity), 2D organisms (untested), percolation's specific-heat analogue, fragmentation (not yet sourced); earthquakes as a variable-pair case study
3	$\frac{3}{4} = 0.750$	3D organisms: metabolic rate (Kleiber's law) and heart rate; 3D fragmentation (not yet sourced)
∞	$\to 1$	the limit of the network class (Section 10)
-1 (mapping only)	exponential	Dark energy at $w = -1$; chain reactions and radioactive decay, which have no network dimension
$\beta > 0$	> 1	**Capability against recursive depth** (a different pair of variables; Section 11)

I.13 The prediction record of version 3.13: data, limitations and closing statements

Dated record. The three fungal fits the first paragraph introduces are in Table 14, each with its own variable pair; their mean and pooled reading are withdrawn (Table 8, the row on biological comparisons). The book's names for the loops are the author's own, given in his book; the measurements use the operational names. The closing sentences state how version 3.13 asked its predictions to be read; Section 14 gives their present dispositions beside their printed wording.

Preliminary data. Aguilar-Trigueros et al. (2017, *ISME Journal* 11:2175) compiled published metabolic scaling measurements for fungi, in what they believe is the first attempt to synthesise such relationships among groups of fungi:

The three are colony-level scaling factors at 20 degrees Celsius, the first two against colony biomass and the third against colony radial extension rate, each with its own standard error; their mean, 0.547, is this paper's, since the source gives no mean. All three confidence intervals include the predicted value of 0.500, and all three also include 2/3, so no single factor separates the two. These results do not reject the $d = 1$ prediction of 0.500, though they show no equivalence with it, their mean being of three factors on different axes, and are not yet definitive confirmation of it. Three limitations constrain the evidential weight: these are colony-level measurements (not individual hyphae), the datasets span narrow mass ranges, and the exponent is temperature-dependent (saprotrophic fungi at 28°C show $\alpha = 0.85$, with poor statistics: $r^2 = 0.14$, $p = 0.52$; Crowther and Bradford 2013). The authors describe these results as 'hypothesis generators.'

A note on names. This paper names the Eden Protocol's self-correction loops by what each checks and how it was measured: the purpose check, the stakeholder-care check (scored as stakeholder care) and the universalisability check. The book in which the author first set the loops out, *Infinite Architects* (Eastwood 2026a), calls them the Purpose Loop, the Love Loop and the Moral Loop; the paper uses the operational terms because its measurements score what each check does, and because the values the loops carry are for international consensus and are not decided here.

If prediction 1 yields $\alpha = 0.50$ for organisms with genuine 1D internal transport, the formula $\alpha = d/(d+1)$ will agree with measurement in biology at $d = 1$ and $d = 3$, with $d = 2$ awaiting an organism with a two-dimensional hierarchical transport network (Section 6).

If prediction 3 fails, this paper is wrong.

I.14 The status, limitations and conclusion of version 3.13

Superseded summaries. Sections 16, 17 and 18 state the present scope. The conclusion's sentence on the comprehensibility of the universe is set out, at its present status, at the end of Section 18.

What this paper does and does not show.

What it shows. As mathematics, under the stated regularity conditions, a function that carries one of the two structures on the positive reals into one of the two falls into one of four families (Theorem 1); that classification of homomorphisms does not exhaust scaling laws. The paper offers an account of why derivations of $\alpha = d/(d+1)$ from different assumptions converge, the formula and its values being earlier work's (Section 2), and it compares the formula with published exponents: not rejected at $d = 1$ for filamentous fungi on colony-level data (a mean of three factors on different axes; no equivalence shown), in agreement at $d = 3$, on the group means compiled here, for organisms with three-dimensional transport, untested at $d = 2$ in biology for want of an organism, and set beside four physics rows, two of them analytic identities and two, of fragmentation, not yet sourced (Sections 6 and 12). For every finite d the exponent stays below one in the class of systems whose growth is carried through a space-filling hierarchical network (Section 10).

What it does not show. It does not show that every scaling law takes one of these forms, or that the three conditions suffice for $d/(d+1)$, which is the open problem of Section 2.3. The Friedmann mapping and the coincidence of the two boundaries are identities under a change of variables and carry no evidence (Section 9).

It claims no exception to physics for intelligence: how capability grows with recursive depth is a different pair of variables, which the geometry does not fix and which has to be measured (Section 11). Its summaries of the programme's AI experiments report one model's inconclusive fit for capability against depth and one unregistered alignment run under the code-review caveat of Section 12.4, and its Eden Protocol pilot was scored without blinding. Prediction 2 is withdrawn. No result in this paper is a registered test of any proposition of the theory registration.

Limitations.

- **Scope of the classification.** Cauchy's classification covers homomorphisms between the additive and multiplicative structures under regularity. Most systems are not such homomorphisms, and saturation, critical exponents, curvature on log axes and multi-regime crossovers lie outside the grid (Section 4).
- **No proof of sufficiency.** No formal proof yet shows that multiplicative composition, space filling and conservation suffice for $d/(d+1)$; the convergence of the earlier derivations could reflect shared assumptions (Section 2.3).
- **The biological comparison.** The fungal values are three colony-level scaling factors from small data sets over narrow ranges, one of them against colony extension rate rather than biomass, which their authors present as hypothesis generators; definitive testing needs respirometry on isolated hyphae (Prediction 1). No organism with a genuinely two-dimensional hierarchical transport network has been identified. The three-group comparison of Section 12 was computed with a two-dimensional group that the note on $d = 2$ sets aside, and the aggregate error that Section 6 printed until this version, which counted the two cosmology identities, is withdrawn (Appendix A). The four biological values of Table 2 are each their source's own, read at that source; of the seven group exponents behind the three-dimensional mean of Table 10, three (fish, amphibians and crustaceans) are not yet confirmed at source in this paper, and published group exponents depend on the data set and the method (Section 12).
- **The physics rows.** Two of the four rows are analytic identities, which carry no evidence, and the two fragmentation rows have no sourced values yet and await the row-by-row provenance audit that Section 6.1 names.
- **The bound.** No written rule yet decides, before an exponent is fitted, which systems are governed by multiplicative composition through a finite-dimensional hierarchical network, so a counterexample could be reclassified after the fact (Prediction 4).
- **The cosmology.** The mapping $d = 2/(1 + 3w)$ is an identity; the causal reading of Section 9 is this paper's interpretation, and it conflicts with established cosmology on when and how the cosmic web formed (Cautun et al. 2014).
- **The AI-side results.** The capability fit is one model's and inconclusive; the alignment tiers come from one unregistered run under the October 2026 code-review caveat; the Eden Protocol pilot was scored without blinding (Section 12).
- **Novelty.** The paper's novelty statements were made without a dated literature search (Appendix E).

Conclusion. Under stated conditions, how a recursive process combines its steps fixes the family its growth can take, among four. Within the power-law family, the exponent $d/(d+1)$ that earlier work derived for hierarchical networks agrees with published values where such a network partitions space, and this paper offers an account of why those derivations converge. Where the same form appears in cosmology it is an identity. The exponent of capability against recursive depth is a different quantity, which this geometry does not fix and which has to be measured; the registered programme exists to measure it.

> "One may say 'the eternal mystery of the world is its comprehensibility.' "
> Albert Einstein (1936)

[. . .]

Every system whose growth is carried through a space-filling hierarchical network of finite dimension stays below the geometric scaling bound: the scaling exponent $d/(d+1)$ approaches 1 but never reaches it, and such systems suffer diminishing returns. Systems outside that class can exceed one (Section 10).

Intelligence is no exception: its computation is physical. How its capability grows with recursive depth is a different pair of variables, which the geometry does not fix and which has to be measured (Section 11).

Raise AI with care.

I.15 Notation and glossary of version 3.13

Superseded definitions, kept so that the passages above can be read. Appendix C gives the quantities of the present argument; the operator, entropy-baseline and universal-phase definitions below are historical.

Symbols.

Table 25. Symbols.

Symbol	Meaning	Where
α	the scaling exponent, $y \propto x^{\alpha}$; in the percolation row of Section 6.1, the specific-heat exponent of percolation, a different quantity (a collision kept as printed)	Sections 6 and 6.1
ν, p, p_c	the correlation-length exponent of percolation, the occupation probability and its threshold	Section 6.1
d	the effective dimension of the hierarchical network; under $d = 2/(1 + 3w)$, a parameter that is not a physical dimension for $w < -1/3$; also Cohen's d, an effect size, in Section 12 (a collision)	Sections 6, 9 and 12
D	the dimension in the earlier works' notation	Section 2
H	in Bettencourt (2013), the fractal dimension of travel paths; in the definition of I, the Shannon entropy in bits (a collision)	Sections 2 and 15
w	the equation-of-state parameter, $P = w\rho c^2$	Section 9
ρ	energy density in Section 9; Spearman's rank correlation in Section 12 (a collision)	
P	pressure in Section 9; metabolic rate in P/M in Section 7 (a collision)	
M	body mass	Section 7
$a(t)$, t	the cosmic scale factor and cosmic time	Section 9
a, b	the coefficient and exponent of Pattern 1 ($y = a \cdot x^b$); b is also the Gutenberg-Richter b-value and the fungal exponent of Prediction 1 (collisions)	
B	the Gutenberg-Richter B-value, $B = 2b/3$	Section 6.1
L, K	the ceiling and half-saturation constant of Pattern 3	Section 3
c	the constant of Cauchy's solutions; the speed of light in $E = mc^2$ and $P = w\rho c^2$ (a collision)	
β	the self-referential coupling, $\alpha = 1/(1 - \beta)$; also, in Section 11's mention of Law II's co-scaling condition $\beta > k$, the exponent of correction strength (a collision)	Section 11
γ, α_{crit}	the corrector's own scaling exponent and the stability ceiling of Law III, $\alpha_{\text{crit}} = 1/(1 - \gamma)$	Section 11

Symbol	Meaning	Where
U, I, R	the ARC Equation's effective capability, base potential and recursive depth, $U = I \times R^{\alpha}$; I given a working definition in Section 15	
k	the neutron multiplication factor in Section 8; Boltzmann's constant in $kT \ln 2$ (a collision)	
Λ	the factor by which the logical error rate falls for each increase of two in code distance	Section 11.1
α_{seq}, α_{par}, α_{align}	sequential, parallel and alignment exponents	Section 12
r^2, F, p, n	coefficient of determination, ANOVA statistic, p-value, number of groups or samples; p is also the occupation probability of percolation (a collision)	Section 12

Glossary.

composition operator how the steps of a recursive process combine: by multiplication, by addition, or under a cap

homomorphism a function that carries one algebraic structure (addition or multiplication on the positive reals) into one of the two

regularity continuity, or measurability, or boundedness on an interval, the conditions under which Cauchy's equations have only the named solutions

network-partition identity this paper's reading of $\alpha = d/(d+1)$: it applies where a d-dimensional hierarchical network partitions a $(d+1)$-dimensional space

analytic identity; definitional identity a row whose agreement holds by derivation or by definition, not by measurement, or an exact value that equals the formula's number with no derivation linking the two; such a row carries no evidence

variable pair the two quantities a scaling relation connects; naming it decides which cell of the grid a relation sits in

Phase I, II, III sublinear, exponential and saturating growth in the paper's phase diagram

geometric scaling bound that $d/(d+1) < 1$ for every finite d, for systems whose growth is carried through a space-filling hierarchical network

ARC Bound $\alpha \leq 2$, the conjectured value of Law III, the ARC Ceiling, at $\gamma = 1/2$

Laws I to V Law I, the ARC Principle; Law II, the ARC Co-Scaling Law; Law III, the ARC Ceiling; Law IV, the ARC Persistence Law; Law V, the ARC Embedding Law; each a law under test

purpose check, stakeholder-care check, universalisability check the Eden Protocol's self-correction loops, named by what each checks (Section 14)

preregistered by timestamp; registered a design fixed and timestamped before its data, described with its date and receipt; "registered" only for what the author submitted and OSF accepted

I.16 The novelty statements of version 3.13

Dated record. Each statement was made without a dated literature search; Appendix E sets the present contribution beside the closest earlier work, and Table 8 gives the present position. The analogy with Newton and Einstein is the earlier edition's, with its own concession.

The dated correspondence note of 19 September 2026 (Appendix A.2) records that the paper's universal novelty statements were made with no literature search and that no novelty verdict is recorded either way. This appendix keeps each statement as printed, beside the closest earlier work the paper itself names, with its status in this version. A dated search remains to be made.

Table 26. Novelty statements.

Statement, as printed	Where	Closest earlier work the paper names	Status in this version
"To our knowledge, this explanation for why the two derivations converge has not been previously published. The observation that Cauchy's theorem, combined with space-filling and conservation, provides the meta-constraint underlying both programmes appears to be novel."	Section 12	West, Brown and Enquist (1997, 1999); Demetrius (2003, 2006); Demetrius and Tuszynski (2010); the review of Agutter and Tuszynski (2011); Banavar, Maritan and Rinaldo (1999)	kept, with a pointer here; no dated literature search recorded
The box label "Novel Result"	Section 12	the box itself gives the formula and its three values to the earlier work	withdrawn in this version: novelty is claimed only against a dated literature search, and none is recorded
"This has not been stated in this form." (on the space of classical laws as a three-parameter family)	Section 12 of version 3.12, seventh entry	Cauchy (1821)	withdrawn with the claim it qualified (the cardinality and scope note of 19 September 2026, Appendix A.2)
"the first time this transition has been identified as a change in composition operator"	Section 12 of version 3.12, ninth entry	none named	withdrawn with the claim it qualified (Appendix A.2)
"It has not been stated in this form." (the consequence for physics)	Section 15 of version 3.12	Cauchy (1821)	withdrawn with the claim it qualified (Appendix A.2)

The analogy, moved here from Section 2.2. Newton discovered that gravity exists and measured its effects. Einstein discovered *why*: geometry. Mass curves spacetime, and objects follow the curves. Newton was not wrong. He was incomplete.

Kleiber found that the basal metabolism of thirteen groups of animals, from ring doves to steers, is best calculated per 0.74 power of body weight, rather than per unit of body surface as the earlier surface law held. West, Brown, and Enquist derived the mechanism for three dimensions and gave the exponent for D dimensions. This paper's principle is the one Section 2.2 states. The likeness to Einstein's work is limited: Einstein's mechanism was compelled to fit a dated observational anomaly (Mercury's perihelion advance), whereas the four-cell grid here reorganises earlier derivations that were already correct in their own domains, and the empirical work that would settle it at law level (Section 11 and Section 16) is not yet run.