Project Development Phase 3: WEB Development

Course: IT342

Student: Michael Libato

Project Name: TheraPea

1. GitHub Repository & Commit Information

- **GitHub Repository:** https://github.com/MichaelGrant-Libato/IT342_Therapea_G4_Libato.git
- **Final Commit Msg:** IT342 Phase 3 – Web Main Feature Completed
- **Commit Hash:** df986e09642eebd5791e7ab9fd033e95d00a1e61
- **Commit Link:** https://github.com/MichaelGrant-Libato/IT342_Therapea_G4_Libato/commit/df986e09642eebd5791e7ab9fd033e95d00a1e61

2. Short Summary: Main Feature Integration

Description of the Main Feature

The main feature developed in Phase 3 is the **Smart Triage Assessment**. This is the core diagnostic and onboarding feature of TheraPea. It allows patients to complete a 15-question clinical evaluation (based on established PHQ-9 and GAD-7 methodologies). The system calculates their responses to immediately determine their mental health risk

level (**Low, Moderate, or High**) and provides automated clinical recommendations, including bridging high-risk patients to emergency maps or therapist booking features.

Inputs and Validations Used

- **Inputs:** User inputs are captured via interactive buttons representing numeric severity values (0 = Not at all, 1 = Several days, 2 = More than half the days, 3 = Nearly every day).
- **Frontend Validation:** The React application ensures strict sequential navigation. A user cannot proceed to the final submission unless all 15 questions have an explicit selection. State arrays prevent submission of default (-1) values.
- **Error Handling:** If the backend connection fails or the user session is missing, a `try/catch` block captures the exception and dynamically displays a red error banner to the user without crashing the application.

How the Feature Works

The frontend tracks the assessment progress using React state variables (`step` and `answers`). Upon completing the final question, the system aggregates the values, normalizes the score out of 100, and assigns a categorical risk level. The frontend then constructs a JSON payload containing the user's email, score, risk level, and "Pending" status, dispatching it via an asynchronous `POST` request to the Spring Boot backend. Upon a successful `200 OK` response, the UI transitions to the Results Dashboard. On the Doctor's view, the system fetches these pending assessments, allowing the clinician to review the data and update the status via a `PATCH` request.

API Endpoints Used

- `POST /api/assessments` – Submits and saves a newly completed assessment to the database.
- `GET /api/assessments?email={email}` – Fetches recent assessments to display on the user and doctor dashboards.

- PATCH /api/assessments/{id}/review – Updates the assessment status from "Pending" to "Reviewed" (Doctor action).

Database Tables Involved

The feature relies on the **assessments** table within the PostgreSQL (Supabase) database. Key columns involved include: id, email (foreign key linking to the user), assessmentType, clinicalScore, riskLevel, status, and createdAt.

3. Screenshots

Screenshot 1: Main feature page/screen



Screenshot 2: Adding or using the main feature



Screenshot 3: Successful output/result



Screenshot 4: Database record related to the feature


3rdyr-2ndSem
FREE
TheraPea
main
PRODUCTION
Connect
Feedback
Table Editor
public.assessments
schema public
New table
Filter by id, email, assessment_type... or ask AI
Sort
RLS disabled
Index Advisor
Enable Realtime
Role postgres
Insert
appointment_t...
appointments
assessme...
dashboard_stats
users
wellness_progr...
UNRESTRICTED
id int8
email varchar
assessment_type varchar
clinical_score int4
risk_level varchar
status varchar
created_at timestamptz
1
michaelgrantlibato7@gmail.com
Smart Triage
91
High
Pending
2026-04-15 09:38:48.207056+0
Page 1 of 1
100 rows
1 record
Data
Definition
31°C
Sunny
Search
5:39 PM
4/15/2026

.