

Home Projects Qualys Free Trial Contact

You are here: Home > Projects > SSL Server Test > badssl.com

SSL Report: badssl.com (104.154.89.105)

Assessed on: Fri, 16 Aug 2024 16:55:52 UTC | Hide | Clear cache

Scan Another »

Overall Rating Certificate Protocol Support Key Exchange Cipher Strength 0 20 40 60 80 100 Visit our documentation page for more information, configuration guides, and books. Known issues are documented here. This server supports TLS 1.0 and TLS 1.1. Grade capped to B. MORE INFO >> This site works only in browsers with SNI support.

Certificate #1: RSA 2048 bits (SHA256withRSA)




Subject	*.badssl.com Fingerprint SHA256: faa1631b647c2d3a3367f7fa45b89d0da256f0f29f9f8dd33039d55ead29d627 Pin SHA256: Srtau6DvevwAqdqrrDQFVIVX+I3HzE12iAAw3ER1+jg=				
Common names	*.badssl.com				
Alternative names	*.badssl.com badssl.com				
Serial Number	03569bee34cde3271a5280d428fc00ff439b				
Valid from	Fri, 09 Aug 2024 15:05:44 UTC				
Valid until	Thu, 07 Nov 2024 15:05:43 UTC (expires in 2 months and 21 days)				
Key	RSA 2048 bits (e 65537)				
Weak key (Debian)	No				
Issuer	R11 AIA: http://r11.i.lencr.org/				
Signature algorithm	SHA256withRSA				
Extended Validation	No				
Certificate Transparency	Yes (certificate)				
OCSP Must Staple	No				
Revocation information	OCSP: http://r11.o.lencr.org				
Revocation status	Good (not revoked)				
DNS CAA	No (more info)				
	Yes				




Additional Certificates (if supplied)

Certificates provided 2 (2563 bytes)







TLS_RSA_WITH_AES_256_GCM_SHA384 (0x9d) WEAK

Cipher Suites TLS_RSA_WITH_AES_128_CBC_SHA256 (0x3c) WEAK TLS_RSA_WITH_AES_256_CBC_SHA256 (0x3d) WEAK 256 TLS_RSA_WITH_AES_128_CBC_SHA (0x2f) WEAK 128 TLS_RSA_WITH_AES_256_CBC_SHA(0x35) WEAK 256 TLS_RSA_WITH_3DES_EDE_CBC_SHA(0xa) WEAK 112 TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA (0x88) DH 2048 bits FS WEAK 256 TLS_RSA_WITH_CAMELLIA_256_CBC_SHA (0x84) WEAK 256 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA (0x45) DH 2048 bits FS WEAK 128 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA (0x41) WEAK 128 + # TLS 1.1 (suites in server-preferred order) + # TLS 1.0 (suites in server-preferred order)



Handshake Simulation			
Android 2.3.7 No SNI ²		because this client does	sn't support SNI _WITH_AES_128_CBC_SHA DH 2048
Android 4.0.4	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
Android 4.1.1	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
Android 4.2.2	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
Android 4.3	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
Android 4.4.2	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Android 5.0.0	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Android 6.0	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Android 7.0	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Android 8.0	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Android 8.1	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Android 9.0	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Baidu Jan 2015	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
BingPreview Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Chrome 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Chrome 69 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
<u>Chrome 70 / Win 10</u>	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Chrome 80 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Firefox 31.3.0 ESR / Win 7	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Firefox 47 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Firefox 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Firefox 62 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Firefox 73 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Googlebot Feb 2018	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
IE 7 / Vista	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
IE 8 / XP No FS ¹ No SNI ²		because this client does TLS 1.0 TLS_RSA_WITH	
<u>IE 8-10 / Win 7</u> R	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
<u>IE 11 / Win 7</u> R	RSA 2048 (SHA256)	TLS 1.2	TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 DH 2048 FS
<u>IE 11 / Win 8.1</u> R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 DH 2048 FS
IE 10 / Win Phone 8.0	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
IE 11 / Win Phone 8.1 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 ECDH secp256r1 FS
IE 11 / Win Phone 8.1 Update R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 DH 2048 FS
<u>IE 11 / Win 10</u> R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Edge 15 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Edge 16 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Edge 18 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS

Handshake Simulation					
Edge 13 / Win Phone 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
Java 6u45 No SNI ²	Client does not support DH parameters > 1024 bits RSA 2048 (SHA256) TLS 1.0 TLS _DHE_RSA_WITH_AES_128_CBC_SHA DH 2048				
Java 7u25	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS		
Java 8u161	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
Java 11.0.3	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
Java 12.0.1	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
OpenSSL 0.9.8y	RSA 2048 (SHA256)	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA DH 2048 FS		
OpenSSL 1.0.1I R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
OpenSSL 1.0.2s R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
OpenSSL 1.1.0k R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
OpenSSL 1.1.1c R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
Safari 5.1.9 / OS X 10.6.8	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS		
Safari 6 / iOS 6.0.1	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 ECDH secp256r1 FS		
Safari 6.0.4 / OS X 10.8.4 R	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS		
Safari 7 / iOS 7.1 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 ECDH secp256r1 FS		
<u>Safari 7 / OS X 10.9</u> R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 ECDH secp256r1 FS		
Safari 8 / iOS 8.4 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 ECDH secp256r1 FS		
Safari 8 / OS X 10.10 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 ECDH secp256r1 FS		
Safari 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
<u>Safari 9 / OS X 10.11</u> R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
<u>Safari 10 / iOS 10</u> R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
Safari 10 / OS X 10.12 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
<u>Safari 12.1.2 / MacOS 10.14.6</u> <u>Beta</u> R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
Safari 12.1.1 / iOS 12.3.1 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
Apple ATS 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
Yahoo Slurp Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		
YandexBot Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS		

Not simulated clients (Protocol mismatch)



IE 6 / XP No FS ¹ No SNI ² P

Protocol mismatch (not simulated)

- (1) Clients that do not support Forward Secrecy (FS) are excluded when determining support for it.
- (2) No support for virtual SSL hosting (SNI). Connects to the default site if the server uses SNI.
- $(3) \ Only \ first \ connection \ attempt \ simulated. \ Browsers \ sometimes \ retry \ with \ a \ lower \ protocol \ version.$
- (R) Denotes a reference browser or client, with which we expect better effective security.
- (All) We use defaults, but some platforms do not use their best protocols and features (e.g., Java 6 & 7, older IE).
- (All) Certificate trust is not checked in handshake simulation, we only perform TLS handshake.



Protocol Details

Secure Renegotiation	Supported
Secure Client-Initiated Renegotiation	No
Insecure Client-Initiated Renegotiation	No
BEAST attack	Not mitigated server-side (more info) TLS 1.0: 0xc013
POODLE (SSLv3)	No, SSL 3 not supported (more info)
POODLE (TLS)	No (more info)
Zombie POODLE	No (more info) TLS 1.2: 0xc027
GOLDENDOODLE	No (more info) TLS 1.2: 0xc027
OpenSSL 0-Length	No (more info) TLS 1.2: 0xc027
Sleeping POODLE	No (more info) TLS 1.2: 0xc027
Downgrade attack prevention	Yes, TLS_FALLBACK_SCSV supported (more info)
SSL/TLS compression	No
RC4	No

6 PM	SSL Server Test: badssl.com (Powered by Qualys SSL Labs)	
Protocol Details		
Heartbeat (extension)	Yes	
Heartbleed (vulnerability)	No (more info)	
Ticketbleed (vulnerability)	No (more info)	
OpenSSL CCS vuln. (CVE-2014-0224)	No (more info)	
OpenSSL Padding Oracle vuln. (CVE-2016-2107)	No (more info)	
ROBOT (vulnerability)	No (more info)	
Forward Secrecy	Yes (with most browsers) ROBUST (more info)	
ALPN	Yes http/1.1	
NPN	Yes http/1.1	
Session resumption (caching)	No (IDs assigned but not accepted)	
Session resumption (tickets)	Yes	
OCSP stapling	No	
Strict Transport Security (HSTS)	No	
HSTS Preloading	Not in: Chrome Edge Firefox IE	
Public Key Pinning (HPKP)	No (more info)	
Public Key Pinning Report-Only	No	
Public Key Pinning (Static)	No (more info)	
Long handshake intolerance	No	
TLS extension intolerance	No	
TLS version intolerance	No	
Incorrect SNI alerts	No	
Uses common DH primes	No	
DH public server param (Ys) reuse	No	
ECDH public server param reuse	No	
Supported Named Groups	secp256r1	
SSL 2 handshake compatibility	Yes	
HTTP Requests 1 https://badssl.com/ (H	TTP// 1 200 OK)	+
T Intps://baussi.com/ (i)	1117.1.200 ON	
Miscellaneous		
Test date	Fri, 16 Aug 2024 16:52:51 UTC	
Test duration	181.317 seconds	
HTTP status code	200	
HTTP server signature	nginx/1.10.3 (Ubuntu)	
TITTI SCIVOI SIGNALAIC	3	

SSL Report v2.3.0

Copyright © 2009-2024 Qualys, Inc. All Rights Reserved. Privacy Policy.

Terms and Conditions

<u>Try Qualys for free!</u> Experience the award-winning <u>Qualys Cloud Platform</u> and the entire collection of <u>Qualys Cloud Apps</u>, including <u>certificate security</u> solutions.