


1	Sweeper/ Gutter Brush						
Item	unit	60"-560	66"-560	72"-560	72"-670	84"-670	
Operating Width	mm	1524	1676	1828	1828	2130	
Brush diameter	mm	560	560	560	670	670	
Bucket capacity	m3	0.32	0.35	0.4	0.5	0.55	
Operating pressure	MPa	16	16	16	16	16	
Operating flow	L/mm	50-125	50-125	50-125	50-125	50-125	
Weight	kg	380	420	520	590	600	
Length	mm	1895	2050	2200	2200	3500	
Width	mm	1350	1350	1350	1560	1560	
Height	mm	620	620	620	720	720	

2	Water kit		
Item	unit	Standard	
Capacity	L	50×2	
Weight	kg	38	
Length	mm	490 mm	
Width	mm	270 mm *2	
Height	mm	1465 mm	

3	Sweeper/ Gutter Brush			
Item	unit	72"-560	84"-670	
Operating Width	mm	1828	2130	
Brush diameter	mm	560	670	
Bucket capacity	m3	0.5	0.55	
Operating pressure	MPa	16	16	
Operating flow	L/mm	50-125	50-125	
Weight	kg	590	630	
L*W*H	mm	2200*1925*1000	2505*1925*1000	

4	Breking hammer			
Item	unit	530	680	
Operating Weight	kg	120	250	
Operating pressure	MPa	9-12	11-14	
Operating flow	L/mm	25-50	40-70	
Impact frequency	BPM	600-1100	500-900	
Bit diameter	mm	53	68	
L*W*H	mm	570*1202*1326	570*1660*1660	

5	Road Planer			
Item	unit	XB450	XB600	
Cutting width	mm	457	610	
Cutting depth	mm	0-152	0-152	
Cutting Width	mm	457	610	
Drum cutting Angle	±°	15	15	
Lateral distance	mm	660	660	
Operating pressure	MPa	21	21	
Operating flow	L/mm	100-150	100-150	
Number of bits	pcs	46	60	
Weight	kg	630	680	
L*W*H	mm	1700*1278*890	1700*1278*892	

6	Road Cutting Saw			
Item	unit	160	240	
Cutting depth	mm	160	240	
Wheel Width	mm	5	5	
Weight	kg	360	420	
L*W*H	mm	1686*1268*1160	1730*1250*980 mm	

7	Wheel Saw			
Item	400	450-500	600	
Wheel Width	50-120 mm	50-105 mm	50-120 mm	
Cutting depth	300-400 mm	450-500 mm	600 mm	
Wheel diameter	/	1350 mm	1550 mm	
Operating pressure	16 mpa	16 mpa	16 mpa	
Operating flow	100-125 L/min	100-125 L/min	100-125 L/mm	
Weight	950 kg	950-1100 kg	1250 kg	
L*W*H	1935*1700*1315 mm	2485*1700*1570 mm	2485*1700*1670 mm	


8	Guardrail Cleaner		9	Blower	
Item	unit		Item	unit	
Operating Width	600-1200 mm		Operating pressure	16 MPa	
Brush diameter	2×φ530 mm		Operating flow	50-80L/mm	
Weight	550 kg		Weight	112 kg	
Length	2581 mm		Length	1500 mm	
Width	1320 mm		Width	1240mm	
Height	1308 mm		Height	640 mm	

10	Angle Broom					
Item		72 " /560	72 " /670	84 " /670	84 " /670	
Operating Width	mm	1828	1828 mm	2133 mm	2133 mm	
Brush diameter	mm	560	670 mm	670 mm	670 mm	
Swing angle	°	30	30°	30°	30°	
Operating pressure	MPa	16	16	16	16-21	
Operating flow	L/mm	50-125	50-125	50-125	50-125	
Weight	kg	340	380	420	480	
Length	mm	2030	2030	2335	1780	
Width	mm	1020	1020	1050	2450	
Height	mm	640	740	740	900	

11	Electric control Broom			
Item	unit	68 "	84 "	
Operating Width	mm	1727	2133	
Brush diameter	mm	812	812	
Swing angle	°	25	25	
Operating pressure	MPa	16-21	16-21	
Operating flow	L/mm	40-90	40-90	
Weight	kg	420	480	
L*W*H	mm	1780*2050*900	1780*2450*900	

12	Snow Blower			
Item	68"	72"	84"	
Operating Width	1727 mm	1830 mm	2130 mm	
Throw distance	> 12 m	> 12 m	> 12m	
Operating pressure	16-21 MPa	16-21 mpa	16-21 mpa	
Operating flow	50-75L/mm	100-150 L/mm	100-150 L/mm	
Weight	455kg	460 kg	510 kg	
L*W*H	1777*1130*1560 mm	1892*1100*1700 mm	2197*1100*1700 mm	

13	High throwing snow tube		14	Scraper	
Item			Item	unit	
Working height			Disc dia	560 mm	
Weight			Weight	60 kg	
Length			Length	1405mm	
Width			Width	1150 mm	
Height			Height	523 mm	

15	Snow Blade			
Item	66"	72"	84"	
Operating Width	1670 mm	1830 mm	2130 mm	
Swing angle	±22 °	±22 °	±22 °	
Operating pressure	16 MPa	16 MPa	16 MPa	
Weight	320 kg	350 kg	380 kg	
Length	1080*1670*790 mm	1080*1830*790 mm	1080*2130*790 mm	

16	Snow Blade			
Item	66"	72"	84"	
Capacity	0.69 m3	0.83 m3	0.92 m3	
Length	1024 mm	1024 mm	1024 mm	
Width	1722 mm	1876 mm	2180 mm	
Height	495 mm	495 mm	495 mm	
Weight	262 kg	290 kg	309 kg	

17	Snow V- Blade		18	Spreader	
Item	84"		Item	unit	
Operating Width	2130 mm		Capacity	272 L	
Swing angle	±10 °		Diameter	3-6 meter	
Operating pressure	16 MPa		Operating pressure	16 MPa	
Weight	340 kg		Weight	340 kg	
Length	1186 mm		Length	995 mm	
Width	2130 mm		Width	1380 mm	
Height	1015 mm		Height	1269 mm	

19	Auger			
Item	3500	7000	10000	
Digging hole diameter	500 mm	700 mm	900 mm	
Operating flow	50-75 L/mm	55-115 L/mm	70-150 L/mm	
Operating pressure	16 MPa	16 MPa	16 MPa	
Max torque	3500	7000 N.m	10000 N.m	
L*W*H	1160*1050*490 mm	1160*1050*260 mm	1160*1050*490 mm	
Weight	240 kg	260 kg	320 kg	

20	Auger bit						
Item	6 "	9 "	12 "	18 "	24 "	30 "	
diameter	150 mm	230 mm	300 mm	450 mm	600 mm	750 mm	
Length	1000mm	1000mm	1000mm	1000mm	1000mm	1000mm	
Parameter	SB30	SB30	SB35	SB45	SB45	SB45	
Weight	26	30 kg	32 kg	38 kg	48 kg	65 kg	

21	Drum ice Machine			
Item	unit	72 "	84 "	
Drum width	mm	1855	2134	
Drum diameter	mm	609	609	
Vibration force	kg	4000	4500	
Vibration frequency	Vpm	2600	2600	
Blade	pcs	216	288	
Operating pressure	mpa	16-21	16-21	
Operating flow	L/mm	40-90	40-90	
Weight	kg	650	750	
Length	mm	2100*1000*800	2300*1000*800	

22	Tree Spade			
Item	unit	700	1000	
Cutting depth	mm	480	740	
The angle of blade	°	30	25	
Operating flow	L/mm	25	25-65	
Operating pressure	MPa	16	16	
Weight	kg	460	800	
L*W*H	mm	1420*1420*1390	1990*2030*1500	

23	Chipper		24	Stump Bucket		
Max support diameter	75mm		Item	unit	16"	
Working flow	140 L/mm		leading edge	mm	406 mm	
Working Pressure	18-2MPa		Length	mm	930 mm	
Weight	520 kg		Width	mm	1150 mm	
Length	1500 mm		Height	mm	610 mm	
Width	1800 mm		Weight	kg	280 kg	
Height	1800 mm					

25	Soil Conditioner			
Item	66 "	72 "	84 "	
Operating Width	1670 mm	1830 mm	2130 mm	
Swing angle	±22 °	±22 °	±22 °	
Operating pressure	16 MPa	16 MPa	16 MPa	
Weight	420 kg	550 kg	620 kg	
L*W*H	1500*1700*600 mm	1500*1850*600 mm	1500*2150*600 mm	

26	Trencher			
Item	unit	900/200	1200/300	
Digging width	mm	200	300	
Digging depth	mm	900	1200	
Operating pressure	MPa	16	16	
Operating flow	L/mm	50-75	50-75	
L*W*H	mm	1950*1160*850	3300*1265*900	
Weight	kg	320	530	

27	Landscape Rake			
Item	66 "	72 "	84 "	
Operating Width	1670 mm	1830 mm	2130 mm	
Operating pressure	16 Mpa	16 Mpa	16 Mpa	
Weight	570 kg	620 kg	690 kg	
L*W*H	1626*1820*960 mm	1626*1988*960 mm	1626*2280*960 mm	

28	Double Trencher		29	Stone screening machine	
Item	1000/200		Item	1200	
Digging width	2x200 mm		Mesh Width	40 mm	
Digging depth	900-1000 mm		Work Pressure	16 Mpa	
Operating pressure	16Mpa		Weight	570 mm	
Operating flow	50-75L/mm		Length	1454 mm	
Length	1950 mm		Width	1200 mm	
Width	2160 mm		Height	774 mm	
Height	850 mm				
Weight	620 kg				

30	Rock bucket			
Item	unit	66 "	72 "	
Operating Width	mm	1830	2130	
distance	mm	76	76	
Weight	kg	190	210	
L*W*H	mm	1350*1830*620	1350*2130*620	

31	6 direction dozer blade			
Item	66 "	72 "	84 "	
Operating Width	1670 mm	1830 mm	2130 mm	
Operating heighth	790 mm	790 mm	790 mm	
Operating length	1080 mm	1080 mm	1080 mm	
Weight	320 kg	350 kg	380 kg	
Swing angle	±22 °	±22 °	±22 °	
Operating pressure	16 Mpa	16 Mpa	16 Mpa	

32	Dozer Blade			
Item	66 "	72 "	84 "	
Operating Width	1670 mm	1830 mm	2130 mm	
Operating Height	720 mm	720 mm	720 mm	
Operating Length	970 mm	970 mm	970 mm	
Weight	300 kg	330 kg	360 kg	
Swing angle	±22 °	±22 °	±22 °	
Operating pressure	16 Mpa	16 Mpa	16 Mpa	

33	Ditch compactor		34	Manhole cover milling machine	
Drum width	60-100 mm		cutting depth	300 mm	
Drum diameter	600 mm		cutting dia	1400-1800 mm	
Vibration force	3540 kg		Work flow	140 L/mm	
Vibration frequency	2600 rpm		Work Pressure	18-21 mpa	
Weight	800 kg		Weight	1500 kg	
Length	1487 mm		Length	2100 mm	
Width	1510 mm		Width	1800 mm	
Height	1194 mm		Height	1100 mm	

35	Floor Hammer		36	Plate compactor	
Item	unit		Item	unit	
energy	4KJ		Drum width	550 mm	
Hammer weight	0.5T		Vibration force	4000 kg	
Frequency	30-80 rpm		Vibration frequency	2000 Vpm	
Weight	1.3T		Weight	550 kg	
Length	810 mm		Length	900 mm	
Width	560 mm		Width	550 mm	
Height	2450 mm		Height	750 mm	

37	Hedge Trimmer			38	Multi-Function Hedge Trimmer	
Item	unit			Cutting width	0.6-1m	
Operating width	mm	1320		Work Angle	120°	
Work Angle	°	270		Bit number	36 pcs	
Operating pressure	mpa	16-21		Work pressure	16-21mpa	
Operating flow	L/mm	60-80		Operating flow	60-80 L/mm	
Weight	kg	500		Weight	680 kg	
Length	mm	1910		Length	2000 mm	
Width	mm	100		Width	3000 mm	
Height	mm	1100		Height	1200 mm	

39		Dung Pushing device		40		Cattle in bed ripper	
Item	unit		Item				
max width	3000 mm		Max width	2000 mm			
Length	1278 mm		Length	1400-2000 mm			
Width	1754 mm		Width	1554 mm			
Height	795 mm		Height	500 mm			
Weight	350 kg		Weight	300 kg			
41		Waystack Reclamation Machine		42		Soft Clamp	
Operating Width	1780 mm		Item	unit			
Operating pressure	16 mpa		Work width	880 mm			
Weight	460 kg		Range	119-1422 mm			
Length	3100 mm		Weight	16-21 Mpa			
Width	1860 mm		Length	240 kg			
Height	760 mm		L*W*H	1211*1700*700			

43	Fork clamp			
Item	unit	25	30	
Operating Width	mm	880	950	
Scope of work	mm	600-1800	600-2000	
Operating pressure	mpa	16-21	16-21	
Weight	kg	400	500	
L*W*H	mm	1618*1860*650	1633*2222*850	

44	Utility Fork		45	Bale fork	
Item	unit		Item	unit	
Operating Width	1830 mm		Operating width	1500 mm	
Fork distance	130 mm		Work Angle	90°	
Length	1830 mm		Operating pressure	16 MPa	
Width	750 mm		Operating flow	30-65 L/mm	
Height	520 mm		Weight	300 kg	
Weight	190 kg		Length	3480*442*602 mm	

46	Digger		47	Rear ripper	
Item			Item		
Operating Width	750 mm		Operating flow	50-125 L/mm	
Length	1410 mm		Operating pressure	16-21 Mpa	
Width	1154 mm		Digging width	1000 mm	
Height	856 mm		Deep tillage	200-400 mm	
Weight	260 kg		Weight	450 kg	

48	Stump Grinder		49	Seeder	
Swing angle	±55°		Item	unit	
Cutting depth	200 mm		Operating Width	1740 mm	
cutting diameter	815 mm		Capacity	150 L	
Diameter	610 mm		Length	786 mm	
Operating pressure	14-21 mpa		Width	2041 mm	
Weight	240 kg		Height	857 mm	
L*W*H	1882*1360*765		Weight	260 kg	

50	Grapple Rake			
Item	unit	66 "	72 "	
Operating Width	mm	1680	1830	
Operating heigh	mm	850	850	
Operating length	mm	940	940	
Weight	kg	190	210	
Operating pressure	MPa	16	16	

51	Heavy Grass Foker			
Item	unit	72	84	
Operating Width	mm	1837	2134	
Operating heigh	mm	1156	1156	
Operating length	mm	1026	1026	
Weight	kg	340	420	
Operating pressure	MPa	16	16	

52	Grapple Bucket			
Item	unit	Single cylinder	double cylinder	
Operating Width	mm	1700	1700	
Operating heigh	mm	780	780	
Operating length	mm	920	920	
Weight	kg	270	300	
Operating pressure	MPa	16	16	

53	Brush Cutter			
Item	unit	66 "	72 "	
Cutting width	mm	1680	1828	
Operating pressure	MPa	16	16	
Operating flow	L/mm	50-100	75-115	
Weight	kg	680	780	
L*W*H	mm	2104*1880*560	2256*2032*560	

54	Mover		55	Tree Puller	
Item	66'		Item		
Operating Width	1680 mm		Operating Width	848 mm	
Operating pressure	14-21		Diameter	10-280 mm	
Operating flow	60-80 L/mm		Operating pressure	16 MPa	
Weight	200 kg		Operating flow	50-120 l/mm	
Length	1310 mm		Weight	380	
Width	2098 mm		Length	1440 mm	
Height	530 mm		Width	1200 mm	
			Height	1224 mm	

56	Tree saw		57	High speed tree saw	
Item	unit		Item	unit	
Diameter	mm	≤305	Diamometer	mm	≤305
Operating pressure	mpa	16	Operating pressure	mpa	16
Operating flow	L/mm	50-120	Operating flow	L/mm	50-120
Weight	kg	998	Weight	kg	350
Length	mm	2610	Length	mm	1210
Width	mm	1260	Width	mm	1260
Height	mm	1920	Height	mm	1720

58	Bush Cutter			
Item	unit	66'	72'	
Operating Width	mm	1680	1830	
Operating pressure	mpa	14-21	14-21	
Operating flow	L/mm	60-80	60-80	
Weight	kg	220	240	
Length	mm	880	880	
Width	mm	2200	2352	
Height	mm	700	700	

59	Forest Mulcher			
Item	60'	72'	84'	
Operating Width	1524 mm	1680 mm	1830 mm	
Operating pressure	14-21 mpa	14-21 mpa	14-21 mpa	
Operating flow	60-80 L/mm	60-80L/mm	60-80 L/mm	
Weight	1150 kg	1250 kg	1380 kg	
Length	1447 mm	1447 mm	1447 mm	
Width	1894 mm	2206 mm	2434 mm	
Height	1643 mm	1643 mm	1643 mm	

60	Soil Tiller			61	Land Plane		
Item	unit			Item	unit	72'	
Operating flow	L/mm	50-125		Operating Width	mm	1850	
Operating pressure	MPa	16-21		Pressure	mpa	14-21	
Digging width	mm	1300		Operating flow	L/mm	60-80	
Harrow wide	mm	1600		Weight	kg	380	
Harrow long	mm	700		Length	mm	1854	
Length	mm	890		Width	mm	1254	
Width	mm	1600		Height	mm	612	
Height	mm	800					
Weight	kg	450					

62	Standard bucket			
Item	66 "	72 "	84 "	
Capacity	0.45 m3	0.5 m3	0.6 m3	
Length	1024 mm	1024 mm	1024 mm	
Width	1722 mm	1876 mm	2180 mm	
Height	495 mm	495 mm	495 mm	
Weight	175 kg	190 kg	220 kg	

63	4 in 1 bucket					
Item	unit	60 "	66 "	72 "	84 "	
Capacity	m3	0.35	0.4	0.5	0.6	
Length	mm	1524	1676	1828	2133	
Width	mm	920	920	920	920	
Height	mm	660	660	660	660	
Weight	kg	340	380	410	450	
Operating pressure	MPa	16	16	16	16	

64	Curved bucket			
Item	66 "	72 "	84 "	
Capacity	0.45 m3	0.5 m3	0.6 m3	
Length	1024 mm	1024 mm	1024 mm	
Width	1722 mm	1876 mm	2180 mm	
Height	495 mm	495 mm	495 mm	
Weight	175 kg	190 kg	220 kg	

65		Closed bucket				
Item		60"	66 "	72 "	84 "	
Capacity	m3	0.35	0.4	0.5	0.6	
Length	mm	1524	1676	1828	2133	
Width	mm	920	920	920	920	
Height	mm	660	660	570	660	
Weight	kg	340	380	410	450	

66		Pallet Fork		67		Side shift Pallet fork	
Item	C10	C15		Item	1.5T		
Loading capacity	1000 kg	1500 kg		Loading capacity	1500 kg		
Length of fork	770 mm	1000 mm		Length of fork	1100 mm		
Length	1150 mm	1150 mm		Operating pressure	16-21 Mpa		
Width	1010 mm	1240 mm		Operating flow	40-90L/mm		
Height	980 mm	980 mm		Weight	350 kg		
Weight	150 kg	180 kg		1518*1395*1224 mm			

68		Flat clamp		69	Rock bucket grapple	
Item			72" (2 cylinder)			
Grab range	0-200 mm		Operating Width	1830 mm		
Grab width	2500-4000mm		Scope of work	300-500		
Working pressure	16-21 Mpa		Operating pressure	16-21 mpa		
weight	340 kg		Weight	400 kg		
Length	2026 mm		Length	1872 mm		
Weight	2000 mm		Width	1100 mm		
Height	650 mm		Height	790 mm		

70		Vibratory Roller		
Item	unit	66 "	72 "	
Drum width	mm	1670	1855	
Drum diameter	mm	600	600	
Vibration force	kg	3540	3880	
Vibration frequency	Vpm	2600	2600	
Weight	kg	800	900	
Length	mm	1848*900*610	2000*900*610	

71		Grader		
Item	unit	84 "	72 "	
Operating Width	mm	2130	1830	
Swing angle	°	±22	±30	
Operating pressure	MPa	16	16	
Weight	kg	760	760	
L*W*H	mm	1970*2130*720	2220*1830*1050	

72		Mixer		
Item	unit	100	200	
Capacity	m3	0.1	0.2	
Rpm	r/min	5~30	5~30	
Operating pressure	MPa	16	16	
Operating flow	L/mm	50-100	50-100	
Weight	kg	300	360	
L*W*H	mm	1200*1160*1100	1300*1200*1200	

73	Bucket mixer		74	Backhoe arm	
Bucket capacity	0.3 m3		Item		
input	0.3 m3		Bucket width	380 mm	
output	0.3 m3		Bucket capacity	0.06 m3	
mis time	50 ≤"		Digging depth	2000 mm	
mix speed	70 r/min		Length	1770 mm	
Work pressure	16-21 mpa		Width	1170 mm	
Working flow	75-110L/min		Height	740 mm	
Weight	380 kg		Weight	300 kg	
L*W*H	1250*1030*950 mm		Operating pressure	16 mpa	

75	Swing backhoe arm		76	Backhoe	
Item			Item		
Bucket width	380 mm		Bucket width	380 mm	
Bucket capacity	0.06 m3		Bucket capacity	0.06 m3	
Digging depth	2000 mm		Digging depth	2400 mm	
Swing angle	110°		Operating height	2980 mm	
Weight	350 kg		Loading height	1910 mm	
Operating pressure	16 mpa		Swing angle	120°	
Length	1770 mm		2280*2200*2090 mm		
Width	1170 mm		Weight	780 kg	
Height	740 mm		Operating pressure	16 MPa	

77	High dump bucket			
Item	66 "	72 "	84 "	
Capacity	0.45 m3	0.5 m3	0.6 m3	
Operating pressure	16 mpa	16	16	
Length	1024*1722*495 mm	1024*1876*495 mm	1024*2180*495 mm	
Weight	175 kg	190 kg	220 kg	

78	Hydraulic winch			
Item	unit	Front	Rear type	
Load weight	kg	3000-5000	2000	
Operating pressure	MPa	16	16	
Weight	kg	200	120	
Length	mm	670	500	
Width	mm	1234	1092	
Height	mm	735	450	

79	Tilt-Tatch™		80	Swing quick hitch	
Swing angle	±15°				
Weight	140 kg		Weight	120 kg	
Operating pressure	16 mpa		Work Pressure	16 Mpa	
Length	230 mm		Length	1240 mm	
Width	1440 mm		Width	230 mm	
Height	510 mm		Height	410 mm	

81		Sling	82		Floor Grinder
Item			Item		
Lifting weight	≤1500		Work width	1698 mm	
lifting radius	1700 mm		disc range	110 mm	
Weight	340 kg		Operating pressure	16 mpa	
Length	1132-1732 mm		Weight	670 kg	
Width	1200 mm		Length	1326 mm	
Height	592 mm		Width	1540 mm	
			Height	788 mm	

83		Hydraulic winch	
Item	unit		
Drill dia	mm	100-300	
Rod length	mm	500-2000	
Rpm	r/min	5~30	
Operating pressure	MPa	16	
Operating flow	L/mm	50-100	
Weight	kg	900	
Length	mm	1500	
Width	mm	1460	
Height	mm	2100	

84		Hydraulic winch	
Item	unit		
Operating pressure	MPa	16	
Operating flow	L/mm	50-100	
Weight	kg	112	
Length	mm	900	
Width	mm	240	
Height	mm	240	

Contents	
Road maintenance	1-9
Road snow removal	10-18, 21
Landscaping	19, 20, 22-33
Municipal Engineering	34-38
Agriculture, Forestry and Livestock	39-61
Industrial building	62-84