```
****************************************************
*                                                  *
*          STAAD.Pro                               *
*          Version  2003     Bld 1001.US           *
*          Proprietary Program of                  *
*          Research Engineers,  Intl.              *
*          Date=    JUL 17, 2009                   *
*          Time=    19:31:25                       *
*                                                  *
*      USER ID:                                    *
****************************************************

 1. STAAD PLANE DXF IMPORT OF 2F6K.DXF
 2. START JOB INFORMATION
 3. JOB NAME 2F 6K X 28K WITHOUT MID SUPP
 4. JOB CLIENT ACL
 5. ENGINEER NAME RCZ
 6. APPROVED NAME LCK
 7. ENGINEER DATE 28-MAY-07
 8. END JOB INFORMATION
 9. INPUT WIDTH 79
10. UNIT MMS KN
11. JOINT COORDINATES
12. 1 473.35 71.4294 0; 2 473.35 2610.43 0; 3 473.35 3210.43 0; 4 473.35 5822.43 0
13. 5 11393.4 71.4294 0; 6 11393.4 2760.43 0; 7 11393.4 3210.43 0
14. 8 11393.4 5822.43 0; 11 5933.35 3210.43 0; 12 1383.35 6032.52 0
15. 13 2293.35 6242.61 0; 14 3203.35 6452.7 0; 15 4113.35 6662.79 0
16. 16 5023.35 6872.88 0; 17 5933.35 7082.97 0; 18 6843.35 6872.88 0
17. 19 7753.35 6662.79 0; 20 8663.35 6452.7 0; 21 9573.35 6242.61 0
18. 22 10483.4 6032.52 0; 23 1383.35 5822.43 0; 24 2293.35 5822.43 0
19. 25 3203.35 5822.43 0; 26 4113.35 5822.43 0; 27 5023.35 5822.43 0
20. 28 5933.35 5822.43 0; 29 6843.35 5822.43 0; 30 7753.35 5822.43 0
21. 31 8663.35 5822.43 0; 32 9573.35 5822.43 0; 33 10483.4 5822.43 0
22. 71 473.35 5475.43 0; 77 973.35 3210.43 0; 78 5433.35 3210.43 0
23. 79 6433.35 3210.43 0; 80 473.35 2760.43 0; 81 928.35 5822.43 0
24. 82 11393.4 5480.43 0; 83 10893.3 3210.43 0; 84 3933.35 3210.43 0
25. 85 7933.35 3210.43 0
26. MEMBER INCIDENCES
27. 1 1 2; 2 2 80; 3 3 71; 4 5 6; 5 6 7; 6 7 82; 9 4 12; 10 12 13; 11 13 14
28. 12 14 15; 13 15 16; 14 16 17; 15 17 18; 16 18 19; 17 19 20; 18 20 21; 19 21 22
29. 20 22 8; 21 4 81; 22 23 24; 23 24 25; 24 25 26; 25 26 27; 26 27 28; 27 28 29
30. 28 29 30; 29 30 31; 30 31 32; 31 32 33; 32 33 8; 33 17 28; 34 23 12; 35 12 24
31. 36 24 13; 37 13 25; 38 25 14; 39 14 26; 40 26 15; 41 15 27; 42 27 16; 43 16 28
32. 44 28 18; 45 18 29; 46 29 19; 47 19 30; 48 30 20; 49 20 31; 50 31 21; 51 21 32
33. 52 32 22; 53 22 33; 54 3 77; 72 11 79; 133 71 4; 144 77 84; 145 78 11
34. 146 79 85; 147 80 3; 151 81 23; 152 71 23; 153 82 8; 154 82 33; 155 83 7
35. 157 84 78; 158 85 83
36. DEFINE MATERIAL START
37. ISOTROPIC STEEL
38. E 205
39. POISSON 0.3
40. DENSITY 7.68195E-008
41. ALPHA 1.2E-005
```



```
42. DAMP 0.03
43. END DEFINE MATERIAL
44. START USER TABLE
45. TABLE 1
46. UNIT MMS KN
47. GENERAL
48. C38X38
49. 252 38 2.3 38 2.3 38072 62913 100000 1557 3311 87 175 1557 3311 100000 38
50. TABLE 2
51. UNIT MMS KN
52. GENERAL
53. 2C75X45
54. 1098 75 6 90 3 938192 638334 100000 26218 14185 450 270 26218 14185 100000 75
55. TABLE 3
56. UNIT MMS KN
57. GENERAL
58. C100X50
59. 653 50 3 100 3 229000 990000 1E+006 7270 19800 300 343 11600 23600 1E+006 48
60. TABLE 4
61. UNIT MMS KN
62. GENERAL
63. C75X45
64. 518 45 3 75 3 138000 449000 100000 4940 12000 270 315 4940 12000 100000 40
65. TABLE 5
66. UNIT MMS KN
67. TUBE
68. SHS75X3-CF
69. 841 75 75 3 716000 716000 1.15E+006 450 300
70. TABLE 6
71. UNIT MMS KN
72. TUBE
73. SHS38X3-CF
74. 397 38 38 3 78500 78500 133000 228 152
75. TABLE 7
76. UNIT MMS KN
77. TUBE
78. SHS50X3-CF
79. 541 50 50 3 195000 195000 321000 300 200
80. TABLE 8
81. UNIT MMS KN
82. ANGLE
83. UA38X38X3
84. 38 38 3 14.5 114 114
85. TABLE 9
86. UNIT MMS KN
87. GENERAL
88. 2C300X98X3.0
89. 3258 300 6 196 3 4.4162E+007 6.5986E+006 100000 294408 68736 2136 1800 -
90. 9.29441E+006 68736 100000 300
91. TABLE 13
92. UNIT MMS KN
93. TUBE
94. SHS125X4.5-CF
95. 2120 125 125 4.5 5.06E+006 5.06E+006 8.04E+006 1125 750
96. TABLE 16
97. UNIT MMS KN
```

```
 98. TUBE
 99. SHS75X6-CF
100. 1560 75 75 6 1.2E+006 1.2E+006 1.97105E+006 900 600
101. TABLE 17
102. UNIT MMS KN
103. TUBE
104. SHS75X4.5-CF
105. 970 75 75 4.5 986000 986000 1.63E+006 675 450
106. END
107. *COLD-FORMED SECTIONS
108. UNIT METER KN
109. MEMBER PROPERTY BRITISH
110. 1 TO 6 133 147 153 UPTABLE 2 2C75X45
111. 54 72 144 TO 146 155 157 158 UPTABLE 9 2C300X98X3.0
112. 152 154 UPTABLE 7 SHS50X3-CF
113. MEMBER PROPERTY BRITISH
114. 9 TO 33 151 UPTABLE 4 C75X45
115. MEMBER PROPERTY BRITISH
116. 34 TO 53 UPTABLE 6 SHS38X3-CF
117. MEMBER TRUSS
118. 33 TO 53
119. CONSTANTS
120. MATERIAL STEEL ALL
121. SUPPORTS
122. 1 5 11 28 PINNED
123. MEMBER RELEASE
124. 9 21 54 72 START MX MY MZ
125. 20 32 145 155 END MX MY MZ
126. LOAD 1 S/W
127. SELFWEIGHT Y -1
128. LOAD 2 DL
129. MEMBER LOAD
130. 9 TO 20 UNI GY -1.27
131. 54 72 144 TO 146 155 157 158 UNI GY -0.76
132. LOAD 3 LL
133. MEMBER LOAD
134. 9 TO 20 UNI GY -1.82
135. 54 144 155 158 UNI GY -4.55
136. *5 X 1.82 = 9.1
137. 72 145 146 157 UNI GY -9.1
138. *(1.82/2 X 4.0 = 3.64)
139. LOAD 4 WL
140. MEMBER LOAD
141. 9 TO 20 UNI GY 0.64
142. LOAD 5 WL(H)
143. MEMBER LOAD
144. 1 TO 3 147 UNI GX 0.32
145. LOAD COMB 6 ULTIMATE S/W+DL+LL
146. 1 1.4 2 1.4 3 1.6
147. LOAD COMB 7 ULTIMATE DL+WL
148. 1 1.0 2 1.0 4 1.4
149. LOAD COMB 8 ULTIMATE DL+LL+WL(H)
150. 1 1.2 2 1.2 3 1.2 5 1.2
151. LOAD COMB 9 SERVICE DL+LL FOR DEFLECTION
152. 2 1.0 3 1.0
153. LOAD COMB 10 SERVICE S/W+DL+LL FOR FOUNDATION DESIGN
```



```
154. 1 1.0 2 1.0 3 1.0
155. PERFORM ANALYSIS


          P R O B L E M   S T A T I S T I C S
          -----------------------------------

 NUMBER OF JOINTS/MEMBER+ELEMENTS/SUPPORTS =    41/    65/     4
 ORIGINAL/FINAL BAND-WIDTH=    34/     4/     15 DOF
 TOTAL PRIMARY LOAD CASES =     5, TOTAL DEGREES OF FREEDOM =    115
 SIZE OF STIFFNESS MATRIX =        2 DOUBLE  KILO-WORDS
 REQRD/AVAIL. DISK SPACE  =    12.1/ 32685.2 MB,  EXMEM =  197.7 MB

 ZERO STIFFNESS IN DIRECTION 6 AT JOINT     11 EQN.NO.      63
      LOADS APPLIED OR DISTRIBUTED HERE FROM ELEMENTS WILL BE IGNORED.
      THIS MAY BE DUE TO ALL MEMBERS AT THIS JOINT BEING RELEASED OR
      EFFECTIVELY RELEASED IN THIS DIRECTION.

156. PARAMETER 1
157. CODE BS5950
158. UNL 1 MEMB 144 146 155 157 158
159. CHECK CODE ALL

                     STAAD.Pro CODE CHECKING - (BSI )
                     ***********************

PROGRAM CODE REVISION V2.4_5950-1_2000
```