

2Frame3Dplate-part.ANL

165. 5091 55 56 63 62; 5092 56 57 64 63
166. 9501 51 53 1204 1201; 9502 53 54 61 1204
167. 5242 567 569 577 575; 5243 569 571 579 577
168. 5244 571 573 581 579; 5245 573 630 631 581; 5246 575 577 585 583
169. 5247 577 579 587 585; 5248 579 581 589 587; 5249 581 631 591 589
170. 5250 583 585 595 593; 5251 585 587 597 595; 5252 587 589 599 597
171. 5253 589 591 601 599; 5254 591 632 633 601; 5255 593 595 605 603
172. 5256 595 597 607 605; 5257 597 599 609 607; 5258 599 601 611 609
173. 5259 601 633 634 611; 5260 603 605 615 613; 5261 605 607 617 615
174. 5262 607 609 619 617; 5263 609 611 621 619; 5264 611 634 635 621
175. 5265 617 619 625 623; 5266 619 621 627 625; 5267 621 635 636 627
176. 9601 613 615 1104 1101; 9602 615 617 623 1104
177. MEMBER PROPERTY AMERICAN
178. 1 TO 4 11 TO 14 21 TO 25 31 TO 35 41 TO 45 51 TO 55 61 TO 63 5005 TO 5066
- 179. 5094 5096 5098 5100 TO 5104 5106 5108 5110 5112 5114 TO 5119 5121 5123
5125 -
180. 5127 5129 5131 5133 TO 5136 5138 5140 5142 5180 TO 5241 5283 5285 5287
5289 -
181. 5291 5293 5295 5297 5299 5301 5303 5305 5307 5309 -
182. 8001 TO 8006 9001 TO 9006 PRIS YD 0.7 ZD 0.3
183. 1001 TO 1004 2001 TO 2006 3001 TO 3003 3005 3006 5001 TO 5004 -
184. 5093 5095 5097 5099 5105 5107 5109 5111 5113 5120 5122 5124 5126 5128 -
185. 5137 5139 5141 5166 5173 5175 5178 5284 5286 5288 5290 5292 5294 5296 -
186. 5298 5300 5302 5304 5306 5308 5310 6001 6004 6101 6104 PRIS YD 0.5 ZD 0.5
187. MEMBER PROPERTY AMERICAN
188. 101 TO 105 201 TO 205 301 TO 306 401 TO 406 501 TO 506 601 TO 603 604 -
189. 7201 7204 PRIS YD 0.4 ZD 0.7
190. 1005 3004 5143 TO 5152 5154 TO 5165 5167 TO 5172 5174 5176 5177 5179 -
191. 7101 7104 PRIS YD 0.9 ZD 0.4
192. ELEMENT PROPERTY
193. 5067 TO 5092 9501 9502 THICKNESS 0.15
194. 5242 TO 5267 9601 9602 THICKNESS 0.225
195. SUPPORTS
196. 101 TO 105 201 TO 206 301 TO 306 501 TO 504 683 685 687 689 691 -
197. 693 695 697 699 701 703 705 707 709 1001 1004 PINNED
198. CONSTANTS
199. E CONCRETE ALL
200. POISSON CONCRETE ALL
201. DENSITY CONCRETE ALL
202. MEMBER RELEASE
203. 11 5101 START MX MY MZ
204. 31 5115 START MX MY MZ
205. 51 5131 START MX MY MZ
206. 5020 5195 END MX MY MZ
207. 5040 5215 END MX MY MZ
208. 5060 5235 END MX MY MZ
* STAAD SPACE
209. LOAD 1 SELFWEIGHT
210. SELFWEIGHT Y -1
211. LOAD 2 DEAD LOAD
212. *ASSUME ROOF M&E SERVICES LOAD = 1 KPA
213. *ASSUME ROOF INSULATION AND ROOF SHEETING AND MEMBERS LOAD = 0.5 KPA
214. *ASSUME GROUND FLOOR FINISHES THICKNESS = 100MM
215. ELEMENT LOAD
216. 5067 TO 5092 9501 9502 PR GY -1.5
217. 5242 TO 5267 9601 9602 PR GY -2.4
218. MEMBER LOAD
219. *230 BRICK WALL PARTITION
220. *HEIGHT 6.7M
221. *EQUIVALENT LINE LOAD = 5.2*6.7 = 34.84
222. 2001 5094 5096 5098 5100 5102 5104 5114 5127 5129 5138 5140 -
223. 5142 TO 5152 5155 TO 5159 5161 TO 5163 5167 5168 5174 5176 5177 5179 -
224. 5180 TO 5187 5190 TO 5193 5195 TO 5199 5200 5202 5204 5206 5208 5210 5212 5214 5216 5218 5220 5222 5224 5226 5228 5230 5232 5234 5236 5238 5240 5242 5244 5246 5248 5250 5252 5254 5256 5258 5260 5262 5264 5266 5268 5270 5272 5274 5276 5278 5280 5282 5284 5286 5288 5290 5292 5294 5296 5298 5300 5302 5304 5306 5308 5310 6001 6004 6101 6104 PRIS YD 0.5 ZD 0.5
225. 5283 TO 5287 5301 5307 TO 5309 7101 7104 8001 TO 8006 9001 TO 9006 9501 TO 9504 9506 9508 9510 9512 9514 9516 9518 9520 9522 9524 9526 9528 9530 9532 9534 9536 9538 9540 9542 9544 9546 9548 9550 9552 9554 9556 9558 9560 9562 9564 9566 9568 9570 9572 9574 9576 9578 9580 9582 9584 9586 9588 9590 9592 9594 9596 9598 9599 9600 9601 9602 9603 9604 9605 9606 9607 9608 9609 9610 9611 9612 9613 9614 9615 9616 9617 9618 9619 9620 9621 9622 9623 9624 9625 9626 9627 9628 9629 9630 9631 9632 9633 9634 9635 9636 9637 9638 9639 9640 9641 9642 9643 9644 9645 9646 9647 9648 9649 9650 9651 9652 9653 9654 9655 9656 9657 9658 9659 9660 9661 9662 9663 9664 9665 9666 9667 9668 9669 9670 9671 9672 9673 9674 9675 9676 9677 9678 9679 9680 9681 9682 9683 9684 9685 9686 9687 9688 9689 9690 9691 9692 9693 9694 9695 9696 9697 9698 9699 9700 9701 9702 9703 9704 9705 9706 9707 9708 9709 9710 9711 9712 9713 9714 9715 9716 9717 9718 9719 9720 9721 9722 9723 9724 9725 9726 9727 9728 9729 9730 9731 9732 9733 9734 9735 9736 9737 9738 9739 9740 9741 9742 9743 9744 9745 9746 9747 9748 9749 9750 9751 9752 9753 9754 9755 9756 9757 9758 9759 9760 9761 9762 9763 9764 9765 9766 9767 9768 9769 9770 9771 9772 9773 9774 9775 9776 9777 9778 9779 9780 9781 9782 9783 9784 9785 9786 9787 9788 9789 9790 9791 9792 9793 9794 9795 9796 9797 9798 9799 9800 9801 9802 9803 9804 9805 9806 9807 9808 9809 9810 9811 9812 9813 9814 9815 9816 9817 9818 9819 9820 9821 9822 9823 9824 9825 9826 9827 9828 9829 9830 9831 9832 9833 9834 9835 9836 9837 9838 9839 9840 9841 9842 9843 9844 9845 9846 9847 9848 9849 9850 9851 9852 9853 9854 9855 9856 9857 9858 9859 9860 9861 9862 9863 9864 9865 9866 9867 9868 9869 9870 9871 9872 9873 9874 9875 9876 9877 9878 9879 9880 9881 9882 9883 9884 9885 9886 9887 9888 9889 9890 9891 9892 9893 9894 9895 9896 9897 9898 9899 9900 9901 9902 9903 9904 9905 9906 9907 9908 9909 9910 9911 9912 9913 9914 9915 9916 9917 9918 9919 9920 9921 9922 9923 9924 9925 9926 9927 9928 9929 9930 9931 9932 9933 9934 9935 9936 9937 9938 9939 9940 9941 9942 9943 9944 9945 9946 9947 9948 9949 9950 9951 9952 9953 9954 9955 9956 9957 9958 9959 9960 9961 9962 9963 9964 9965 9966 9967 9968 9969 9970 9971 9972 9973 9974 9975 9976 9977 9978 9979 9980 9981 9982 9983 9984 9985 9986 9987 9988 9989 9990 9991 9992 9993 9994 9995 9996 9997 9998 9999 10000
226. 5115 5204 5205 UNI GY -17.42
227. 5121 5216 5217 UNI GY -52.26

--- PAGE NO. 5

Page 4

2Frame3Dplate-part.ANL

99. 2001 201 583; 2002 301 585; 2003 203 587; 2004 204 589; 2005 205 591
100. 2006 206 632; 2007 302 603; 2008 302 605; 2009 303 607; 2010 304 609
101. 3005 305 611; 3006 306 634; 3007 501 623; 3008 502 625; 3009 503 627
102. 5004 504 636; 5005 505 506; 5006 506 2; 5007 507 508; 5008 508 3
103. 5009 509 510; 5010 510 4; 5011 511 512; 5012 512 5
104. 5013 513 514; 5014 514 12; 5015 515 516; 5016 516 13; 5017 517 518
105. 5018 518 14; 5019 519 520; 5020 520 15; 5021 521 522; 5022 522 22
106. 5023 523 524; 5024 524 23; 5025 525 526; 5026 526 24; 5027 527 528
107. 5028 528 25; 5029 529 530; 5030 530 32; 5031 531 532; 5032 532 33
108. 5033 533 534; 5034 534 34; 5035 535 536; 5036 536 35; 5037 537 538
109. 5038 538 36; 5039 539 540; 5040 540 36; 5041 541 542; 5042 542 42
110. 5043 543 44; 5044 544 43; 5045 545 546; 5046 546 44; 5047 547 548
111. 5048 548 45; 5049 549 550; 5050 550 46; 5051 551 552; 5052 552 53
112. 5053 553 554; 5054 554 54; 5055 555 556; 5056 556 55; 5057 557 558
113. 5058 558 56; 5059 559 560; 5060 560 57; 5061 561 562; 5062 562 62
114. 5063 563 564; 5064 564 63; 5065 565 566; 5066 566 64
115. 5093 567 1; 5094 567 568
116. 5095 569 2; 5096 569 570; 5097 571 3; 5098 571 572
117. 5099 573 4; 5100 573 574
118. 5101 575 576; 5102 577 578; 5103 579 580; 5104 581 582; 5105 583 21
119. 5106 583 584; 5107 585 22; 5108 585 586; 5109 587 23; 5110 587 588
120. 5111 589 24; 5112 589 590; 5113 591 25; 5114 591 592; 5115 593 594
121. 5116 595 596; 5117 597 598; 5118 599 600; 5119 601 602; 5120 603 41
122. 5121 603 604; 5122 605 42; 5123 605 606; 5124 607 43; 5125 607 608
123. 5126 609 44; 5127 609 610; 5128 611 45; 5129 611 612
124. 5131 613 614; 5132 615 616; 5133 617 618; 5134 619 620
125. 5136 621 622; 5137 623 61; 5138 623 62; 5139 625 62; 5140 625 626
126. 5141 627 63; 5142 627 628; 5143 627 629; 5144 627 630; 5145 627 631
127. 5146 629 603; 5147 603 613; 5148 569 577; 5149 577 583; 5150 585 595
128. 5151 595 605; 5152 605 615; 5154 571 579; 5155 579 587
129. 5156 587 597; 5157 597 607; 5158 607 617; 5159 617 623; 5160 573 581
130. 5161 581 589; 5162 589 599; 5163 599 609; 5164 609 619; 5165 619 625
131. 5166 630 5; 5167 630 631; 5168 631 591; 5169 591 601; 5170 601 611
132. 5171 611 621; 5172 621 627; 5173 632 26; 5174 632 633; 5175 634 46
133. 5176 633 634; 5177 634 635; 5178 636 64; 5179 635 636; 5180 568 637
134. 5181 637 569; 5182 570 638; 5183 638 571; 5184 572 684; 5185 639 573
135. 5186 574 686; 5187 604 630; 5188 576 641; 5189 641 577; 5190 578 642
136. 5191 642 579; 5192 580 688; 5193 643 581; 5194 582 690; 5195 644 631
137. 5196 584 645; 5197 645 585; 5198 586 646; 5199 646 587; 5200 588 692
138. 5201 647 589; 5202 590 649; 5203 648 591; 5204 594 649; 5205 649 595
139. 5206 596 630; 5207 630 597; 5208 598 696; 5209 651 599; 5210 600 698
140. 5211 652 601; 5212 592 633; 5213 633 632; 5214 602 634; 5215 634 633
141. 5216 604 655; 5217 655 605; 5218 606 656; 5219 656 607; 5220 608 700
142. 5221 657 609; 5222 610 702; 5223 658 611; 5224 612 659; 5225 659 634
143. 5226 614 660; 5227 660 615; 5228 616 661; 5229 661 617; 5230 618 704
144. 5231 662 619; 5232 620 706; 5233 663 621; 5234 622 664; 5235 664 635
145. 5236 624 708; 5237 665 625; 5238 626 710; 5239 666 627; 5240 628 667
146. 5241 667 636; 5242 684 639; 5243 684 638; 5244 684 637; 5245 684 636
147. 5247 688 643; 5248 687 688; 5249 690 644; 5250 689 690; 5251 692 647
148. 5292 691 692; 5293 694 648; 5294 693 694; 5295 696 651; 5296 695 696
149. 5297 698 652; 5298 697 698; 5299 700 657; 5300 699 700; 5301 702 658
150. 5302 701 703; 5303 704 662; 5304 703 704; 5305 706 663; 5306 705 706
151. 5307 708 665; 5308 707 708; 5309 710 666; 5310 709 710
152. 6001 1001 1101; 6004 1004 1104; 6101 1101 1201; 6104 1104 1204
* STAAD SPACE
7101 1101 613; 7104 1104 615; 7201 1201 51; 7204 1204 53
8001 1101 1102; 8002 1102 1103; 8003 1103 1104
8004 1104 1105; 8005 1105 1106; 8006 1106 623
9001 1201 1202; 9002 1202 1203; 9003 1203 1204
9004 1204 1205; 9005 1205 1206; 9006 1206 61
ELEMENT INCIDENCES SHELL
5067 1 2 12 11; 5068 2 3 13 12; 5069 3 4 14 13; 5070 4 5 15 14
5071 1 12 22 21; 5072 12 13 23 22; 5073 13 14 24 23; 5074 14 15 25 24
5075 21 22 31; 5076 22 32 31; 5077 23 33 32; 5078 24 34 33; 5079 25 35 34
5080 26 36 35; 5081 27 37 36; 5082 28 38 37; 5083 29 39 38; 5084 30 40 39
5085 31 41 40; 5086 32 42 41; 5087 33 43 42; 5088 34 44 43; 5089 35 45 44
5090 36 46 45; 5091 37 47 46; 5092 38 48 47; 5093 39 49 48; 5094 40 50 49
5095 41 51 50; 5096 42 52 51; 5097 43 53 52; 5098 44 54 53; 5099 45 55 54
5100 46 56 55; 5101 47 57 56; 5102 48 58 57; 5103 49 59 58; 5104 50 60 59
5105 51 61 60; 5106 52 62 61; 5107 53 63 62; 5108 54 64 63; 5109 55 65 64
5110 56 66 65; 5111 57 67 66; 5112 58 68 67; 5113 59 69 68; 5114 60 70 69
5115 61 71 70; 5116 62 72 71; 5117 63 73 72; 5118 64 74 73; 5119 65 75 74
5120 66 76 75; 5121 67 77 76; 5122 68 78 77; 5123 69 79 78; 5124 70 80 79
5125 71 81 80; 5126 72 82 81; 5127 73 83 82; 5128 74 84 83; 5129 75 85 84
5130 76 86 85; 5131 77 87 86; 5132 78 88 87; 5133 79 89 88; 5134 80 90 89
5135 81 91 90; 5136 82 92 91; 5137 83 93 92; 5138 84 94 93; 5139 85 95 94
5140 86 96 95; 5141 87 97 96; 5142 88 98 97; 5143 89 99 98; 5144 90 100 99
5145 91 101 100; 5146 92 102 101; 5147 93 103 102; 5148 94 104 103; 5149 95 105 104
5150 96 106 105; 5151 97 107 106; 5152 98 108 107; 5153 99 109 108; 5154 100 110 109
5155 101 111 110; 5156 102 112 111; 5157 103 113 112; 5158 104 114 113; 5159 105 115 114
5160 106 116 115; 5161 107 117 116; 5162 108 118 117; 5163 109 119 118; 5164 110 120 119
5165 111 121 120; 5166 112 122 121; 5167 113 123 122; 5168 114 124 123; 5169 115 125 124
5170 116 126 125; 5171 117 127 126; 5172 118 128 127; 5173 119 129 128; 5174 120 130 129
5175 121 131 130; 5176 122 132 131; 5177 123 133 132; 5178 124 134 133; 5179 125 135 134
5180 126 136 135; 5181 127 137 136; 5182 128 138 137; 5183 129 139 138; 5184 130 140 139
5185 131 141 140; 5186 132 142 141; 5187 133 143 142; 5188 134 144 143; 5189 135 145 144
5190 136 146 145; 5191 137 147 146; 5192 138 148 147; 5193 139 149 148; 5194 140 150 149
5195 141 151 150; 5196 142 152 151; 5197 143 153 152; 5198 144 154 153; 5199 145 155 154
5200 146 156 155; 5201 147 157 156; 5202 148 158 157; 5203 149 159 158; 5204 150 160 159
5205 151 161 160; 5206 152 162 161; 5207 153 163 162; 5208 154 164 163; 5209 155 165 164
5210 156 166 165; 5211 157 167 166; 5212 158 168 167; 5213 159 169 168; 5214 160 170 169
5215 161 171 170; 5216 162 172 171; 5217 163 173 172; 5218 164 174 173; 5219 165 175 174
5220 166 176 175; 5221 167 177 176; 5222 168 178 177; 5223 169 179 178; 5224 170 180 179
5225 171 181 180; 5226 172 182 181; 5227 173 183 182; 5228 174 184 183; 5229 175 185 184
5230 176 186 185; 5231 177 187 186; 5232 178 188 187; 5233 179 189 188; 5234 180 190 189
5235 181 191 190; 5236 182 192 191; 5237 183 193 192; 5238 184 194 193; 5239 185 195 194

230. ELEMENT LOAD
231. 5067 TO 5092 9501 9502 PR GY -0.6
232. 5242 5246 5250 5255 5260 9601 PR GY -10
233. 5243 TO 5245 5247 5249 5251 5253 5254 5256 5258 5259 5261 5263 5264 -
234. 5266 5267 9602 PR GY -7.5
235. 5248 5252 5257 5262 5265 PR GY -16
236. LOAD 21 EQ 1
237. MEMBER LOAD

238. 5093 UNI GX 8.6

239. 5095 UNI GX 12.2

240. 5097 UNI GX 14.5

241. 5099 UNI GX 20.0

242. 5166 UNI GX 14.1

243. 5105 UNI GX 12.1

244. 5107 UNI GX 19.8

245. 5109 UNI GX 22.7

246. 5111 UNI GX 32.2

247. 5113 UNI GX 23.9

248. 5173 UNI GX 9.5

249. 5120 UNI GX 13.4

250. 5122 UNI GX 20.4

251. 5124 UNI GX 23.2

252. 5126 UNI GX 32.2

253. 5128 UNI GX 28.6

254. 5175 UNI GX 13.4

255. 6101 UNI GX 8.6

256. 6104 UNI GX 12.7

257. 5137 UNI GX 14.5

258. 5139 UNI GX 20.3

259. 5141 UNI GX 17.9

260. 5178 UNI GX 8.7

261. LOAD 22 EQ 2

262. MEMBER LOAD

263. 5093 UNI GZ 8.6

264. 5095 UNI GZ 12.2

265. 5097 UNI GZ 14.5

266. 5099 UNI GZ 20.0

267. 5166 UNI GZ 14.1

268. 5105 UNI GZ 12.1

269. 5107 UNI GZ 19.8

270. 5109 UNI GZ 22.7

271. 5111 UNI GZ 32.2

272. 5113 UNI GZ 23.9

273. 5173 UNI GZ 9.5

274. 5120 UNI GZ 13.4

275. 5122 UNI GZ 20.4

276. 5124 UNI GZ 23.2

277. 5126 UNI GZ 32.2

278. 5128 UNI GZ 28.6

279. 5175 UNI GZ 13.4

280. 6101 UNI GZ 8.6

281. 6104 UNI GZ 12.7

282. 5137 UNI GZ 14.5

283. 5139 UNI GZ 20.3

284. 5141 UNI GZ 17.9

285. 5178 UNI GZ 8.7

286. LOAD COMB 1002 1.4DL + 1.6LL

287. 1 1.4 2 1.4 3 1.6

288. LOAD COMB 1021 1.2DL + 0.5LL + 1.0EQ1 + 0.5EQ2

289. 1 1.2 2 1.2 3 0.5 21 1.0 22 0.5

290. LOAD COMB 1221 0.9DL + 1.0EQ1 + 0.5EQ2

291. 1 0.9 2 0.9 21 1.0 22 0.5

292. LOAD COMB 1022 1.2DL + 0.5LL + 0.5EQ1 + 1.0EQ2

293. 1 1.2 2 1.2 3 0.5 21 0.5 22 1.0

294. LOAD COMB 1222 0.9DL + 0.5EQ1 + 1.0EQ2

295. 1 0.9 2 0.9 21 0.5 22 1.0

296. LOAD COMB 2001 1.0DL + 1.0LL

297. 1 1.0 2 1.0 3 1.0

298. LOAD COMB 2002 1.0DL + 0.5LL

299. 1 1.0 2 1.0 3 0.5

300. PERFORM ANALYSIS

P R O B L E M S T A T I S T I C S

NUMBER OF JOINTS/MEMBER+ELEMENTS/SUPPORTS = 263/ 396/ 37
ORIGINAL/FINAL BAND-WIDTH= 232/ 53/ 306 DOF
TOTAL PRIMARY LOAD CASES = 5, TOTAL DEGREES OF FREEDOM = 1467
SIZE OF STIFFNESS MATRIX = 449 DOUBLE KILO-WORDS
REQRD/AVAIL. DISK SPACE = 17.7/ 427241.4 MB

301. SECTION 0.25 0.5 0.75

302. LOAD LIST ALL

303. PRINT SUPPORT REACTION

SUPPORT REACTION

STAAD SPACE

SUPPORT REACTIONS -UNIT KN METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM-Z
101	1	8.57	296.96	36.09	0.00	0.00	0.00
	2	48.17	318.77	67.90	0.00	0.00	0.00
	3	4.41	161.72	50.15	0.00	0.00	0.00
	21	-18.71	-86.51	-7.64	0.00	0.00	0.00
	22	-7.68	-88.34	-81.16	0.00	0.00	0.00
	1002	86.48	1120.78	225.82	0.00	0.00	0.00
	1021	47.74	689.06	101.93	0.00	0.00	0.00
	1022	28.51	423.48	45.36	0.00	0.00	0.00
	1023	53.25	688.14	64.88	0.00	0.00	0.00
	1222	34.02	422.56	8.61	0.00	0.00	0.00
102	2001	61.14	777.45	154.13	0.00	0.00	0.00
	2002	58.94	696.59	129.06	0.00	0.00	0.00
	1	-1.70	415.56	51.23	0.00	0.00	0.00
	2	-19.91	480.82	94.99	0.00	0.00	0.00
	3	3.02	238.81	70.48	0.00	0.00	0.00
	21	-72.84	-37.71	0.98	0.00	0.00	0.00
	22	-4.81	-94.38	-85.60	0.00	0.00	0.00
	1002	-25.42	1637.02	317.49	0.00	0.00	0.00
	1021	-99.67	1110.16	168.89	0.00	0.00	0.00
	1022	-94.69	721.85	89.78	0.00	0.00	0.00
103	1022	-65.65	1081.83	125.60	0.00	0.00	0.00
	1222	-60.68	693.51	46.49	0.00	0.00	0.00
	2001	-18.59	1135.18	216.71	0.00	0.00	0.00
	2002	-20.10	1015.78	181.47	0.00	0.00	0.00
	1	-0.67	432.40	42.75	0.00	0.00	0.00
	2	0.42	343.99	72.75	0.00	0.00	0.00
	3	2.53	244.12	71.57	0.00	0.00	0.00
	21	-68.12	47.44	-3.45	0.00	0.00	0.00
	22	-9.34	-94.43	-89.83	0.00	0.00	0.00
	1002	-3.69	1477.53	276.21	0.00	0.00	0.00
1021		-71.83	1053.95	126.02	0.00	0.00	0.00