

```

*****
*                                     *
*      STAAD.Pro                     *
*      Version 2006   Bld 1002.US   *
*      Proprietary Program of      *
*      Research Engineers, Intl.    *
*      Date=   APR  6, 2010        *
*      Time=   21:53: 1            *
*                                     *
*      USER ID:                   *
*****

```

```

1. STAAD SPACE
INPUT FILE: Structure1.STD
2. START JOB INFORMATION
3. ENGINEER DATE 23-FEB-10
4. END JOB INFORMATION
5. INPUT WIDTH 79
6. UNIT METER KN
7. JOINT COORDINATES
8. 1 0 0 0; 2 0 0.98 0; 3 0 0.72 0; 4 0 0.962 0; 5 0.613 0.72 0; 6 0.613 0.962 0
9. 7 0.053 0.962 0; 8 0.053 0.72 0; 13 0.613 0.72 0.775; 14 0.613 0.962 0.775
10. 15 0.053 0.962 0.775; 16 0.053 0.72 0.775; 17 0 0 1.559; 18 0 0.98 1.559
11. 19 0 0.72 1.559; 20 0 0.962 1.559; 21 0.613 0.72 1.559; 22 0.613 0.962 1.559
12. 23 0.053 0.962 1.559; 24 0.053 0.72 1.559; 25 0 0 0.775; 26 0 0.72 0.775
13. 27 0 0.962 0.775
14. MEMBER INCIDENCES
15. 1 1 3; 2 3 4; 3 4 2; 4 4 7; 5 3 8; 6 5 6; 7 7 6; 8 8 5; 9 8 7; 15 13 14
16. 16 15 14; 17 16 13; 18 16 15; 19 17 19; 20 19 20; 21 20 18; 22 20 23; 23 19 24
17. 24 21 22; 25 23 22; 26 24 21; 27 24 23; 28 23 15; 29 15 7; 30 16 8; 31 16 24
18. 32 22 14; 33 14 6; 34 5 13; 35 13 21; 36 25 26; 37 26 27; 38 27 15; 39 26 16
19. DEFINE MATERIAL START
20. ISOTROPIC STEEL
21. E 2.05E+008
22. POISSON 0.3
23. DENSITY 76.8195
24. ALPHA 1.2E-005
25. DAMP 0.03
26. END DEFINE MATERIAL
27. CONSTANTS
28. BETA 315 MEMB 6 9 15 18 24 27 TO 35
29. BETA 45 MEMB 4 5 7 8 16 17 22 23 25 26 38 39
30. MATERIAL STEEL ALL
31. MEMBER PROPERTY BRITISH
32. 6 9 15 18 24 27 TO 35 TABLE ST UA50X50X5
33. 1 TO 3 19 TO 21 36 37 TABLE ST TUB60606.0
34. 4 5 7 8 16 17 22 23 25 26 38 39 TABLE ST UA50X50X8
35. SUPPORTS
36. 1 17 25 FIXED
37. LOAD 1 LOADTYPE DEAD TITLE DEAD LOAD(1.177KN/M2)
38. SELFWEIGHT Y -1.2
39. MEMBER LOAD
40. 4 7 22 25 UNI GY -0.46

```

STAAD SPACE

-- PAGE NO. 2

41. 16 38 UNI GY -0.919
 42. LOAD 5 LOADTYPE LIVE TITLE FUTURE LIVE LOAD(1KN)
 43. JOINT LOAD
 44. 6 14 22 FY -1.
 45. LOAD 2 LOADTYPE LIVE TITLE IMPOSED LOAD(1.5KN/M)
 46. MEMBER LOAD
 47. 16 38 UNI GY -1.1625
 48. 4 7 22 25 UNI GY -0.58125
 49. LOAD COMB 4 1.4DL+1.6IL
 50. 1 1.4 2 1.6
 51. LOAD COMB 6 1.4DL+1.6FLL
 52. 1 1.4 5 1.6
 53. LOAD COMB 7 1.2DL+1.2FLL+1.2IL
 54. 1 1.2 5 1.2 2 1.2
 55. PERFORM ANALYSIS PRINT STATICS CHECK

PROBLEM STATISTICS

NUMBER OF JOINTS/MEMBER+ELEMENTS/SUPPORTS = 23/ 34/ 3
 ORIGINAL/FINAL BAND-WIDTH= 12/ 6/ 42 DOF
 TOTAL PRIMARY LOAD CASES = 3, TOTAL DEGREES OF FREEDOM = 120
 SIZE OF STIFFNESS MATRIX = 6 DOUBLE KILO-WORDS
 REQD/AVAIL. DISK SPACE = 12.1/ 20387.8 MB