

```
*****
*
*      STAAD.Pro
*      Version 2007   Build 01
*      Proprietary Program of
*      Research Engineers, Intl.
*      Date=   JAN  3, 2012
*      Time=   17:14:35
*
*      USER ID:
*****
```

```
1. STAAD SPACE DXF IMPORT OF 20111129 JRC PLATFORM.DXF
INPUT FILE: 20111229 Pig Stn RF PH1 S10-S11 R4.STD
2. START JOB INFORMATION
3. ENGINEER DATE 29-NOV-11
4. END JOB INFORMATION
5. INPUT WIDTH 79
6. UNIT METER KN
7. JOINT COORDINATES
8. 109 93.275 -5.4 -15; 110 93.275 -5.4 -9.75; 111 93.275 -5.4 -5.75
9. 112 93.275 -5.4 -3.45; 113 93.275 -5.4 -1.696; 114 93.275 -5.4 0
10. 115 98.635 -5.4 -10.35; 116 98.635 -5.4 -5.75; 117 98.635 -5.4 -3.25
11. 118 104.535 -5.4 -15; 119 104.535 -5.4 -10.35; 120 104.535 -5.4 -5.75
12. 121 104.535 -5.4 -3.25; 122 110.733 -5.4 -15; 123 110.733 -5.4 -11
13. 124 110.733 -5.4 -5; 125 110.733 -5.4 -1.6; 126 110.733 -5.4 0
14. 224 93.275 -2.134 -15; 225 93.275 -2.134 -9.75; 226 93.275 -2.134 -5.75
15. 227 93.275 -2.134 -3.45; 228 93.275 -2.134 -1.696; 229 93.275 -2.134 0
16. 230 98.635 -2.134 -15; 231 98.635 -2.134 -10.35; 232 98.635 -2.134 -9.75
17. 233 98.635 -2.134 -5.75; 234 98.635 -2.134 -3.25; 235 104.535 -2.134 -15
18. 236 104.535 -2.134 -10.35; 237 104.535 -2.134 -5.75; 238 104.535 -2.134 -3.25
19. 239 110.733 -2.134 -15; 240 110.733 -2.134 -11; 241 110.733 -2.134 -10.35
20. 242 110.733 -2.134 -5.75; 243 110.733 -2.134 -5; 244 110.733 -2.134 -1.6
21. 245 110.733 -2.134 0; 403 93.275 0 -15; 404 93.275 0 -11.75
22. 405 93.275 0 -9.75; 406 93.275 0 -8.315; 407 93.275 0 -5.75
23. 408 93.275 0 -3.45; 409 93.275 0 -1.696; 410 93.275 0 0; 411 95 0 -3.45
24. 412 95 0 -1.696; 413 95 0 0; 414 98.635 0 -15; 415 98.635 0 -11.75
25. 416 98.635 0 -10.35; 417 98.635 0 -9.75; 418 98.635 0 -8.315
26. 419 98.635 0 -5.75; 420 98.635 0 -3.45; 421 98.635 0 -3.25; 422 104.535 0 -15
27. 423 104.535 0 -11.75; 424 104.535 0 -10.35; 425 104.535 0 -5.75
28. 426 104.535 0 -3.45; 427 104.535 0 -3.25; 428 110.733 0 -15; 429 110.733 0 -13
29. 430 110.733 0 -11.75; 431 110.733 0 -11; 432 110.733 0 -10.35
30. 433 110.733 0 -8.755; 434 110.733 0 -7; 435 110.733 0 -5.75; 436 110.733 0 -5
31. 437 110.733 0 -3.45; 438 110.733 0 -1.6; 439 110.733 0 0; 458 104.535 -2.134 0
32. 461 104.535 0 0; 462 104.535 -5.4 0; 496 98.635 -2.134 0; 497 98.635 -5.4 0
33. 612 93.8 0 -3.45; 613 93.8 0 -1.696; 645 93.282 0 -5.75; 647 95.482 0 -5.75
34. 649 97.082 0 -5.75; 651 101.295 0 -5.75; 653 103.295 0 -5.75
35. 655 107.195 0 -5.75; 657 109.195 0 -5.75; 669 97.082 0 -8.315
36. 670 95.482 0 -8.315; 671 101.295 0 -10.35; 672 103.295 0 -10.35
37. 673 107.195 0 -10.35; 674 109.195 0 -10.35; 687 97.96 0 -3.45
38. 689 99.31 0 -3.45; 691 103.86 0 -3.45; 693 105.21 0 -3.45; 695 110.008 0 -3.45
39. 703 97.96 0 0; 704 99.31 0 0; 705 103.86 0 0; 706 105.21 0 0; 707 110.008 0 0
40. 708 98.635 0 0; 710 110.733 -2.134 -3.45
41. MEMBER INCIDENCES
42. 1189 224 109; 1190 225 110; 1191 226 111; 1192 227 112; 1193 228 113
43. 1194 229 114; 1195 403 224; 1196 405 225; 1197 407 226; 1198 408 227
44. 1199 409 228; 1200 410 229; 1201 231 115; 1202 233 116; 1203 234 117
45. 1204 416 231; 1205 419 233; 1206 421 234; 1207 235 118; 1208 236 119
46. 1209 237 120; 1210 238 121; 1211 422 235; 1212 424 236; 1213 425 237
47. 1214 427 238; 1215 458 462; 1216 461 458; 1217 239 122; 1218 240 123
48. 1219 243 124; 1220 244 125; 1221 245 126; 1222 428 239; 1223 431 240
49. 1224 436 243; 1225 244 438; 1226 439 245; 3056 224 225; 3057 225 226
50. 3058 227 226; 3059 228 227; 3060 229 228; 3061 224 230; 3062 225 232
51. 3063 226 233; 3064 230 231; 3065 232 231; 3066 232 233; 3067 233 234
52. 3068 229 496; 3069 230 235; 3070 231 236; 3071 233 237; 3072 236 235
53. 3073 237 236; 3074 237 238; 3075 235 239; 3076 236 241; 3077 237 242
```

```
54. 3078 239 240; 3079 241 240; 3080 241 242; 3081 242 243; 3082 243 710
55. 3083 244 245; 4247 404 403; 4248 405 404; 4249 406 405; 4251 408 407
56. 4253 410 409; 4254 408 612; 4255 409 613; 4256 413 410; 4257 411 412
57. 4258 412 413; 4259 403 414; 4260 415 404; 4261 405 417; 4262 406 670
58. 4263 407 645; 4264 420 687; 4265 415 414; 4266 416 415; 4267 417 416
59. 4268 418 417; 4269 419 418; 4270 420 419; 4271 421 420; 4272 414 422
60. 4273 423 415; 4274 424 672; 4275 425 653; 4276 426 691; 4277 439 707
61. 4278 423 422; 4279 424 423; 4280 425 424; 4281 426 425; 4282 427 426
62. 4283 422 428; 4284 430 423; 4285 432 674; 4286 435 657; 4287 426 693
63. 4288 429 428; 4289 430 429; 4290 431 430; 4291 432 431; 4292 433 432
64. 4293 434 433; 4294 435 434; 4295 437 436; 4296 439 438; 4331 458 245
65. 4336 461 705; 4443 224 110; 4444 109 225; 4445 226 112; 4446 111 227
66. 4447 228 114; 4448 113 229; 4522 238 458; 4525 238 462; 4526 121 458
67. 4527 244 126; 4528 125 245; 4541 240 124; 4542 123 243; 4543 236 120
68. 4544 119 237; 4545 231 116; 4546 115 233; 4547 436 435; 4550 496 458
69. 4551 234 496; 4552 496 497; 4553 234 497; 4554 496 117; 4555 234 238
70. 4729 612 411; 4730 613 412; 4731 613 612; 4766 645 647; 4768 647 649
71. 4769 647 670; 4770 649 419; 4771 649 669; 4772 651 419; 4774 653 651
72. 4776 655 425; 4778 657 655; 4780 407 406; 4792 669 418; 4793 670 669
73. 4794 671 416; 4795 651 671; 4796 672 671; 4797 653 672; 4798 673 424
74. 4799 655 673; 4800 674 673; 4801 657 674; 4817 687 411; 4819 689 420
75. 4821 691 689; 4823 693 695; 4825 695 437; 4833 703 413; 4834 687 703
76. 4835 704 708; 4836 689 704; 4837 705 704; 4838 691 705; 4839 706 461
77. 4840 693 706; 4841 707 706; 4842 695 707; 4843 708 703; 4844 708 496
78. 4851 710 244; 4852 437 710; 4853 437 438; 4854 408 409
79. DEFINE MATERIAL START
80. ISOTROPIC STEEL
81. E 2.05E+008
82. POISSON 0.3
83. DENSITY 76.8195
84. ALPHA 1.2E-005
85. DAMP 0.03
86. END DEFINE MATERIAL
87. MEMBER PROPERTY JAPANESE
88. 1189 TO 1226 4552 4844 TABLE ST H388X402X15
89. 4443 TO 4448 4525 TO 4528 4541 TO 4546 4553 4554 TABLE ST C150X75X6.5
90. 4254 TO 4256 4260 TO 4264 4273 TO 4277 4284 TO 4287 4336 4729 4730 4766 4768 -
91. 4770 4772 4774 4776 4778 4792 TO 4794 4796 4798 4800 4817 4819 4821 4823 -
92. 4825 4833 4835 4837 4839 4841 4843 TABLE ST H250X250X9
93. 3056 TO 3060 3072 TO 3074 4247 TO 4249 4251 4253 4257 4258 4265 TO 4271 4278 -
94. 4279 TO 4282 4288 TO 4296 4522 4547 4780 4795 4797 4799 4801 4852 TO 4853 -
95. 4854 TABLE ST H250X250X9
96. 4731 4769 4771 4834 4836 4838 4840 4842 TABLE ST C150X75X6.5
97. 3062 3063 3068 3070 3071 3076 3077 4331 4550 4555 TABLE ST H388X402X15
98. 3061 3069 3075 TABLE ST H400X400X13
99. 3064 TO 3067 3078 TO 3083 4551 4851 TABLE ST H388X402X15
100. 4259 4272 4283 TABLE ST H300X300X10
101. CONSTANTS
102. MATERIAL STEEL ALL
103. SUPPORTS
104. 109 TO 122 125 126 462 497 PINNED
105. 123 124 FIXED BUT KMX 0.001 KMY 0.001 KMZ 0.001
106. MEMBER RELEASE
107. 3056 TO 3060 4248 4251 4253 START MY MZ
108. 3056 TO 3060 4247 4249 4251 4253 END MY MZ
109. 3064 3067 4266 4269 4271 START MY MZ
110. 3064 TO 3067 4265 4267 4270 4551 END MY MZ
111. 3072 TO 3074 4279 4280 4282 4522 START MY MZ
112. 3072 TO 3074 4278 4280 4281 4522 END MY MZ
113. 3078 3082 3083 4290 4296 4547 START MY MZ
114. 3078 3079 3081 3083 4288 4291 4295 4296 4851 END MY MZ
115. 4257 4260 4262 4264 4273 4276 4284 TO 4287 START MY MZ
116. 4258 4260 4273 4284 4730 4792 4819 END MY MZ
117. 3062 3076 3077 END MY MZ
118. 4731 4769 4771 4780 4795 4797 4799 4801 4834 4836 4838 4840 4842 START MY MZ
119. 4731 4769 4771 4795 4797 4799 4801 4834 4836 4838 4840 4842 END MY MZ
120. 4852 START MY MZ
121. 4852 END MY MZ
122. 4854 START MY MZ
123. 4854 END MY MZ
```

124. MEMBER TENSION
125. 4443 TO 4448 4525 TO 4528 4541 TO 4546 4553 4554
126. LOAD 1 LOADTYPE NONE TITLE DEAD LOAD: DL
127. SELFWEIGHT Y -1
128. *G/L S1 TO S4 - EQUIP _PIPE LOAD EL+5,400
129. *G/L S6 TO S10 - EQUIP _PIPE LOAD EL+5,400
130. JOINT LOAD
131. 405 FY -25
132. 645 FY -20
133. 408 FY -242
134. 409 FY -26
135. 408 FZ -72.6
136. *G/L S11 TO S11 - EQUIP _PIPE LOAD EL+5,400
137. JOINT LOAD
138. 416 424 FY -47
139. 419 425 FY -40
140. 421 427 FY -298
141. 461 708 FY -148
142. 461 708 FY -33
143. 416 424 FZ -15
144. 421 427 FZ -89.4
145. *G/L S11 TO S13 - EQUIP _PIPE LOAD EL+5,400
146. JOINT LOAD
147. 431 FY -80
148. 436 FY -226
149. 439 FY -274
150. 431 FZ -30
151. 439 FZ -82.2
152. *G/L S1 TO S4 - EQUIP _PIPE LOAD EL+2,417
153. *G/L S6 TO S10 - EQUIP _PIPE LOAD EL+3,370, EL+3,320
154. MEMBER LOAD
155. 3063 CON GY -128 3.661
156. 3062 CON GY -98 3.661
157. 3061 CON GY -128 3.661
158. 3061 CON GZ -38.4 3.661
159. *G/L S11 TO S11 - EQUIP _PIPE LOAD EL+3,317
160. MEMBER LOAD
161. 3071 CON GY -196 3.661
162. 3077 CON GY -196 3.661
163. 3070 CON GY -130 3.661
164. 3076 CON GY -130 3.661
165. 3069 CON GY -196 3.661
166. 3075 CON GY -196 3.66
167. 3069 CON GZ -58.8 3.661
168. 3075 CON GZ -58.8 3.66
169. *G/L S11 TO S13 - EQUIP _PIPE LOAD EL+3,266
170. *PLATFORM CHEQUERED PLATE S/W EL+5,400
171. MEMBER LOAD
172. 4263 UNI GY -1.824
173. 4254 4729 UNI GY -1.52
174. 4255 4730 UNI GY -1.294
175. 4256 UNI GY -0.636
176. 4259 UNI GY -1.219
177. 4260 UNI GY -1.969
178. 4261 UNI GY -1.288
179. 4262 4792 4793 UNI GY -1.5
180. 4766 4768 4770 UNI GY -1.824
181. 4264 4817 UNI GY -2.156
182. 4833 4843 UNI GY -1.294
183. 4272 4283 UNI GY -1.219
184. 4273 4284 UNI GY -1.744
185. 4274 4285 4794 4796 4798 4800 UNI GY -0.525
186. 4275 4286 4772 4774 4776 4778 UNI GY -0.863
187. 4276 4287 4819 4821 4823 4825 UNI GY -2.156
188. 4277 4336 4835 4837 4839 4841 UNI GY -1.294
189. 4267 TO 4269 UNI GY -0.998
190. 4795 UNI GY -1.748
191. 4797 UNI GY -1.215
192. 4280 UNI GY -1.463
193. 4799 UNI GY -1.748

194. 4801 UNI GY -1.327
195. 4292 TO 4294 UNI GY -0.577
196. *****
197. *PLATFORM LIVE LOAD EL+5400
198. *****
199. LOAD 2 LOADTYPE NONE TITLE PLATFORM LIVE LOAD: LL
200. MEMBER LOAD
201. 4263 UNI GY -12.163
202. 4254 4729 UNI GY -10.135
203. 4255 4730 UNI GY -8.625
204. 4256 UNI GY -4.24
205. 4259 UNI GY -8.125
206. 4260 UNI GY -13.125
207. 4261 UNI GY -8.588
208. 4262 4792 4793 UNI GY -10
209. 4766 4768 4770 UNI GY -12.163
210. 4264 4817 UNI GY -14.375
211. 4833 4843 UNI GY -8.625
212. 4272 4283 UNI GY -8.125
213. 4273 4284 UNI GY -11.625
214. 4274 4285 4794 4796 4798 4800 UNI GY -3.5
215. 4275 4286 4772 4774 4776 4778 UNI GY -5.75
216. 4276 4287 4819 4821 4823 4825 UNI GY -14.375
217. 4277 4336 4835 4837 4839 4841 UNI GY -8.625
218. 4267 TO 4269 UNI GY -6.65
219. 4795 UNI GY -11.65
220. 4797 UNI GY -8.1
221. 4280 UNI GY -9.75
222. 4799 UNI GY -11.65
223. 4801 UNI GY -8.845
224. 4292 TO 4294 UNI GY -3.845
225. *****
226. *WIND LOAD : X-DIR
227. *****
228. LOAD 3 LOADTYPE NONE TITLE WIND LOAD X: WLX
229. MEMBER LOAD
230. 1189 TO 1226 3056 TO 3060 3064 TO 3067 3072 TO 3074 3078 TO 3083 4247 TO 4249 -
231. 4251 4253 4257 4258 4265 TO 4271 4278 TO 4282 4288 TO 4296 4522 4547 4551 -
232. 4552 4731 4769 4771 4780 4795 4797 4799 4801 4834 4836 4838 4840 4842 4844 -
233. 4851 UNI GX -0.34
234. 4443 TO 4448 4525 TO 4528 4541 TO 4546 4553 4554 UNI GX -0.1275
235. *****
236. *WIND LOAD : Z-DIR
237. *****
238. LOAD 4 LOADTYPE NONE TITLE WIND LOAD Z: WLZ
239. MEMBER LOAD
240. 1189 TO 1226 3061 TO 3063 3068 TO 3071 3075 TO 3077 4254 TO 4256 4259 TO 4264 -
241. 4272 TO 4277 4283 TO 4287 4331 4336 4550 4552 4555 4729 4730 UNI GZ -0.34
242. 4766 4768 4770 4772 4774 4776 4778 4792 TO 4794 4796 4798 4800 4817 4819 4821 -
243. 4823 4825 4833 4835 4837 4839 4841 4843 4844 UNI GZ -0.34
244. *****
245. *NOTIONAL LOAD : X-DIR
246. *****
247. LOAD 5 LOADTYPE NONE TITLE NOTIONAL LOAD X: NLX
248. SELFWEIGHT X -0.015
249. *G/L S1 TO S4 - EQUIP _PIPE LOAD EL+5,400
250. *G/L S6 TO S10 - EQUIP _PIPE LOAD EL+5,400
251. JOINT LOAD
252. 405 FX -0.375
253. 645 FX -0.3
254. 408 FX -3.63
255. 409 FX -0.39
256. *G/L S11 TO S11 - EQUIP _PIPE LOAD EL+5,400
257. JOINT LOAD
258. 416 424 FX -0.705
259. 419 425 FX -0.6
260. 421 427 FX -4.47
261. 461 708 FX -2.22
262. 461 708 FX -0.495
263. *G/L S11 TO S13 - EQUIP _PIPE LOAD EL+5,400

264. JOINT LOAD
 265. 431 FX -1.2
 266. 436 FX -3.39
 267. 439 FX -4.11
 268. *G/L S1 TO S4 - EQUIP _PIPE LOAD EL+2,417
 269. *G/L S6 TO S10 - EQUIP _PIPE LOAD EL+3,370, EL+3,320
 270. MEMBER LOAD
 271. 3063 CON GX -1.92 3.661
 272. 3062 CON GX -1.47 3.661
 273. 3061 CON GX -1.92 3.661
 274. *G/L S11 TO S11 - EQUIP _PIPE LOAD EL+3,317
 275. MEMBER LOAD
 276. 3071 CON GX -2.94 3.661
 277. 3077 CON GX -2.94 3.661
 278. 3070 CON GX -1.95 3.661
 279. 3076 CON GX -1.95 3.661
 280. 3069 CON GX -2.94 3.661
 281. 3075 CON GX -2.94 3.66
 282. *G/L S11 TO S13 - EQUIP _PIPE LOAD EL+3,266
 283. *PLATFORM CHEQUERED PLATE S/W EL+5,400
 284. MEMBER LOAD
 285. 4263 UNI GX -0.027
 286. 4254 4729 UNI GX -0.023
 287. 4255 4730 UNI GX -0.019
 288. 4256 UNI GX -0.01
 289. 4259 UNI GX -0.018
 290. 4260 UNI GX -0.03
 291. 4261 UNI GX -0.019
 292. 4262 4792 4793 UNI GX -0.023
 293. 4766 4768 4770 UNI GX -0.027
 294. 4264 4817 UNI GX -0.032
 295. 4833 4843 UNI GX -0.019
 296. 4272 4283 UNI GX -0.018
 297. 4273 4284 UNI GX -0.026
 298. 4274 4285 4794 4796 4798 4800 UNI GX -0.008
 299. 4275 4286 4772 4774 4776 4778 UNI GX -0.013
 300. 4276 4287 4819 4821 4823 4825 UNI GX -0.032
 301. 4277 4336 4835 4837 4839 4841 UNI GX -0.019
 302. 4267 TO 4269 UNI GX -0.015
 303. 4795 UNI GX -0.026
 304. 4797 UNI GX -0.018
 305. 4280 UNI GX -0.022
 306. 4799 UNI GX -0.026
 307. 4801 UNI GX -0.02
 308. 4292 TO 4294 UNI GX -0.09
 309. *****
 310. *NOTIONAL LOAD : Z-DIR
 311. *****
 312. LOAD 6 LOADTYPE NONE TITLE NOTIONAL LOAD Z: NLZ
 313. SELFWEIGHT Z -0.015
 314. *G/L S1 TO S4 - EQUIP _PIPE LOAD EL+5,400
 315. *G/L S6 TO S10 - EQUIP _PIPE LOAD EL+5,400
 316. JOINT LOAD
 317. 405 FZ -0.375
 318. 645 FZ -0.3
 319. 408 FZ -3.63
 320. 409 FZ -0.39
 321. *G/L S11 TO S11 - EQUIP _PIPE LOAD EL+5,400
 322. JOINT LOAD
 323. 416 424 FZ -0.705
 324. 419 425 FZ -0.6
 325. 421 427 FZ -4.47
 326. 461 708 FZ -2.22
 327. 461 708 FZ -0.495
 328. *G/L S11 TO S13 - EQUIP _PIPE LOAD EL+5,400
 329. JOINT LOAD
 330. 431 FZ -1.2
 331. 436 FZ -3.39
 332. 439 FZ -4.11

334. *G/L S6 TO S10 - EQUIP _PIPE LOAD EL+3,370, EL+3,320
 335. MEMBER LOAD
 336. 3063 CON GZ -1.92 3.661
 337. 3062 CON GZ -1.47 3.661
 338. 3061 CON GZ -1.92 3.661
 339. *G/L S11 TO S11 - EQUIP _PIPE LOAD EL+3,317
 340. MEMBER LOAD
 341. 3071 CON GZ -2.94 3.661
 342. 3077 CON GZ -2.94 3.661
 343. 3070 CON GZ -1.95 3.661
 344. 3076 CON GZ -1.95 3.661
 345. 3069 CON GZ -2.94 3.661
 346. 3075 CON GZ -2.94 3.66
 347. *G/L S11 TO S13 - EQUIP _PIPE LOAD EL+3,266
 348. *PLATFORM CHEQUERED PLATE S/W EL+5,400
 349. MEMBER LOAD
 350. 4263 UNI GZ -0.027
 351. 4254 4729 UNI GZ -0.023
 352. 4255 4730 UNI GZ -0.019
 353. 4256 UNI GZ -0.01
 354. 4259 UNI GZ -0.018
 355. 4260 UNI GZ -0.03
 356. 4261 UNI GZ -0.019
 357. 4262 4792 4793 UNI GZ -0.023
 358. 4766 4768 4770 UNI GZ -0.027
 359. 4264 4817 UNI GZ -0.032
 360. 4833 4843 UNI GZ -0.019
 361. 4272 4283 UNI GZ -0.018
 362. 4273 4284 UNI GZ -0.026
 363. 4274 4285 4794 4796 4798 4800 UNI GZ -0.008
 364. 4275 4286 4772 4774 4776 4778 UNI GZ -0.013
 365. 4276 4287 4819 4821 4823 4825 UNI GZ -0.032
 366. 4277 4336 4835 4837 4839 4841 UNI GZ -0.019
 367. 4267 TO 4269 UNI GZ -0.015
 368. 4795 UNI GZ -0.026
 369. 4797 UNI GZ -0.018
 370. 4280 UNI GZ -0.022
 371. 4799 UNI GZ -0.026
 372. 4801 UNI GZ -0.02
 373. 4292 TO 4294 UNI GZ -0.09
 374. *****
 375. *SERVICE LOAD COMBINATION
 376. *****
 377. LOAD COMB 7 1.0DL + 1.0LL
 378. 1 1.0 2 1.0
 379. LOAD COMB 8 1.0DL + 1.0LL +1.0WLX
 380. 1 1.0 2 1.0 3 1.0
 381. LOAD COMB 9 1.0DL +1.0LL + 1.0WLZ
 382. 1 1.0 2 1.0 4 1.0
 383. LOAD COMB 10 1.0DL +1.0LL + 1.0NLX
 384. 1 1.0 2 1.0 5 1.0
 385. LOAD COMB 11 1.0DL + 1.0LL + 1.0 NLZ
 386. 1 1.0 2 1.0 6 1.0
 387. *****
 388. *ULTIMATE LOAD COMBINATION
 389. *****
 390. LOAD COMB 12 1.4DL + 1.6LL
 391. 1 1.4 2 1.6
 392. LOAD COMB 13 1.2DL + 1.2LL +1.2WLX
 393. 1 1.2 2 1.2 3 1.2
 394. LOAD COMB 14 1.2DL +1.2LL + 1.2WLZ
 395. 1 1.2 2 1.2 4 1.2
 396. LOAD COMB 15 1.2DL +1.2LL + 1.2NLX
 397. 1 1.2 2 1.2 5 1.2
 398. LOAD COMB 16 1.2DL + 1.2LL + 1.2 NLZ
 399. 1 1.2 2 1.2 6 1.2
 400. *****
 401. PERFORM ANALYSIS

Wednesday, January 04, 2012, 02:06 PM

P R O B L E M S T A T I S T I C S

NUMBER OF JOINTS/MEMBER+ELEMENTS/SUPPORTS = 109/ 184/ 20
 TOTAL PRIMARY LOAD CASES = 6, TOTAL DEGREES OF FREEDOM = 594
 SIZE OF STIFFNESS MATRIX = 8 DOUBLE KILO-WORDS
 REQD/AVAIL. DISK SPACE = 12.4/ 35243.6 MB

**START ITERATION NO. 2

**NOTE-Tension/Compression converged after 2 iterations, Case= 1

**START ITERATION NO. 2

**START ITERATION NO. 3

**START ITERATION NO. 4

**START ITERATION NO. 5

**START ITERATION NO. 6

**START ITERATION NO. 7

**START ITERATION NO. 8

**START ITERATION NO. 9

**NOTE-Tension/Compression converged after 9 iterations, Case= 2

**START ITERATION NO. 2

**NOTE-Tension/Compression converged after 2 iterations, Case= 3

**START ITERATION NO. 2

**NOTE-Tension/Compression converged after 2 iterations, Case= 4

**START ITERATION NO. 2

**NOTE-Tension/Compression converged after 2 iterations, Case= 5

**START ITERATION NO. 2

**NOTE-Tension/Compression converged after 2 iterations, Case= 6

402. LOAD LIST 7 TO 11
 403. PRINT SUPPORT REACTION ALL

SUPPORT REACTIONS -UNIT KN METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
109	7	35.14	259.50	-8.19	0.00	0.00	0.00
	8	39.11	261.09	-8.19	0.00	0.00	0.00
	9	35.14	265.59	-8.62	0.00	0.00	0.00
	10	37.93	260.73	-8.19	0.00	0.00	0.00
	11	35.14	262.60	-8.80	0.00	0.00	0.00

Wednesday, January 04, 2012, 02:06 PM

	8	14.89	129.43	47.67	0.00	0.00	0.00
	9	8.34	119.21	57.06	0.00	0.00	0.00
	10	11.35	127.07	47.71	0.00	0.00	0.00
	11	8.44	122.14	52.04	0.00	0.00	0.00
111	7	2.26	159.48	-7.98	0.00	0.00	0.00
	8	9.05	167.63	-7.99	0.00	0.00	0.00
	9	2.00	169.56	-8.33	0.00	0.00	0.00
	10	7.31	165.75	-7.99	0.00	0.00	0.00
	11	2.19	164.68	-8.57	0.00	0.00	0.00
112	7	7.83	240.64	33.57	0.00	0.00	0.00
	8	10.06	240.72	33.57	0.00	0.00	0.00
	9	7.89	230.26	40.60	0.00	0.00	0.00
	10	8.66	240.86	33.56	0.00	0.00	0.00
	11	7.84	235.35	36.72	0.00	0.00	0.00
113	7	4.31	116.75	-7.84	0.00	0.00	0.00
	8	6.37	118.60	-7.85	0.00	0.00	0.00
	9	4.31	126.78	-8.16	0.00	0.00	0.00
	10	4.90	118.38	-7.85	0.00	0.00	0.00
	11	4.30	121.81	-8.42	0.00	0.00	0.00
114	7	-0.30	-25.88	22.12	0.00	0.00	0.00
	8	3.60	-22.57	22.12	0.00	0.00	0.00
	9	-0.34	-35.96	27.02	0.00	0.00	0.00
	10	2.46	-22.38	22.11	0.00	0.00	0.00
	11	-0.31	-30.97	24.19	0.00	0.00	0.00
115	7	0.98	365.77	-13.82	0.00	0.00	0.00
	8	9.13	372.37	-14.13	0.00	0.00	0.00
	9	1.01	378.05	-15.13	0.00	0.00	0.00
	10	4.42	368.46	-14.14	0.00	0.00	0.00
	11	0.99	373.92	-15.03	0.00	0.00	0.00
116	7	-5.04	284.20	94.88	0.00	0.00	0.00
	8	3.42	282.14	94.88	0.00	0.00	0.00
	9	-5.36	271.96	111.03	0.00	0.00	0.00
	10	1.25	282.82	94.88	0.00	0.00	0.00
	11	-5.13	276.14	105.10	0.00	0.00	0.00
117	7	-3.44	502.98	-3.55	0.00	0.00	0.00
	8	3.60	511.91	-3.82	0.00	0.00	0.00
	9	-3.02	523.01	-3.43	0.00	0.00	0.00
	10	2.09	512.08	-3.85	0.00	0.00	0.00
	11	-3.37	515.86	-3.79	0.00	0.00	0.00
118	7	-20.87	466.23	-13.11	0.00	0.00	0.00
	8	-16.13	469.03	-13.15	0.00	0.00	0.00
	9	-20.87	466.24	-14.41	0.00	0.00	0.00

SUPPORT REACTIONS -UNIT KN METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	10	-17.16	468.33	-13.13	0.00	0.00	0.00
	11	-20.87	466.24	-14.31	0.00	0.00	0.00
119	7	-6.42	541.21	-14.37	0.00	0.00	0.00
	8	2.92	533.46	-14.42	0.00	0.00	0.00
	9	-6.42	555.78	-15.75	0.00	0.00	0.00
	10	-2.41	537.88	-14.39	0.00	0.00	0.00
	11	-6.41	551.74	-15.65	0.00	0.00	0.00
120	7	-0.04	376.82	120.33	0.00	0.00	0.00
	8	7.51	371.58	120.86	0.00	0.00	0.00
	9	-0.31	362.44	139.51	0.00	0.00	0.00
	10	5.57	372.90	120.62	0.00	0.00	0.00
	11	-0.10	366.29	133.95	0.00	0.00	0.00
121	7	-4.50	529.30	-15.13	0.00	0.00	0.00
	8	2.55	519.95	-15.17	0.00	0.00	0.00
	9	-4.10	547.44	-16.47	0.00	0.00	0.00
	10	1.08	519.60	-15.15	0.00	0.00	0.00
	11	-4.43	542.43	-16.45	0.00	0.00	0.00
122	7	-14.73	151.60	-10.95	0.00	0.00	0.00
	8	-10.64	147.24	-10.90	0.00	0.00	0.00