

```
*****
*
*      STAAD.Pro
*      Version 2007    Build 01
*      Proprietary Program of
*      Research Engineers, Intl.
*      Date=    JAN  3, 2012
*      Time=    17: 7: 7
*
*      USER ID:
*****
```

```
1. STAAD SPACE DXF IMPORT OF 20111129 JRC PLATFORM.DXF
INPUT FILE: 20111230 Pig Stn RF PH1 S3-S6.STD
2. START JOB INFORMATION
3. ENGINEER DATE 29-NOV-11
4. END JOB INFORMATION
5. INPUT WIDTH 79
6. SET STAR 0
7. UNIT METER KN
8. JOINT COORDINATES
9. 29 18.823 -5.4 -15; 30 18.823 -5.4 -9.36; 31 18.823 -5.4 -6.8
10. 32 18.823 -5.4 -4.8; 33 18.823 -5.4 -3.5; 34 18.823 -5.4 0
11. 35 22.023 -5.4 -9.36; 36 22.023 -5.4 -6.8; 37 22.023 -5.4 -4.8
12. 38 22.023 -5.4 -3.5; 39 25.223 -5.4 -15; 40 25.223 -5.4 -9.36
13. 41 25.223 -5.4 -6.8; 42 25.223 -5.4 -4.8; 43 25.223 -5.4 -3.5
14. 44 25.223 -5.4 0; 45 28.423 -5.4 -9.36; 46 28.423 -5.4 -6.8
15. 47 28.423 -5.4 -4.8; 48 28.423 -5.4 -3.5; 49 31.623 -5.4 -9.36
16. 50 31.623 -5.4 -6.8; 51 31.623 -5.4 -4.8; 52 31.623 -5.4 -3.5; 53 33 -5.4 -15
17. 54 33 -5.4 -13; 55 33 -5.4 -9.36; 56 33 -5.4 -6.8; 57 33 -5.4 -4.8
18. 58 33 -5.4 -3.5; 59 33 -5.4 0; 60 45 -5.4 -15; 61 45 -5.4 -13
19. 62 54.305 -5.4 -15; 63 54.305 -5.4 -13; 64 54.305 -5.4 -8.91
20. 65 54.305 -5.4 -5.75; 66 54.305 -5.4 -3.45; 67 54.305 -5.4 -1.696
21. 68 54.305 -5.4 0; 69 55.855 -5.4 -8.91; 70 55.855 -5.4 -5.75
22. 71 55.855 -5.4 -3.45; 72 55.855 -5.4 -1.696; 73 60.455 -5.4 -15
23. 74 60.455 -5.4 -8.91; 75 60.455 -5.4 -5.75; 76 60.455 -5.4 -3.45
24. 77 60.455 -5.4 -1.696; 78 60.455 -5.4 0; 157 18.823 -2.983 -15
25. 158 18.823 -2.983 -9.36; 159 18.823 -2.983 -6.8; 160 18.823 -2.983 -4.8
26. 161 18.823 -2.983 -3.5; 162 18.823 -2.983 0; 163 22.023 -2.983 -9.36
27. 164 22.023 -2.983 -6.8; 165 25.223 -2.983 -15; 166 25.223 -2.983 -9.36
28. 167 25.223 -2.983 -6.8; 168 25.223 -2.983 -4.8; 169 25.223 -2.983 -3.5
29. 170 25.223 -2.983 0; 171 28.423 -2.983 -9.36; 172 28.423 -2.983 -6.8
30. 173 31.623 -2.983 -9.36; 174 31.623 -2.983 -6.8; 175 33 -2.983 -15
31. 176 33 -2.983 -13; 177 33 -2.983 -9.36; 178 33 -2.983 -6.8; 179 33 -2.983 -4.8
32. 180 33 -2.983 -3.5; 181 33 -2.983 0; 182 54.305 -2.134 -15
33. 183 54.305 -2.134 -13; 184 54.305 -2.134 -8.91; 185 54.305 -2.134 -5.75
34. 186 54.305 -2.134 -3.45; 187 54.305 -2.134 -1.696; 188 54.305 -2.134 0
35. 189 55.855 -2.134 -8.91; 190 55.855 -2.134 -5.75; 191 60.455 -2.134 -15
36. 192 60.455 -2.134 -8.91; 193 60.455 -2.134 -5.75; 194 60.455 -2.134 -3.45
37. 195 60.455 -2.134 -1.696; 196 60.455 -2.134 0; 293 18.823 0 -15
38. 294 18.823 0 -9.36; 295 18.823 0 -6.8; 296 18.823 0 -4.8; 297 18.823 0 -3.5
39. 298 18.823 0 0; 299 22.023 0 -15; 300 22.023 0 -9.36; 301 22.023 0 -6.8
40. 302 22.023 0 -4.8; 303 22.023 0 -3.5; 304 22.023 0 0; 305 25.223 0 -15
41. 306 25.223 0 -9.36; 307 25.223 0 -6.8; 308 25.223 0 -4.8; 309 25.223 0 -3.5
42. 310 25.223 0 0; 311 28.423 0 -15; 312 28.423 0 -9.36; 313 28.423 0 -6.8
43. 314 28.423 0 -4.8; 315 28.423 0 -3.5; 316 28.423 0 0; 317 31.623 0 -15
44. 318 31.623 0 -9.36; 319 31.623 0 -6.8; 320 31.623 0 -4.8; 321 31.623 0 -3.5
45. 322 31.623 0 0; 323 33 0 -15; 324 33 0 -13; 325 33 0 -9.36; 326 33 0 -6.8
46. 327 33 0 -4.8; 328 33 0 -3.5; 329 33 0 0; 330 45 0 -15; 331 45 0 -13
47. 332 54.305 0 -15; 333 54.305 0 -13; 334 54.305 0 -11.75; 335 54.305 0 -8.91
48. 336 54.305 0 -5.75; 337 54.305 0 -3.45; 338 54.305 0 -1.696; 339 54.305 0 0
49. 340 55.855 0 -15; 341 55.855 0 -11.75; 342 55.855 0 -8.91; 343 55.855 0 -5.75
50. 344 55.855 0 -3.45; 345 55.855 0 -1.696; 346 55.855 0 0; 347 60.455 0 -15
51. 348 60.455 0 -11.75; 349 60.455 0 -8.91; 350 60.455 0 -5.75
52. 351 60.455 0 -3.45; 352 60.455 0 -1.696; 353 60.455 0 0; 473 22.023 -2.98 -4.8
53. 474 22.023 -2.98 -3.5; 475 28.423 -2.98 -4.8; 476 28.423 -2.98 -3.5
```

```
54. 477 31.623 -2.98 -4.8; 478 31.623 -2.98 -3.5; 485 55.855 -2.134 -3.45
55. 486 55.855 -2.134 -1.696; 493 55.855 -2.134 0; 520 19.2 0 -4.8
56. 521 19.2 0 -3.5; 522 21.6 0 -4.8; 523 21.6 0 -3.5; 524 22.4 0 -4.8
57. 525 22.4 0 -3.5; 526 24.85 0 -4.8; 527 24.85 0 -3.5; 528 25.6 0 -4.8
58. 529 25.6 0 -3.5; 530 28.05 0 -4.8; 531 28.05 0 -3.5; 532 28.8 0 -4.8
59. 533 28.8 0 -3.5; 534 31.25 0 -4.8; 535 31.25 0 -3.5; 536 32 0 -4.8
60. 537 32 0 -3.5; 562 19.72 0 -9.36; 563 19.72 0 -6.8; 564 20.67 0 -9.36
61. 565 20.67 0 -6.8; 566 22.92 0 -9.36; 567 22.92 0 -6.8; 568 23.87 0 -9.36
62. 569 23.87 0 -6.8; 570 26.12 0 -9.36; 571 26.12 0 -6.8; 572 27.07 0 -9.36
63. 573 27.07 0 -6.8; 574 29.32 0 -9.36; 575 29.32 0 -6.8; 576 30.27 0 -9.36
64. 577 30.27 0 -6.8; 578 55.38 0 -3.45; 579 55.38 0 -1.696; 580 56.33 0 -3.45
65. 581 56.33 0 -1.696; 582 59.98 0 -3.45; 583 59.98 0 -1.696; 614 57.695 0 -8.91
66. 615 57.695 0 -5.75; 616 58.895 0 -8.91; 617 58.895 0 -5.75
67. MEMBER INCIDENCES
68. 1048 157 29; 1049 158 30; 1050 159 31; 1051 160 32; 1052 161 33; 1053 162 34
69. 1054 293 157; 1055 294 158; 1056 295 159; 1057 296 160; 1058 297 161
70. 1059 298 162; 1060 163 35; 1061 164 36; 1062 302 473; 1063 303 474
71. 1064 300 163; 1065 301 164; 1066 165 39; 1067 166 40; 1068 167 41; 1069 168 42
72. 1070 169 43; 1071 170 44; 1072 305 165; 1073 306 166; 1074 307 167
73. 1075 308 168; 1076 309 169; 1077 310 170; 1078 171 45; 1079 172 46
74. 1080 314 475; 1081 315 476; 1082 312 171; 1083 313 172; 1084 173 49
75. 1085 174 50; 1086 320 477; 1087 321 478; 1088 318 173; 1089 319 174
76. 1090 175 53; 1091 176 54; 1092 177 55; 1093 178 56; 1094 179 57; 1095 180 58
77. 1096 181 59; 1097 323 175; 1098 324 176; 1099 325 177; 1100 326 178
78. 1101 327 179; 1102 328 180; 1103 329 181; 1104 330 60; 1105 331 61
79. 1106 182 62; 1107 183 63; 1108 184 64; 1109 185 65; 1110 186 66; 1111 187 67
80. 1112 188 68; 1113 332 182; 1114 333 183; 1115 335 184; 1116 336 185
81. 1117 338 187; 1118 337 186; 1119 339 188; 1120 189 69; 1121 190 70
82. 1122 344 485; 1123 345 486; 1124 342 189; 1125 343 190; 1126 191 73
83. 1127 192 74; 1128 193 75; 1129 77 195; 1130 194 76; 1131 196 78; 1132 347 191
84. 1133 349 192; 1134 350 193; 1135 351 194; 1136 352 195; 1137 353 196
85. 2026 158 157; 2027 159 158; 2028 160 159; 2029 160 161; 2030 162 161
86. 2031 158 163; 2032 159 164; 2033 157 165; 2034 162 170; 2035 163 166
87. 2036 164 167; 2037 166 165; 2038 167 166; 2039 168 167; 2040 168 169
88. 2041 170 169; 2042 166 171; 2043 167 172; 2044 165 175; 2045 170 181
89. 2046 171 173; 2047 172 174; 2048 173 177; 2049 174 178; 2050 176 175
90. 2051 177 176; 2052 178 177; 2053 179 178; 2054 180 179; 2055 181 180
91. 3000 183 182; 3001 184 183; 3002 185 184; 3003 186 185; 3004 187 186
92. 3005 188 187; 3006 184 189; 3007 190 185; 3008 182 191; 3009 188 493
93. 3010 189 192; 3011 190 193; 3012 191 192; 3013 193 192; 3014 193 194
94. 3015 194 195; 3016 196 195; 4062 294 293; 4063 295 294; 4064 296 295
95. 4066 298 297; 4067 293 299; 4068 294 562; 4069 295 563; 4072 298 304
96. 4073 300 299; 4074 301 300; 4075 302 301; 4076 304 303; 4077 299 305
97. 4078 300 566; 4079 301 567; 4080 302 524; 4081 303 525; 4082 304 310
98. 4083 306 305; 4084 307 306; 4085 308 307; 4086 310 309; 4087 305 311
99. 4088 306 570; 4089 307 571; 4090 308 528; 4091 309 529; 4092 310 316
100. 4093 312 311; 4094 313 312; 4095 314 313; 4096 316 315; 4097 311 317
101. 4098 312 574; 4099 313 575; 4100 314 532; 4101 315 533; 4102 316 322
102. 4103 318 317; 4104 319 318; 4105 320 319; 4106 322 321; 4107 317 323
103. 4108 318 325; 4109 319 326; 4110 320 536; 4111 321 537; 4112 322 329
104. 4113 324 323; 4114 325 324; 4115 326 325; 4116 327 326; 4117 328 327
105. 4118 329 328; 4119 323 330; 4120 324 331; 4121 330 331; 4122 330 332
106. 4123 331 333; 4124 333 332; 4125 334 333; 4126 335 334; 4127 336 335
107. 4128 337 336; 4129 338 337; 4130 339 338; 4131 332 340; 4132 341 334
108. 4133 335 342; 4134 343 336; 4135 344 578; 4136 345 579; 4137 346 339
109. 4138 341 340; 4139 342 341; 4140 343 342; 4141 344 343; 4142 346 345
110. 4143 340 347; 4144 348 341; 4145 342 614; 4146 350 617; 4147 351 582
111. 4148 352 583; 4149 353 346; 4150 348 347; 4151 349 348; 4152 349 350
112. 4153 351 350; 4154 353 352; 4345 473 37; 4346 474 38; 4347 475 47; 4348 476 48
113. 4349 477 51; 4350 478 52; 4355 473 474; 4356 475 476; 4357 477 478
114. 4370 157 30; 4371 29 158; 4372 159 32; 4373 31 160; 4374 161 34; 4375 33 162
115. 4376 165 40; 4377 39 166; 4378 167 42; 4379 41 168; 4380 169 44; 4381 43 192
116. 4382 175 54; 4383 53 176; 4384 178 57; 4385 56 179; 4386 180 59; 4387 58 181
117. 4388 176 55; 4389 54 177; 4397 473 38; 4398 37 474; 4399 475 48; 4400 47 476
118. 4401 477 52; 4402 51 478; 4411 163 36; 4412 164 35; 4413 171 46; 4414 172 45
119. 4415 173 50; 4416 174 49; 4417 187 68; 4418 67 188; 4419 182 63; 4420 62 183
120. 4421 183 64; 4422 63 184; 4423 185 66; 4424 65 186; 4425 191 74; 4426 73 192
121. 4427 193 76; 4428 75 194; 4429 195 78; 4430 77 196; 4468 189 190; 4473 485 71
122. 4474 190 485; 4475 486 72; 4476 485 486; 4483 189 70; 4484 69 190; 4485 485 72
123. 4486 71 486; 4505 493 196; 4506 486 493; 4513 163 164; 4514 171 172
```

Wednesday, January 04, 2012, 11:52 AM

124. 4515 173 174; 4556 485 194; 4557 486 195; 4593 521 520; 4594 522 302
 125. 4595 523 303; 4596 523 522; 4597 524 526; 4598 525 527; 4599 525 524
 126. 4600 526 308; 4601 527 309; 4602 527 526; 4603 528 530; 4604 529 531
 127. 4605 529 528; 4606 530 314; 4607 531 315; 4608 531 530; 4609 532 534
 128. 4610 533 535; 4611 533 532; 4612 534 320; 4613 535 321; 4614 535 534
 129. 4615 536 327; 4616 537 328; 4617 537 536; 4654 562 564; 4655 563 565
 130. 4656 563 562; 4657 564 300; 4658 565 301; 4659 565 564; 4660 566 568
 131. 4661 567 569; 4662 567 566; 4663 568 306; 4664 569 307; 4665 569 568
 132. 4666 570 572; 4667 571 573; 4668 571 570; 4669 572 312; 4670 573 313
 133. 4671 573 572; 4672 574 576; 4673 575 577; 4674 575 574; 4675 576 318
 134. 4676 577 319; 4677 577 576; 4678 578 337; 4679 579 338; 4680 579 578
 135. 4681 580 344; 4682 581 345; 4683 581 580; 4684 582 580; 4685 583 581
 136. 4686 583 582; 4732 614 616; 4733 615 343; 4734 615 614; 4735 616 349
 137. 4736 617 615; 4737 617 616; 4845 520 522; 4846 521 523; 4849 297 521
 138. 4850 296 520
 139. DEFINE MATERIAL START
 140. ISOTROPIC STEEL
 141. E 2.05E+008
 142. POISSON 0.3
 143. DENSITY 76.8195
 144. ALPHA 1.2E-005
 145. DAMP 0.03
 146. END DEFINE MATERIAL
 147. MEMBER PROPERTY JAPANESE
 148. 1048 TO 1137 4345 TO 4350 4473 4475 TABLE ST H388X402X15
 149. 4370 TO 4389 4397 TO 4402 4411 TO 4430 4483 TO 4486 TABLE ST C150X75X6.5
 150. 2026 TO 2030 2037 TO 2041 2050 TO 2055 4062 TO 4064 4066 4073 TO 4076 4083 -
 151. 4084 TO 4086 4093 TO 4096 4103 TO 4106 4113 TO 4118 4121 4355 TO 4357 4513 -
 152. 4514 TO 4515 TABLE ST H250X250X9
 153. 2031 2032 2034 TO 2036 2042 2043 2045 TO 2049 4067 TO 4069 4072 4077 TO 4082 -
 154. 4087 TO 4092 4097 TO 4102 4107 TO 4112 4594 4595 4597 4598 4600 4601 4603 -
 155. 4604 4606 4607 4609 4610 4612 4613 4615 4616 4654 4655 4657 4658 4660 4661 -
 156. 4663 4664 4666 4667 4669 4670 4672 4673 4675 4676 4845 4846 4849 -
 157. 4850 TABLE ST H250X250X9
 158. 2033 2044 4119 4120 4122 4123 TABLE ST H300X300X10
 159. 4132 TO 4137 4144 TO 4149 4678 4679 4681 4682 4684 4685 4732 4733 4735 -
 160. 4736 TABLE ST H250X250X9
 161. 3000 TO 3005 3012 TO 3016 4124 TO 4130 4138 TO 4142 4150 TO 4154 4468 4474 -
 162. 4476 4506 TABLE ST H250X250X9
 163. 4593 4596 4599 4602 4605 4608 4611 4614 4617 4656 4659 4662 4665 4668 4671 -
 164. 4674 4677 4680 4683 4686 4734 4737 TABLE ST C150X75X6.5
 165. 3006 3007 3009 TO 3011 4505 4556 4557 TABLE ST H388X402X15
 166. 3008 TABLE ST H400X400X13
 167. 4131 4143 TABLE ST H300X300X10
 168. CONSTANTS
 169. BETA 90 MEMB 1104 1105
 170. MATERIAL STEEL ALL
 171. SUPPORTS
 172. 29 TO 78 PINNED
 173. MEMBER RELEASE
 174. 2026 TO 2030 2037 TO 2041 2050 TO 2055 4062 TO 4064 4066 4083 TO 4086 4113 -
 175. 4114 TO 4118 4656 4659 4662 4665 4668 4671 4674 -
 176. 4677 START MPY 0.99 MPZ 0.99
 177. 2026 TO 2030 2037 TO 2041 2050 TO 2055 4062 TO 4064 4066 4083 TO 4086 4113 -
 178. 4114 TO 4118 4656 4659 4662 4665 4668 4671 4674 4677 END MPY 0.99 MPZ 0.99
 179. 4073 TO 4076 4093 TO 4096 4103 TO 4106 4355 TO 4357 START MPY 0.99 MPZ 0.99
 180. 4073 TO 4076 4093 TO 4096 4103 TO 4106 4355 TO 4357 END MPY 0.99 MPZ 0.99
 181. 4513 TO 4515 START MPY 0.99 MPZ 0.99
 182. 4513 TO 4515 END MPY 0.99 MPZ 0.99
 183. 3000 TO 3005 4124 4126 TO 4130 START MPY 0.99 MPZ 0.99
 184. 3000 TO 3005 4124 4125 4127 TO 4130 END MPY 0.99 MPZ 0.99
 185. 4139 TO 4142 4468 4474 4476 4506 START MPY 0.99 MPZ 0.99
 186. 4138 4140 TO 4142 4468 4474 4476 4506 END MPY 0.99 MPZ 0.99
 187. 3012 TO 3016 4151 TO 4154 START MPY 0.99 MPZ 0.99
 188. 3012 TO 3016 4150 4152 TO 4154 END MPY 0.99 MPZ 0.99
 189. 4132 4144 START MPY 0.99 MPZ 0.99
 190. 4132 4144 END MPY 0.99 MPZ 0.99
 191. 4593 4596 4599 4602 4605 4608 4611 4614 4617 START MPY 0.99 MPZ 0.99
 192. 4593 4596 4599 4602 4605 4608 4611 4614 4617 END MPY 0.99 MPZ 0.99
 193. 4680 4683 4686 4734 4737 START MPY 0.99 MPZ 0.99

Wednesday, January 04, 2012, 11:52 AM

194. 4680 4683 4686 4734 4737 END MPY 0.99 MPZ 0.99
 195. MEMBER TENSION
 196. 4370 TO 4389 4397 TO 4402 4411 TO 4430 4483 TO 4486
 197. LOAD 1 LOADTYPE NONE TITLE DEAD LOAD: DL
 198. SELFWEIGHT Y -1
 199. *G/L S1 TO S4 - EQUIP _PIPE LOAD EL+5,400
 200. JOINT LOAD
 201. 294 300 306 312 318 FY -15
 202. 295 301 307 313 319 FY -11
 203. 296 302 308 314 320 FY -45
 204. 297 303 309 315 321 FY -7
 205. 294 300 306 312 318 FZ -5
 206. 296 302 308 314 320 FZ -13.5
 207. *G/L S6 TO S10 - EQUIP _PIPE LOAD EL+5,400
 208. JOINT LOAD
 209. 342 349 FY -25
 210. 343 350 FY -20
 211. 344 351 FY -242
 212. 345 352 FY -26
 213. 342 614 616 FZ -12
 214. 342 614 616 FZ -20
 215. 344 351 FZ -72.6
 216. *G/L S11 TO S11 - EQUIP _PIPE LOAD EL+5,400
 217. *G/L S11 TO S13 - EQUIP _PIPE LOAD EL+5,400
 218. *G/L S1 TO S4 - EQUIP _PIPE LOAD EL+2,417
 219. MEMBER LOAD
 220. 2032 CON GY -34 1.372
 221. 2036 CON GY -34 1.667
 222. 2043 CON GY -34 1.667
 223. 2047 CON GY -34 1.667
 224. 2031 CON GY -20 1.372
 225. 2035 CON GY -20 1.667
 226. 2042 CON GY -20 1.667
 227. 2046 CON GY -20 1.667
 228. 2033 CON GY -34 1.372
 229. 2033 CON GY -34 4.867
 230. 2044 CON GY -34 1.667
 231. 2044 CON GY -34 4.867
 232. 2033 CON GZ -10.2 1.372
 233. 2033 CON GZ -10.2 4.867
 234. 2044 CON GZ -10.2 1.667
 235. 2044 CON GZ -10.2 4.867
 236. *G/L S6 TO S10 - EQUIP _PIPE LOAD EL+3,370, EL+3,320
 237. MEMBER LOAD
 238. 3011 CON GY -128 2.44
 239. 3010 CON GY -98 2.44
 240. 3008 CON GY -128 3.99
 241. 3008 CON GZ -38.4 3.99
 242. *G/L S11 TO S11 - EQUIP _PIPE LOAD EL+3,317
 243. *G/L S11 TO S13 - EQUIP _PIPE LOAD EL+3,266
 244. *PLATFORM CHEQUERED PLATE S/W EL+5,400
 245. MEMBER LOAD
 246. 4062 4064 4066 UNI GY -2.4
 247. 4073 4075 4076 UNI GY -2.4
 248. 4083 4085 4086 UNI GY -2.4
 249. 4093 4095 4096 UNI GY -2.4
 250. 4103 4105 4106 UNI GY -1.716
 251. 4113 4114 4116 4118 UNI GY -0.516
 252. 4119 4122 UNI GY -0.75
 253. 4120 4123 UNI GY -0.75
 254. 4117 4593 4596 4599 4602 4605 4608 4611 4614 4617 UNI GY -0.919
 255. 4063 4074 4084 4094 4104 4115 4656 4659 4662 4665 4668 4671 4674 -
 256. 4677 UNI GY -0.507
 257. 4131 4143 UNI GY -1.219
 258. 4132 4144 UNI GY -2.284
 259. 4133 4145 4732 4735 UNI GY -2.25
 260. 4134 4146 4733 4736 UNI GY -2.048
 261. 4135 4147 4678 4681 4684 UNI GY -1.515
 262. 4136 4148 4679 4682 4685 UNI GY -1.289
 263. 4137 4149 UNI GY -0.636

Wednesday, January 04, 2012, 11:52 AM

264. *****
265. *PLATFORM LIVE LOAD EL+5400
266. *****
267. LOAD 2 LOADTYPE NONE TITLE PLATFORM LIVE LOAD: LL
268. MEMBER LOAD
269. 4062 4064 4066 UNI GY -16
270. 4073 4075 4076 UNI GY -16
271. 4083 4085 4086 UNI GY -16
272. 4093 4095 4096 UNI GY -16
273. 4103 4105 4106 UNI GY -11.443
274. 4113 4114 4116 4118 UNI GY -3.443
275. 4119 4122 UNI GY -5
276. 4120 4123 UNI GY -5
277. 4117 4593 4596 4599 4602 4605 4608 4611 4614 4617 UNI GY -6.125
278. 4063 4074 4084 4094 4104 4115 4656 4659 4662 4665 4668 4671 4674 -
279. 4677 UNI GY -3.383
280. 4131 4143 UNI GY -8.125
281. 4132 4144 UNI GY -15.225
282. 4133 4145 4732 4735 UNI GY -15
283. 4134 4146 4733 4736 UNI GY -13.65
284. 4135 4147 4678 4681 4684 UNI GY -10.1
285. 4136 4148 4679 4682 4685 UNI GY -8.59
286. 4137 4149 UNI GY -4.24
287. *****
288. *WIND LOAD : X-DIR
289. *****
290. LOAD 3 LOADTYPE NONE TITLE WIND LOAD X: WLX
291. MEMBER LOAD
292. 1048 TO 1137 2026 TO 2030 2037 TO 2041 2050 TO 2055 3000 TO 3005 3012 TO 3016 -
293. 4062 TO 4064 4066 4073 TO 4076 4083 TO 4086 4093 TO 4096 4103 TO 4106 4113 -
294. 4114 TO 4118 4121 4124 TO 4130 4138 TO 4142 4150 TO 4154 4345 TO 4350 4355 -
295. 4356 TO 4357 4468 4473 TO 4476 4506 4513 TO 4515 4593 4596 4599 4602 4605 -
296. 4608 4611 4614 4617 4656 4659 4662 4665 4668 4671 4674 4677 4680 4683 4686 -
297. 4734 4737 UNI GX -0.34
298. 4370 TO 4389 4397 TO 4402 4411 TO 4430 4483 TO 4486 UNI GX -0.1275
299. *****
300. *WIND LOAD : Z-DIR
301. *****
302. LOAD 4 LOADTYPE NONE TITLE WIND LOAD Z: WLZ
303. MEMBER LOAD
304. 1048 TO 1137 2031 TO 2036 2042 TO 2049 3006 TO 3011 4067 TO 4069 4072 4077 -
305. 4078 TO 4082 4087 TO 4092 4097 TO 4102 4107 TO 4112 4119 4120 4122 4123 4131 -
306. 4132 TO 4137 4143 TO 4149 4345 TO 4350 4473 4475 4505 4556 4557 4594 4595 -
307. 4597 4598 4600 4601 4603 4604 4606 4607 4609 4610 4612 4613 4615 4616 4654 -
308. 4655 4657 4658 4660 4661 4663 4664 4666 4667 4669 4670 4672 4673 4675 4676 -
309. 4678 4679 4681 4682 4684 4685 4732 4733 4735 4736 UNI GZ -0.34
310. 4849 4850 UNI GZ -0.34
311. 4845 4846 UNI GZ -0.34
312. *****
313. *NOTIONAL LOAD : X-DIR
314. *****
315. LOAD 5 LOADTYPE NONE TITLE NOTIONAL LOAD X: NLX
316. SELFWEIGHT X -0.015
317. *G/L S1 TO S4 - EQUIP _PIPE LOAD EL+5,400
318. JOINT LOAD
319. 294 300 306 312 318 FX -0.225
320. 295 301 307 313 319 FX -0.165
321. 296 302 308 314 320 FX -0.675
322. 297 303 309 315 321 FX -0.105
323. *G/L S6 TO S10 - EQUIP _PIPE LOAD EL+5,400
324. JOINT LOAD
325. 342 349 FX -0.375
326. 343 350 FX -0.3
327. 344 351 FX -3.63
328. 345 352 FX -0.39
329. *G/L S11 TO S11 - EQUIP _PIPE LOAD EL+5,400
330. *G/L S11 TO S13 - EQUIP _PIPE LOAD EL+5,400
331. *G/L S1 TO S4 - EQUIP _PIPE LOAD EL+2,417
332. MEMBER LOAD

Wednesday, January 04, 2012, 11:52 AM

334. 2036 CON GX -0.51 1.667
335. 2043 CON GX -0.51 1.667
336. 2047 CON GX -0.51 1.667
337. 2031 CON GX -0.3 1.372
338. 2035 CON GX -0.3 1.667
339. 2042 CON GX -0.3 1.667
340. 2046 CON GX -0.3 1.667
341. 2033 CON GX -0.51 1.372
342. 2033 CON GX -0.51 4.867
343. 2044 CON GX -0.51 1.667
344. 2044 CON GX -0.51 4.867
345. *G/L S6 TO S10 - EQUIP _PIPE LOAD EL+3,370, EL+3,320
346. MEMBER LOAD
347. 3011 CON GX -1.92 2.44
348. 3010 CON GX -1.47 2.44
349. 3008 CON GX -1.92 3.99
350. *G/L S11 TO S11 - EQUIP _PIPE LOAD EL+3,317
351. *G/L S11 TO S13 - EQUIP _PIPE LOAD EL+3,266
352. *PLATFORM CHEQUERED PLATE S/W EL+5,400
353. MEMBER LOAD
354. 4062 4064 4066 UNI GX -0.036
355. 4073 4075 4076 UNI GX -0.036
356. 4083 4085 4086 UNI GX -0.036
357. 4093 4095 4096 UNI GX -0.036
358. 4103 4105 4106 UNI GX -0.026
359. 4113 4114 4116 4118 UNI GX -0.008
360. 4119 4122 UNI GX -0.011
361. 4120 4123 UNI GX -0.011
362. 4117 4593 4596 4599 4602 4605 4608 4611 4614 4617 UNI GX -0.0414
363. 4063 4074 4084 4094 4104 4115 4656 4659 4662 4665 4668 4671 4674 -
364. 4677 UNI GX -0.008
365. 4131 4143 UNI GX -0.018
366. 4132 4144 UNI GX -0.034
367. 4133 4145 4732 4735 UNI GX -0.034
368. 4134 4146 4733 4736 UNI GX -0.031
369. 4135 4147 4678 4681 4684 UNI GX -0.023
370. 4136 4148 4679 4682 4685 UNI GX -0.019
371. 4137 4149 UNI GX -0.01
372. *****
373. *NOTIONAL LOAD : Z-DIR
374. *****
375. LOAD 6 LOADTYPE NONE TITLE NOTIONAL LOAD Z: NLZ
376. SELFWEIGHT Z -0.015
377. *G/L S1 TO S4 - EQUIP _PIPE LOAD EL+5,400
378. JOINT LOAD
379. 294 300 306 312 318 FZ -0.225
380. 295 301 307 313 319 FZ -0.165
381. 296 302 308 314 320 FZ -0.675
382. 297 303 309 315 321 FZ -0.105
383. *G/L S6 TO S10 - EQUIP _PIPE LOAD EL+5,400
384. JOINT LOAD
385. 342 349 FZ -0.375
386. 343 350 FZ -0.3
387. 344 351 FZ -3.63
388. 345 352 FZ -0.39
389. *G/L S11 TO S11 - EQUIP _PIPE LOAD EL+5,400
390. *G/L S11 TO S13 - EQUIP _PIPE LOAD EL+5,400
391. *G/L S1 TO S4 - EQUIP _PIPE LOAD EL+2,417
392. MEMBER LOAD
393. 2032 CON GZ -0.51 1.372
394. 2036 CON GZ -0.51 1.667
395. 2043 CON GZ -0.51 1.667
396. 2047 CON GZ -0.51 1.667
397. 2031 CON GZ -0.3 1.372
398. 2035 CON GZ -0.3 1.667
399. 2042 CON GZ -0.3 1.667
400. 2046 CON GZ -0.3 1.667
401. 2033 CON GZ -0.51 1.372
402. 2033 CON GZ -0.51 4.867
403. 2044 CON GZ -0.51 1.667

Page 7 of 114

Page 8 of 114

Wednesday, January 04, 2012, 11:52 AM

**NOTE-Tension/Compression converged after 2 iterations, Case= 9

**START ITERATION NO. 2
 **START ITERATION NO. 3

**NOTE-Tension/Compression converged after 3 iterations, Case= 10

**START ITERATION NO. 2
 **START ITERATION NO. 3

**NOTE-Tension/Compression converged after 3 iterations, Case= 11

**START ITERATION NO. 2
 **START ITERATION NO. 3

**NOTE-Tension/Compression converged after 3 iterations, Case= 12

**START ITERATION NO. 2
 **START ITERATION NO. 3

**NOTE-Tension/Compression converged after 3 iterations, Case= 13

**START ITERATION NO. 2

**NOTE-Tension/Compression converged after 2 iterations, Case= 14

**START ITERATION NO. 2
 **START ITERATION NO. 3

**NOTE-Tension/Compression converged after 3 iterations, Case= 15

**START ITERATION NO. 2
 **START ITERATION NO. 3

**NOTE-Tension/Compression converged after 3 iterations, Case= 16

470. LOAD LIST 7 TO 11
 471. PRINT SUPPORT REACTION ALL

SUPPORT REACTIONS -UNIT KN METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
29	7	9.79	134.60	-4.16	0.00	0.00	0.00
	8	14.51	138.74	-4.17	0.00	0.00	0.00
	9	9.69	137.52	-5.13	0.00	0.00	0.00
	10	10.95	135.59	-4.16	0.00	0.00	0.00
	11	9.78	135.45	-4.58	0.00	0.00	0.00
30	7	1.79	99.27	12.95	0.00	0.00	0.00

Wednesday, January 04, 2012, 11:52 AM

9	1.81	96.41	19.13	0.00	0.00	0.00
10	2.39	100.34	12.96	0.00	0.00	0.00
11	1.79	98.46	14.53	0.00	0.00	0.00
31	7	2.95	90.25	-4.12	0.00	0.00
	8	6.50	95.59	-4.13	0.00	0.00
	9	2.94	98.41	-5.05	0.00	0.00
	10	3.60	91.26	-4.12	0.00	0.00
	11	2.95	92.51	-4.55	0.00	0.00
32	7	0.36	62.34	9.68	0.00	0.00
	8	3.17	66.43	9.59	0.00	0.00
	9	0.38	54.16	15.58	0.00	0.00
	10	0.89	63.83	9.67	0.00	0.00
	11	0.37	60.07	11.14	0.00	0.00
33	7	0.32	69.46	-3.63	0.00	0.00
	8	3.62	74.24	-3.63	0.00	0.00
	9	0.31	75.42	-4.55	0.00	0.00
	10	0.64	70.17	-3.63	0.00	0.00
	11	0.32	71.08	-4.03	0.00	0.00
34	7	-0.65	49.89	16.19	0.00	0.00
	8	3.31	53.30	16.24	0.00	0.00
	9	-0.65	43.79	24.05	0.00	0.00
	10	-0.29	50.26	16.22	0.00	0.00
	11	-0.65	48.23	18.18	0.00	0.00
35	7	0.22	134.09	-4.98	0.00	0.00
	8	5.58	133.69	-4.98	0.00	0.00
	9	0.23	145.85	-6.83	0.00	0.00
	10	1.00	134.02	-4.98	0.00	0.00
	11	0.22	137.06	-5.52	0.00	0.00
36	7	0.22	72.84	13.47	0.00	0.00
	8	4.73	72.50	13.48	0.00	0.00
	9	0.22	61.19	24.20	0.00	0.00
	10	1.06	72.78	13.47	0.00	0.00
	11	0.22	69.91	16.10	0.00	0.00
37	7	0.02	112.16	-4.07	0.00	0.00
	8	3.40	111.47	-4.07	0.00	0.00
	9	0.02	128.49	-5.55	0.00	0.00
	10	0.84	111.90	-4.07	0.00	0.00
	11	0.02	115.86	-4.55	0.00	0.00
38	7	0.04	32.56	11.05	0.00	0.00
	8	3.80	31.69	11.05	0.00	0.00
	9	0.04	16.05	18.40	0.00	0.00

SUPPORT REACTIONS -UNIT KN METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	10	0.46	32.43	11.05	0.00	0.00	0.00
	11	0.04	28.81	12.57	0.00	0.00	0.00
39	7	6.76	228.63	-4.49	0.00	0.00	0.00
	8	12.90	227.34	-4.49	0.00	0.00	0.00
	9	6.62	233.94	-6.40	0.00	0.00	0.00
	10	8.28	228.32	-4.49	0.00	0.00	0.00
	11	6.75	229.95	-5.03	0.00	0.00	0.00
40	7	-0.09	109.84	23.22	0.00	0.00	0.00
	8	5.42	109.83	23.22	0.00	0.00	0.00
	9	-0.09	104.93	33.59	0.00	0.00	0.00
	10	0.69	109.84	23.22	0.00	0.00	0.00
	11	-0.09	108.61	25.76	0.00	0.00	0.00
41	7	-0.24	119.86	-4.71	0.00	0.00	0.00
	8	4.24	119.82	-4.70	0.00	0.00	0.00
	9	-0.25	133.56	-6.56	0.00	0.00	0.00
	10	0.59	119.85	-4.70	0.00	0.00	0.00
	11	-0.24	123.13	-5.25	0.00	0.00	0.00
42	7	0.06	59.40	16.49	0.00	0.00	0.00
	8	3.55	59.50	16.47	0.00	0.00	0.00
	9	0.06	45.63	26.16	0.00	0.00	0.00