

```

*****
*
*          STAAD.Pro          Build 02
*
*          Version 2007
*          Proprietary Program of
*          Research Engineers, Intl.
*          JUL 17, 2009
*          Date=
*          Time= 19:35:39
*
*          USER ID: Longrove Associates
*****

```

1. STAAD PLANE DXF IMPORT OF TRANSFER_2F7.5K.DXF

INPUT FILE: 2F6K_TRANSFER_R1.dxf-imp02.std

2. START JOB INFORMATION

3. JOB NAME 2F6K TRANSFER TRUSS - DOC. ROOM

4. JOB CLIENT ACIL

5. ENGINEER NAME RCZ

6. APPROVED NAME LCK

7. ENGINEER DATE 15-JUN-09

8. END JOB INFORMATION

9. INPUT WIDTH 79

10. UNIT MMS KN

11. JOINT COORDINATES

12. 1 260.235 1014.68 0; 2 624.235 1014.68 0; 3 1352.24 1014.68 0

13. 4 2080.24 1014.68 0; 5 2808.24 1014.68 0; 6 3536.24 1014.68 0

14. 7 3900.24 1014.68 0; 8 4264.24 1014.68 0; 9 4992.24 1014.68 0

15. 10 5720.24 1014.68 0; 11 6448.24 1014.68 0; 12 7176.24 1014.68 0

16. 13 7540.24 1014.68 0; 14 260.235 214.677 0; 15 988.235 214.677 0

17. 16 1716.24 214.677 0; 17 2080.24 214.677 0; 18 2444.24 214.677 0

18. 19 3172.24 214.677 0; 20 3900.24 214.677 0; 21 4628.24 214.677 0

19. 22 5356.24 214.677 0; 23 5720.24 214.677 0; 24 5084.24 214.677 0

20. 25 6812.24 214.677 0; 26 7540.24 214.677 0

21. MEMBER INCIDENCES

22. 1 1 2; 2 2 3; 3 3 4; 4 5; 5 6; 6 7; 7 8; 8 9; 9 10; 10 10 11

23. 11 11 12; 12 12 13; 13 14 15; 14 15 16; 15 16 17; 16 17 18; 17 18 19; 18 19 20

24. 19 20 21; 20 21 22; 21 22 23; 22 23 24; 23 24 25; 24 25 26; 25 26 27; 26 27 28

25. 27 7 20; 28 10 23; 29 13 26; 30 14 2; 31 2 15; 32 15 3; 33 3 16; 34 16 4

26. 35 4 18; 36 18 5; 37 5 19; 38 19 6; 39 6 20; 40 20 8; 41 8 21; 42 21 9

27. 43 9 22; 44 22 10; 45 10 24; 46 24 11; 47 11 25; 48 25 12; 49 12 26

28. DEFINE MATERIAL START

29. ISOTROPIC STEEL

30. E 205

31. POISSON 0.3

32. DENSITY 7.68195E-008

33. ALPHA 6.5E-006

34. DMP 0.03

35. END DEFINE MATERIAL

36. CONSTANTS

37. MATERIAL STEEL ALL

38. START USER TABLE

39. TABLE 1

40. UNIT MMS KN

DXF IMPORT OF TRANSFER_2F7.5K.DXF

```

41. GENERAL
42. C38X38
43. 252 38 2.3 38 2.3 38072 62912 100000 1557 3311 87 175 1557 3311 100000 38
44. TABLE 2
45. UNIT MMS KN
46. GENERAL
47. 2C75X45
48. 1098 75 6 90 3 938192 638334 100000 26218 14185 450 270 26218 14185 100000 75
49. TABLE 3
50. UNIT MMS KN
51. GENERAL
52. C100X50
53. 653 50 3 100 3 229000 990000 15+006 7270 19800 300 343 11600 23600 1E+006 48
54. TABLE 4
55. UNIT MMS KN
56. GENERAL
57. C75X45
58. 518 45 3 75 3 138000 449000 100000 4940 12000 270 315 4940 12000 100000 40
59. TABLE 5
60. UNIT MMS KN
61. TUBE
62. SHS100X3-CF
63. 1140 100 100 3 1.77E+006 1.77E+006 2.79E+006 600 400
64. TABLE 6
65. UNIT MMS KN
66. TUBE
67. SHS100X4-CF
68. 1490 100 100 4 2.26E+006 2.26E+006 3.62E+006 800 533
69. TABLE 7
70. UNIT MMS KN
71. TUBE
72. SHS100X6-CF
73. 2160 100 100 6 3.11E+006 3.11E+006 5.14E+006 1200 860
74. TABLE 8
75. UNIT MMS KN
76. TUBE
77. SHS150X4.5CF
78. 2570 150 150 4.5 8.96E+006 8.96E+006 1.411E+007 1350 900
79. TABLE 9
80. UNIT MMS KN
81. TUBE
82. SHS75X3-CF
83. 841 75 3 716000 716000 1.15E+006 450 300
84. TABLE 10
85. UNIT MMS KN
86. TUBE
87. SHS50X3-CF
88. 541 50 3 195000 195000 321000 300 200
89. TABLE 11
90. UNIT MMS KN
91. TUBE
92. SHS38X3-CF
93. 397 38 3 78500 78500 133000 228 152
94. TABLE 12
95. UNIT MMS KN
96. GENERAL

```

DXF IMPORT OF TRANSFER_2F7.5K.DXF

97. 2C300X98X3.0
 98. 3258 300 6 196 3 4.416E+007 6.5986E+006 100000 294408 68736 2136 1800 -
 99. 9.29441E+006 68736 100000 300
 100. TABLE 13
 101. UNIT MMS KN
 102. TUBE
 103. SHS125X4.5-CF
 104. 2120 125 125 4.5 5.06E+006 5.06E+006 8.04E+006 1125 750
 105. TABLE 35
 106. UNIT MMS KN
 107. TUBE
 108. RHSL50X100X4.5-CF
 109. 2120 150 110 4.5 6.598E+006 3.52E+006 7.36E+006 900 900
 110. END
 111. MEMBER PROPERTY AMERICAN
 112. 30 TO 49 UPTABLE 9 SHS75X3-CF
 113. UNIT METER KN
 114. MEMBER PROPERTY AMERICAN
 115. 1 TO 29 UPTABLE 13 SHS125X4.5-CF
 116. UNIT MMS KN
 117. SUPPORTS
 118. 14 PINNED
 119. 1 13 26 FIXED BUT FX MX MY MZ
 120. MEMBER TROSS
 121. 30 TO 49
 122. UNIT METER KN
 123. LOAD 1 LOADTYPE DEAD TITLE S/W
 124. SELFWEIGHT Y -1
 125. LOAD 2 LOADTYPE DEAD TITLE DL
 126. JOINT LOAD
 127. 4 7 10 FY -5.5
 128. LOAD 3 LOADTYPE LIVE TITLE LL
 129. JOINT LOAD
 130. 4 7 10 FY -39.7
 131. LOAD COMB 4 1.4DL + 1.6LL
 132. 1 1.4 2 1.4 3 1.6
 133. LOAD COMB 5 SERVICE
 134. 1 1.0 2 1.0 3 1.0
 135. PERFORM ANALYSIS

PROBLEM STATISTICS

NUMBER OF JOINTS/MEMBER/ELEMENTS/SUPPORTS = 26/ 49/ 4

SOLVER USED IS THE OUT-OF-CORE BASIC SOLVER

ORIGINAL/FINAL BAND-WIDTH = 14/ 4/ 15 DOF
 TOTAL PRIMARY LOAD CASES = 3, TOTAL DEGREES OF FREEDOM = 73
 SIZE OF STIFFNESS MATRIX = 2 DOUBLE KILLO-WORDS
 RECORD/AVAIL. DISK SPACE = 12.1/ 32684.9 MB

DXF IMPORT OF TRANSFER_2F7.5K.DXF

136. PARAMETER 1
 137. CODE BSS950
 138. CHECK CODE ALL

STAAD.Pro CODE CHECKING ~ (BSI)

PROGRAM CODE REVISION V2.10_5950-1_2600