
*
* STAAD.Pro
* Version 2003 ELD 1001.US
* Proprietary Program of
* Research Engineers, Intl.
* Date JUL 17, 2009
* Time 19: 0:32
*
* USER ID:

1. STAAD PLANE DNF IMPORT OF 2F7.5K.DXF

2. START JOB INFORMATION

3. JOB NAME 2F 7.5K X 22K WITHOUT MID SUPP

4. JOB CLIENT ACI

5. ENGINEER NAME RGT

6. APPROVED NAME LCK

7. ENGINEER DATE 15-JUN-09

8. END JOB INFORMATION

9. INPUT WIDTH 79

10. UNIT MMS KN

11. JOINT COORDINATES
12. 1 0.420791 0.228998 0: 2 0.420791 3300.23 0: 3 0.420791 6200.23 0
13. 4 13650.4 0.228998 0: 5 13650.4 3300.23 0: 6 13650.4 6200.23 0
14. 7 7280.42 3300.23 0: 8 7280.42 6200.23 0: 9 10455.421 6305.27 0
15. 11 1365.42 6515.36 0: 12 2275.42 6725.45 0: 13 3195.42 6935.54 0
16. 14 4095.42 7145.63 0: 15 5005.42 7355.72 0: 16 5915.42 7565.81 0
17. 17 6825.42 7775.9 0: 18 7280.42 7670.86 0: 19 8190.42 7460.77 0
18. 20 9100.42 7250.68 0: 21 10010.4 7040.59 0: 22 10920.4 6830.5 0
19. 23 11830.4 6620.41 0: 24 12740.4 6410.32 0: 25 13650.4 6200.23 0
20. 26 13650.4 6200.23 0: 27 1275.42 6200.23 0: 28 3185.42 6200.23 0
21. 29 4095.42 6200.23 0: 30 5005.42 6200.23 0: 31 5915.42 6200.23 0
22. 32 6825.42 6200.23 0: 33 8190.42 6200.23 0: 34 9100.42 6200.23 0
23. 35 10010.4 6200.23 0: 36 10920.4 6200.23 0: 37 11830.4 6200.23 0
24. 38 12740.4 6200.23 0: 39 0.420791 2850.23 0: 40 0.420791 5850.23 0
25. 41 13650.4 2850.23 0: 42 13650.4 5850.23 0: 43 500.421 3300.23 0
26. 45 6780.42 3300.23 0: 46 7780.42 3300.23 0: 47 13150.4 3300.23 0
27. MEMBER INCIDENCES
28. 1 1 39: 2 2 40: 3 4 41: 4 5 42: 7 3 10: 8 10 11: 9 11 12: 10 12 13: 11 13 14
29. 12 14 15: 13 15 16: 14 16 17: 15 17 18: 16 18 19: 17 19 20: 18 20 21: 19 21 22
30. 22 23: 21 23 24: 22 24 25: 23 25 26: 24 26 27: 25 27 28: 26 28 29: 27 28 29
31. 28 29 30: 29 30 31: 30 31 32: 31 32 33: 32 33 34: 33 34 35: 34 35 36
32. 36 37: 37 37 38: 38 38 39: 39 39 40: 40 40 41: 41 41 42: 42 42 43: 43 43 44
33. 44 45: 45 45 46: 46 46 47: 47 47 48: 48 48 49: 49 49 50: 50 50 51: 51 51 52
34. 52 53: 53 53 54: 54 54 55: 55 55 56: 56 56 57: 57 57 58: 58 58 59: 59 59 60: 60
35. 60 61: 61 61 62: 62 62 63: 63 63 64: 64 64 65: 65 65 66: 66 66 67: 67 67 68
36. 68 69: 69 69 70: 70 70 71: 71 71 72: 72 72 73: 73 73 74: 74 74 75: 75 75 76: 76
37. 76 77: 77 77 78: 78 78 79: 79 79 80: 80 80 81: 81 81 82: 82 82 83: 83 83 84: 84
38. DEFINE MATERIAL START
39. ISOTROPIC STEEL
40. E 205
41. POISSON 0.3

DNF IMPORT OF 2F7.5K.DXF

42. DENSITY 7.68195E-008
43. ALPHA 6.5E-006
44. DAMP 0.03
45. END DEFINE MATERIAL
46. CONSTANTS
47. MATERIAL STEEL ALL
48. START USER TABLE
49. TABLE 1
50. UNIT MMS KN
51. GENERAL
52. C38X38
53. 252 38 2.3 38 2.3 38072 62913 100000 1557 3311 87 175 1557 3311 100000 38
54. TABLE 2
55. UNIT MMS KN
56. GENERAL
57. 2C75X45
58. 1098 75 6 90 3 938192 638334 100000 26218 14185 450 270 26218 14185 100000 75
59. TABLE 3
60. UNIT MMS KN
61. GENERAL
62. C100X50
63. 653 50 3 100 3 229000 590000 1E+006 7270 19800 300 343 11500 23600 1E+006 48
64. TABLE 4
65. UNIT MMS KN
66. GENERAL
67. C75X45
68. 518 45 2 75 3 138000 449000 100000 4940 12000 270 315 4940 12000 100000 40
69. TABLE 5
70. UNIT MMS KN
71. TUBE
72. SHS100X3-CF
73. 1140 100 100 3 1.77E+006 1.77E+006 2.79E+006 600 400
74. TABLE 6
75. UNIT MMS KN
76. TUBE
77. SHS100X4-CF
78. 1490 100 100 4 2.26E+006 2.26E+006 3.62E+006 800 533
79. TABLE 7
80. UNIT MMS KN
81. TUBE
82. SHS100X6-CF
83. 2160 100 100 6 3.11E+006 3.11E+006 5.14E+006 1200 800
84. TABLE 8
85. UNIT MMS KN
86. TUBE
87. SHS150X4-SCF
88. 2570 150 150 4.5 8.96E+006 8.96E+006 1.41E+007 1350 900
89. TABLE 9
90. UNIT MMS KN
91. TUBE
92. SHS75X3-CF
93. 841 75 75 3 716000 716000 1.15E+006 450 300
94. TABLE 10
95. UNIT MMS KN
96. TUBE
97. SHS50X3-CF

DNF IMPORT OF 2F7.5K.DXF

```

98. 541 50 50 3 195000 195000 321000 300 200
99. TABLE 11
100. UNIT MMS KN
101. TUBE
102. SHS38X3-CF
103. 397 38 38 3 78500 78500 133000 228 152
104. TABLE 12
105. UNIT MMS KN
106. GENERAL
107. 2C300X98X3.0
108. 3258 300 6 196 3 4.416E+007 6.5986E+006 100000 294408 68736 2136 1800 -
109. 9.29441E+006 68736 100000 300
110. TABLE 13
111. UNIT MMS KN
112. TUBE
113. SHS125X4.5-CF
114. 2120 125 125 4.5 5.06E+006 5.06E+006 8.04E+006 1125 750
115. TABLE 14
116. UNIT MMS KN
117. TUBE
118. RH5150X100X4.5-CF
119. 2120 150 110 4.5 6.58E+006 3.52E+006 7.36E+006 900 900
120. TABLE 15
121. UNIT MMS KN
122. TUBE
123. SHS75X5-CF
124. 1340 75 75 5 1.06E+006 1.06E+006 1.77E+006 750 500
125. TABLE 16
126. UNIT MMS KN
127. TUBE
128. SHS75X6-CF
129. 1560 75 75 6 1.2E+006 1.2E+006 1.9710E+006 900 600
130. TABLE 17
131. UNIT MMS KN
132. TUBE
133. SHS75X4.5-CF
134. 970 75 75 4.5 986000 986000 1.63E+006 675 450
135. END
136. MEMBER PROPERTY AMERICAN
137. 2 TO 4 71 TO 73 UPTABLE 2 2C75X45
138. 68 69 75 TO 78 UPTABLE 12 2C300X98X3.0
139. 7 TO 39 UPTABLE 4 C75X45
140. 40 TO 67 UPTABLE 11 SHS38X3-CF
141. 83 84 UPTABLE 10 SHS50X3-CF
142. UNIT METER KN
143. MEMBER PROPERTY AMERICAN
144. 1 70 UPTABLE 17 SHS75X4.5-CF
145. UNIT MMS KN
146. SUPPORTS
147. 1 4 8 9 PINNED
148. MEMBER TRUSS
149. 39 TO 67
150. MEMBER RELEASE
151. 7 23 68 59 START MX MY MZ
152. 38 76 78 END MX MY MZ
153. UNIT METER KN

```

DNF IMPORT OF 2F7.5K.DXF

```

154. LOAD 1 S/W
155. SELFWEIGHT Y -1
156. LOAD 2 DL
157. MEMBER LOAD
158. 7 TO 22 UNI GY -1.27
159. 68 69 75 TO 78 UNI GY -0.76
160. LOAD 3 LL
161. MEMBER LOAD
162. 7 TO 22 UNI GY -1.82
163. 69 77 78 UNI GY -4.55
164. 68 75 76 UNI GY -9.1
165. LOAD 4 WL
166. MEMBER LOAD
167. 7 TO 22 UNI GY 1
168. LOAD COMB 6 ULTIMATE S/W-DL+LL
169. 1 1.4 2 1.4 3 1.6
170. LOAD COMB 7 ULTIMATE DL+WL
171. 1 1.0 2 1.0 4 1.4
172. LOAD COMB 9 SERVICE DL+LL FOR DEFLECTION
173. 2 1.0 3 1.0
174. LOAD COMB 10 SERVICE S/W-DL+LL FOR FOUNDATION DESIGN
175. 1 1.0 2 1.0 3 1.0
176. PERFORM ANALYSIS

```

PROBLEM STATISTICS

```

NUMBER OF JOINTS/MEMBERS/ELEMENTS/SUPPORTS = 45/ 5/ 77/ 4
ORIGINAL/FINAL BAND-WIDTH = 40/ 5/ 18 DOF
TOTAL PRIMARY LOAD CASES = 4, TOTAL DEGREES OF FREEDOM = 127
SIZE OF STIFFNESS MATRIX = 3 DOUBLE KILO-WORDS
REQD/AVAIL. DISK SPACE = 12.1/ 32685.9 KB, EXMEM = 250.9 MB

```

ZERO STIFFNESS IN DIRECTION 6 AT JOINT 8 FOR NO. 29
 LOADS APPLIED OR DISTRIBUTED HERE FROM ELEMENTS WILL BE IGNORED.
 THIS MAY BE DUE TO ALL MEMBERS AT THIS JOINT BEING RELEASED OR
 EFFECTIVELY RELEASED IN THIS DIRECTION.

```

177. PARAMETER
178. CODE BS5950
179. UNL 1 MEMB 75 77
180. CHECK CODE ALL

```

STRAD.PRO CODE CHECKING - (BSI)

PROGRAM CODE REVISION V2.4_5950-1_2000