

```

*****
* STRAD.Pro Build 02
* Version 2007
* Proprietary Program of
* Research Engineers, Intl.
* Date: JUL 17, 2009
* Time: 20: 7:57
*
* USER ID: Longrove_Associates
*****

```

## 1. STRAD PLANE DXF IMPORT OF ROOF TRANSFER\_2F7.5K.DXF

INPUT FILE: 2F7.5K ROOF TRANSFER.STD

## 2. START JOB INFORMATION

3. JOB NAME 2F7.5K - ROOF TRANSFER

## 4. JOB CLIENT ACL

5. ENGINEER NAME RCZ

6. APPROVED NAME LCK

7. ENGINEER DATE 15-JUN-09

8. END JOB INFORMATION

9. INPUT WIDTH 79

10. UNIT MMS KN

11. JOINT COORDINATES

12. 1 356.999 265.965 0; 2 7637 265.965 0; 4 3997 265.965 0

13. MEMBER INCIDENCES

14. 1 1 4; 3 4 2

15. DEFINE MATERIAL START

16. ISOTROPIC STEEL

17. E 205

18. POISSON 0.3

19. DENSITY 7.68195E-008

20. ALPHA 6.5E-006

21. DRMP 0.03

22. END DEFINE MATERIAL

23. CONSTANTS

24. MATERIAL STEEL ALL

25. START USER TABLE

26. TABLE 1

27. UNIT MMS KN

28. GENERAL

29. C38X38

30. 252 38 2.3 38 2.3 38072 62913 100000 1557 3311 87 175 1557 3311 100000 38

31. TABLE 2

32. UNIT MMS KN

33. GENERAL

34. C75X45

35. 1098 75 6 90 3 938192 638334 100000 26218 14185 450 270 26218 14185 100000 75

36. TABLE 3

37. UNIT MMS KN

38. GENERAL

39. C100X50

40. 653 50 3 100 3 229000 990000 1E+006 7270 19800 300 343 11600 23600 1E+006 48

## DXF IMPORT OF ROOF TRANSFER\_2F7.5K.DXF

```

41. TABLE 4
42. UNIT MMS KN
43. GENERAL
44. C75X45
45. 518 45 3 75 3 138000 449000 100000 4940 12000 270 315 4940 12000 100000 40
46. TABLE 5
47. UNIT MMS KN
48. TUBE
49. SHS100X3-CF
50. 1140 100 100 3 1.77E+006 1.77E+006 2.79E+006 600 400
51. TABLE 6
52. UNIT MMS KN
53. TUBE
54. SHS100X4-CF
55. 1490 100 100 4 2.26E+006 2.26E+006 3.62E+006 800 533
56. TABLE 7
57. UNIT MMS KN
58. TUBE
59. SHS100X6-CF
60. 2160 100 100 6 3.11E+006 3.11E+006 5.14E+006 1200 800
61. TABLE 8
62. UNIT MMS KN
63. TUBE
64. SHS150X4.5CF
65. 2570 150 150 4.5 8.96E+006 8.96E+006 1.41E+007 1350 900
66. TABLE 9
67. UNIT MMS KN
68. TUBE
69. SHS75X3-CF
70. 841 75 75 3 716000 716000 1.15E+006 450 300
71. TABLE 10
72. UNIT MMS KN
73. TUBE
74. SHS50X3-CF
75. 541 50 50 3 195000 195000 321000 300 200
76. TABLE 11
77. UNIT MMS KN
78. TUBE
79. SHS38X3-CF
80. 397 38 38 3 78500 78500 133000 228 152
81. TABLE 12
82. UNIT MMS KN
83. GENERAL
84. C300X30X3.0
85. 3258 300 6 196 3 4.41E+007 6.59E+006 100000 294408 62736 2136 1600 -
86. 9.29441E+006 68736 100000 300
87. TABLE 13
88. UNIT MMS KN
89. TUBE
90. SHS125X4.5-CF
91. 2120 125 125 4.5 5.06E+006 5.06E+006 8.04E+006 1125 750
92. TABLE 14
93. UNIT MMS KN
94. TUBE
95. RSI50X100X4.5-CF
96. 2120 150 110 4.5 6.58E+006 3.52E+006 7.36E+006 900 900

```

DXF IMPORT OF ROOF TRANSFER\_2F7.5K.DXF

97. TABLE 15  
 98. UNIT MMS KN  
 99. TUBE  
 100. RNS200X100X4.5  
 101. 2570 200 100 4.5 1.331E+007 4.55E+006 1.097E+007 1800 900  
 102. TABLE 16  
 103. UNIT MMS KN  
 104. TUBE  
 105. RNS200X100X6.3  
 106. 3480 200 100 6.3 1.739E+007 5.91E+006 1.483E+007 2520 1260  
 107. TABLE 17  
 108. UNIT MMS KN  
 109. TUBE  
 110. RNS250X150X6  
 111. 4560 250 150 6 3.886E+007 1.768E+007 3.81816E+007 3000 1800  
 112. END  
 113. MEMBER PROPERTY AMERICAN  
 114. 1 3 UPTABLE 17 RNS250X150X6  
 115. SUPPORTS  
 116. 1 PINNED  
 117. 2 FIXED BUT FX MX MY MZ  
 118. UNIT METER KN  
 119. LOAD 1 LOADTYPE DEAD TITLE S/W  
 120. SELFWEIGHT Y -1  
 121. LOAD 2 LOADTYPE DEAD REDUCIBLE TITLE DL  
 122. JOINT LOAD  
 123. 4 FY -14  
 124. LOAD 3 LOADTYPE LIVE REDUCIBLE TITLE LL  
 125. JOINT LOAD  
 126. 4 FY -17.5  
 127. LOAD 4 LOADTYPE WIND TITLE WL  
 128. JOINT LOAD  
 129. 4 FY 9.9  
 130. LOAD COMB 5 1.4DL + 1.6LL  
 131. 1 1.4  
 132. LOAD COMB 6 1.0DL + 1.4WL  
 133. 1 1.0  
 134. LOAD COMB 7 SERVICE  
 135. 1 1.0  
 136. PERFORM ANALYSIS

PROBLEM STATISTICS

NUMBER OF JOINTS/MEMBERS/ELEMENTS/SUPPORTS = 3/ 2/ 2

DXF IMPORT OF ROOF TRANSFER\_2F7.5K.DXF

SOVER USED IS THE OUT-OF-CORE BASIC SOLVER

ORIGINAL/FINAL BAND-WIDTH= 2/ 2/ 6 DOF  
 TOTAL PRIMARY LOAD CASES = 4, TOTAL DEGREES OF FREEDOM = 6  
 SIZE OF STIFFNESS MATRIX = 1 DOUBLE KILLO-WORDS  
 RECORD/AVAIL. DISK SPACE = 12.0/ 32684.6 MB

137. PARAMETER  
 138. CODE BS5950  
 139. CHECK CODE ALL

STAD.FTC CODE CHECKING - (BSI )  
 \*\*\*\*\*

PROGRAM CODE REVISION V2.10\_5950-1\_2000

