

```

*****
*
*      STAAD.Pro V8i SELECTseries3
*      Version 20.07.08.20
*      Proprietary Program of
*      Bentley Systems, Inc.
*      Date= JUL 4, 2012
*      Time= 14:40: 4
*
*      USER ID: OGP Konsult Pte Ltd
*****

```

```

1. STAAD PLANE
INPUT FILE: truss01.STD
2. START JOB INFORMATION
3. ENGINEER DATE 03-JUL-12
4. END JOB INFORMATION
5. INPUT WIDTH 79
6. UNIT METER KN
7. JOINT COORDINATES
8. 1 0 0 0; 2 1.2 0 0; 3 0 -1.2 0
9. MEMBER INCIDENCES
10. 1 1 2; 2 2 3
11. DEFINE MATERIAL START
12. ISOTROPIC STEEL
13. E 2.05E+008
14. POISSON 0.3
15. DENSITY 76.8195
16. ALPHA 1.2E-005
17. DAMP 0.03
18. TYPE STEEL
19. STRENGTH FY 253200 FU 407800 RY 1.5 RT 1.2
20. END DEFINE MATERIAL
21. MEMBER PROPERTY BRITISH
22. 1 2 TABLE ST CH100X50X10
23. CONSTANTS
24. MATERIAL STEEL ALL
25. SUPPORTS
26. 1 3 FIXED
27. LOAD 1 LOADTYPE DEAD TITLE DEAD LOAD
28. SELFWEIGHT Y -1
29. MEMBER LOAD
30. 1 LIN Y 0 -1.885
31. LOAD 2 LOADTYPE LIVE REDUCIBLE TITLE LIVE LOAD
32. MEMBER LOAD
33. 1 LIN Y 0 -5.655
34. LOAD COMB 3 1.4DL + 1.6LL
35. 1 1.4 2 1.6
36. LOAD COMB 4 1.0DL + 1.0LL
37. 1 1.0 2 1.0
38. PERFORM ANALYSIS

```

PROBLEM STATISTICS

NUMBER OF JOINTS/MEMBER+ELEMENTS/SUPPORTS = 3/ 2/ 2

SOLVER USED IS THE OUT-OF-CORE BASIC SOLVER

ORIGINAL/FINAL BAND-WIDTH= 1/ 1/ 3 DOF
TOTAL PRIMARY LOAD CASES = 2, TOTAL DEGREES OF FREEDOM = 3
SIZE OF STIFFNESS MATRIX = 0 DOUBLE KILO-WORDS
REQRD/AVAIL. DISK SPACE = 12.0/ 400131.2 MB

39. PARAMETER 1
40. CODE BS5950
41. CHECK CODE ALL

STAAD.Pro CODE CHECKING - (BSI)

PROGRAM CODE REVISION V2.13_5950-1_2000