

```
*****
*
*      STAAD.Pro
*      Version 2007    Build 01
*      Proprietary Program of
*      Research Engineers, Intl.
*      Date=    DEC 7, 2011
*      Time=    17:26: 8
*
*      USER ID:
*****
```

```
1. STAAD SPACE DXF IMPORT OF 20110810_5T CRANE ROOF COL.DXF
INPUT FILE: 201111201 Pig Stn 25T Crane Frame S1.STD
2. START JOB INFORMATION
3. ENGINEER DATE 10-AUG-11
4. END JOB INFORMATION
5. INPUT WIDTH 79
6. UNIT METER KN
7. JOINT COORDINATES
8. 1 0 0 0; 29 0 10.4 0; 43 0 12.9 0; 44 0.6 10.4 0; 46 16.2 0 0; 47 16.2 10.4 0
9. 48 16.2 12.9 0; 49 15.6 10.4 0; 50 0 5.4 0; 51 16.2 5.4 0; 52 0.6 10.7 0
10. 53 15.6 10.7 0; 54 0 0 11; 55 0 10.4 11; 56 0 12.9 11; 57 0.6 10.4 11
11. 58 16.2 0 11; 59 16.2 10.4 11; 60 16.2 12.9 11; 61 15.6 10.4 11; 62 0 5.4 11
12. 63 16.2 5.4 11; 64 0.6 10.7 11; 65 15.6 10.7 11; 66 0 0 21; 67 0 10.4 21
13. 68 0 12.9 21; 69 0.6 10.4 21; 70 16.2 0 21; 71 16.2 10.4 21; 72 16.2 12.9 21
14. 73 15.6 10.4 21; 74 0 5.4 21; 75 16.2 5.4 21; 76 0.6 10.7 21; 77 15.6 10.7 21
15. 78 0 0 33; 79 0 10.4 33; 80 0 12.9 33; 81 0.6 10.4 33; 82 16.2 0 33
16. 83 16.2 10.4 33; 84 16.2 12.9 33; 85 15.6 10.4 33; 86 0 5.4 33; 87 16.2 5.4 33
17. 88 0.6 10.7 33; 89 15.6 10.7 33; 90 0 0 45; 91 0 10.4 45; 92 0 12.9 45
18. 93 0.6 10.4 45; 94 16.2 0 45; 95 16.2 10.4 45; 96 16.2 12.9 45
19. 97 15.6 10.4 45; 98 0 5.4 45; 99 16.2 5.4 45; 100 0.6 10.7 45
20. 101 15.6 10.7 45; 102 0 0 57; 103 0 10.4 57; 104 0 12.9 57; 105 0.6 10.4 57
21. 106 16.2 0 57; 107 16.2 10.4 57; 108 16.2 12.9 57; 109 15.6 10.4 57
22. 110 0 5.4 57; 111 16.2 5.4 57; 112 0.6 10.7 57; 113 15.6 10.7 57; 114 0 0 66.2
23. 115 0 10.4 66.2; 116 0 12.9 66.2; 117 0.6 10.4 66.2; 118 16.2 0 66.2
24. 119 16.2 10.4 66.2; 120 16.2 12.9 66.2; 121 15.6 10.4 66.2; 122 0 5.4 66.2
25. 123 16.2 5.4 66.2; 124 0.6 10.7 66.2; 125 15.6 10.7 66.2; 126 0 0 75.5
26. 127 0 10.4 75.5; 128 0 12.9 75.5; 129 0.6 10.4 75.5; 130 16.2 0 75.5
27. 131 16.2 10.4 75.5; 132 16.2 12.9 75.5; 133 15.6 10.4 75.5; 134 0 5.4 75.5
28. 135 16.2 5.4 75.5; 136 0.6 10.7 75.5; 137 15.6 10.7 75.5; 138 0 0 85
29. 139 0 10.4 85; 140 0 12.9 85; 141 0.6 10.4 85; 142 16.2 0 85; 143 16.2 10.4 85
30. 144 16.2 12.9 85; 145 15.6 10.4 85; 146 0 5.4 85; 147 16.2 5.4 85
31. 148 0.6 10.7 85; 149 15.6 10.7 85; 150 0 0 95; 151 0 10.4 95; 152 0 12.9 95
32. 153 0.6 10.4 95; 154 16.2 0 95; 155 16.2 10.4 95; 156 16.2 12.9 95
33. 157 15.6 10.4 95; 158 0 5.4 95; 159 16.2 5.4 95; 160 0.6 10.7 95
34. 161 15.6 10.7 95; 162 0 0 106; 163 0 10.4 106; 164 0 12.9 106
35. 165 0.6 10.4 106; 166 16.2 0 106; 167 16.2 10.4 106; 168 16.2 12.9 106
36. 169 15.6 10.4 106; 170 0 5.4 106; 171 16.2 5.4 106; 172 0.6 10.7 106
37. 173 15.6 10.7 106; 174 0 0 113; 175 0 10.4 113; 176 0 12.9 113
38. 177 0.6 10.4 113; 178 16.2 0 113; 179 16.2 10.4 113; 180 16.2 12.9 113
39. 181 15.6 10.4 113; 182 0 5.4 113; 183 16.2 5.4 113; 184 0.6 10.7 113
40. 185 15.6 10.7 113; 186 0 0 124; 187 0 10.4 124; 188 0 12.9 124
41. 189 0.6 10.4 124; 190 16.2 0 124; 191 16.2 10.4 124; 192 16.2 12.9 124
42. 193 15.6 10.4 124; 194 0 5.4 124; 195 16.2 5.4 124; 196 0.6 10.7 124
43. 197 15.6 10.7 124; 198 0 0 130; 199 0 10.4 130; 200 0 12.9 130
44. 201 0.6 10.4 130; 202 16.2 0 130; 203 16.2 10.4 130; 204 16.2 12.9 130
45. 205 15.6 10.4 130; 206 0 5.4 130; 207 16.2 5.4 130; 208 0.6 10.7 130
46. 209 15.6 10.7 130; 210 0 2.4 0; 211 16.2 2.4 0; 212 0 2.4 11; 213 16.2 2.4 11
47. 214 0 2.4 21; 215 16.2 2.4 21; 216 0 2.4 33; 217 16.2 2.4 33; 218 0 2.4 45
48. 219 16.2 2.4 45; 220 0 2.4 57; 221 16.2 2.4 57; 222 0 2.4 66.2
49. 223 16.2 2.4 66.2; 224 0 2.4 75.5; 225 16.2 2.4 75.5; 226 0 2.4 85
50. 227 16.2 2.4 85; 228 0 2.4 95; 229 16.2 2.4 95; 230 0 2.4 106
51. 231 16.2 2.4 106; 232 0 2.4 113; 233 16.2 2.4 113; 234 0 2.4 124
52. 235 16.2 2.4 124; 236 0 2.4 130; 237 16.2 2.4 130
53. MEMBER INCIDENCES
```

```
54. 100 1 210; 128 29 43; 129 29 44; 130 46 211; 131 47 48; 132 47 49; 133 43 48
55. 134 50 29; 135 51 47; 136 44 52; 137 49 53; 138 54 212; 139 55 56; 140 55 57
56. 141 58 213; 142 59 60; 143 59 61; 144 56 60; 145 62 55; 146 63 59; 147 57 64
57. 148 61 65; 149 66 214; 150 67 68; 151 67 69; 152 70 215; 153 71 72; 154 71 73
58. 155 68 72; 156 74 67; 157 75 71; 158 69 76; 159 73 77; 160 78 216; 161 79 80
59. 162 79 81; 163 82 217; 164 83 84; 165 83 85; 166 80 84; 167 86 79; 168 87 83
60. 169 81 88; 170 85 89; 171 90 218; 172 91 92; 173 91 93; 174 94 219; 175 95 96
61. 176 95 97; 177 92 96; 178 98 91; 179 99 95; 180 93 100; 181 97 101
62. 182 102 220; 183 103 104; 184 103 105; 185 106 221; 186 107 108; 187 107 109
63. 188 104 108; 189 110 103; 190 111 107; 191 105 112; 192 109 113; 193 114 222
64. 194 115 116; 195 115 117; 196 118 223; 197 119 120; 198 119 121; 199 116 120
65. 200 122 115; 201 123 119; 202 117 124; 203 121 125; 204 126 224; 205 127 128
66. 206 127 129; 207 130 225; 208 131 132; 209 131 133; 210 128 132; 211 134 127
67. 212 135 131; 213 129 136; 214 133 137; 215 138 226; 216 139 140; 217 139 141
68. 218 142 227; 219 143 144; 220 143 145; 221 140 144; 222 146 139; 223 147 143
69. 224 141 148; 225 145 149; 226 150 228; 227 151 152; 228 151 153; 229 154 229
70. 230 155 156; 231 155 157; 232 152 156; 233 158 151; 234 159 155; 235 153 160
71. 236 157 161; 237 162 230; 238 163 164; 239 163 165; 240 166 231; 241 167 168
72. 242 167 169; 243 164 168; 244 170 163; 245 171 167; 246 165 172; 247 169 173
73. 248 174 232; 249 175 176; 250 175 177; 251 178 233; 252 179 180; 253 179 181
74. 254 176 180; 255 182 175; 256 183 179; 257 177 184; 258 181 185; 259 186 234
75. 260 187 188; 261 187 189; 262 190 235; 263 191 192; 264 191 193; 265 188 192
76. 266 194 187; 267 195 191; 268 189 196; 269 193 197; 270 198 236; 271 199 200
77. 272 199 201; 273 202 237; 274 203 204; 275 203 205; 276 200 204; 277 206 199
78. 278 207 203; 279 201 208; 280 205 209; 281 43 56; 282 56 68; 283 68 80
79. 284 80 92; 285 92 104; 286 104 116; 287 116 128; 288 128 140; 289 140 152
80. 290 152 164; 291 164 176; 292 176 188; 293 188 200; 294 48 69; 295 60 72
81. 296 72 84; 297 84 96; 298 96 108; 299 108 120; 300 120 132; 301 132 144
82. 302 144 156; 303 156 168; 304 168 180; 305 180 192; 306 192 204; 307 50 62
83. 308 62 74; 309 74 86; 310 86 98; 311 98 110; 312 110 122; 313 122 134
84. 314 134 146; 315 146 158; 316 158 170; 317 170 182; 318 182 194; 319 194 206
85. 320 51 63; 321 63 75; 322 75 87; 323 87 99; 324 99 111; 325 111 123
86. 326 123 135; 327 135 147; 328 147 159; 329 159 171; 330 171 183; 331 183 195
87. 332 195 207; 333 52 64; 334 64 76; 335 76 88; 336 88 100; 337 100 112
88. 338 112 124; 339 124 136; 340 136 148; 341 148 160; 342 160 172; 343 172 184
89. 344 184 196; 345 196 208; 346 53 65; 347 65 77; 348 77 89; 349 89 101
90. 350 101 113; 351 113 125; 352 125 137; 353 137 149; 354 149 161; 355 161 173
91. 356 173 185; 357 185 197; 358 197 209; 387 48 56; 388 43 60; 389 72 80
92. 390 68 84; 391 96 104; 392 92 108; 393 120 128; 394 116 132; 395 144 152
93. 396 140 156; 397 168 176; 398 164 180; 399 192 200; 400 188 204; 401 210 50
94. 402 211 51; 403 212 62; 404 213 63; 405 214 74; 406 215 75; 407 216 86
95. 408 217 87; 409 218 98; 410 219 99; 411 220 110; 412 221 111; 413 222 122
96. 414 223 123; 415 224 134; 416 225 135; 417 226 146; 418 227 147; 419 228 158
97. 420 229 159; 421 230 170; 422 231 171; 423 232 182; 424 233 183; 425 234 194
98. 426 235 195; 427 236 206; 428 237 207; 429 210 212; 430 212 214; 431 214 216
99. 432 216 218; 433 218 220; 434 220 222; 435 222 224; 436 224 226; 437 226 228
100. 438 228 230; 439 230 232; 440 232 234; 441 234 236; 442 211 213; 443 213 215
101. 444 215 217; 445 217 219; 446 219 221; 447 221 223; 448 223 225; 449 225 227
102. 450 227 229; 451 229 231; 452 231 233; 453 233 235; 454 235 237; 455 56 72
103. 456 68 60; 457 84 92; 458 80 96; 459 108 116; 460 104 120; 461 132 140
104. 462 128 144; 463 156 164; 464 152 168; 465 180 188; 466 176 192; 467 210 54
105. 468 1 212; 471 214 78; 472 66 216; 475 218 102; 476 90 220; 477 222 126
106. 478 114 224; 479 226 150; 480 138 228; 481 230 174; 482 162 232; 483 234 198
107. 484 186 236; 485 211 58; 486 213 46; 487 215 82; 488 217 70; 489 219 106
108. 490 221 94; 491 223 130; 492 225 118; 493 227 154; 494 229 142; 495 231 178
109. 496 233 166; 497 235 202; 498 237 190
110. DEFINE MATERIAL START
111. ISOTROPIC STEEL
112. E 2.05E+008
113. POISSON 0.3
114. DENSITY 78.5
115. ALPHA 1.2E-005
116. DAMP 0.03
117. END DEFINE MATERIAL
118. START USER TABLE
119. TABLE 1
120. UNIT METER KN
121. WIDE FLANGE
122. 762X381X257.5
123. 0.0325639 0.7732 0.0166 0.3806 0.0271 0.00338624 0.000249288 6.14624E-006 -
```

Wednesday, December 07, 2011, 05:26 PM

```

124. 0.0128351 0.0206285
125. END
126. MEMBER PROPERTY JAPANESE
127. 100 128 TO 132 134 TO 143 145 TO 154 156 TO 165 167 TO 176 178 TO 187 189 -
128. 190 TO 198 200 TO 209 211 TO 220 222 TO 231 233 TO 242 244 TO 253 255 TO 264 -
129. 266 TO 275 277 TO 280 401 TO 428 TABLE ST H414X405X18
130. 333 TO 358 TABLE TB H700X300X13 WP 0.3 TH 0.01
131. 307 TO 332 429 TO 454 TABLE ST H344X348X10
132. 133 144 155 166 177 188 199 210 221 232 243 254 265 276 281 TO 305 -
133. 306 TABLE ST H344X348X10
134. 387 TO 400 455 TO 466 TABLE ST C150X75X9
135. 467 468 471 472 475 TO 498 TABLE ST C150X75X9
136. CONSTANTS
137. MATERIAL STEEL ALL
138. SUPPORTS
139. 1 46 54 58 66 70 78 82 90 94 102 106 114 118 126 130 138 142 150 154 162 166 -
140. 174 178 186 190 198 202 FIXED BUT MX MY
141. MEMBER RELEASE
142. 307 TO 332 429 TO 454 START MY MZ
143. 307 TO 332 429 TO 454 END MY MZ
144. *387 TO 400 455 TO 466 START MY MZ
145. *387 TO 400 455 TO 466 END MY MZ
146. *****
147. MEMBER TENSION
148. 467 468 471 472 475 TO 498
149. MEMBER TENSION
150. 387 TO 400 455 TO 466
151. *****
152. LOAD 1 DEAD LOAD - DL
153. SELFWEIGHT Y -1
154. *****CASE 1*****
155. LOAD 2 CRANE MAX MIN WHEEL LOAD - LL1 CASE 1
156. *25 TONS CRANE MAX WHEEL LOAD
157. JOINT LOAD
158. 44 FX -66.3 FY -374.8 FZ -30.8
159. *25 TONS CRANE MIN WHEEL LOAD
160. JOINT LOAD
161. 49 FX -47.3 FY -86.4 FZ -30.8
162. *****CASE 2*****
163. LOAD 3 CRANE MAX MIN WHEEL LOAD - LL1 CASE 2
164. *25 TONS CRANE MAX WHEEL LOAD
165. JOINT LOAD
166. 57 FX -66.3 FY -374.8 FZ -30.8
167. *25 TONS CRANE MIN WHEEL LOAD
168. JOINT LOAD
169. 49 FX -47.3 FY -86.4 FZ -30.8
170. *****CASE 3*****
171. LOAD 4 CRANE MAX MIN WHEEL LOAD - LL1 CASE 3
172. *25 TONS CRANE MAX WHEEL LOAD
173. JOINT LOAD
174. 69 FX -66.3 FY -374.8 FZ -30.8
175. *25 TONS CRANE MIN WHEEL LOAD
176. JOINT LOAD
177. 73 FX -47.3 FY -86.4 FZ -30.8
178. *****CASE 4*****
179. LOAD 5 CRANE MAX MIN WHEEL LOAD - LL1 CASE 4
180. *25 TONS CRANE MAX WHEEL LOAD
181. JOINT LOAD
182. 81 FX -66.3 FY -374.8 FZ -30.8
183. *25 TONS CRANE MIN WHEEL LOAD
184. JOINT LOAD
185. 85 FX -47.3 FY -86.4 FZ -30.8
186. *****CASE 5*****
187. LOAD 6 CRANE MAX MIN WHEEL LOAD - LL1 CASE 5
188. *25 TONS CRANE MAX WHEEL LOAD
189. JOINT LOAD
190. 93 FX -66.3 FY -374.8 FZ -30.8
191. *25 TONS CRANE MIN WHEEL LOAD
192. JOINT LOAD
193. 97 FX -47.3 FY -86.4 FZ -30.8

```

Wednesday, December 07, 2011, 05:26 PM

```

194. *****CASE 6*****
195. LOAD 7 CRANE MAX MIN WHEEL LOAD - LL1 CASE 6
196. *25 TONS CRANE MAX WHEEL LOAD
197. JOINT LOAD
198. 105 FX -66.3 FY -374.8 FZ -30.8
199. *25 TONS CRANE MIN WHEEL LOAD
200. JOINT LOAD
201. 109 FX -47.3 FY -86.4 FZ -30.8
202. *****CASE 7*****
203. LOAD 8 CRANE MAX MIN WHEEL LOAD - LL1 CASE 7
204. *25 TONS CRANE MAX WHEEL LOAD
205. JOINT LOAD
206. 117 FX -66.3 FY -374.8 FZ -30.8
207. *25 TONS CRANE MIN WHEEL LOAD
208. JOINT LOAD
209. 121 FX -47.3 FY -86.4 FZ -30.8
210. *****CASE 8*****
211. LOAD 9 CRANE MAX MIN WHEEL LOAD - LL1 CASE 8
212. *25 TONS CRANE MAX WHEEL LOAD
213. JOINT LOAD
214. 129 FX -66.3 FY -374.8 FZ -30.8
215. *25 TONS CRANE MIN WHEEL LOAD
216. JOINT LOAD
217. 133 FX -47.3 FY -86.4 FZ -30.8
218. *****CASE 9*****
219. LOAD 10 CRANE MAX MIN WHEEL LOAD - LL1 CASE 9
220. *25 TONS CRANE MAX WHEEL LOAD
221. JOINT LOAD
222. 141 FX -66.3 FY -374.8 FZ -30.8
223. *25 TONS CRANE MIN WHEEL LOAD
224. JOINT LOAD
225. 145 FX -47.3 FY -86.4 FZ -30.8
226. *****CASE 10*****
227. LOAD 11 CRANE MAX MIN WHEEL LOAD - LL1 CASE 10
228. *25 TONS CRANE MAX WHEEL LOAD
229. JOINT LOAD
230. 153 FX -66.3 FY -374.8 FZ -30.8
231. *25 TONS CRANE MIN WHEEL LOAD
232. JOINT LOAD
233. 157 FX -47.3 FY -86.4 FZ -30.8
234. *****CASE 11*****
235. LOAD 12 CRANE MAX MIN WHEEL LOAD - LL1 CASE 11
236. *25 TONS CRANE MAX WHEEL LOAD
237. JOINT LOAD
238. 165 FX -66.3 FY -374.8 FZ -30.8
239. *25 TONS CRANE MIN WHEEL LOAD
240. JOINT LOAD
241. 169 FX -47.3 FY -86.4 FZ -30.8
242. *****CASE 12*****
243. LOAD 13 CRANE MAX MIN WHEEL LOAD - LL1 CASE 12
244. *25 TONS CRANE MAX WHEEL LOAD
245. JOINT LOAD
246. 177 FX -66.3 FY -374.8 FZ -30.8
247. *25 TONS CRANE MIN WHEEL LOAD
248. JOINT LOAD
249. 181 FX -47.3 FY -86.4 FZ -30.8
250. *****CASE 14*****
251. LOAD 14 CRANE MAX MIN WHEEL LOAD - LL1 CASE 13
252. *25 TONS CRANE MAX WHEEL LOAD
253. JOINT LOAD
254. 189 FX -66.3 FY -374.8 FZ -30.8
255. *25 TONS CRANE MIN WHEEL LOAD
256. JOINT LOAD
257. 193 FX -47.3 FY -86.4 FZ -30.8
258. *****CASE 14*****
259. LOAD 15 CRANE MAX MIN WHEEL LOAD - LL1 CASE 14
260. *25 TONS CRANE MAX WHEEL LOAD
261. JOINT LOAD
262. 201 FX -66.3 FY -374.8 FZ -30.8
263. *25 TONS CRANE MIN WHEEL LOAD

```

Wednesday, December 07, 2011, 05:26 PM

264. JOINT LOAD
265. 205 FX -47.3 FY -86.4 FZ -30.8
266. *****
267. *WIND LOAD : X-DIR
268. *****
269. LOAD 16 WIND LOAD - WLX
270. MEMBER LOAD
271. 100 128 130 131 134 135 138 139 141 142 145 146 149 150 152 153 156 157 160 -
272. 161 163 164 167 168 171 172 174 175 178 179 182 183 185 186 189 190 193 194 -
273. 196 197 200 201 204 205 207 208 211 212 215 216 218 219 222 223 226 227 229 -
274. 230 233 234 237 238 240 241 244 245 248 249 251 252 255 256 259 260 262 263 -
275. 266 267 270 271 273 274 277 278 281 TO 306 310 319 323 332 401 TO 439 441 -
276. 442 TO 452 454 UNI GX -0.34
277. 453 UNI GX -0.34 7.658 11
278. 453 UNI GX -0.34 0 7.658
279. 331 UNI GX -0.34 7.658 11
280. 331 UNI GX -0.34 0 7.658
281. 330 UNI GX -0.34 4.734 7
282. 330 UNI GX -0.34 0 4.734
283. 329 UNI GX -0.34 9.535 11
284. 329 UNI GX -0.34 3.635 9.535
285. 329 UNI GX -0.34 0 3.635
286. 328 UNI GX -0.34 8.275 10
287. 328 UNI GX -0.34 3.475 8.275
288. 328 UNI GX -0.34 0 3.475
289. 327 UNI GX -0.34 8.175 9.5
290. 327 UNI GX -0.34 3.375 8.175
291. 327 UNI GX -0.34 0 3.375
292. 326 UNI GX -0.34 7.875 9.3
293. 326 UNI GX -0.34 3.075 7.875
294. 326 UNI GX -0.34 0 3.075
295. 325 UNI GX -0.34 8.055 9.2
296. 325 UNI GX -0.34 3.455 8.055
297. 325 UNI GX -0.34 0 3.455
298. 324 UNI GX -0.34 8.75 10.855
299. 324 UNI GX -0.34 10.855 12
300. 324 UNI GX -0.34 0 8.75
301. 322 UNI GX -0.34 10.623 12
302. 322 UNI GX -0.34 7.423 10.623
303. 322 UNI GX -0.34 4.223 7.423
304. 322 UNI GX -0.34 1.023 4.223
305. 322 UNI GX -0.34 0 1.023
306. 321 UNI GX -0.34 7.823 10
307. 321 UNI GX -0.34 4.623 7.823
308. 321 UNI GX -0.34 1.423 4.623
309. 321 UNI GX -0.34 0 1.423
310. 320 UNI GX -0.34 9.223 11
311. 320 UNI GX -0.34 6.023 9.223
312. 320 UNI GX -0.34 2.826 6.023
313. 320 UNI GX -0.34 0 2.826
314. 440 UNI GX -0.34 7.658 11
315. 440 UNI GX -0.34 0 7.658
316. 318 UNI GX -0.34 7.658 11
317. 318 UNI GX -0.34 0 7.658
318. 317 UNI GX -0.34 4.734 7
319. 317 UNI GX -0.34 0 4.734
320. 316 UNI GX -0.34 9.535 11
321. 316 UNI GX -0.34 3.635 9.535
322. 316 UNI GX -0.34 0 3.635
323. 315 UNI GX -0.34 8.275 10
324. 315 UNI GX -0.34 3.475 8.275
325. 315 UNI GX -0.34 0 3.475
326. 314 UNI GX -0.34 8.175 9.5
327. 314 UNI GX -0.34 3.375 8.175
328. 314 UNI GX -0.34 0 3.375
329. 313 UNI GX -0.34 7.875 9.3
330. 313 UNI GX -0.34 3.075 7.875
331. 313 UNI GX -0.34 0 3.075
332. 312 UNI GX -0.34 8.055 9.2

Wednesday, December 07, 2011, 05:26 PM

334. 312 UNI GX -0.34 0 3.455
335. 311 UNI GX -0.34 8.75 10.855
336. 311 UNI GX -0.34 10.855 12
337. 311 UNI GX -0.34 0 8.75
338. 309 UNI GX -0.34 10.623 12
339. 309 UNI GX -0.34 7.423 10.623
340. 309 UNI GX -0.34 4.223 7.423
341. 309 UNI GX -0.34 1.023 4.223
342. 309 UNI GX -0.34 0 1.023
343. 308 UNI GX -0.34 7.823 10
344. 308 UNI GX -0.34 4.623 7.823
345. 308 UNI GX -0.34 1.423 4.623
346. 308 UNI GX -0.34 0 1.423
347. 307 UNI GX -0.34 9.223 11
348. 307 UNI GX -0.34 6.023 9.223
349. 307 UNI GX -0.34 2.826 6.023
350. 307 UNI GX -0.34 0 2.826
351. *****
352. *WIND LOAD : Z-DIR
353. *****
354. LOAD 17 WIND LOAD - WLZ
355. MEMBER LOAD
356. 100 128 130 131 133 TO 139 141 142 145 TO 150 152 153 156 TO 161 163 164 167 -
357. 168 TO 172 174 175 178 TO 183 185 186 189 TO 194 196 197 200 TO 205 207 208 -
358. 211 TO 216 218 219 222 TO 227 229 230 233 TO 238 240 241 244 TO 249 251 252 -
359. 255 TO 260 262 263 265 TO 271 273 274 276 TO 280 401 TO 428 UNI GZ -0.34
360. *****
361. *NOTIONAL LOAD : X-DIR
362. *****CASE 1*****
363. LOAD 18 NOTIONAL LOAD - NLX CASE 1
364. SELFWEIGHT X -0.015
365. *CRANE
366. JOINT LOAD
367. 44 FX -5.622
368. 49 FX -1.3
369. *****CASE 2*****
370. LOAD 19 NOTIONAL LOAD - NLX CASE 2
371. SELFWEIGHT X -0.015
372. *CRANE
373. JOINT LOAD
374. 57 FX -5.622
375. 61 FX -1.3
376. *****CASE 3*****
377. LOAD 20 NOTIONAL LOAD - NLX CASE 3
378. SELFWEIGHT X -0.015
379. *CRANE
380. JOINT LOAD
381. 69 FX -5.622
382. 73 FX -1.3
383. *****CASE 4*****
384. LOAD 21 NOTIONAL LOAD - NLX CASE 4
385. SELFWEIGHT X -0.015
386. *CRANE
387. JOINT LOAD
388. 81 FX -5.622
389. 85 FX -1.3
390. *****CASE 5*****
391. LOAD 22 NOTIONAL LOAD - NLX CASE 5
392. SELFWEIGHT X -0.015
393. *CRANE
394. JOINT LOAD
395. 93 FX -5.622
396. 97 FX -1.3
397. *****CASE 6*****
398. LOAD 23 NOTIONAL LOAD - NLX CASE 6
399. SELFWEIGHT X -0.015
400. *CRANE
401. JOINT LOAD
402. 105 FX -5.622
403. 109 FX -1.3

Wednesday, December 07, 2011, 05:26 PM

404. *****CASE 7*****
405. LOAD 24 NOTIONAL LOAD - NLX CASE 7
406. SELFWEIGHT X -0.015
407. *CRANE
408. JOINT LOAD
409. 117 FX -5.622
410. 121 FX -1.3
411. *****CASE 8*****
412. LOAD 25 NOTIONAL LOAD - NLX CASE 8
413. SELFWEIGHT X -0.015
414. *CRANE
415. JOINT LOAD
416. 129 FX -5.622
417. 133 FX -1.3
418. *****CASE 9*****
419. LOAD 26 NOTIONAL LOAD - NLX CASE 9
420. SELFWEIGHT X -0.015
421. *CRANE
422. JOINT LOAD
423. 141 FX -5.622
424. 145 FX -1.3
425. *****CASE 10*****
426. LOAD 27 NOTIONAL LOAD - NLX CASE 10
427. SELFWEIGHT X -0.015
428. *CRANE
429. JOINT LOAD
430. 153 FX -5.622
431. 157 FX -1.3
432. *****CASE 11*****
433. LOAD 28 NOTIONAL LOAD - NLX CASE 11
434. SELFWEIGHT X -0.015
435. *CRANE
436. JOINT LOAD
437. 165 FX -5.622
438. 169 FX -1.3
439. *****CASE 12*****
440. LOAD 29 NOTIONAL LOAD - NLX CASE 12
441. SELFWEIGHT X -0.015
442. *CRANE
443. JOINT LOAD
444. 177 FX -5.622
445. 181 FX -1.3
446. *****CASE 13*****
447. LOAD 30 NOTIONAL LOAD - NLX CASE 13
448. SELFWEIGHT X -0.015
449. *CRANE
450. JOINT LOAD
451. 189 FX -5.622
452. 193 FX -1.3
453. *****CASE 14*****
454. LOAD 31 NOTIONAL LOAD - NLX CASE 14
455. SELFWEIGHT X -0.015
456. *CRANE
457. JOINT LOAD
458. 201 FX -5.622
459. 205 FX -1.3
460. *****
461. *NOTIONAL LOAD : Z-DIR
462. *****CASE 1*****
463. LOAD 32 NOTIONAL LOAD - NLZ CASE 1
464. SELFWEIGHT Z -0.015
465. *CRANE
466. JOINT LOAD
467. 44 FZ -5.622
468. 49 FZ -1.3
469. *****CASE 2*****
470. LOAD 33 NOTIONAL LOAD - NLZ CASE 2
471. SELFWEIGHT Z -0.015
472. *CRANE
473. JOINT LOAD

Wednesday, December 07, 2011, 05:26 PM

474. 57 FZ -5.622
475. 61 FZ -1.3
476. *****CASE 3*****
477. LOAD 34 NOTIONAL LOAD - NLZ CASE 3
478. SELFWEIGHT Z -0.015
479. *CRANE
480. JOINT LOAD
481. 69 FZ -5.622
482. 73 FZ -1.3
483. *****CASE 4*****
484. LOAD 35 NOTIONAL LOAD - NLZ CASE 4
485. SELFWEIGHT X -0.015
486. *CRANE
487. JOINT LOAD
488. 81 FX -5.622
489. 85 FX -1.3
490. *****CASE 5*****
491. LOAD 36 NOTIONAL LOAD - NLZ CASE 5
492. SELFWEIGHT Z -0.015
493. *CRANE
494. JOINT LOAD
495. 93 FZ -5.622
496. 97 FZ -1.3
497. *****CASE 6*****
498. LOAD 37 NOTIONAL LOAD - NLZ CASE 6
499. SELFWEIGHT Z -0.015
500. *CRANE
501. JOINT LOAD
502. 105 FZ -5.622
503. 109 FZ -1.3
504. *****CASE 7*****
505. LOAD 38 NOTIONAL LOAD - NLZ CASE 7
506. SELFWEIGHT Z -0.015
507. *CRANE
508. JOINT LOAD
509. 117 FZ -5.622
510. 121 FZ -1.3
511. *****CASE 8*****
512. LOAD 39 NOTIONAL LOAD - NLZ CASE 8
513. SELFWEIGHT Z -0.015
514. *CRANE
515. JOINT LOAD
516. 129 FZ -5.622
517. 133 FZ -1.3
518. *****CASE 9*****
519. LOAD 40 NOTIONAL LOAD - NLZ CASE 9
520. SELFWEIGHT Z -0.015
521. *CRANE
522. JOINT LOAD
523. 141 FZ -5.622
524. 145 FZ -1.3
525. *****CASE 10*****
526. LOAD 41 NOTIONAL LOAD - NLZ CASE 10
527. SELFWEIGHT Z -0.015
528. *CRANE
529. JOINT LOAD
530. 153 FZ -5.622
531. 157 FZ -1.3
532. *****CASE 11*****
533. LOAD 42 NOTIONAL LOAD - NLZ CASE 11
534. SELFWEIGHT Z -0.015
535. *CRANE
536. JOINT LOAD
537. 165 FZ -5.622
538. 169 FZ -1.3
539. *****CASE 12*****
540. LOAD 43 NOTIONAL LOAD - NLZ CASE 12
541. SELFWEIGHT Z -0.015
542. *CRANE
543. JOINT LOAD

Wednesday, December 07, 2011, 05:26 PM

```

544. 177 FZ -5.622
545. 181 FZ -1.3
546. *****CASE 13*****
547. LOAD 44 NOTIONAL LOAD - NLZ CASE 13
548. SELFWEIGHT Z -0.015
549. *CRANE
550. JOINT LOAD
551. 189 FZ -5.622
552. 193 FZ -1.3
553. *****CASE 14*****
554. LOAD 45 NOTIONAL LOAD - NLZ CASE 14
555. SELFWEIGHT Z -0.015
556. *CRANE
557. JOINT LOAD
558. 201 FZ -5.622
559. 205 FZ -1.3
560. *****
561. *SERVICE LOAD COMBINATION
562. *****CASE 1*****
563. LOAD COMB 46 1.0DL + 1.0LL
564. 1 1.0 2 1.0
565. LOAD COMB 47 1.0DL + 1.0LL1 + 1.0WLX
566. 1 1.0 2 1.0 16 1.0
567. LOAD COMB 48 1.0DL+1.0LL1 + 1.0WLZ
568. 1 1.0 2 1.0 17 1.0
569. LOAD COMB 49 1.0DL + 1.0LL1 + 1.0NLX
570. 1 1.0 2 1.0 18 1.0
571. LOAD COMB 50 1.0DL + 1.0LL1 + 1.0NLZ
572. 1 1.0 2 1.0 32 1.0
573. *****CASE 2*****
574. LOAD COMB 51 1.0DL + 1.0LL
575. 1 1.0 3 1.0
576. LOAD COMB 52 1.0DL + 1.0LL1 + 1.0WLX
577. 1 1.0 3 1.0 16 1.0
578. LOAD COMB 53 1.0DL+1.0LL1 + 1.0WLZ
579. 1 1.0 3 1.0 17 1.0
580. LOAD COMB 54 1.0DL + 1.0LL1 + 1.0NLX
581. 1 1.0 3 1.0 19 1.0
582. LOAD COMB 55 1.0DL + 1.0LL1 + 1.0NLZ
583. 1 1.0 3 1.0 33 1.0
584. *****CASE 3*****
585. LOAD COMB 56 1.0DL + 1.0LL
586. 1 1.0 4 1.0
587. LOAD COMB 57 1.0DL + 1.0LL1 + 1.0WLX
588. 1 1.0 4 1.0 16 1.0
589. LOAD COMB 58 1.0DL+1.0LL1 + 1.0WLZ
590. 1 1.0 4 1.0 17 1.0
591. LOAD COMB 59 1.0DL + 1.0LL1 + 1.0NLX
592. 1 1.0 4 1.0 20 1.0
593. LOAD COMB 60 1.0DL + 1.0LL1 + 1.0NLZ
594. 1 1.0 4 1.0 34 1.0
595. *****CASE 4*****
596. LOAD COMB 61 1.0DL + 1.0LL
597. 1 1.0 5 1.0
598. LOAD COMB 62 1.0DL + 1.0LL1 + 1.0WLX
599. 1 1.0 5 1.0 16 1.0
600. LOAD COMB 63 1.0DL+1.0LL1 + 1.0WLZ
601. 1 1.0 5 1.0 17 1.0
602. LOAD COMB 64 1.0DL + 1.0LL1 + 1.0NLX
603. 1 1.0 5 1.0 21 1.0
604. LOAD COMB 65 1.0DL + 1.0LL1 + 1.0NLZ
605. 1 1.0 5 1.0 35 1.0
606. *****CASE 5*****
607. LOAD COMB 66 1.0DL + 1.0LL
608. 1 1.0 6 1.0
609. LOAD COMB 67 1.0DL + 1.0LL1 + 1.0WLX
610. 1 1.0 6 1.0 16 1.0
611. LOAD COMB 68 1.0DL+1.0LL1 + 1.0WLZ
612. 1 1.0 6 1.0 17 1.0

```

Wednesday, December 07, 2011, 05:26 PM

```

614. 1 1.0 6 1.0 22 1.0
615. LOAD COMB 70 1.0DL + 1.0LL1 + 1.0NLZ
616. 1 1.0 6 1.0 36 1.0
617. *****CASE 6*****
618. LOAD COMB 71 1.0DL + 1.0LL
619. 1 1.0 7 1.0
620. LOAD COMB 72 1.0DL + 1.0LL1 + 1.0WLX
621. 1 1.0 7 1.0 16 1.0
622. LOAD COMB 73 1.0DL+1.0LL1 + 1.0WLZ
623. 1 1.0 7 1.0 17 1.0
624. LOAD COMB 74 1.0DL + 1.0LL1 + 1.0NLX
625. 1 1.0 7 1.0 23 1.0
626. LOAD COMB 75 1.0DL + 1.0LL1 + 1.0NLZ
627. 1 1.0 7 1.0 37 1.0
628. *****CASE 7*****
629. LOAD COMB 76 1.0DL + 1.0LL
630. 1 1.0 8 1.0
631. LOAD COMB 77 1.0DL + 1.0LL1 + 1.0WLX
632. 1 1.0 8 1.0 16 1.0
633. LOAD COMB 78 1.0DL+1.0LL1 + 1.0WLZ
634. 1 1.0 8 1.0 17 1.0
635. LOAD COMB 79 1.0DL + 1.0LL1 + 1.0NLX
636. 1 1.0 8 1.0 24 1.0
637. LOAD COMB 80 1.0DL + 1.0LL1 + 1.0NLZ
638. 1 1.0 8 1.0 38 1.0
639. *****CASE 8*****
640. LOAD COMB 81 1.0DL + 1.0LL
641. 1 1.0 9 1.0
642. LOAD COMB 82 1.0DL + 1.0LL1 + 1.0WLX
643. 1 1.0 9 1.0 16 1.0
644. LOAD COMB 83 1.0DL+1.0LL1 + 1.0WLZ
645. 1 1.0 9 1.0 17 1.0
646. LOAD COMB 84 1.0DL + 1.0LL1 + 1.0NLX
647. 1 1.0 9 1.0 25 1.0
648. LOAD COMB 85 1.0DL + 1.0LL1 + 1.0NLZ
649. 1 1.0 9 1.0 39 1.0
650. *****CASE 9*****
651. LOAD COMB 86 1.0DL + 1.0LL
652. 1 1.0 10 1.0
653. LOAD COMB 87 1.0DL + 1.0LL1 + 1.0WLX
654. 1 1.0 10 1.0 16 1.0
655. LOAD COMB 88 1.0DL+1.0LL1 + 1.0WLZ
656. 1 1.0 10 1.0 17 1.0
657. LOAD COMB 89 1.0DL + 1.0LL1 + 1.0NLX
658. 1 1.0 10 1.0 26 1.0
659. LOAD COMB 90 1.0DL + 1.0LL1 + 1.0NLZ
660. 1 1.0 10 1.0 40 1.0
661. *****CASE 10*****
662. LOAD COMB 91 1.0DL + 1.0LL
663. 1 1.0 11 1.0
664. LOAD COMB 92 1.0DL + 1.0LL1 + 1.0WLX
665. 1 1.0 11 1.0 16 1.0
666. LOAD COMB 93 1.0DL+1.0LL1 + 1.0WLZ
667. 1 1.0 11 1.0 17 1.0
668. LOAD COMB 94 1.0DL + 1.0LL1 + 1.0NLX
669. 1 1.0 11 1.0 27 1.0
670. LOAD COMB 95 1.0DL + 1.0LL1 + 1.0NLZ
671. 1 1.0 11 1.0 41 1.0
672. *****CASE 11*****
673. LOAD COMB 96 1.0DL + 1.0LL
674. 1 1.0 12 1.0
675. LOAD COMB 97 1.0DL + 1.0LL1 + 1.0WLX
676. 1 1.0 12 1.0 16 1.0
677. LOAD COMB 98 1.0DL+1.0LL1 + 1.0WLZ
678. 1 1.0 12 1.0 17 1.0
679. LOAD COMB 99 1.0DL + 1.0LL1 + 1.0NLX
680. 1 1.0 12 1.0 28 1.0
681. LOAD COMB 100 1.0DL + 1.0LL1 + 1.0NLZ
682. 1 1.0 12 1.0 42 1.0
683. *****CASE 12*****

```

684. LOAD COMB 101 1.0DL + 1.0LL
685. 1 1.0 13 1.0
686. LOAD COMB 102 1.0DL + 1.0LL1 + 1.0WLX
687. 1 1.0 13 1.0 16 1.0
688. LOAD COMB 103 1.0DL+1.0LL1 + 1.0WLZ
689. 1 1.0 13 1.0 17 1.0
690. LOAD COMB 104 1.0DL + 1.0LL1 + 1.0NLX
691. 1 1.0 13 1.0 29 1.0
692. LOAD COMB 105 1.0DL + 1.0LL1 + 1.0NLZ
693. 1 1.0 13 1.0 43 1.0
694. *****CASE 13*****
695. LOAD COMB 106 1.0DL + 1.0LL
696. 1 1.0 14 1.0
697. LOAD COMB 107 1.0DL + 1.0LL1 + 1.0WLX
698. 1 1.0 14 1.0 16 1.0
699. LOAD COMB 108 1.0DL+1.0LL1 + 1.0WLZ
700. 1 1.0 14 1.0 17 1.0
701. LOAD COMB 109 1.0DL + 1.0LL1 + 1.0NLX
702. 1 1.0 14 1.0 30 1.0
703. LOAD COMB 110 1.0DL + 1.0LL1 + 1.0NLZ
704. 1 1.0 14 1.0 44 1.0
705. *****CASE 14*****
706. LOAD COMB 111 1.0DL + 1.0LL
707. 1 1.0 15 1.0
708. LOAD COMB 112 1.0DL + 1.0LL1 + 1.0WLX
709. 1 1.0 15 1.0 16 1.0
710. LOAD COMB 113 1.0DL+1.0LL1 + 1.0WLZ
711. 1 1.0 15 1.0 17 1.0
712. LOAD COMB 114 1.0DL + 1.0LL1 + 1.0NLX
713. 1 1.0 15 1.0 31 1.0
714. LOAD COMB 115 1.0DL + 1.0LL1 + 1.0NLZ
715. 1 1.0 15 1.0 45 1.0
716. *****
717. *ULTIMATE LOAD COMBINATION
718. *****CASE 1*****
719. LOAD COMB 116 1.4DL + 1.6LL
720. 1 1.4 2 1.6
721. LOAD COMB 417 1.2DL + 1.2LL1 + 1.2WLX
722. 1 1.2 2 1.2 16 1.2
723. LOAD COMB 118 1.2DL+1.2LL1 + 1.2WLZ
724. 1 1.2 2 1.2 17 1.2
725. LOAD COMB 119 1.2DL + 1.2LL1 + 1.2NLX
726. 1 1.2 2 1.2 18 1.2
727. LOAD COMB 120 1.2DL + 1.2LL1 + 1.2NLZ
728. 1 1.2 2 1.2 32 1.2
729. *****CASE 2*****
730. LOAD COMB 121 1.4DL + 1.6LL
731. 1 1.4 3 1.6
732. LOAD COMB 122 1.2DL + 1.2LL1 + 1.2WLX
733. 1 1.2 3 1.2 16 1.2
734. LOAD COMB 123 1.2DL+1.2LL1 + 1.2WLZ
735. 1 1.2 3 1.2 17 1.2
736. LOAD COMB 124 1.2DL + 1.2LL1 + 1.2NLX
737. 1 1.2 3 1.2 19 1.2
738. LOAD COMB 125 1.2DL + 1.2LL1 + 1.2NLZ
739. 1 1.2 3 1.2 33 1.2
740. *****CASE 3*****
741. LOAD COMB 126 1.4DL + 1.6LL
742. 1 1.4 4 1.6
743. LOAD COMB 127 1.2DL + 1.2LL1 + 1.2WLX
744. 1 1.2 4 1.2 16 1.2
745. LOAD COMB 128 1.2DL+1.2LL1 + 1.2WLZ
746. 1 1.2 4 1.2 17 1.2
747. LOAD COMB 129 1.2DL + 1.2LL1 + 1.2NLX
748. 1 1.2 4 1.2 20 1.2
749. LOAD COMB 130 1.2DL + 1.2LL1 + 1.2NLZ
750. 1 1.2 4 1.2 34 1.2
751. *****CASE 4*****
752. LOAD COMB 131 1.4DL + 1.6LL
753. 1 1.4 5 1.6

754. LOAD COMB 132 1.2DL + 1.2LL1 + 1.2WLX
755. 1 1.2 5 1.2 16 1.2
756. LOAD COMB 133 1.2DL+1.2LL1 + 1.2WLZ
757. 1 1.2 5 1.2 17 1.2
758. LOAD COMB 134 1.2DL + 1.2LL1 + 1.2NLX
759. 1 1.2 5 1.2 21 1.2
760. LOAD COMB 135 1.2DL + 1.2LL1 + 1.2NLZ
761. 1 1.2 5 1.2 35 1.2
762. *****CASE 5*****
763. LOAD COMB 136 1.4DL + 1.6LL
764. 1 1.4 6 1.6
765. LOAD COMB 137 1.2DL + 1.2LL1 + 1.2WLX
766. 1 1.2 6 1.2 16 1.2
767. LOAD COMB 138 1.2DL+1.2LL1 + 1.2WLZ
768. 1 1.2 6 1.2 17 1.2
769. LOAD COMB 139 1.2DL + 1.2LL1 + 1.2NLX
770. 1 1.2 6 1.2 22 1.2
771. LOAD COMB 140 1.2DL + 1.2LL1 + 1.2NLZ
772. 1 1.2 6 1.2 36 1.2
773. *****CASE 6*****
774. LOAD COMB 141 1.4DL + 1.6LL
775. 1 1.4 7 1.6
776. LOAD COMB 142 1.2DL + 1.2LL1 + 1.2WLX
777. 1 1.2 7 1.2 16 1.2
778. LOAD COMB 143 1.2DL+1.2LL1 + 1.2WLZ
779. 1 1.2 7 1.2 17 1.2
780. LOAD COMB 144 1.2DL + 1.2LL1 + 1.2NLX
781. 1 1.2 7 1.2 23 1.2
782. LOAD COMB 145 1.2DL + 1.2LL1 + 1.2NLZ
783. 1 1.2 7 1.2 37 1.2
784. *****CASE 7*****
785. LOAD COMB 146 1.4DL + 1.6LL
786. 1 1.4 8 1.6
787. LOAD COMB 147 1.2DL + 1.2LL1 + 1.2WLX
788. 1 1.2 8 1.2 16 1.2
789. LOAD COMB 148 1.2DL+1.2LL1 + 1.2WLZ
790. 1 1.2 8 1.2 17 1.2
791. LOAD COMB 149 1.2DL + 1.2LL1 + 1.2NLX
792. 1 1.2 8 1.2 24 1.2
793. LOAD COMB 150 1.2DL + 1.2LL1 + 1.2NLZ
794. 1 1.2 8 1.2 38 1.2
795. *****CASE 8*****
796. LOAD COMB 151 1.4DL + 1.6LL
797. 1 1.4 9 1.6
798. LOAD COMB 152 1.2DL + 1.2LL1 + 1.2WLX
799. 1 1.2 9 1.2 16 1.2
800. LOAD COMB 153 1.2DL+1.2LL1 + 1.2WLZ
801. 1 1.2 9 1.2 17 1.2
802. LOAD COMB 154 1.2DL + 1.2LL1 + 1.2NLX
803. 1 1.2 9 1.2 25 1.2
804. LOAD COMB 155 1.2DL + 1.2LL1 + 1.2NLZ
805. 1 1.2 9 1.2 39 1.2
806. *****CASE 9*****
807. LOAD COMB 156 1.4DL + 1.6LL
808. 1 1.4 10 1.6
809. LOAD COMB 157 1.2DL + 1.2LL1 + 1.2WLX
810. 1 1.2 10 1.2 16 1.2
811. LOAD COMB 158 1.2DL+1.2LL1 + 1.2WLZ
812. 1 1.2 10 1.2 17 1.2
813. LOAD COMB 159 1.2DL + 1.2LL1 + 1.2NLX
814. 1 1.2 10 1.2 26 1.2
815. LOAD COMB 160 1.2DL + 1.2LL1 + 1.2NLZ
816. 1 1.2 10 1.2 40 1.2
817. *****CASE 10*****
818. LOAD COMB 161 1.4DL + 1.6LL
819. 1 1.4 11 1.6
820. LOAD COMB 162 1.2DL + 1.2LL1 + 1.2WLX
821. 1 1.2 11 1.2 16 1.2
822. LOAD COMB 163 1.2DL+1.2LL1 + 1.2WLZ
823. 1 1.2 11 1.2 17 1.2

824. LOAD COMB 164 1.2DL + 1.2LL1 + 1.2NLX
825. 1 1.2 11 1.2 27 1.2
826. LOAD COMB 165 1.2DL + 1.2LL1 + 1.2NLZ
827. 1 1.2 11 1.2 41 1.2
828. *****CASE 11*****
829. LOAD COMB 166 1.4DL + 1.6LL
830. 1 1.4 12 1.6
831. LOAD COMB 167 1.2DL + 1.2LL1 + 1.2WLX
832. 1 1.2 12 1.2 16 1.2
833. LOAD COMB 168 1.2DL+1.2LL1 + 1.2WLZ
834. 1 1.2 12 1.2 17 1.2
835. LOAD COMB 169 1.2DL + 1.2LL1 + 1.2NLX
836. 1 1.2 12 1.2 28 1.2
837. LOAD COMB 170 1.2DL + 1.2LL1 + 1.2NLZ
838. 1 1.2 12 1.2 42 1.2
839. *****CASE 12*****
840. LOAD COMB 171 1.4DL + 1.6LL
841. 1 1.4 13 1.6
842. LOAD COMB 172 1.2DL + 1.2LL1 + 1.2WLX
843. 1 1.2 13 1.2 16 1.2
844. LOAD COMB 173 1.2DL+1.2LL1 + 1.2WLZ
845. 1 1.2 13 1.2 17 1.2
846. LOAD COMB 174 1.2DL + 1.2LL1 + 1.2NLX
847. 1 1.2 13 1.2 29 1.2
848. LOAD COMB 175 1.2DL + 1.2LL1 + 1.2NLZ
849. 1 1.2 13 1.2 43 1.2
850. *****CASE 13*****
851. LOAD COMB 176 1.4DL + 1.6LL
852. 1 1.4 14 1.6
853. LOAD COMB 177 1.2DL + 1.2LL1 + 1.2WLX
854. 1 1.2 14 1.2 16 1.2
855. LOAD COMB 178 1.2DL+1.2LL1 + 1.2WLZ
856. 1 1.2 14 1.2 17 1.2
857. LOAD COMB 179 1.2DL + 1.2LL1 + 1.2NLX
858. 1 1.2 14 1.2 30 1.2
859. LOAD COMB 180 1.2DL + 1.2LL1 + 1.2NLZ
860. 1 1.0 14 1.0 44 1.0
861. *****CASE 14*****
862. LOAD COMB 181 1.4DL + 1.6LL
863. 1 1.4 15 1.6
864. LOAD COMB 182 1.2DL + 1.2LL1 + 1.2WLX
865. 1 1.2 15 1.2 16 1.2
866. LOAD COMB 183 1.2DL+1.2LL1 + 1.2WLZ
867. 1 1.2 15 1.2 17 1.2
868. LOAD COMB 184 1.2DL + 1.2LL1 + 1.2NLX
869. 1 1.2 15 1.2 31 1.2
870. LOAD COMB 185 1.2DL + 1.2LL1 + 1.2NLZ
871. 1 1.2 15 1.2 45 1.2
872. *****
873. *LOAD COMB 13 1.4DL+1.6LL1+1.6LL2
874. *1 1.4 2 1.6 3 1.6
875. *LOAD COMB 14 1.2DL+1.2LL1+1.2LL2+1.2WLX
876. *1 1.2 2 1.2 3 1.2 4 1.2
877. *LOAD COMB 15 1.2DL+1.2LL1+1.2LL2+1.2WLZ
878. *1 1.2 2 1.2 3 1.2 5 1.2
879. *LOAD COMB 16 1.2DL+1.2LL1+1.2LL2+1.2NLX
880. *1 1.2 2 1.2 3 1.2 6 1.2
881. *LOAD COMB 17 1.2DL+1.2LL1+1.2LL2+1.2NLZ
882. *1 1.2 2 1.2 3 1.2 7 1.2
883. *****
884. PERFORM ANALYSIS

P R O B L E M S T A T I S T I C S

NUMBER OF JOINTS/MEMBER+ELEMENTS/SUPPORTS = 196/ 340/ 28
TOTAL PRIMARY LOAD CASES = 45, TOTAL DEGREES OF FREEDOM = 1064

REQRD/AVAIL. DISK SPACE = 14.0/ 35041.3 MB

**START ITERATION NO. 2
**START ITERATION NO. 3
**START ITERATION NO. 4
**START ITERATION NO. 5

**NOTE-Tension/Compression converged after 5 iterations, Case= 1

**START ITERATION NO. 2

**NOTE-Tension/Compression converged after 2 iterations, Case= 2

**START ITERATION NO. 2

**NOTE-Tension/Compression converged after 2 iterations, Case= 3

**START ITERATION NO. 2

**NOTE-Tension/Compression converged after 2 iterations, Case= 4

**START ITERATION NO. 2

**NOTE-Tension/Compression converged after 2 iterations, Case= 5

**START ITERATION NO. 2
**START ITERATION NO. 3

**NOTE-Tension/Compression converged after 3 iterations, Case= 6

**START ITERATION NO. 2

**NOTE-Tension/Compression converged after 2 iterations, Case= 7

**START ITERATION NO. 2

**NOTE-Tension/Compression converged after 2 iterations, Case= 8

**START ITERATION NO. 2

**NOTE-Tension/Compression converged after 2 iterations, Case= 9

**START ITERATION NO. 2

**NOTE-Tension/Compression converged after 2 iterations, Case= 10

**START ITERATION NO. 2

**NOTE-Tension/Compression converged after 2 iterations, Case= 11