

 structurex 10, GULF P.O. BOX DUBAI, U.A.E. TEL: 04-360 1234 FAX: 04-360 1234 E-MAIL: info@structurex.com	DUBAI METRO PROJECT		Sheet:
	RTA		
	REV_A3	CAR PARKING DESIGN TYPE P4	
STAAD OUTPUT SUMMARY			

```

*****
*
*      STAAD.Pro
*
*      Proprietary Program of
*      Research Engineers, Intl.
*      Date= JUN 26, 2010
*      Time= 3:42:35
*
*      USER ID: Snow Panther [LZ0]
*****

```

INPUT FILE: TYPE P4.STD

```

1. STAAD SPACE
2. START JOB INFORMATION
3. JOB NAME PROJECT DM-001 DUBAI METRO PROJECT
4. JOB CLIENT GOVERNMENT OF DUBAI ROADS & TRANSPORT AUTHORITY
5. JOB PART PARKING CANOPY TYPE 4 LOCATION PLAN & AXONOMETRY VIEW
6. ENGINEER DATE 26-JUN-10
7. END JOB INFORMATION
8. INPUT WIDTH 79
9. UNIT METER KN
10. JOINT COORDINATES
11. 1 5 2.79135 0.316064; 2 5 2.90094 0.633015; 3 5 3.00374 0.951301
12. 4 5 3.09968 1.27052; 5 5 3.18872 1.59181; 6 5 3.27083 1.91413
13. 7 5 3.34596 2.23761; 8 5 3.41407 2.56277; 9 5 3.47515 2.88873
14. 10 5 3.52915 3.21571; 11 5 3.57606 3.54385; 12 5 3.61585 3.87258
15. 13 5 3.6485 4.20204; 14 5 3.674 4.53222; 15 5 3.69234 4.86278
16. 16 10 2.79135 0.316064; 17 10 2.90094 0.633015; 18 10 3.00374 0.951301
17. 19 10 3.09968 1.27052; 20 10 3.18872 1.59181; 21 10 3.27083 1.91413
18. 22 10 3.34596 2.23761; 23 10 3.41407 2.56277; 24 10 3.47515 2.88873
19. 25 10 3.52915 3.21571; 26 10 3.57606 3.54385; 27 10 3.61585 3.87258
20. 28 10 3.6485 4.20204; 29 10 3.674 4.53222; 30 10 3.69234 4.86278; 31 0 2.675 0
21. 32 5 2.675 0; 33 10 2.675 0; 34 15 2.675 0; 35 15 3.7035 5.1938
22. 36 10 3.7035 5.1938; 37 5 3.7035 5.1938; 38 0 3.7035 5.1938
23. 39 0 3.70167 4.86062; 40 0 3.6914 4.5276; 41 0 3.6727 4.19494
24. 42 0 3.64558 3.86286; 43 0 3.61005 3.53158; 44 0 3.56614 3.2013
25. 45 0 3.51389 2.87224; 46 0 3.45331 2.54461; 47 0 3.38445 2.21862
26. 48 0 3.30736 1.89448; 49 0 3.22208 1.57239; 50 0 3.12867 1.25257
27. 51 0 3.02719 0.935218; 52 0 2.91771 0.620537; 53 0 2.80028 0.308732
28. 54 15 2.80028 0.308732; 55 15 2.91771 0.620537; 56 15 3.02719 0.935218
29. 57 15 3.12867 1.25257; 58 15 3.22208 1.57239; 59 15 3.30736 1.89448
30. 60 15 3.38445 2.21862; 61 15 3.45331 2.54461; 62 15 3.51389 2.87224
31. 63 15 3.56614 3.2013; 64 15 3.61005 3.53158; 65 15 3.64558 3.86286
32. 66 15 3.6727 4.19494; 67 15 3.6914 4.5276; 68 15 3.70167 4.86062
33. 69 0 2.7045 4.99006; 70 0 3.28707 1.81406; 71 0 2.7045 2.20398
34. 72 0 0.2005 4.4799; 73 0 0.2005 3.87991; 74 0 7.00951E-005 4.43906
35. 75 0 7.00951E-005 4.01406; 76 5 2.7045 4.99005; 77 5 3.25144 1.83369
36. 78 5 2.7045 2.20045; 79 5 0.200509 4.47985; 80 5 0.200334 3.87966
37. 81 5 2.38419E-007 4.439; 82 5 2.38419E-007 4.014; 83 10 2.7045 4.99005
38. 84 10 3.25144 1.83369; 85 10 2.7045 2.20045; 86 10 0.200509 4.47985
39. 87 10 0.200334 3.87966; 88 10 2.38419E-007 4.439; 89 10 2.38419E-007 4.014
40. 90 15 2.7045 4.99006; 91 15 3.28707 1.81406; 92 15 2.7045 2.20398

```

□ STAAD SPACE

	DUBAI METRO PROJECT	Sheet:
	RTA	
REV_A3	CAR PARKING DESIGN TYPE P4	

41. 93 15 0.2005 4.4799; 94 15 0.2005 3.87991; 95 15 7.00951E-005 4.43906
 42. 96 15 7.00951E-005 4.01406; 97 2.5 2.7045 2.20221; 98 12.5 2.7045 2.20221
 43. 99 2.5 2.7045 4.99006; 100 12.5 2.7045 4.99006
 44. MEMBER INCIDENCES
 45. 1 38 69; 2 70 71; 3 69 72; 4 71 73; 5 72 74; 6 73 75; 7 72 73; 8 31 53
 46. 9 53 52; 10 52 51; 11 51 50; 12 50 49; 13 49 70; 14 70 48; 15 48 47; 16 47 46
 47. 17 46 45; 18 45 44; 19 44 43; 20 43 42; 21 42 41; 22 41 40; 23 40 39; 24 39 38
 48. 25 37 76; 26 77 78; 27 76 79; 28 78 80; 29 79 81; 30 80 82; 31 79 80; 32 36 83
 49. 33 84 85; 34 83 86; 35 85 87; 36 86 88; 37 87 89; 38 86 87; 39 32 1; 40 1 2
 50. 41 2 3; 42 3 4; 43 4 5; 44 5 77; 45 77 6; 46 6 7; 47 7 8; 48 8 9; 49 9 10
 51. 50 10 11; 51 11 12; 52 12 13; 53 13 14; 54 14 15; 55 15 37; 56 33 16; 57 16 17
 52. 58 17 18; 59 18 19; 60 19 20; 61 20 84; 62 84 21; 63 21 22; 64 22 23; 65 23 24
 53. 66 24 25; 67 25 26; 68 26 27; 69 27 28; 70 28 29; 71 29 30; 72 30 36; 73 35 90
 54. 74 91 92; 75 90 93; 76 92 94; 77 93 95; 78 94 96; 79 93 94; 80 34 54; 81 54 55
 55. 82 55 56; 83 56 57; 84 57 58; 85 58 91; 86 91 59; 87 59 60; 88 60 61; 89 61 62
 56. 90 62 63; 91 63 64; 92 64 65; 93 65 66; 94 66 67; 95 67 68; 96 68 35; 97 71 97
 57. 98 71 69; 99 69 99; 100 78 76; 101 78 85; 102 76 83; 103 85 83; 104 85 98
 58. 105 83 100; 106 92 90; 107 31 32; 108 38 37; 109 32 33; 110 37 36; 111 33 34
 59. 112 36 35; 113 97 78; 114 70 97; 115 97 77; 116 98 92; 117 84 98; 118 98 91
 60. 119 99 76; 120 38 99; 121 99 37; 122 100 90; 123 36 100; 124 100 35
 61. DEFINE MATERIAL START
 62. ISOTROPIC STEEL
 63. E 2.05E+008
 64. POISSON 0.3
 65. DENSITY 76.8195
 66. ALPHA 1.2E-005
 67. DAMP 0.03
 68. END DEFINE MATERIAL
 69. CONSTANTS
 70. MATERIAL STEEL MEMB 1 TO 124
 71. MEMBER PROPERTY AMERICAN
 72. 1 25 32 73 TAPERED 0.15 0.006 0.1897 0.15 0.01 0.15 0.01
 73. 3 27 34 75 TAPERED 0.1897 0.006 0.2919 0.15 0.01 0.15 0.01
 74. 5 29 36 77 TAPERED 0.2919 0.006 0.3 0.15 0.01 0.15 0.01
 75. 2 26 33 74 TAPERED 0.15 0.006 0.1778 0.15 0.01 0.15 0.01
 76. 4 28 35 76 TAPERED 0.1778 0.006 0.2904 0.15 0.01 0.15 0.01
 77. 6 30 37 78 TAPERED 0.2904 0.006 0.3 0.15 0.01 0.15 0.01
 78. MEMBER PROPERTY BRITISH
 79. 8 TO 24 39 TO 72 80 TO 96 TABLE ST PIPE OD 0.1683 ID 0.15408
 80. 107 TO 112 TABLE ST PIPE OD 0.1143 ID 0.10226
 81. 7 31 38 79 97 TO 106 113 116 119 122 TABLE ST TUBE TH 0.0045 WT 0.15 DT 0.15
 82. 114 115 117 118 120 121 123 124 TABLE ST PIPE OD 0.0603 ID 0.05048
 83. SUPPORTS
 84. 74 75 81 82 88 89 95 96 PINNED
 85. MEMBER RELEASE
 86. 97 99 101 102 104 105 107 TO 112 START MX MY MZ
 87. 101 102 107 TO 113 116 119 122 END MX MY MZ
 88. 114 115 117 118 120 121 123 124 START MX MY MZ
 89. 114 115 117 118 120 121 123 124 END MY MZ
 90. LOAD 1 PRESTRESS
 91. SELFWEIGHT Y -1
 92. JOINT LOAD
 93. 1 FX -1E-006 FY -0.05057 FZ 4E-006
 94. 2 FX 5E-006 FY -0.066644 FZ 0.000103
 95. 3 FX 4E-006 FY -0.053791 FZ 2.9E-005
 96. 4 FX 6E-006 FY -0.117901 FZ 2.3E-005
 □ STAAD SPACE

 STRUCTURFLEX	DUBAI METRO PROJECT	Sheet:
	RTA	
	REV_A3	CAR PARKING DESIGN TYPE P4

97. 5 FX -1E-006 FY -0.073123 FZ -2.4E-005
 98. 6 FX -1E-006 FY -0.078871 FZ -2.4E-005
 99. 7 FX -4E-006 FY -0.130077 FZ -2E-006
 100. 8 FX 0 FY -0.075035 FZ 4.4E-005
 101. 9 FX 0 FY -0.090894 FZ -5E-006
 102. 10 FX -2E-006 FY -0.117913 FZ -1.2E-005
 103. 11 FX -4E-006 FY -0.070538 FZ -2E-005
 104. 12 FX -5E-006 FY -0.085026 FZ -4E-006
 105. 13 FX 0 FY -0.089562 FZ 2.9E-005
 106. 14 FX -2E-006 FY -0.05099 FZ 1.8E-005
 107. 15 FX -2E-006 FY -0.054729 FZ -1.4E-005
 108. 16 FX 1E-006 FY -0.05057 FZ 4E-006
 109. 17 FX -5E-006 FY -0.066644 FZ 0.000103
 110. 18 FX -4E-006 FY -0.053791 FZ 2.9E-005
 111. 19 FX -6E-006 FY -0.117901 FZ 2.3E-005
 112. 20 FX 1E-006 FY -0.073123 FZ -2.4E-005
 113. 21 FX 1E-006 FY -0.078871 FZ -2.4E-005
 114. 22 FX 4E-006 FY -0.130077 FZ -2E-006
 115. 23 FX 0 FY -0.075035 FZ 4.4E-005
 116. 24 FX 0 FY -0.090894 FZ -5E-006
 117. 25 FX 2E-006 FY -0.117913 FZ -1.2E-005
 118. 26 FX 4E-006 FY -0.070538 FZ -2E-005
 119. 27 FX 5E-006 FY -0.085026 FZ -4E-006
 120. 28 FX 0 FY -0.089562 FZ 2.9E-005
 121. 29 FX 2E-006 FY -0.05099 FZ 1.8E-005
 122. 30 FX 2E-006 FY -0.054729 FZ -1.4E-005
 123. 31 FX 12.5067 FY 0.75429 FZ 2.4992
 124. 32 FX -0.003099 FY 1.80408 FZ 5.96359
 125. 33 FX 0.003099 FY 1.80408 FZ 5.96359
 126. 34 FX -12.5067 FY 0.75429 FZ 2.4992
 127. 35 FX -12.4128 FY -0.244025 FZ -2.49532
 128. 36 FX 0.003526 FY -0.570071 FZ -5.97117
 129. 37 FX -0.003526 FY -0.570071 FZ -5.97117
 130. 38 FX 12.4128 FY -0.244025 FZ -2.49532
 131. 39 FX 0.335719 FY -0.020433 FZ -0.010941
 132. 40 FX 0.249985 FY -0.018263 FZ 0.000491
 133. 41 FX 0.418454 FY -0.039857 FZ 0.010397
 134. 42 FX 0.330141 FY -0.040646 FZ -0.014795
 135. 43 FX 0.244381 FY -0.028462 FZ 0.014691
 136. 44 FX 0.426672 FY -0.056972 FZ 8.5E-005
 137. 45 FX 0.31374 FY -0.04447 FZ -0.003984
 138. 46 FX 0.23489 FY -0.032067 FZ 0.004313
 139. 47 FX 0.452174 FY -0.067863 FZ -0.015434
 140. 48 FX 0.276062 FY -0.035501 FZ 0.007114
 141. 49 FX 0.224565 FY -0.027602 FZ 0.0093
 142. 50 FX 0.496917 FY -0.060593 FZ 0.000701
 143. 51 FX 0.210475 FY -0.019616 FZ 0.000347
 144. 52 FX 0.295313 FY -0.028099 FZ -0.001484
 145. 53 FX 0.407531 FY -0.018161 FZ 0.002732
 146. 54 FX -0.407531 FY -0.018161 FZ 0.002732
 147. 55 FX -0.295313 FY -0.028099 FZ -0.001484
 148. 56 FX -0.210475 FY -0.019616 FZ 0.000347
 149. 57 FX -0.496917 FY -0.060593 FZ 0.000701
 150. 58 FX -0.224565 FY -0.027602 FZ 0.0093
 151. 59 FX -0.276062 FY -0.035501 FZ 0.007114
 152. 60 FX -0.452174 FY -0.067863 FZ -0.015434

☐ STAAD SPACE

 10, Al Jaddaf Road, Dubai P.O. Box 11111 Telephone: 04 360 2200 Fax: 04 360 2201 Email: info@structurix.com	DUBAI METRO PROJECT RTA REV_A3 CAR PARKING DESIGN TYPE P4	Sheet:
---	---	---------------

153. 61 FX -0.23489 FY -0.032067 FZ 0.004313
 154. 62 FX -0.31374 FY -0.04447 FZ -0.003984
 155. 63 FX -0.426672 FY -0.056972 FZ 8.5E-005
 156. 64 FX -0.244381 FY -0.028462 FZ 0.014691
 157. 65 FX -0.330141 FY -0.040646 FZ -0.014795
 158. 66 FX -0.418454 FY -0.039857 FZ 0.010397
 159. 67 FX -0.249985 FY -0.018263 FZ 0.000491
 160. 68 FX -0.335719 FY -0.020433 FZ -0.010941
 161. LOAD 2 WIND DOWN
 162. SELFWEIGHT Y -1
 163. JOINT LOAD
 164. 1 FX -1E-005 FY -0.291241 FZ 0
 165. 2 FX -1E-005 FY -0.753585 FZ 1E-006
 166. 3 FX -8E-006 FY -0.56469 FZ 2.1E-005
 167. 4 FX -3.4E-005 FY -1.47407 FZ -8E-006
 168. 5 FX 1.1E-005 FY -0.806064 FZ 4E-006
 169. 6 FX 8E-006 FY -0.880212 FZ 4E-006
 170. 7 FX 4E-006 FY -1.48808 FZ 6E-006
 171. 8 FX -1.4E-005 FY -0.782421 FZ 1.1E-005
 172. 9 FX -2.3E-005 FY -0.984303 FZ 1.5E-005
 173. 10 FX 1E-006 FY -1.35015 FZ 1.4E-005
 174. 11 FX 6E-006 FY -0.763773 FZ 9E-006
 175. 12 FX 1.4E-005 FY -0.979985 FZ 1.1E-005
 176. 13 FX -1.9E-005 FY -1.06252 FZ 3.3E-005
 177. 14 FX -2E-006 FY -0.456389 FZ 4.8E-005
 178. 15 FX -1.6E-005 FY -0.456202 FZ -3.2E-005
 179. 16 FX 1.3E-005 FY -0.291486 FZ 0
 180. 17 FX 1.1E-005 FY -0.753568 FZ 2E-006
 181. 18 FX 9E-006 FY -0.564678 FZ 2.1E-005
 182. 19 FX 3E-005 FY -1.474 FZ -7E-006
 183. 20 FX -1.1E-005 FY -0.806053 FZ 5E-006
 184. 21 FX -9E-006 FY -0.880199 FZ 4E-006
 185. 22 FX 4E-006 FY -1.48807 FZ 7E-006
 186. 23 FX 1.3E-005 FY -0.78242 FZ 1.2E-005
 187. 24 FX 2.1E-005 FY -0.984302 FZ 1.7E-005
 188. 25 FX -1E-006 FY -1.35016 FZ 1.5E-005
 189. 26 FX -4E-006 FY -0.763783 FZ 9E-006
 190. 27 FX -1.1E-005 FY -0.980001 FZ 1.1E-005
 191. 28 FX 2.3E-005 FY -1.06262 FZ 3.4E-005
 192. 29 FX 0 FY -0.456332 FZ 5.4E-005
 193. 30 FX 1.2E-005 FY -0.456051 FZ -3.6E-005
 194. 31 FX 14.4668 FY 0.256474 FZ 2.94596
 195. 32 FX 0.366064 FY 1.00882 FZ 7.56103
 196. 33 FX -0.357012 FY 1.00929 FZ 7.56187
 197. 34 FX -14.458 FY 0.248329 FZ 2.94856
 198. 35 FX -12.1953 FY -0.751742 FZ -2.22359
 199. 36 FX -0.337054 FY -1.58989 FZ -4.86662
 200. 37 FX 0.334283 FY -1.58975 FZ -4.86648
 201. 38 FX 12.1946 FY -0.754737 FZ -2.22141
 202. 39 FX 1.3682 FY -0.238797 FZ 0.013782
 203. 40 FX 1.22497 FY -0.238487 FZ 0.023957
 204. 41 FX 2.75195 FY -0.54196 FZ 0.062152
 205. 42 FX 2.40239 FY -0.516882 FZ 0.03206
 206. 43 FX 1.78629 FY -0.393886 FZ 0.051071
 207. 44 FX 3.18007 FY -0.685609 FZ 0.060758
 208. 45 FX 2.32176 FY -0.525079 FZ 0.043804

☐ STAAD SPACE

	DUBAI METRO PROJECT RTA REV_A3	Sheet:
	CAR PARKING DESIGN TYPE P4	

209. 46 FX 1.74068 FY -0.400343 FZ 0.04239
 210. 47 FX 3.38245 FY -0.751422 FZ 0.05306
 211. 48 FX 2.06988 FY -0.463439 FZ 0.056135
 212. 49 FX 1.68329 FY -0.380716 FZ 0.051262
 213. 50 FX 3.6345 FY -0.762866 FZ 0.087212
 214. 51 FX 1.26006 FY -0.259963 FZ 0.040888
 215. 52 FX 1.76233 FY -0.352214 FZ 0.052573
 216. 53 FX 0.845484 FY -0.123682 FZ 0.027351
 217. 54 FX -0.863768 FY -0.13436 FZ 0.03042
 218. 55 FX -1.76229 FY -0.353552 FZ 0.052655
 219. 56 FX -1.26003 FY -0.260901 FZ 0.040941
 220. 57 FX -3.63425 FY -0.763291 FZ 0.086708
 221. 58 FX -1.68326 FY -0.380797 FZ 0.051016
 222. 59 FX -2.06985 FY -0.463539 FZ 0.055833
 223. 60 FX -3.38244 FY -0.751507 FZ 0.052591
 224. 61 FX -1.74068 FY -0.400367 FZ 0.042162
 225. 62 FX -2.32176 FY -0.525104 FZ 0.043504
 226. 63 FX -3.1601 FY -0.685601 FZ 0.060384
 227. 64 FX -1.78637 FY -0.393836 FZ 0.050871
 228. 65 FX -2.40254 FY -0.516788 FZ 0.031798
 229. 66 FX -2.75302 FY -0.540801 FZ 0.061798
 230. 67 FX -1.22354 FY -0.232629 FZ 0.023447
 231. 68 FX -1.3649 FY -0.227481 FZ 0.012897
 232. LOAD 3 WIND UP
 233. SELFWEIGHT Y -1
 234. JOINT LOAD
 235. 1 FX 0.000256 FY 0.145501 FZ 2.3E-005
 236. 2 FX 1.2E-005 FY 0.332947 FZ 4.5E-005
 237. 3 FX -5E-006 FY 0.259536 FZ -0.000297
 238. 4 FX -2.2E-005 FY 0.688235 FZ -0.00019
 239. 5 FX 1E-006 FY 0.47464 FZ 6.7E-005
 240. 6 FX 1E-006 FY 0.51061 FZ -0.000364
 241. 7 FX -6E-006 FY 0.891422 FZ 6.5E-005
 242. 8 FX 3E-006 FY 0.492209 FZ 0.000252
 243. 9 FX 7E-006 FY 0.618019 FZ -0.00015
 244. 10 FX 2.8E-005 FY 0.776897 FZ -0.000254
 245. 11 FX 1E-005 FY 0.409719 FZ 0.000113
 246. 12 FX -8E-006 FY 0.507102 FZ -0.000126
 247. 13 FX 5E-005 FY 0.424511 FZ 0.000231
 248. 14 FX 6.1E-005 FY 0.180315 FZ -0.000117
 249. 15 FX 8.9E-005 FY 0.166603 FZ -0.000279
 250. 16 FX -2.7E-005 FY 0.145612 FZ 4.2E-005
 251. 17 FX 0 FY 0.332959 FZ -4E-005
 252. 18 FX 1E-006 FY 0.259644 FZ -1.8E-005
 253. 19 FX 2.6E-005 FY 0.6882 FZ -1.3E-005
 254. 20 FX 9E-006 FY 0.474582 FZ -2.1E-005
 255. 21 FX 1.1E-005 FY 0.510657 FZ -1.1E-005
 256. 22 FX 2.2E-005 FY 0.891342 FZ 5E-006
 257. 23 FX 1E-006 FY 0.492127 FZ -2.1E-005
 258. 24 FX -3E-006 FY 0.618016 FZ -1E-006
 259. 25 FX -1E-006 FY 0.776913 FZ 3.1E-005
 260. 26 FX 6E-006 FY 0.409711 FZ -1E-006
 261. 27 FX 1.3E-005 FY 0.507144 FZ -1.7E-005
 262. 28 FX 5E-006 FY 0.42448 FZ -1.7E-005
 263. 29 FX 2E-006 FY 0.180123 FZ 0
 264. 30 FX 0 FY 0.16623 FZ -4E-005

☐ STAAD SPACE

	DUBAI METRO PROJECT		Sheet:
	RTA		
	REV_A3	CAR PARKING DESIGN TYPE P4	

265. 31 FX 41.2753 FY 4.67159 FZ 8.38977
 266. 32 FX -0.612661 FY 9.02413 FZ 16.4113
 267. 33 FX 0.621164 FY 9.0239 FZ 16.4119
 268. 34 FX -41.2681 FY 4.69033 FZ 8.38987
 269. 35 FX -40.7732 FY 1.10628 FZ -9.11111
 270. 36 FX 0.663708 FY 1.99657 FZ -19.9653
 271. 37 FX -0.669348 FY 1.99624 FZ -19.9648
 272. 38 FX 40.7692 FY 1.11639 FZ -9.12015
 273. 39 FX 0.695096 FY 0.100216 FZ -0.032623
 274. 40 FX 0.620709 FY 0.105445 FZ -0.021898
 275. 41 FX 1.37716 FY 0.203603 FZ -0.042267
 276. 42 FX 1.40645 FY 0.239864 FZ -0.079998
 277. 43 FX 1.07921 FY 0.197485 FZ -0.039383
 278. 44 FX 2.02623 FY 0.332647 FZ -0.105344
 279. 45 FX 1.56858 FY 0.27771 FZ -0.096945
 280. 46 FX 1.16899 FY 0.216558 FZ -0.068437
 281. 47 FX 2.19304 FY 0.352649 FZ -0.150846
 282. 48 FX 1.26392 FY 0.2219 FZ -0.077686
 283. 49 FX 1.02876 FY 0.188198 FZ -0.062354
 284. 50 FX 1.86974 FY 0.272481 FZ -0.114208
 285. 51 FX 0.585543 FY 0.101369 FZ -0.038157
 286. 52 FX 0.813203 FY 0.126313 FZ -0.051469
 287. 53 FX 0.438218 FY 0.053087 FZ -0.013763
 288. 54 FX -0.454127 FY 0.058383 FZ -0.015908
 289. 55 FX -0.813785 FY 0.127853 FZ -0.052412
 290. 56 FX -0.585945 FY 0.102448 FZ -0.038824
 291. 57 FX -1.86925 FY 0.272783 FZ -0.115183
 292. 58 FX -1.02865 FY 0.188105 FZ -0.062791
 293. 59 FX -1.26379 FY 0.221786 FZ -0.078222
 294. 60 FX -2.19302 FY 0.3524 FZ -0.151744
 295. 61 FX -1.16902 FY 0.216431 FZ -0.068917
 296. 62 FX -1.56864 FY 0.277542 FZ -0.09759
 297. 63 FX -2.02649 FY 0.332367 FZ -0.106196
 298. 64 FX -1.07955 FY 0.197149 FZ -0.039835
 299. 65 FX -1.40702 FY 0.239309 FZ -0.080586
 300. 66 FX -1.37798 FY 0.200812 FZ -0.042713
 301. 67 FX -0.616901 FY 0.100893 FZ -0.021902
 302. 68 FX -0.687112 FY 0.092176 FZ -0.032454
 303. LOAD COMB 101 1.4P
 304. 1 1.4
 305. LOAD COMB 102 1.4 WIND DN
 306. 2 1.4
 307. LOAD COMB 103 1.4 WIND UP
 308. 3 1.4
 309. PERFORM ANALYSIS
☐ STAAD SPACE

 Mr. Ebrahim F. Al-Sayid Director P. O. Box 12345 Dubai, U.A.E. Phone: 04-12345678 Fax: 04-87654321 E-mail: ebrahim@structureflex.com	DUBAI METRO PROJECT	Sheet:
	RTA	
	REV_A3	CAR PARKING DESIGN TYPE P4

PROBLEM STATISTICS

NUMBER OF JOINTS/MEMBER+ELEMENTS/SUPPORTS = 100/ 124/ 8
 ORIGINAL/FINAL BAND-WIDTH= 72/ 13/ 81 DOF
 TOTAL PRIMARY LOAD CASES = 3, TOTAL DEGREES OF FREEDOM = 576
 SIZE OF STIFFNESS MATRIX = 47 DOUBLE KILO-WORDS
 REQD/AVAIL. DISK SPACE = 12.7/ 31630.6 MB, EXMEM = 353.9 MB

ZERO STIFFNESS IN DIRECTION 4 AT JOINT 99 EQN.NO. 64
 LOADS APPLIED OR DISTRIBUTED HERE FROM ELEMENTS WILL BE IGNORED.
 THIS MAY BE DUE TO ALL MEMBERS AT THIS JOINT BEING RELEASED OR
 EFFECTIVELY RELEASED IN THIS DIRECTION.
 ZERO STIFFNESS IN DIRECTION 4 AT JOINT 100 EQN.NO. 169

310. PARAMETER
 311. CODE BS5950
 312. LY 2.2 MEMB 8 TO 13 39 TO 44 56 TO 61 80 TO 85
 313. LZ 2.2 MEMB 8 TO 13 39 TO 44 56 TO 61 80 TO 85
 314. UNL 2.2 MEMB 8 TO 13 39 TO 44 56 TO 61 80 TO 85
 315. LY 3.5 MEMB 14 TO 24 45 TO 55 62 TO 72 86 TO 96
 316. LZ 3.5 MEMB 14 TO 24 45 TO 55 62 TO 72 86 TO 96
 317. UNL 3.5 MEMB 14 TO 24 45 TO 55 62 TO 72 86 TO 96
 318. CHECK CODE MEMB 1 TO 124

STEEL DESIGN I

STAAD.Pro CODE CHECKING - (BSI)

PROGRAM CODE REVISION V2.9_5950-1_2000

STAAD.Pro WARNING
 DESIGN NOT PERFORMED WITH PRISMATIC PROPERTIES

STAAD.Pro WARNING
 DESIGN NOT PERFORMED WITH PRISMATIC PROPERTIES

STAAD.Pro WARNING
 DESIGN NOT PERFORMED WITH PRISMATIC PROPERTIES

STAAD.Pro WARNING
 DESIGN NOT PERFORMED WITH PRISMATIC PROPERTIES

STAAD.Pro WARNING
 DESIGN NOT PERFORMED WITH PRISMATIC PROPERTIES

STAAD.Pro WARNING
 DESIGN NOT PERFORMED WITH PRISMATIC PROPERTIES

7 ST TUB E	PASS	BS-4.8.2.2	0.317	102
2.92 T	-1.02	11.29	0.60	
8 ST PIPE	PASS	ANNEX I.1	0.025	102
3.75 C	0.65	0.60	-	

□ STAAD SPACE