

	DUBAI METRO PROJECT		Sheet:
	RTA		
	REV_A3	CAR PARKING DESIGN TYPE P5 TO P6	
STAAD OUPUT SUMMARY			

```

*****
*
*      STAAD.Pro
*
*      Proprietary Program of
*      Research Engineers, Intl.
*      Date= JUN 26, 2010
*      Time= 19:54:53
*
*      USER ID: Snow Panther [LZ0]
*****

```

INPUT FILE: TYPE P5.STD

1. STAAD SPACE
2. START JOB INFORMATION
3. JOB NAME PROJECT DM-001 DUBAI METRO PROJECT
4. JOB CLIENT GOVERNMENT OF DUBAI ROADS & TRANSPORT AUTHORITY
5. JOB PART PARKING CANOPY TYPE 5 LOCATION PLAN & AXONOMETRY VIEW
6. ENGINEER DATE 26-JUN-10
7. END JOB INFORMATION
8. INPUT WIDTH 79
9. UNIT METER KN
10. JOINT COORDINATES
11. 1 5 2.79135 0.316069; 2 5 2.90094 0.633024; 3 5 3.00374 0.951314
12. 4 5 3.09968 1.27054; 5 5 3.18872 1.59183; 6 5 3.27083 1.91415
13. 7 5 3.34596 2.23763; 8 5 3.41407 2.56279; 9 5 3.47515 2.88875
14. 10 5 3.52915 3.21572; 11 5 3.57606 3.54387; 12 5 3.61585 3.87259
15. 13 5 3.6485 4.20205; 14 5 3.674 4.53223; 15 5 3.69234 4.86278
16. 16 10 2.79135 0.31617; 17 10 2.90094 0.633211; 18 10 3.00374 0.951575
17. 19 10 3.09968 1.27087; 20 10 3.18872 1.5922; 21 10 3.27083 1.91457
18. 22 10 3.34596 2.23807; 23 10 3.41407 2.56324; 24 10 3.47515 2.88918
19. 25 10 3.52915 3.21614; 26 10 3.57606 3.54424; 27 10 3.61585 3.87291
20. 28 10 3.6485 4.20231; 29 10 3.674 4.53241; 30 10 3.69234 4.86287
21. 31 15 2.79135 0.316174; 32 15 2.90094 0.633218; 33 15 3.00374 0.951586
22. 34 15 3.09968 1.27088; 35 15 3.18872 1.59222; 36 15 3.27083 1.91458
23. 37 15 3.34596 2.23809; 38 15 3.41407 2.56325; 39 15 3.47515 2.8892
24. 40 15 3.52915 3.21616; 41 15 3.57606 3.54426; 42 15 3.61585 3.87293
25. 43 15 3.6485 4.20232; 44 15 3.674 4.53242; 45 15 3.69234 4.86288
26. 46 20 2.79135 0.316174; 47 20 2.90094 0.633218; 48 20 3.00374 0.951586
27. 49 20 3.09968 1.27088; 50 20 3.18872 1.59222; 51 20 3.27083 1.91458
28. 52 20 3.34596 2.23809; 53 20 3.41407 2.56325; 54 20 3.47515 2.8892
29. 55 20 3.52915 3.21616; 56 20 3.57606 3.54426; 57 20 3.61585 3.87293
30. 58 20 3.6485 4.20232; 59 20 3.674 4.53242; 60 20 3.69234 4.86288
31. 61 25 2.79135 0.316174; 62 25 2.90094 0.633218; 63 25 3.00374 0.951586
32. 64 25 3.09968 1.27088; 65 25 3.18872 1.59222; 66 25 3.27083 1.91458
33. 67 25 3.34596 2.23809; 68 25 3.41407 2.56325; 69 25 3.47515 2.8892
34. 70 25 3.52915 3.21616; 71 25 3.57606 3.54426; 72 25 3.61585 3.87293
35. 73 25 3.6485 4.20232; 74 25 3.674 4.53242; 75 25 3.69234 4.86288
36. 76 30 2.79135 0.31617; 77 30 2.90094 0.633211; 78 30 3.00374 0.951575
37. 79 30 3.09968 1.27087; 80 30 3.18872 1.5922; 81 30 3.27083 1.91457
38. 82 30 3.34596 2.23807; 83 30 3.41407 2.56324; 84 30 3.47515 2.88918
39. 85 30 3.52915 3.21614; 86 30 3.57606 3.54424; 87 30 3.61585 3.87291
40. 88 30 3.6485 4.20231; 89 30 3.674 4.53241; 90 30 3.69234 4.86287

□ STAAD SPACE

	DUBAI METRO PROJECT RTA REV_A3 CAR PARKING DESIGN TYPE P5 TO P6	Sheet:
---	---	---------------

41. 91 35 2.79135 0.316069; 92 35 2.90094 0.633024; 93 35 3.00374 0.951314
 42. 94 35 3.09968 1.27054; 95 35 3.18872 1.59183; 96 35 3.27083 1.91415
 43. 97 35 3.34596 2.23763; 98 35 3.41407 2.56279; 99 35 3.47515 2.88875
 44. 100 35 3.52915 3.21572; 101 35 3.57606 3.54387; 102 35 3.61585 3.87259
 45. 103 35 3.6485 4.20205; 104 35 3.674 4.53223; 105 35 3.69234 4.86278
 46. 106 0 2.675 0; 107 5 2.675 0; 108 10 2.675 0; 109 15 2.675 0; 110 20 2.675 0
 47. 111 20 3.7035 5.1938; 112 15 3.7035 5.1938; 113 10 3.7035 5.1938
 48. 114 5 3.7035 5.1938; 115 0 3.7035 5.1938; 116 25 2.675 0; 117 30 2.675 0
 49. 118 35 2.675 0; 119 40 2.675 0; 120 40 3.7035 5.1938; 121 35 3.7035 5.1938
 50. 122 30 3.7035 5.1938; 123 25 3.7035 5.1938; 124 0 3.70167 4.86062
 51. 125 0 3.6914 4.5276; 126 0 3.6727 4.19494; 127 0 3.64558 3.86286
 52. 128 0 3.61005 3.53158; 129 0 3.56614 3.2013; 130 0 3.51389 2.87224
 53. 131 0 3.45331 2.54461; 132 0 3.38445 2.21862; 133 0 3.30736 1.89448
 54. 134 0 3.22208 1.57239; 135 0 3.12867 1.25257; 136 0 3.02719 0.935218
 55. 137 0 2.91771 0.620537; 138 0 2.80028 0.308732; 139 40 2.80028 0.308732
 56. 140 40 2.91771 0.620537; 141 40 3.02719 0.935218; 142 40 3.12867 1.25257
 57. 143 40 3.22208 1.57239; 144 40 3.30736 1.89448; 145 40 3.38445 2.21862
 58. 146 40 3.45331 2.54461; 147 40 3.51389 2.87224; 148 40 3.56614 3.2013
 59. 149 40 3.61005 3.53158; 150 40 3.64558 3.86286; 151 40 3.6727 4.19494
 60. 152 40 3.6914 4.5276; 153 40 3.70167 4.86062; 155 0 3.28707 1.81406
 61. 160 0 2.7045 4.99006; 161 0 2.7045 2.20398; 162 0 0.2005 4.4799
 62. 163 0 0.2005 3.87991; 164 0 7.00951E-005 4.43906; 165 0 7.00951E-005 4.01406
 63. 166 5 2.7045 4.99005; 167 5 3.25144 1.83369; 168 5 2.7045 2.20045
 64. 169 5 0.200509 4.47985; 170 5 0.200334 3.87966; 171 5 2.38419E-007 4.439
 65. 172 5 2.38419E-007 4.014; 173 10 2.7045 4.99005; 174 10 3.25144 1.83369
 66. 175 10 2.7045 2.20045; 176 10 0.200509 4.47985; 177 10 0.200334 3.87966
 67. 178 10 2.38419E-007 4.439; 179 10 2.38419E-007 4.014; 180 15 2.7045 4.99005
 68. 181 15 3.25144 1.83369; 182 15 2.7045 2.20045; 183 15 0.200509 4.47985
 69. 184 15 0.200334 3.87966; 185 15 2.38419E-007 4.439; 186 15 2.38419E-007 4.014
 70. 187 20 2.7045 4.99005; 188 20 3.25144 1.83369; 189 20 2.7045 2.20045
 71. 190 20 0.200509 4.47985; 191 20 0.200334 3.87966; 192 20 2.38419E-007 4.439
 72. 193 20 2.38419E-007 4.014; 194 25 2.7045 4.99005; 195 25 3.25144 1.83369
 73. 196 25 2.7045 2.20045; 197 25 0.200509 4.47985; 198 25 0.200334 3.87966
 74. 199 25 2.38419E-007 4.439; 200 25 2.38419E-007 4.014; 201 30 2.7045 4.99005
 75. 202 30 3.25144 1.83369; 203 30 2.7045 2.20045; 204 30 0.200509 4.47985
 76. 205 30 0.200334 3.87966; 206 30 2.38419E-007 4.439; 207 30 2.38419E-007 4.014
 77. 208 35 2.7045 4.99005; 209 35 3.25144 1.83369; 210 35 2.7045 2.20045
 78. 211 35 0.200509 4.47985; 212 35 0.200334 3.87966; 213 35 2.38419E-007 4.439
 79. 214 35 2.38419E-007 4.014; 215 40 3.28707 1.81406; 216 40 2.7045 4.99006
 80. 217 40 2.7045 2.20398; 218 40 0.2005 4.4799; 219 40 0.2005 3.87991
 81. 220 40 7.00951E-005 4.43906; 221 40 7.00951E-005 4.01406
 82. 222 10 3.25041 1.83438; 223 15 3.2504 1.83439; 224 20 3.2504 1.83439
 83. 225 25 3.2504 1.83439; 226 30 3.25041 1.83438; 227 2.5 2.7045 2.20221
 84. 228 37.5 2.7045 2.20221; 229 2.5 2.7045 4.99006; 230 37.5 2.7045 4.99006
 85. MEMBER INCIDENCES
 86. 1 106 138; 4 136 135; 5 135 134; 6 134 155; 7 133 132; 11 129 128; 15 125 124
 87. 16 124 115; 17 155 133; 18 115 160; 19 155 161; 20 160 162; 21 161 163
 88. 22 162 164; 23 163 165; 24 162 163; 25 138 137; 26 137 136; 27 132 131
 89. 28 131 130; 29 130 129; 30 128 127; 31 127 126; 32 126 125; 33 114 166
 90. 34 167 168; 35 166 169; 36 166 168; 37 168 170; 38 169 171; 39 170 172
 91. 40 169 170; 41 107 1; 42 1 2; 43 2 3; 44 3 4; 45 4 5; 46 5 167; 47 167 6
 92. 48 6 7; 49 7 8; 50 8 9; 51 9 10; 52 10 11; 53 11 12; 54 12 13; 55 13 14
 93. 56 14 15; 57 15 114; 58 108 16; 59 16 17; 60 17 18; 61 18 19; 62 19 20
 94. 63 20 222; 64 21 22; 65 22 23; 66 23 24; 67 24 25; 68 25 26; 69 26 27
 95. 70 27 28; 71 28 29; 72 29 30; 73 30 113; 74 113 173; 75 174 222; 76 173 176
 96. 77 173 175; 78 175 177; 79 176 178; 80 177 179; 81 176 177; 82 109 31

□ STAAD SPACE

	DUBAI METRO PROJECT RTA REV_A3 CAR PARKING DESIGN TYPE P5 TO P6	Sheet:
---	--	---------------

97. 83 31 32; 84 32 33; 85 33 34; 86 34 35; 87 35 223; 88 36 37; 89 37 38
 98. 90 38 39; 91 39 40; 92 40 41; 93 41 42; 94 42 43; 95 43 44; 96 44 45
 99. 97 45 112; 98 112 180; 99 181 223; 100 180 183; 101 180 182; 102 182 184
 100. 103 183 185; 104 184 186; 105 183 184; 106 110 46; 107 46 47; 108 47 48
 101. 109 48 49; 110 49 50; 111 50 224; 112 51 52; 113 52 53; 114 53 54; 115 54 55
 102. 116 55 56; 117 56 57; 118 57 58; 119 58 59; 120 59 60; 121 60 111; 122 111 187
 103. 123 188 224; 124 187 190; 125 187 189; 126 189 191; 127 190 192; 128 191 193
 104. 129 190 191; 130 116 61; 131 61 62; 132 62 63; 133 63 64; 134 64 65
 105. 135 65 225; 136 66 67; 137 67 68; 138 68 69; 139 69 70; 140 70 71; 141 71 72
 106. 142 72 73; 143 73 74; 144 74 75; 145 75 123; 146 123 194; 147 195 225
 107. 148 194 197; 149 194 196; 150 196 198; 151 197 199; 152 198 200; 153 197 198
 108. 154 117 76; 155 76 77; 156 77 78; 157 78 79; 158 79 80; 159 80 226; 160 81 82
 109. 161 82 83; 162 83 84; 163 84 85; 164 85 86; 165 86 87; 166 87 88; 167 88 89
 110. 168 89 90; 169 90 122; 170 122 201; 171 202 226; 172 201 204; 173 201 203
 111. 174 203 205; 175 204 206; 176 205 207; 177 204 205; 178 118 91; 179 91 92
 112. 180 92 93; 181 93 94; 182 94 95; 183 95 209; 184 96 97; 185 97 98; 186 98 99
 113. 187 99 100; 188 100 101; 189 101 102; 190 102 103; 191 103 104; 192 104 105
 114. 193 105 121; 194 121 208; 195 209 210; 196 208 211; 197 208 210; 198 210 212
 115. 199 211 213; 200 212 214; 201 211 212; 202 119 139; 203 141 142; 204 142 143
 116. 205 143 215; 206 144 145; 207 148 149; 208 152 153; 209 153 120; 210 215 144
 117. 211 120 216; 212 215 217; 213 216 218; 214 217 219; 215 218 220; 216 219 221
 118. 217 218 219; 218 139 140; 219 140 141; 220 145 146; 221 146 147; 222 147 148
 119. 223 149 150; 224 150 151; 225 151 152; 226 106 107; 227 107 108; 228 108 109
 120. 229 109 110; 230 110 116; 231 116 117; 232 117 118; 233 118 119; 234 115 114
 121. 235 114 113; 236 113 112; 237 112 111; 238 111 123; 239 123 122; 240 122 121
 122. 241 121 120; 244 166 173; 245 173 180; 246 180 187; 247 187 194; 248 194 201
 123. 249 201 208; 250 168 175; 251 175 182; 252 182 189; 253 189 196; 254 196 203
 124. 256 217 216; 257 161 160; 258 209 96; 259 222 21; 260 222 175; 261 223 36
 125. 262 223 182; 263 224 51; 264 224 189; 265 225 66; 266 225 196; 267 226 81
 126. 268 226 203; 269 161 227; 270 227 168; 271 155 227; 272 227 167; 273 203 210
 127. 274 210 228; 275 228 217; 276 209 228; 277 228 215; 278 160 229; 279 208 230
 128. 280 229 166; 281 115 229; 282 229 114; 283 230 216; 284 121 230; 285 230 120
 129. DEFINE MATERIAL START
 130. ISOTROPIC STEEL
 131. E 2.05E+008
 132. POISSON 0.3
 133. DENSITY 76.8195
 134. ALPHA 1.2E-005
 135. DAMP 0.03
 136. END DEFINE MATERIAL
 137. CONSTANTS
 138. MATERIAL STEEL MEMB 1 4 TO 7 11 15 TO 241 244 TO 254 256 TO 285
 139. MEMBER PROPERTY
 140. 18 33 74 98 122 146 170 194 211 TAPERED 0.15 0.006 0.1897 0.15 0.01 0.15 0.01
 141. 20 35 76 100 124 148 172 196 -
 142. 213 TAPERED 0.1897 0.006 0.2919 0.15 0.01 0.15 0.01
 143. 22 38 79 103 127 151 175 199 215 TAPERED 0.2919 0.006 0.3 0.15 0.01 0.15 0.01
 144. 19 34 195 212 260 262 264 266 268 TAPERED 0.15 0.006 0.1778 0.15 0.01 0.15 0.01
 145. 21 37 78 102 126 150 174 198 -
 146. 214 TAPERED 0.1778 0.006 0.2904 0.15 0.01 0.15 0.01
 147. 23 39 80 104 128 152 176 200 216 TAPERED 0.2904 0.006 0.3 0.15 0.01 0.15 0.01
 148. MEMBER PROPERTY BRITISH
 149. 24 36 40 77 81 101 105 125 129 149 153 173 177 197 201 217 244 TO 254 256 -
 150. 257 269 270 273 TO 275 278 TO 280 -
 151. 283 TABLE ST TUBE TH 0.0045 WT 0.15 DT 0.15
 152. 1 4 TO 7 11 15 TO 17 25 TO 32 41 TO 73 75 82 TO 97 99 106 TO 121 123 -
☐ STAAD SPACE

	DUBAI METRO PROJECT RTA REV_A3	Sheet:
	CAR PARKING DESIGN TYPE P5 TO P6	

153. 130 TO 145 147 154 TO 169 171 178 TO 193 202 TO 210 218 TO 225 258 259 261 -
 154. 263 265 267 TABLE ST PIPE OD 0.1683 ID 0.15408
 155. 226 TO 241 TABLE ST PIPE OD 0.1143 ID 0.10226
 156. 271 272 276 277 281 282 284 285 TABLE ST PIPE OD 0.0603 ID 0.05048
 157. SUPPORTS
 158. 164 165 171 172 176 179 185 186 192 193 199 200 206 207 213 214 220 221 PINNED
 159. MEMBER RELEASE
 160. 226 TO 241 START MX MY MZ
 161. 226 TO 241 END MX MY MZ
 162. 244 TO 254 269 273 274 278 279 START MX MY MZ
 163. 244 TO 254 270 273 275 283 END MX MY MZ
 164. 271 272 276 277 281 282 284 285 START MX MY MZ
 165. 271 272 276 277 281 282 284 285 END MX MZ
 166. LOAD 1 PRESTRESS
 167. SELFWEIGHT Y -1
 168. JOINT LOAD
 169. 1 FX -1E-006 FY -0.050616 FZ -1.3E-005
 170. 2 FX -4E-006 FY -0.06674 FZ -4E-006
 171. 3 FX -3E-006 FY -0.053855 FZ -4E-006
 172. 4 FX 2E-006 FY -0.117935 FZ 2.7E-005
 173. 5 FX -3E-006 FY -0.073163 FZ 1.8E-005
 174. 6 FX -2E-006 FY -0.078913 FZ 9E-006
 175. 7 FX -1E-006 FY -0.13011 FZ -1.5E-005
 176. 8 FX 1E-006 FY -0.075098 FZ -1E-006
 177. 9 FX 2E-006 FY -0.090933 FZ 3E-005
 178. 10 FX -4E-006 FY -0.117963 FZ 0
 179. 11 FX 0 FY -0.070589 FZ 1.4E-005
 180. 12 FX 1E-006 FY -0.08508 FZ 4E-006
 181. 13 FX 1E-006 FY -0.08962 FZ 1.1E-005
 182. 14 FX 1E-006 FY -0.051032 FZ 1E-005
 183. 15 FX 4E-006 FY -0.054775 FZ 2.2E-005
 184. 16 FX -5E-006 FY -0.050977 FZ 1.2E-005
 185. 17 FX -4E-006 FY -0.067179 FZ -2.6E-005
 186. 18 FX -2E-006 FY -0.054165 FZ 2E-006
 187. 19 FX 0 FY -0.118881 FZ -1.4E-005
 188. 20 FX -2E-006 FY -0.073711 FZ 1.4E-005
 189. 21 FX -2E-006 FY -0.079521 FZ 6E-006
 190. 22 FX -5E-006 FY -0.131285 FZ 1.5E-005
 191. 23 FX -4E-006 FY -0.075697 FZ -8E-006
 192. 24 FX -5E-006 FY -0.091718 FZ -1E-005
 193. 25 FX -2E-006 FY -0.119015 FZ 1.5E-005
 194. 26 FX 0 FY -0.071111 FZ 0
 195. 27 FX -2E-006 FY -0.08575 FZ -7E-006
 196. 28 FX -2E-006 FY -0.090295 FZ 5E-006
 197. 29 FX -2E-006 FY -0.051335 FZ 1.5E-005
 198. 30 FX -3E-006 FY -0.055134 FZ -3.1E-005
 199. 31 FX -3E-006 FY -0.050994 FZ -7E-006
 200. 32 FX -4E-006 FY -0.06719 FZ -1E-005
 201. 33 FX -2E-006 FY -0.054175 FZ 1E-005
 202. 34 FX 3E-006 FY -0.118899 FZ -2.3E-005
 203. 35 FX 0 FY -0.073726 FZ 1.7E-005
 204. 36 FX 0 FY -0.079542 FZ -9E-006
 205. 37 FX 2E-006 FY -0.131299 FZ 8E-006
 206. 38 FX -1E-006 FY -0.075705 FZ 1.5E-005
 207. 39 FX -1E-006 FY -0.091732 FZ 4E-006
 208. 40 FX 1E-006 FY -0.119029 FZ 3.1E-005
 □ STAAD SPACE

(196)

 1ST FLOOR PLAN (196) DRAWING NO. 196 DATE 15/05/2011 PROJECT NO. 196 SHEET NO. 196	DUBAI METRO PROJECT		Sheet:
	RTA		
	REV_A3	CAR PARKING DESIGN TYPE P5 TO P6	

209. 41 FX -1E-006 FY -0.071125 FZ 9E-006
 210. 42 FX 0 FY -0.085766 FZ -3E-005
 211. 43 FX -2E-006 FY -0.090311 FZ -2.5E-005
 212. 44 FX 2E-006 FY -0.051348 FZ 2E-005
 213. 45 FX 5E-006 FY -0.055146 FZ -7E-006
 214. 46 FX 0 FY -0.051049 FZ -2.6E-005
 215. 47 FX 0 FY -0.067235 FZ 0
 216. 48 FX 0 FY -0.054224 FZ 6E-006
 217. 49 FX 0 FY -0.118949 FZ -2E-005
 218. 50 FX 0 FY -0.073771 FZ 2.6E-005
 219. 51 FX 0 FY -0.079583 FZ 1.7E-005
 220. 52 FX 0 FY -0.131346 FZ 1.4E-005
 221. 53 FX 0 FY -0.075754 FZ 1.3E-005
 222. 54 FX 0 FY -0.091781 FZ -5E-006
 223. 55 FX 0 FY -0.119083 FZ -2E-006
 224. 56 FX 0 FY -0.071167 FZ 4.4E-005
 225. 57 FX 0 FY -0.085812 FZ -1.3E-005
 226. 58 FX 0 FY -0.090358 FZ -2.4E-005
 227. 59 FX 0 FY -0.051395 FZ 1.8E-005
 228. 60 FX 0 FY -0.055193 FZ 2E-006
 229. 61 FX 3E-006 FY -0.050994 FZ -7E-006
 230. 62 FX 4E-006 FY -0.06719 FZ -1E-005
 231. 63 FX 2E-006 FY -0.054175 FZ 1E-005
 232. 64 FX -3E-006 FY -0.118899 FZ -2.3E-005
 233. 65 FX 0 FY -0.073726 FZ 1.7E-005
 234. 66 FX 0 FY -0.079542 FZ -9E-006
 235. 67 FX -2E-006 FY -0.131299 FZ 8E-006
 236. 68 FX 1E-006 FY -0.075705 FZ 1.5E-005
 237. 69 FX 1E-006 FY -0.091732 FZ 4E-006
 238. 70 FX -1E-006 FY -0.119029 FZ 3.1E-005
 239. 71 FX 1E-006 FY -0.071125 FZ 9E-006
 240. 72 FX 0 FY -0.085766 FZ -3E-005
 241. 73 FX 2E-006 FY -0.090311 FZ -2.5E-005
 242. 74 FX -2E-006 FY -0.051348 FZ 2E-005
 243. 75 FX -5E-006 FY -0.055146 FZ -7E-006
 244. 76 FX 5E-006 FY -0.050977 FZ 1.2E-005
 245. 77 FX 4E-006 FY -0.067179 FZ -2.6E-005
 246. 78 FX 2E-006 FY -0.054165 FZ 2E-006
 247. 79 FX 0 FY -0.118881 FZ -1.4E-005
 248. 80 FX 2E-006 FY -0.073711 FZ 1.4E-005
 249. 81 FX 2E-006 FY -0.079521 FZ 6E-006
 250. 82 FX 5E-006 FY -0.131285 FZ 1.5E-005
 251. 83 FX 4E-006 FY -0.075697 FZ -8E-006
 252. 84 FX 5E-006 FY -0.091718 FZ -1E-005
 253. 85 FX 2E-006 FY -0.119015 FZ 1.5E-005
 254. 86 FX 0 FY -0.071111 FZ 0
 255. 87 FX 2E-006 FY -0.08575 FZ -7E-006
 256. 88 FX 2E-006 FY -0.090295 FZ 5E-006
 257. 89 FX 2E-006 FY -0.051335 FZ 1.5E-005
 258. 90 FX 3E-006 FY -0.055134 FZ -3.1E-005
 259. 91 FX 1E-006 FY -0.050616 FZ -1.3E-005
 260. 92 FX 4E-006 FY -0.06674 FZ -4E-006
 261. 93 FX 3E-006 FY -0.053855 FZ -4E-006
 262. 94 FX -2E-006 FY -0.117935 FZ 2.7E-005
 263. 95 FX 3E-006 FY -0.073163 FZ 1.8E-005
 264. 96 FX 2E-006 FY -0.078913 FZ 9E-006

□ STAAD SPACE

(197)

	DUBAI METRO PROJECT RTA REV_A3 CAR PARKING DESIGN TYPE P5 TO P6	Sheet:
---	---	---------------

265. 97 FX 1E-006 FY -0.13011 FZ -1.5E-005
 266. 98 FX -1E-006 FY -0.075098 FZ -1E-006
 267. 99 FX -2E-006 FY -0.090933 FZ 3E-005
 268. 100 FX 4E-006 FY -0.117963 FZ 0
 269. 101 FX 0 FY -0.070589 FZ 1.4E-005
 270. 102 FX -1E-006 FY -0.08508 FZ 4E-006
 271. 103 FX -1E-006 FY -0.08962 FZ 1.1E-005
 272. 104 FX -1E-006 FY -0.051032 FZ 1E-005
 273. 105 FX -4E-006 FY -0.054775 FZ 2.2E-005
 274. 106 FX 12.5068 FY 0.754292 FZ 2.49922
 275. 107 FX -0.002068 FY 1.80492 FZ 5.96614
 276. 108 FX 0.003441 FY 1.79519 FZ 5.97001
 277. 109 FX -0.0006 FY 1.79551 FZ 5.97117
 278. 110 FX 0 FY 1.79628 FZ 5.9732
 279. 111 FX 0 FY -0.579573 FZ -5.97326
 280. 112 FX -0.000697 FY -0.579519 FZ -5.9712
 281. 113 FX 0.003808 FY -0.579428 FZ -5.9703
 282. 114 FX -0.002496 FY -0.570155 FZ -5.97337
 283. 115 FX 12.4127 FY -0.244021 FZ -2.49532
 284. 116 FX 0.0006 FY 1.79551 FZ 5.97117
 285. 117 FX -0.003441 FY 1.79519 FZ 5.97001
 286. 118 FX 0.002068 FY 1.80492 FZ 5.96614
 287. 119 FX -12.5068 FY 0.754292 FZ 2.49922
 288. 120 FX -12.4127 FY -0.244021 FZ -2.49532
 289. 121 FX 0.002496 FY -0.570155 FZ -5.97337
 290. 122 FX -0.003808 FY -0.579428 FZ -5.9703
 291. 123 FX 0.000697 FY -0.579519 FZ -5.9712
 292. 124 FX 0.33571 FY -0.020432 FZ -0.010941
 293. 125 FX 0.249991 FY -0.018264 FZ 0.000491
 294. 126 FX 0.41851 FY -0.039861 FZ 0.010397
 295. 127 FX 0.330187 FY -0.040649 FZ -0.014794
 296. 128 FX 0.244414 FY -0.028465 FZ 0.014691
 297. 129 FX 0.426726 FY -0.056977 FZ 8.4E-005
 298. 130 FX 0.31375 FY -0.044471 FZ -0.003984
 299. 131 FX 0.234892 FY -0.032067 FZ 0.004313
 300. 132 FX 0.452137 FY -0.067859 FZ -0.015434
 301. 133 FX 0.276066 FY -0.035501 FZ 0.007115
 302. 134 FX 0.224569 FY -0.027602 FZ 0.0093
 303. 135 FX 0.49691 FY -0.060592 FZ 0.0007
 304. 136 FX 0.210515 FY -0.019619 FZ 0.000347
 305. 137 FX 0.295369 FY -0.028103 FZ -0.001484
 306. 138 FX 0.407533 FY -0.018161 FZ 0.002732
 307. 139 FX -0.407533 FY -0.018161 FZ 0.002732
 308. 140 FX -0.295369 FY -0.028103 FZ -0.001484
 309. 141 FX -0.210515 FY -0.019619 FZ 0.000347
 310. 142 FX -0.49691 FY -0.060592 FZ 0.0007
 311. 143 FX -0.224569 FY -0.027602 FZ 0.0093
 312. 144 FX -0.276066 FY -0.035501 FZ 0.007115
 313. 145 FX -0.452137 FY -0.067859 FZ -0.015434
 314. 146 FX -0.234892 FY -0.032067 FZ 0.004313
 315. 147 FX -0.31375 FY -0.044471 FZ -0.003984
 316. 148 FX -0.426726 FY -0.056977 FZ 8.4E-005
 317. 149 FX -0.244414 FY -0.028465 FZ 0.014691
 318. 150 FX -0.330187 FY -0.040649 FZ -0.014794
 319. 151 FX -0.41851 FY -0.039861 FZ 0.010397
 320. 152 FX -0.249991 FY -0.018264 FZ 0.000491

☐ STAAD SPACE

 10, Jumeirah Park Road, 1st Floor, Jumeirah Park, Dubai, U.A.E. Tel: +966 4 345 1234 Fax: +966 4 345 1234 Email: info@structurflex.com	DUBAI METRO PROJECT		Sheet:
	RTA		
	REV_A3	CAR PARKING DESIGN TYPE P5 TO P6	

321. 153 FX -0.33571 FY -0.020432 FZ -0.010941
 322. LOAD 2 WIND DOWN
 323. SELFWEIGHT Y-1
 324. JOINT LOAD
 325. 1 FX 5E-006 FY -0.291135 FZ -4E-006
 326. 2 FX 2E-006 FY -0.752208 FZ -8E-006
 327. 3 FX 3E-006 FY -0.563799 FZ 1.2E-005
 328. 4 FX -2.7E-005 FY -1.4737 FZ -2.2E-005
 329. 5 FX -3E-006 FY -0.80663 FZ -7E-006
 330. 6 FX -2E-006 FY -0.880838 FZ -1.2E-005
 331. 7 FX -2.7E-005 FY -1.48965 FZ -2E-005
 332. 8 FX 4E-006 FY -0.7832 FZ -1E-005
 333. 9 FX 6E-006 FY -0.985278 FZ -1.6E-005
 334. 10 FX 3.3E-005 FY -1.35122 FZ -5E-006
 335. 11 FX -6E-006 FY -0.764054 FZ -5E-006
 336. 12 FX -2.6E-005 FY -0.980163 FZ 2E-006
 337. 13 FX -5.1E-005 FY -1.06132 FZ -6E-006
 338. 14 FX -1.9E-005 FY -0.455715 FZ 3.5E-005
 339. 15 FX -3E-005 FY -0.455267 FZ -1.8E-005
 340. 16 FX 1.2E-005 FY -0.292781 FZ -4E-006
 341. 17 FX 8E-006 FY -0.756888 FZ -9E-006
 342. 18 FX 6E-006 FY -0.567492 FZ -1E-006
 343. 19 FX 2.6E-005 FY -1.49144 FZ -1.7E-005
 344. 20 FX -1.1E-005 FY -0.81854 FZ -1E-005
 345. 21 FX -1.5E-005 FY -0.893945 FZ -2E-005
 346. 22 FX -2.7E-005 FY -1.5154 FZ -1.8E-005
 347. 23 FX -1.2E-005 FY -0.796028 FZ -1.9E-005
 348. 24 FX -2.1E-005 FY -1.0018 FZ -1E-005
 349. 25 FX -5E-006 FY -1.37276 FZ -9E-006
 350. 26 FX -1E-005 FY -0.773914 FZ -2E-006
 351. 27 FX -2.3E-005 FY -0.992378 FZ 5E-006
 352. 28 FX -2.2E-005 FY -1.06991 FZ 2.8E-005
 353. 29 FX -5E-006 FY -0.45773 FZ -3.9E-005
 354. 30 FX -1.5E-005 FY -0.456237 FZ 1.1E-005
 355. 31 FX 2E-006 FY -0.292834 FZ 1E-006
 356. 32 FX -1.5E-005 FY -0.756596 FZ -8E-006
 357. 33 FX -9E-006 FY -0.567303 FZ -2E-006
 358. 34 FX -2.5E-005 FY -1.49146 FZ -1.6E-005
 359. 35 FX 2E-006 FY -0.818646 FZ -1.1E-005
 360. 36 FX 2E-006 FY -0.894062 FZ -2.2E-005
 361. 37 FX 6E-006 FY -1.51559 FZ -1.7E-005
 362. 38 FX 1E-006 FY -0.796107 FZ -2E-005
 363. 39 FX -3E-006 FY -1.0019 FZ -1E-005
 364. 40 FX -7E-006 FY -1.37288 FZ -3E-006
 365. 41 FX 2E-006 FY -0.773956 FZ -6E-006
 366. 42 FX 1E-006 FY -0.99242 FZ 0
 367. 43 FX -1.3E-005 FY -1.06976 FZ 4E-005
 368. 44 FX 1.1E-005 FY -0.457563 FZ -4E-005
 369. 45 FX 1.7E-005 FY -0.45596 FZ 5E-006
 370. 46 FX 0 FY -0.292893 FZ -4E-006
 371. 47 FX -1.6E-005 FY -0.756569 FZ -5E-006
 372. 48 FX -1.1E-005 FY -0.567302 FZ -1E-006
 373. 49 FX -2.3E-005 FY -1.49151 FZ -1.7E-005
 374. 50 FX -1E-006 FY -0.818719 FZ -1.4E-005
 375. 51 FX -1E-006 FY -0.894136 FZ -2.3E-005
 376. 52 FX 9E-006 FY -1.51568 FZ -1.8E-005
 □ STAAD SPACE

	DUBAI METRO PROJECT		Sheet:
	RTA		
	REV_A3	CAR PARKING DESIGN TYPE P5 TO P6	

377. 53 FX -1E-006 FY -0.796174 FZ -2.1E-005
 378. 54 FX -2E-006 FY -1.00197 FZ -1.2E-005
 379. 55 FX -3E-006 FY -1.37295 FZ -1E-006
 380. 56 FX -2E-006 FY -0.774016 FZ -8E-006
 381. 57 FX -2E-006 FY -0.992485 FZ 0
 382. 58 FX 6E-006 FY -1.06977 FZ 0
 383. 59 FX 3E-006 FY -0.457537 FZ -5E-006
 384. 60 FX 3E-006 FY -0.455897 FZ 1.1E-005
 385. 61 FX -7E-006 FY -0.292834 FZ 1E-006
 386. 62 FX -1.7E-005 FY -0.756621 FZ -9E-006
 387. 63 FX -1.2E-005 FY -0.567318 FZ -1E-006
 388. 64 FX -1.9E-005 FY -1.49145 FZ -1.7E-005
 389. 65 FX -6E-006 FY -0.818645 FZ -1.1E-005
 390. 66 FX -6E-006 FY -0.89406 FZ -2.2E-005
 391. 67 FX 1.4E-005 FY -1.51559 FZ -1.7E-005
 392. 68 FX 1E-006 FY -0.796111 FZ -1.9E-005
 393. 69 FX 4E-006 FY -1.0019 FZ -9E-006
 394. 70 FX 5E-006 FY -1.37289 FZ -5E-006
 395. 71 FX -3E-006 FY -0.773967 FZ -7E-006
 396. 72 FX -2E-006 FY -0.992437 FZ 3E-006
 397. 73 FX 2.2E-005 FY -1.06979 FZ 4.1E-005
 398. 74 FX 1.1E-005 FY -0.457514 FZ -4.4E-005
 399. 75 FX 2.1E-005 FY -0.455853 FZ 7E-006
 400. 76 FX -1.1E-005 FY -0.292804 FZ -5E-006
 401. 77 FX -1E-005 FY -0.756942 FZ -1.1E-005
 402. 78 FX -7E-006 FY -0.567527 FZ -1E-006
 403. 79 FX -2.9E-005 FY -1.49141 FZ -1.8E-005
 404. 80 FX 8E-006 FY -0.818535 FZ -1E-005
 405. 81 FX 1.2E-005 FY -0.893939 FZ -2E-005
 406. 82 FX 1E-005 FY -1.51541 FZ -1.7E-005
 407. 83 FX 9E-006 FY -0.796034 FZ -1.8E-005
 408. 84 FX 1.9E-005 FY -1.00181 FZ -1.1E-005
 409. 85 FX 1.5E-005 FY -1.37278 FZ -1E-005
 410. 86 FX 5E-006 FY -0.773937 FZ -2E-006
 411. 87 FX 1E-005 FY -0.992413 FZ 9E-006
 412. 88 FX 1.4E-005 FY -1.06999 FZ 2.7E-005
 413. 89 FX 3E-006 FY -0.457618 FZ -4E-005
 414. 90 FX 1.4E-005 FY -0.455986 FZ 1.4E-005
 415. 91 FX -3E-006 FY -0.2914 FZ -4E-006
 416. 92 FX 1E-006 FY -0.752253 FZ -8E-006
 417. 93 FX -1E-006 FY -0.563826 FZ 1.2E-005
 418. 94 FX 2.7E-005 FY -1.4736 FZ -2.2E-005
 419. 95 FX 0 FY -0.806613 FZ -6E-006
 420. 96 FX -1E-006 FY -0.880819 FZ -1E-005
 421. 97 FX 1.7E-005 FY -1.48964 FZ -1.9E-005
 422. 98 FX -4E-006 FY -0.783204 FZ -1E-005
 423. 99 FX -5E-006 FY -0.985283 FZ -1.6E-005
 424. 100 FX -2.1E-005 FY -1.35124 FZ -6E-006
 425. 101 FX 1E-006 FY -0.764089 FZ -6E-006
 426. 102 FX 1.3E-005 FY -0.980219 FZ 1E-006
 427. 103 FX 4.2E-005 FY -1.0615 FZ -4E-006
 428. 104 FX 8E-006 FY -0.455524 FZ 3.6E-005
 429. 105 FX 1E-005 FY -0.45482 FZ -1.8E-005
 430. 106 FX 14.4865 FY 0.257493 FZ 2.95054
 431. 107 FX 0.373447 FY 1.01165 FZ 7.57406
 432. 108 FX 0.012943 FY 1.00551 FZ 7.6559

□ STAAD SPACE

(200)

	DUBAI METRO PROJECT		Sheet:
	RTA		
	REV_A3	CAR PARKING DESIGN TYPE P5 TO P6	

433. 109 FX 0.001294 FY 1.00585 FZ 7.65884
 434. 110 FX 0.0002 FY 1.00663 FZ 7.66124
 435. 111 FX -0.000141 FY -1.62102 FZ -4.91487
 436. 112 FX -3E-005 FY -1.62075 FZ -4.91261
 437. 113 FX 0.001092 FY -1.62025 FZ -4.91186
 438. 114 FX 0.329694 FY -1.59156 FZ -4.87619
 439. 115 FX 12.2089 FY -0.755535 FZ -2.22449
 440. 116 FX -0.000776 FY 1.00591 FZ 7.65902
 441. 117 FX -0.011591 FY 1.00568 FZ 7.65634
 442. 118 FX -0.365252 FY 1.01232 FZ 7.57537
 443. 119 FX -14.4783 FY 0.249392 FZ 2.95327
 444. 120 FX -12.2104 FY -0.752682 FZ -2.22677
 445. 121 FX -0.331694 FY -1.59204 FZ -4.87669
 446. 122 FX -0.001663 FY -1.62053 FZ -4.9122
 447. 123 FX -0.000711 FY -1.62087 FZ -4.91276
 448. 124 FX 1.364 FY -0.238308 FZ 0.01367
 449. 125 FX 1.22237 FY -0.238127 FZ 0.023869
 450. 126 FX 2.74939 FY -0.541369 FZ 0.06199
 451. 127 FX 2.40692 FY -0.51697 FZ 0.031978
 452. 128 FX 1.79074 FY -0.394038 FZ 0.051007
 453. 129 FX 3.17226 FY -0.686223 FZ 0.060634
 454. 130 FX 2.33278 FY -0.525679 FZ 0.043696
 455. 131 FX 1.74892 FY -0.400797 FZ 0.04231
 456. 132 FX 3.39823 FY -0.752339 FZ 0.052908
 457. 133 FX 2.07693 FY -0.463798 FZ 0.056092
 458. 134 FX 1.68902 FY -0.381008 FZ 0.051227
 459. 135 FX 3.63826 FY -0.762695 FZ 0.087215
 460. 136 FX 1.25778 FY -0.259526 FZ 0.04089
 461. 137 FX 1.75903 FY -0.351591 FZ 0.052577
 462. 138 FX 0.844926 FY -0.123582 FZ 0.02737
 463. 139 FX -0.86323 FY -0.134251 FZ 0.030437
 464. 140 FX -1.75926 FY -0.352959 FZ 0.052662
 465. 141 FX -1.25795 FY -0.260485 FZ 0.040946
 466. 142 FX -3.63796 FY -0.763104 FZ 0.086711
 467. 143 FX -1.68897 FY -0.381084 FZ 0.050982
 468. 144 FX -2.07686 FY -0.463891 FZ 0.055791
 469. 145 FX -3.39821 FY -0.752425 FZ 0.052441
 470. 146 FX -1.74894 FY -0.400823 FZ 0.042082
 471. 147 FX -2.33281 FY -0.525706 FZ 0.043398
 472. 148 FX -3.1724 FY -0.686225 FZ 0.060263
 473. 149 FX -1.79092 FY -0.394 FZ 0.050809
 474. 150 FX -2.40722 FY -0.516896 FZ 0.031719
 475. 151 FX -2.75051 FY -0.540232 FZ 0.06164
 476. 152 FX -1.22025 FY -0.232211 FZ 0.023352
 477. 153 FX -1.3593 FY -0.226867 FZ 0.01277
 478. LOAD 3 WIND UP
 479. SELFWEIGHT Y -1
 480. JOINT LOAD
 481. 1 FX 0 FY 0.144761 FZ 0
 482. 2 FX 1E-006 FY 0.340384 FZ 0
 483. 3 FX 0 FY 0.265035 FZ 0
 484. 4 FX -2E-006 FY 0.708732 FZ 0
 485. 5 FX 0 FY 0.485277 FZ 0
 486. 6 FX 0 FY 0.522295 FZ 0
 487. 7 FX 1E-006 FY 0.912333 FZ 0
 488. 8 FX 0 FY 0.501701 FZ 0

□ STAAD SPACE

(202)

	DUBAI METRO PROJECT		Sheet:
	RTA		
	REV_A3	CAR PARKING DESIGN TYPE P5 TO P6	

545. 65 FX 1E-006 FY 0.485746 FZ 0
 546. 66 FX 0 FY 0.522785 FZ 0
 547. 67 FX -4E-006 FY 0.91211 FZ 0
 548. 68 FX -5E-006 FY 0.50136 FZ 5E-006
 549. 69 FX -8E-006 FY 0.629871 FZ 0
 550. 70 FX 3E-006 FY 0.794465 FZ -7E-006
 551. 71 FX 1E-006 FY 0.418196 FZ -8E-006
 552. 72 FX 1E-006 FY 0.518517 FZ -3E-006
 553. 73 FX -1.4E-005 FY 0.43514 FZ 2E-006
 554. 74 FX -3E-006 FY 0.182043 FZ 4E-006
 555. 75 FX -2E-006 FY 0.167052 FZ 2E-006
 556. 76 FX -2E-005 FY 0.144093 FZ 3E-006
 557. 77 FX 5E-006 FY 0.341363 FZ -4E-006
 558. 78 FX -4E-006 FY 0.265712 FZ -1E-006
 559. 79 FX -1.2E-005 FY 0.710219 FZ 6E-006
 560. 80 FX -1E-006 FY 0.485173 FZ -6E-006
 561. 81 FX -2E-006 FY 0.522162 FZ -2E-006
 562. 82 FX 1.5E-005 FY 0.911161 FZ -5E-006
 563. 83 FX 8E-006 FY 0.500931 FZ -2.2E-005
 564. 84 FX 1.3E-005 FY 0.629328 FZ -2E-006
 565. 85 FX -2.1E-005 FY 0.793653 FZ 1.7E-005
 566. 86 FX -7E-006 FY 0.417799 FZ 1.3E-005
 567. 87 FX -4E-006 FY 0.517981 FZ 8E-006
 568. 88 FX 1.7E-005 FY 0.434679 FZ -8E-006
 569. 89 FX 8E-006 FY 0.181964 FZ -1E-005
 570. 90 FX 8E-006 FY 0.167028 FZ 6E-006
 571. 91 FX 1.8E-005 FY 0.144952 FZ -1.9E-005
 572. 92 FX 8E-006 FY 0.340584 FZ 6.2E-005
 573. 93 FX -1.3E-005 FY 0.265144 FZ -1.1E-005
 574. 94 FX 2.1E-005 FY 0.708717 FZ -4.3E-005
 575. 95 FX -2.8E-005 FY 0.485254 FZ -6E-006
 576. 96 FX -2.9E-005 FY 0.522277 FZ 2.6E-005
 577. 97 FX -3.3E-005 FY 0.912309 FZ 1.9E-005
 578. 98 FX -2.5E-005 FY 0.501688 FZ -4.6E-005
 579. 99 FX -3.7E-005 FY 0.630365 FZ 9E-005
 580. 100 FX 6E-006 FY 0.794537 FZ -5.6E-005
 581. 101 FX 3.4E-005 FY 0.418022 FZ 1.4E-005
 582. 102 FX 5.9E-005 FY 0.518095 FZ 2.2E-005
 583. 103 FX -8.5E-005 FY 0.434397 FZ 6E-006
 584. 104 FX -3E-006 FY 0.182052 FZ -3.6E-005
 585. 105 FX 3.8E-005 FY 0.167201 FZ 4.3E-005
 586. 106 FX 40.9316 FY 4.62146 FZ 8.31564
 587. 107 FX -0.634674 FY 8.91787 FZ 16.2544
 588. 108 FX 0.004749 FY 8.83289 FZ 16.1367
 589. 109 FX 0.00144 FY 8.82709 FZ 16.1285
 590. 110 FX 8.8E-005 FY 8.82515 FZ 16.1257
 591. 111 FX -0.000274 FY 1.92514 FZ -19.6462
 592. 112 FX -0.002296 FY 1.92561 FZ -19.6491
 593. 113 FX -0.003931 FY 1.92721 FZ -19.6584
 594. 114 FX -0.698669 FY 1.95889 FZ -19.8083
 595. 115 FX 40.3627 FY 1.0994 FZ -9.01433
 596. 116 FX -0.001177 FY 8.82708 FZ 16.1286
 597. 117 FX -0.004154 FY 8.83285 FZ 16.1368
 598. 118 FX 0.642842 FY 8.91794 FZ 16.2555
 599. 119 FX -40.9248 FY 4.64031 FZ 8.316
 600. 120 FX -40.3675 FY 1.08957 FZ -9.00561

☐ STAAD SPACE

(203)

 101, General P.O. Box, Al-Dubai, P.O. Box 12345, Dubai, U.A.E. Tel: (04) 123 4567 Fax: (04) 765 4321 E-mail: info@structurmax.ae	DUBAI METRO PROJECT		Sheet:
	RTA		
	REV_A3	CAR PARKING DESIGN TYPE P5 TO P6	

601. 121 FX 0.694437 FY 1.95963 FZ -19.8088
 602. 122 FX 0.002559 FY 1.92753 FZ -19.6586
 603. 123 FX 0.00147 FY 1.92574 FZ -19.6491
 604. 124 FX 0.714219 FY 0.101411 FZ -0.033867
 605. 125 FX 0.641938 FY 0.10699 FZ -0.02236
 606. 126 FX 1.43623 FY 0.208382 FZ -0.043794
 607. 127 FX 1.47012 FY 0.244994 FZ -0.081913
 608. 128 FX 1.1283 FY 0.201394 FZ -0.040923
 609. 129 FX 2.11985 FY 0.339923 FZ -0.108523
 610. 130 FX 1.64113 FY 0.283021 FZ -0.099592
 611. 131 FX 1.22359 FY 0.220557 FZ -0.070467
 612. 132 FX 2.3003 FY 0.360518 FZ -0.15511
 613. 133 FX 1.32771 FY 0.226575 FZ -0.08028
 614. 134 FX 1.08065 FY 0.192001 FZ -0.064464
 615. 135 FX 1.97127 FY 0.280045 FZ -0.118384
 616. 136 FX 0.613248 FY 0.103225 FZ -0.039085
 617. 137 FX 0.851653 FY 0.12888 FZ -0.052748
 618. 138 FX 0.439176 FY 0.052885 FZ -0.01378
 619. 139 FX -0.45498 FY 0.058181 FZ -0.015927
 620. 140 FX -0.852582 FY 0.13047 FZ -0.053726
 621. 141 FX -0.613896 FY 0.104339 FZ -0.039777
 622. 142 FX -1.97109 FY 0.280362 FZ -0.119403
 623. 143 FX -1.08059 FY 0.191912 FZ -0.064917
 624. 144 FX -1.32764 FY 0.226465 FZ -0.080836
 625. 145 FX -2.30027 FY 0.360267 FZ -0.156031
 626. 146 FX -1.22363 FY 0.220432 FZ -0.070958
 627. 147 FX -1.64121 FY 0.282856 FZ -0.100252
 628. 148 FX -2.12012 FY 0.339656 FZ -0.109395
 629. 149 FX -1.12856 FY 0.201061 FZ -0.041383
 630. 150 FX -1.47054 FY 0.244439 FZ -0.082511
 631. 151 FX -1.43633 FY 0.205521 FZ -0.04423
 632. 152 FX -0.637628 FY 0.102341 FZ -0.022352
 633. 153 FX -0.705517 FY 0.093204 FZ -0.033677
 634. LOAD COMB 101 1.4PRESTRESS
 635. 1 1.4
 636. LOAD COMB 102 1.4WIND DOWN
 637. 2 1.4
 638. LOAD COMB 103 1.4 WIND UP
 639. 3 1.4
 640. PERFORM ANALYSIS

PROBLEM STATISTICS

NUMBER OF JOINTS/MEMBER+ELEMENTS/SUPPORTS = 225/ 274/ 18
 ORIGINAL/FINAL BAND-WIDTH= 197/ 20/ 120 DOF
 TOTAL PRIMARY LOAD CASES = 3, TOTAL DEGREES OF FREEDOM = 1296
 SIZE OF STIFFNESS MATRIX = 156 DOUBLE KILO-WORDS
 REQD/AVAIL. DISK SPACE = 14.1/ 31255.1 MB, EXMEM = 831.6 MB

☐ STAAD SPACE

(204)

 STRUCTURFLEX P.O. BOX 1999 DUBAI EMIRATES U.A.E. Phone: 04-361 1111 Fax: 04-361 1112 E-mail: structurflex@emirates.net.ae	DUBAI METRO PROJECT		Sheet:
	RTA		
	REV_A3	CAR PARKING DESIGN TYPE P5 TO P6	

641. PARAMETER

642. CODE BS5950

643. LY 2.2 MEMB 1 4 TO 6 25 26 41 TO 46 58 TO 63 82 TO 87 106 TO 111 130 TO 135 -

644. 154 TO 159 178 TO 183 202 TO 205 218 219

645. LZ 2.2 MEMB 1 4 TO 6 25 26 41 TO 46 58 TO 63 82 TO 87 106 TO 111 130 TO 135 -

646. 154 TO 159 178 TO 183 202 TO 205 218 219

647. UNL 2.2 MEMB 1 4 TO 6 25 26 41 TO 46 58 TO 63 82 TO 87 106 TO 111 130 TO 135 -

648. 154 TO 159 178 TO 183 202 TO 205 218 219

649. LY 3.5 MEMB 7 11 15 TO 17 27 TO 32 47 TO 57 64 TO 73 88 TO 97 112 TO 121 136 -

650. 137 TO 145 160 TO 169 184 TO 193 206 TO 210 220 TO 225 258 259 261 263 265 -

651. 267

652. LZ 3.5 MEMB 7 11 15 TO 17 27 TO 32 47 TO 57 64 TO 73 88 TO 97 112 TO 121 136 -

653. 137 TO 145 160 TO 169 184 TO 193 206 TO 210 220 TO 225 258 259 261 263 265 -

654. 267

655. UNL 3.5 MEMB 4 7 11 15 TO 17 27 TO 32 47 TO 57 64 TO 73 88 TO 97 112 TO 121 -

656. 136 TO 145 160 TO 169 184 TO 193 206 TO 210 220 TO 225 258 259 261 263 265 -

657. 267

658. CHECK CODE MEMB 1 4 TO 7 11 15 TO 241 244 TO 254 256 TO 285

STEEL DESIGN

STAAD.Pro CODE CHECKING - (BSI)

PROGRAM CODE REVISION V2.9_5950-1_2000

□ STAAD SPACE

□