



Lecture 11
- Node.js

**Client/Server Programming
for Internet Applications**

TCSS460

Summer 2020

©1992-2020 by Addison Wesley & Pearson Education, Inc., McGraw Hill, Prentice Hall, Cengage Learning, O'Reilly, Slides adapted and modified from Internet & World Wide Web How to Program (Deitel et al.), Web Coding and Development (P. McFedries), Introduction to Web Development (L. Svekis), Sams Teach Yourself Node.js in 24 Hours.


TACOMA

XML Overview

- **XML** technology for creating markup languages
 - XML was introduced in 1996 by the W3C XML Working Group
- **XML** separates data from context (presentation)
 - **XML** documents do not have instructions on how to display content
 - you can associate a style to an XML document through a stylesheet
- **XML** is more about managing data
 - **XML** data is NOT limited to one application format
 - **XML** provides means for business collaboration and sharing of information
- extension: **.xml**

2

XML Example



3

Markup

- XML element markup consists of
 - start tag
 - content
 - end tag
- all elements must have corresponding end tag
 - `` is correct in HTML, but not XML
- XML requires end tag or *forward slash* (/) for termination


```

<img src = "img.gif"></img>
or
<img src = "img.gif"/>
      
```

is correct XML syntax

4

JSON

JavaScript Object Notation


5

JSON

- like XML, JSON is a data serialization format
- JSON is used to represent object data in a text format
 - can be transmitted from one computer to another
 - we have seen some examples of JSON already
- many REST web services encode their returned data in JSON format instead of XML
- **JSON → JavaScript Object Notation**
 - not limited to JavaScript
 - requires fewer bytes to represent data than XML

6

JSON (cont'd)



- just like XML, JSON can be **nested** to represent objects
 - we use spaces and line breaks to make structure more readable

```

{
  "paintings": [
    {
      "id":290,
      "title":"Balcony",
      "artist": {
        "name":"Manet",
        "nationality":"France"
      },
      "year":1868,
      "medium":"Oil on canvas"
    },
    {
      "id":192,
      "title":"The Kiss",
      "artist": {
        "name":"Klimt",
        "nationality":"Austria"
      },
      "year":1907,
      "medium":"Oil and gold on canvas"
    },
    {
      "id":139,
      "title":"The Oath of the Horatii",
      "artist": {
        "name":"David",
        "nationality":"France"
      },
      "year":1784,
      "medium":"Oil on canvas"
    }
  ]
}
  
```

Randy Connolly, Ricardo Hoar, Fundamentals of Web Development (2nd Edition), 2017

7

Using JSON in JavaScript

hard-coding **JSON** objects

```

<script>
  var a = {
    "artist": {
      "name": "Manet",
      "nationality": "France"
    }
  };
  alert(a.artist.name + " " + a.artist.nationality);
</script>
  
```

using **JSON.parse()** function can be used to transform the string containing the JSON data into a JavaScript object

```

<script>
var text = '{"artist": {"name": "Manet", "nationality": "France"} }';
var a = JSON.parse(text);
alert(a.artist.nationality);
</script>
  
```

This page says
France

OK

8

Using JSON in JavaScript (cont'd)

The **jQuery library** also provides a JSON parser that will work with all browsers

(the `JSON.parse()` function is **not** available on older browsers):

```
<script src="http://code.jquery.com/jquery-3.1.0.min.js"></script>
<script>
    var text = '{"artist": {"name":"Manet", "nationality":"France"} }';
    var readJSON = jQuery.parseJSON(text);
    alert(readJSON.artist.name);
</script>
```

This page says
Manet

OK

JavaScript also provides a mechanism to translate a **JavaScript object** into a **JSON string**:

```
<script>
    var artist = { "name": "Manet", "nationality": "France"};
    var text = JSON.stringify(artist);
</script>
```

{"name": "Manet", "nationality": "France"}

9

Module Topics



XML and JSON



Databases and
REST APIs