Jobs

Generated by Talend Data Fabric

Project Name	Talend_TAC	GENERATION DATE	Jan 11, 2019 2:21:08 PM
AUTHOR	security, security	Talend Data Fabric VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	Talend_TAC
Language	java
Description	Talend_TAC

Description

Properties	Values
Name	UpperCase
Author	security, security
Version	0.1
Purpose	UpperCase
Status	
Description	
Creation	Jan 11, 2019 11:28:28 AM
Modification	Jan 11, 2019 12:10:12 PM

Preview Picture

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	true
Use logs (tLogCatcher)	true
Use volumetrics (tFlowMeterCatcher)	true
On Console	false
On Files	false
On Databases	true
Property Type	
Property	REPOSITORY
Property:source	Talend

Db Type	tMSSqlOutput
Host	context.Talend_Server
Port	context.Talend_Port
Db Name	context.Talend_Database
Additional parameters	context.Talend_AdditionalParams
Schema	context.Talend_Schema
User	context.Talend_Login
Password	**********************
Datasource	""
Logs Table	"Logs"
Meter Table	"FlowMeter"
Stats Table	"Stats"
Catch components statistics	true
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Sour
Talend_Server	Talend_Server?	false	id_String	LAPTOP-3CL7RSNF	Tale
Talend_Port	Talend_Port?	false	id_String	1433	Tale
Talend_Schema	Talend_Schema?	false	id_String		Tale
Talend_Login	Talend_Login?	false	id_String		Tale
Talend_Database	Talend_Database?	false	id_String	Talend	Tale
Talend_AdditionalParams	Talend_AdditionalParams?	false	id_String	internet_security=true	Tale
Talend_Password	Talend_Password?	false	id_Password	****	Tale

Component List

Component Name	Component Type
tFileInputDelimited_1	tFileInputDelimited
tFileOutputDelimited_1	tFileOutputDelimited
tMap_1	tMap

Components Description

Component   tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	none
	LABEL	Customers File	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tFileInputDelimited_1
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.1.1\studio\configuration\lib\java
Subjob color	

Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
File name/Stream	"C:/StudentFiles/StudentFiles/DIBasics/Custs.csv"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	","
Escape char	"""
Text enclosure	"""
Header	1
Footer	0
Limit	
Skip empty rows	true
Uncompress as zip file	false
Die on error	false
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"C:/Users/michael.quach/workspace"

Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=First, TRIM=false}, {SCHEMA_COLUMN=Last, TRIM=false}, {SCHEMA_COLUMN=Number, TRIM=false}, {SCHEMA_COLUMN=Street, TRIM=false}, {SCHEMA_COLUMN=City, TRIM=false}, {SCHEMA_COLUMN=State, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"ISO-8859-15"
Split row before field	false
Permit hexadecimal (0xNNNN) or octal (0NNNN) for numeric types	false
Decode table	[{SCHEMA_COLUMN=First, DECODE=false}, {SCHEMA_COLUMN=Last, DECODE=false}, {SCHEMA_COLUMN=Number, DECODE=false}, {SCHEMA_COLUMN=Street, DECODE=false}, {SCHEMA_COLUMN=City, DECODE=false}, {SCHEMA_COLUMN=State, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	Customers File
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for tFileInputDelimited_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
First	false	String	15		true	
Last	false	String	15		true	
Number	false	String	10		true	
Street	false	String	20		true	
City	false	String	20		true	
State	false	String	2		true	

Original Function Parameters:
Component   tFileOutputDelimited

	UNIQUE NAME	tFileOutputDelimited_1	INPUT(S)	tMap_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tFileOutputDelimited_1
Component Name	tFileOutputDelimited
Version	0.101 (ALPHA)
Family	File/Output

Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileOutputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\7.1.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Use Output Stream	false
Output Stream	outputStream
File Name	"C:/StudentFiles/StudentFiles/DIBasics/CappedOut.csv"
Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true
CSV Row Separator	"\n"

Field Separator	";"
Append	false
Include Header	false
Compress as zip file	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
CSV options	false
Escape char	"""
Text enclosure	"""
Create directory if does not exist	true
Split output in several files	false
Rows in each output file	1000
Custom the flush buffer size	false
Row number	1
Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Throw an error if the file already exist	false
Min column number of optimize code	90

Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for CappedOut :

Column	Key	Type	Length	Precision	Nullable	Comment
First	false	String	15		true	
Last	false	String	15		true	
Address	false	String	30		true	
City	false	String	20		true	
State	false	String	2		true	
FullName	false	String	30		true	
ZipCode	false	Integer	5		true	

Original Function Parameters:
Component   tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tFileInputDelimited_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileOutputDelimited_1

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Type	Expression	isNullable
First	String		true
Last	String		true
Number	String		true
Street	String		true
City	String		true
State	String		true

Constraint Table Entries(row1):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (output):
Mapper table Properties(CappedOut):

Properties	Values
Name	CappedOut
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(CappedOut):

Name	Type	Expression	isNullable
First	String	StringHandling.UPCASE(row1.First)	true
Last	String	StringHandling.UPCASE(row1.Last)	true
Address	String	row1.Number + " " + row1.Street	true
City	String	row1.City	true
State	String	row1.State	true
FullName	String	row1.First + " " + row1.Last	true
ZipCode	Integer	Numeric.random(10000,99999)	true

Constraint Table Entries(CappedOut):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable