

File: client/src/pages/History.tsx

Type: tsx | Size: 7499 bytes

```
import React, { useState } from 'react';
import { motion } from 'framer-motion';
import { useToast } from '@/hooks/use-toast';

export default function History() {
  const { toast } = useToast();
  const [activeFilter, setActiveFilter] = useState("all");

  // Mock reading history data
  const [historyReadings, setHistoryReadings] = useState([
    {
      id: 1,
      question: "Should I text him first?",
      date: "April 12, 2023",
      tags: ["Romance", "Decision"],
      summary: "Your reading suggested taking initiative and expressing your authentic feelings...",
      cards: [
        { title: "The Reflection", position: "Past", icon: "fa-hourglass-half" },
        { title: "The Connection", position: "Present", icon: "fa-heart-pulse" },
        { title: "The Courage", position: "Future", icon: "fa-star" }
      ]
    },
    {
      id: 2,
      question: "How can I attract more love?",
      date: "April 8, 2023",
      tags: ["Self-Love", "Manifesting"],
      summary: "The oracle revealed that self-love is the foundation for attracting authentic connections...",
      cards: [
        { title: "Self-Reflection", position: "Foundation", icon: "fa-mirror" },
        { title: "Heart Opening", position: "Process", icon: "fa-heart" },
        { title: "Attraction", position: "Outcome", icon: "fa-hands-holding-circle" }
      ]
    }
  ]);
}

const filterReadings = (filter: string) => {
  setActiveFilter(filter);
  // In a real implementation, this would filter the readings
  toast({
    description: `Filtered to show ${filter} readings`,
  });
};

const handleViewReadingDetails = (id: number) => {
  // In a real implementation, this would navigate to the full reading
  toast({
    description: `Viewing full details for reading #${id}`,
  });
};

const filters = [
  { id: "all", label: "All Readings" },
  { id: "romance", label: "Romance" },
  { id: "self-love", label: "Self-Love" },
  { id: "decisions", label: "Decisions" }
];

return (
  <section className="px-4 py-4">
    <div className="text-center mb-8">
      <h2 className="font-serif text-3xl text-mystical-pink">Reading History</h2>
      <p className="text-mystical-lavender">Your journey so far</p>
    </div>

    {/* History Filters */}
    <div className="flex overflow-x-auto space-x-2 pb-2 mb-6 no-scrollbar">
      {filters.map(filter => (
        <button
          key={filter.id}

```

```

    className={`whitespace nowrap px-4 py-2 rounded-full ${

      activeFilter === filter.id
        ? 'bg-mystical-purple text-white'
        : 'bg-mystical-dark border border-mystical-lavender/30 text-mystical-lavender'
    } text-sm ${activeFilter === filter.id ? 'font-medium' : ''}}`}

    onClick={() => filterReadings(filter.id)}
  >
  {filter.label}
</button>
)}
</div>

/* Reading List */
{historyReadings.length > 0 ? (
  historyReadings.map(reading => (
    <motion.div
      key={reading.id}
      className="oracle-card bg-white text-mystical-deep rounded-xl p-4 mb-4"
      whileHover={{ scale: 1.02 }}
      onClick={() => handleViewReadingDetails(reading.id)}
    >
      <div className="flex justify-between items-start mb-2">
        <h4 className="font-medium">{reading.question}</h4>
        <span className="text-xs text-mystical-lavender">{reading.date}</span>
      </div>

      <div className="flex space-x-2 mb-3">
        {reading.tags.map((tag, index) => (
          <span
            key={index}
            className={`px-2 py-0.5 rounded-full ${

              tag === 'Romance' ? 'bg-mystical-pink/20 text-mystical-pink' :
              tag === 'Self-Love' ? 'bg-mystical-purple/20 text-mystical-purple' :
              'bg-mystical-gold/20 text-mystical-deep'
            } text-xs`}
          >
            {tag}
          </span>
        )))
      </div>
    </motion.div>
  <p className="text-sm text-gray-600 mb-3">{reading.summary}</p>

  <div className="flex space-x-3">
    {reading.cards.map((card, index) => (
      <div
        key={index}
        className="w-8 h-8 rounded-full bg-mystical-gradient/20 flex items-center justify-center"
        title={`${card.position}: ${card.title}`}
      >
        <i className={`fas ${card.icon} text-xs text-mystical-deep`}></i>
      </div>
    )))
  </div>
</motion.div>
))
) : (
  <div className="text-center py-8 text-mystical-lavender">
    <i className="fas fa-crystal-ball text-2xl mb-2"></i>
    <p>No readings in your history yet. Start your first reading!</p>
  </div>
)
}

/* Load More Button */
{historyReadings.length > 0 && (
  <motion.button
    className="w-full border border-mystical-lavender/30 text-mystical-lavender rounded-lg py-2 mt-2 hov...
    whileHover={{ scale: 1.02 }}
    whileTap={{ scale: 0.98 }}
  >
    Load More Readings
  </motion.button>
)
}

```

```
/* Reading Patterns */
<div className="bg-mystical-gradient backdrop-blur-md rounded-xl p-5 mb-6">
  <h3 className="font-serif text-xl text-mystical-light mb-3">Your Reading Patterns</h3>
  <p className="text-sm text-mystical-light mb-4">Based on your history, you're most concerned about:</p>...
  <div className="space-y-3 mb-4">
    <div className="bg-white/20 backdrop-blur-sm rounded-lg p-3">
      <div className="flex justify-between items-center mb-1">
        <span className="font-medium text-white">Relationship Clarity</span>
        <span className="text-xs text-mystical-pink">60%</span>
      </div>
      <div className="w-full bg-white/20 rounded-full h-2">
        <div className="bg-mystical-pink h-2 rounded-full" style={{ width: '60%' }}></div>
      </div>
    </div>
    <div className="bg-white/20 backdrop-blur-sm rounded-lg p-3">
      <div className="flex justify-between items-center mb-1">
        <span className="font-medium text-white">Self-Love</span>
        <span className="text-xs text-mystical-purple">25%</span>
      </div>
      <div className="w-full bg-white/20 rounded-full h-2">
        <div className="bg-mystical-purple h-2 rounded-full" style={{ width: '25%' }}></div>
      </div>
    </div>
    <div className="bg-white/20 backdrop-blur-sm rounded-lg p-3">
      <div className="flex justify-between items-center mb-1">
        <span className="font-medium text-white">Future Planning</span>
        <span className="text-xs text-mystical-gold">15%</span>
      </div>
      <div className="w-full bg-white/20 rounded-full h-2">
        <div className="bg-mystical-gold h-2 rounded-full" style={{ width: '15%' }}></div>
      </div>
    </div>
  </div>
  <p className="text-xs text-mystical-light/80 italic text-center">Unlock personalized insights with pre...
  </div>
</section>
);
```