

File: client/src/components/ui/breadcrumb.tsx

Type: tsx | Size: 2712 bytes

```
import * as React from "react"
import { Slot } from "@radix-ui/react-slot"
import { ChevronRight, MoreHorizontal } from "lucide-react"

import { cn } from "@lib/utils"

const Breadcrumb = React.forwardRef<
  HTMLDivElement,
  React.ComponentPropsWithoutRef<"nav"> & {
    separator?: React.ReactNode
  }
>(({ ...props }, ref) => <nav ref={ref} aria-label="breadcrumb" {...props} />)
Breadcrumb.displayName = "Breadcrumb"

const BreadcrumbList = React.forwardRef<
  HTMLListElement,
  React.ComponentPropsWithoutRef<"ol">
>(({ className, ...props }, ref) => (
  <ol
    ref={ref}
    className={cn(
      "flex flex-wrap items-center gap-1.5 break-words text-sm text-muted-foreground sm:gap-2.5",
      className
    )}
    {...props}
  />
))
BreadcrumbList.displayName = "BreadcrumbList"

const BreadcrumbItem = React.forwardRef<
  HTMLLIElement,
  React.ComponentPropsWithoutRef<"li">
>(({ className, ...props }, ref) => (
  <li
    ref={ref}
    className={cn("inline-flex items-center gap-1.5", className)}
    {...props}
  />
))
BreadcrumbItem.displayName = "BreadcrumbItem"

const BreadcrumbLink = React.forwardRef<
  HTMLAnchorElement,
  React.ComponentPropsWithoutRef<"a"> & {
    asChild?: boolean
  }
>(({ asChild, className, ...props }, ref) => {
  const Comp = asChild ? Slot : "a"

  return (
    <Comp
      ref={ref}
      className={cn("transition-colors hover:text-foreground", className)}
      {...props}
    />
  )
})
BreadcrumbLink.displayName = "BreadcrumbLink"

const BreadcrumbPage = React.forwardRef<
  HTMLSpanElement,
  React.ComponentPropsWithoutRef<"span">
>(({ className, ...props }, ref) => (
  <span
    ref={ref}
    role="link"
    aria-disabled="true"
    aria-current="page"
    className={cn("font-normal text-foreground", className)}
    {...props}
  />
))
BreadcrumbPage.displayName = "BreadcrumbPage"
```

```

    />
  ))
  BreadcrumbPage.displayName = "BreadcrumbPage"

  const BreadcrumbSeparator = ({
    children,
    className,
    ...props
  }): React.ComponentProps<"li"> => (
    <li
      role="presentation"
      aria-hidden="true"
      className={cn("&svg]:w-3.5 [&svg]:h-3.5", className)}
      {...props}
    >
      {children ?? <ChevronRight />}
    </li>
  )
  BreadcrumbSeparator.displayName = "BreadcrumbSeparator"

  const BreadcrumbEllipsis = ({
    className,
    ...props
  }): React.ComponentProps<"span"> => (
    <span
      role="presentation"
      aria-hidden="true"
      className={cn("flex h-9 w-9 items-center justify-center", className)}
      {...props}
    >
      <MoreHorizontal className="h-4 w-4" />
      <span className="sr-only">More</span>
    </span>
  )
  BreadcrumbEllipsis.displayName = "BreadcrumbElipssis"

  export {
    Breadcrumb,
    BreadcrumbList,
    BreadcrumbItem,
    BreadcrumbLink,
    BreadcrumbPage,
    BreadcrumbSeparator,
    BreadcrumbEllipsis,
  }

```