


Chapter 10 Activity:

Load Data and Transform Map:

1. Create Sample Data:

- Open a spreadsheet application
- Create a table with sample data. For example, to import user data:

First Name	Last Name	Email
John	Doe	john.cit@servicenowey.com
Jane	Smith	jane.smith.cit@servicenowey.com
Mark	Lee	Mark.Lee.cit@servicenowey.com



- Save the file in CSV format (e.g., "users_data.csv").
2. Load Data into ServiceNow:
- Navigate to System Import Sets > Load Data.
 - Upload the CSV file.
 - Name the import set table (e.g., "u_import_users").

dev296937.service-now.com/now/nav/ui/classic/params/target/create_import_set.do

servicenow All Favorites History Workspaces Admin Load Data Search

Load Data Submit

Import set table ☒ Create table ☐ Existing table

* Label u_import_users

Name u_u_import_users

Source of the import ☒ File ☐ Data source

File Choose File users_data.csv

Sheet number 1

Header row 1

Submit

- Click Submit and Load Data.

dev296937.service-now.com/now/nav/ui/classic/params/target/import_status.do%3Fsysparm_pworker_sysid%3D7c84405147602a50b70d7212d16d432c%26sysparm_table%3Du_u

servicenow All Favorites History Workspaces Admin ServiceNow Search

Progress

Name ImportProcessor

State Complete

Completion code Success

Message Processed: 3, inserts 3, updates 0, errors 0, empty and ignored 0, ignored errors 0 (0:00:00.928)

Next steps...

Import sets Go to the import sets for this data load

Loaded data Go to the newly imported data inside the staging table: u_u_import_users

Create transform map Create a transform map for the newly staged data

Import log View the import log

3. Create a Transform Map:

- Navigate to System Import Sets > Transform Maps.
- Click New to create a new transform map.
- Fill in the fields:

- Name: "Users Import Map".
- Source Table: "u_import_users".
- Target Table: "sys_user".

The screenshot shows the ServiceNow 'Table Transform Map - New Record' form. The form is titled 'Table Transform Map - New Record' and has a 'Submit' button. It contains several fields: 'Name' (Users Import Map), 'Source table' (u_import_users), 'Active' (checked), 'Run business rules' (checked), 'Enforce mandatory fields' (No), 'Copy empty fields' (unchecked), 'Create new record on empty coalesce fields' (unchecked), 'Application' (Global), 'Created' (empty), 'Target table' (User [sys_user]), 'Order' (100), and 'Run script' (unchecked). The form is displayed in a browser window with the URL 'dev296937.service-now.com/now/nav/ui/classic/params/target/sys_transform_map.do%3Fsys_id%3D-1%26sys_js_list%3Dtrue%26sys_target%3Dsys_transform_map%26sysparm_'. The browser's address bar shows the URL. The browser's tabs show 'Table Transform Map - New Record'. The browser's search bar is empty. The browser's status bar shows 'ENG US' and '10:56 PM 3/26/2025'.

- Save the transform map.

4. Map Fields:

- Under the transform map, go to Related Links > Auto Map Matching Fields.
- Verify field mappings

The screenshot shows the ServiceNow interface for configuring an Import Set. The top navigation bar includes 'All', 'Favorites', 'History', 'Workspaces', and a search bar. The main header is 'Import Set - ISET0010001'. Below this, there are fields for 'Number' (ISET0010001), 'State' (Loaded), 'Data source' (users_data.csv (Uploaded)), 'Import set table' (u_import_users [u_u_import_users]), and 'Short description' (Type: File, Format: CSV). To the right, there are fields for 'Created' (2025-03-26 07:53:32), 'Load completed' (2025-03-26 07:53:32), and 'Load run time' (0 Seconds). Below these fields are 'Update' and 'Delete' buttons. A 'Related Links' section contains a link to 'Transform'. Below that, there are tabs for 'Import Set Runs', 'Import Set Rows (3)', and 'Import Log'. The 'Import Set Rows (3)' tab is active, showing a table with columns: Created, Row, State, Target record, Error, Comment, and Transform Map. The table contains three rows, all with a 'Pending' state and empty target records and errors. The bottom of the screen shows a Windows taskbar with various application icons and a system tray with the date and time (11:03 PM, 3/26/2025).

Number: ISET0010001
State: Loaded
Data source: users_data.csv (Uploaded)
Import set table: u_import_users [u_u_import_users]
Short description: Type: File
Format: CSV

Created: 2025-03-26 07:53:32
Load completed: 2025-03-26 07:53:32
Load run time: 0 Seconds

Update Delete

Related Links
[Transform](#)

Import Set Runs Import Set Rows (3) Import Log

for text Search Actions on selected rows...

Set = ISET0010001

Created	Row	State	Target record	Error	Comment	Transform Map
2025-03-26 07:53:32	0	Pending	(empty)	(empty)		(empty)
2025-03-26 07:53:32	1	Pending	(empty)	(empty)		(empty)
2025-03-26 07:53:32	2	Pending	(empty)	(empty)		(empty)

1 to 3 of 3

- Manually map additional fields if necessary.

5. Transform and Verify Data:

- Open the imported data set under System Import Sets > Import Sets.
- Click Transform and select the transform map.
- Run the transform and review the results in the target table (e.g., "sys_user").

The screenshot shows the ServiceNow interface for the Transform progress of Import Set ISET0010001. The top navigation bar includes 'All', 'Favorites', 'History', 'Workspaces', and 'Admin'. The main header is 'ServiceNow'. Below this, there is a 'Progress' section with fields for 'Name' (Transforming: ISET0010001), 'State' (Complete), 'Completion code' (Success), and 'Message' (Transformation complete). Below the progress section, there is a 'Next steps...' section with links: 'ISET0010001' (Go to the import sets for this data load), 'Transform history' (Show the transform history, related errors and log), and 'Import log' (View the import log). The bottom of the screen shows a Windows taskbar with various application icons and a system tray with the date and time (11:04 PM, 3/26/2025).

Progress

Name: Transforming: ISET0010001
State: Complete
Completion code: Success
Message: Transformation complete

Next steps...

[ISET0010001](#) Go to the import sets for this data load
[Transform history](#) Show the transform history, related errors and log
[Import log](#) View the import log

Create a New SLA Definition:

- Navigate to **Service Level Management > SLA > SLA Definitions**.
- Click **New** to create a new SLA definition.
- Fill in the required fields:
 - **Name:** SLA Activity
 - **Type:** Choose the SLA type to **Response**
 - **Table:** Select the table the SLA applies to **Incident**
 - **Duration:** Set the time frame for the SLA to **10 Mins**

The screenshot shows the ServiceNow interface for creating a new SLA Definition. The browser address bar shows the URL: `dev296937.service-now.com/now/nav/ui/classic/params/target/contract_sla_list.do%3Fsysparm_userpref_module%3D043a0c89c0a80a1600e02035e4cbe1c1`. The page title is "SLA Definition" and the breadcrumb is "SLA Definitions". The form is titled "SLA Definition New record".

Form Fields:

- Name:** (Empty text field)
- Type:** SLA (Dropdown menu)
- Target:** --None-- (Dropdown menu)
- Table:** Incident [incident] (Dropdown menu)
- Flow:** Default SLA flow (Text field with a search icon)
- Workflow:** (Text field with a search icon)
- Application:** Global (Dropdown menu)
- Duration type:** User specified duration (Dropdown menu)
- Duration:** Days: 00, Hours: 00, Minutes: 00, Seconds: 00 (Form with input fields and a search icon)
- Schedule source:** SLA definition (Dropdown menu)
- Schedule:** (Text field with a search icon)
- Timezone source:** The caller's time zone (Dropdown menu)
- Enable logging:** ☐
- Active:** ☒

Start condition section:

- Start condition:** (Tab selected)
- Pause condition:** (Tab)
- Stop condition:** (Tab)
- Reset condition:** (Tab)
- Start condition:** (Text field with "Add Filter Condition" and "Add 'OR' Clause" buttons)
- Retroactive start:** ☐
- Retroactive pause:** ☒
- When to cancel:** Cancel conditions are met (Dropdown menu)
- Cancel condition:** (Text field with "Add Filter Condition" and "Add 'OR' Clause" buttons)

The bottom of the screen shows the Windows taskbar with various application icons and the system clock showing 11:05 PM on 3/26/2025.

ServiceNow SLA Definition - New Record

① An SLA starting now will breach on 2025-03-26 08:17:53 (Actual elapsed time: 10 Minutes)

Name: SLA Activity
Type: SLA
Target: Response
Table: Incident [incident]
Flow: Default SLA flow
Enable logging: ☐
Active: ☒

Application: Global
Duration type: User specified duration
* Duration: Days 00 Hours 00 10 00
Schedule source: SLA definition
* Schedule: 24 x 7
Timezone source: The caller's time zone

Start condition | Pause condition | Stop condition | Reset condition

The conditions under which the new SLA will be attached and canceled

Start condition: Add Filter Condition | Add "OR" Clause
State is Resolved
AND OR X

Retroactive start: ☐
When to cancel: Cancel conditions are met

Define Conditions:

- Set the **Start Condition** to Condition is when **State** is **in progress** and **Cancel** when **State** is **Canceled**
- Set the **Pause Condition** when **State** is on **Hold Resume** and when **State** is in **Progress**
- Set the **Stop Condition** when **State** is **Resolved**

dev296937.servicenow.com/now/nav/ui/classic/params/target/contract_sla.do%3Fsys_id%3D1%26sys_is_list%3Dtrue%26sys_target%3Dcontract_sla%26sysparm_checked_items

servicenow All Favorites History Workspaces SLA Definition - New Record Search

SLA Definition
New record

Flow: Default SLA flow

Enable logging ☐

Active ☒

* Schedule: 24 x 7

Timezone source: The caller's time zone

Start condition Pause condition Stop condition Reset condition

The conditions under which the new SLA will be attached and canceled

Start condition Add Filter Condition Add "OR" Clause

State is Resolved AND OR X

Retroactive start ☐

When to cancel: Cancel conditions are met

Cancel condition Add Filter Condition Add "OR" Clause

-- choose field -- -- oper -- -- value --

Submit

Start condition Pause condition Stop condition Reset condition

The conditions under which the new SLA will be attached and canceled

Start condition Add Filter Condition Add "OR" Clause

State is Resolved AND OR X

Retroactive start ☐

When to cancel: Cancel conditions are met

Cancel condition Add Filter Condition Add "OR" Clause

State is Canceled AND OR X

Submit

The screenshot shows the 'SLA Definition - New Record' form in ServiceNow. The form includes fields for 'Flow' (Default SLA flow), 'Schedule' (24 x 7), 'Timezone source' (The caller's time zone), 'Enable logging' (unchecked), and 'Active' (checked). Below these are tabs for 'Start condition', 'Pause condition', 'Stop condition', and 'Reset condition'. The 'Start condition' tab is active, showing a section titled 'The conditions under which the new SLA will be attached and canceled'. This section contains two condition sets: one for 'Start condition' (State is On Hold) and one for 'Cancel condition' (State is In Progress). Both conditions are connected by 'AND' logic. There are also buttons for 'Add Filter Condition' and 'Add "OR" Clause'. A 'Submit' button is at the bottom left.

Test the SLA:

- Create a new incident
- Monitor the SLA progress in the **Task SLA** related list on the incident form.

The screenshot shows the 'Incident - INC0010007' form in ServiceNow. The form includes fields for 'Number' (INC0010007), 'Caller' (Jimmie Barninger), 'Category' (Inquiry / Help), 'Subcategory' (Email), 'Service' (IT Services), 'Service offering', 'Configuration item', 'Channel' (None), 'State' (On Hold), 'On hold reason' (Awaiting Problem), 'Impact' (3 - Low), 'Urgency' (3 - Low), 'Priority' (5 - Planning), 'Assignment group', and 'Assigned to' (Fred Luddy). The 'Short description' is 'Laptop Service' and the 'Description' is 'need update.'. Below the form is a 'Related Search Results' section with tabs for 'Notes', 'Related Records', and 'Resolution Information'. The 'Notes' tab is active, showing a 'Watch list' and 'Work notes list'.

Related Links

[Show SLA Timeline](#)
[Repair SLAs](#)

Task SLAs (1)									
Affected CIs									
Impacted Services/CIs (1)									
Child Incidents									
Task - INC0010007									
SLA definition	Type	Target	Stage	Business time left	Business elapsed time	Business elapsed percentage	Start time	Stop time	
SLA Activity	SLA	Response	Paused	8 Minutes	1 Minute	12.67%	2025-03-25 22:43:17	(empty)	