




JetBrains - DataGrip


Инсталиране и работа с продукта

DataGrip


- ▶ Продуктът може да бъде свален с цел обучение от следния адрес: <https://www.jetbrains.com/datagrip/>
- ▶ Има версия за Mac, Linux и Windows
- ▶ Вземете лиценз от тук: <https://www.jetbrains.com/student/>
- ▶ Трябва да се регистрирате с ФМИ e-mail за да получите лиценз за една година, в противен случай продуктът ще бъде активен за 30 дни
- ▶ Инсталацията става, като стартирате инсталационния файл: `datagrip-<version>.exe`



Изберете Next и накрая Finish



1) Създаване на връзка



2) Параметри на връзка към DB2 сървър

Data Sources and Drivers

Project Data Sources

- DB2

Drivers

- Amazon Redshift
- Apache Cassandra
- Apache Derby (Embedded)
- Apache Derby (Remote)
- Apache Hive
- Azure SQL Database
- ClickHouse
- Exasol
- Greenplum
- H2
- HSQLDB (Local)
- HSQLDB (Remote)
- IBM Db2
- IBM Db2 (JTOpen)
- MariaDB
- Microsoft SQL Server
- Microsoft SQL Server (JTds)
- MongoDB
- MySQL

General | Options | SSH/SSL | Schemas | Advanced

Name: **DB2**

Comment:

Connection type: **Type 4** Driver: **IBM Db2**

Host: **62.44.108.24** Port: **50000**

User: **db2admin**

Password: **<hidden>** Save: **Forever**

Database: **SAMPLE**


URL: **jdbc:db2://62.44.108.24:50000/SAMPLE**
Overrides settings above

Test Connection


DB2 Server: 62.44.108.24
Port: 50000
Username: db2admin
Password: db2admin

OK Cancel Apply


Създайте нов SQL скрипт



Изберете сесията



Изберете схемата



Вече може да пишете SQL заявки

