











```
🖲 Elle Edit View Navigate Code Analyze Befactor Build Run Iools VCŞ Window Help — Aplikasi Penjualan Buku [D\LB&] Penrogram an Mobile\Android Project\Aplikasi Penjualan Buku - \_users\Registration Activity java [app] — 💆 🗙
 👼 AplikasiPenjualanBuku ) 🚉 app ) 🖹 src ) 🗎 main ) 🗎 java ) 🕮 com ) 🕮 michaelsaputra ) 🖿 aplikasipenjualanbuku ) 🖆 users ) @ RegistrationActivity — 🔨 🕍 app 🔻 🖫 proel 2 🔻 🕨 🐧 🐧 🐧 🗎 🐚 🖸 🥀 🚨 🐧 📿 📮
    👅 Android 🔻 🔀 🛨 🚨 activity_main.xml × 🌑 MainActivity,java × 🔐 activity_registration.xml × 🛍 activity_Jogin.xml × 🚳 RegistrationActivity.java × 🕍 AndroidManifest.xml × 📸 colors.xml × 🕬 buil -== 2
                                                                 package com.michaelsaputra.aplikasipenjualanbuku.users;
     📭 арр
      ▼ manifests
           AndroidManifest.xml
                                                                 import androidx.appcompat.app.AppCompatActivity;
     ▼ ijava
       ▼ 🖿 com.michaelsaputra.aplikasipenjualanbuku
                                                                 import android.content.Intent;
■ Commichaeisaputra.apiikasipen

■ Lusers

■ LoginActivity

■ RegistrationActivity
                                                                 import android.os.Bundle;
                                                                 import com.michaelsaputra.aplikasipenjualanbuku.R;

    MainActivity
    com.michaelsaputra.aplikasi

                                                                 import butterknife.ButterKnife;
        com.michaelsaputra.aplikasipenjualanbuku (test)
                                                                 import butterknife.OnClick;
        is java (generated)
                                                          13 🚜 public class RegistrationActivity extends AppCompatActivity {
        drawable
                                                                     protected void onCreate(Bundle savedInstanceState) {
                                                                         super.onCreate(savedInstanceState);
             activity_main.xml
. Z: Structure
             activity_registration.xml
                                                                        setContentView(R.layout.activity_registration);
        ▶ □ values
                                                                        getSupportActionBar().hide();

▼ M Gradle Scripts

                                                                        ButterKnife.bind( target this);
        @OnClick(R.id.btnKembali)
        a gradle-wrapper.properties (Gradle Version)
        proguard-rules.pro (ProGuard Rules for app)
                                                                     void Kembali()(
    Intent i = new Intent( packageContext RegistrationActivity.this, LoginActivity.class);
    startActivity(i);
settings.gradle (Project Settings)
        a local.properties (SDK Location)
                                                                        finish();
                                                                    @OnClick(R.id.btnDaftar)
                                                                     void Daftar(){
    Intent i = new Intent( packageContext RegistrationActivity.this, LoginActivity.class);
                                                                          startActivity(i);
                                                                       finish();
                                                                 RegistrationActivity > Daftar()
    35:18 CRLF UTF-8 4 spaces 1 €
☐ * daemon sta
```







