

BONUS 4 OF 4



Coin Rush Build Map

YOU GET

The complete Explorer tree, the build order and a final test plan.

Coin Rush is spread across nine modules. This map puts it all on a few pages: every object and script in the finished game, where it lives in the Explorer, and which lesson has its code. Use it to check your project, to find a script fast, or to rebuild Coin Rush from scratch in the right order.

The finished Explorer

Lesson numbers in brackets tell you where the code or setup is. When a script is extended in a later lesson, use the **latest** version.

```
Workspace
├─ Lobby (Model)
|   └─ LobbySpawn (Part) [7.2]
├─ Arena (Folder) [7.2]
|   └─ Spawns (Folder of Parts)
|       └─ CoinSpots (Folder of invisible Parts)
├─ LavaFloor (Part) [3.5]
|   └─ Script: lava damage [3.5]
└─ Platforms (Model)
    └─ each platform: Script (vanish + debounce) [3.5]

ReplicatedFirst
└─ IntroSplash (LocalScript) [4.1, free lesson]

ReplicatedStorage
├─ GameConfig (ModuleScript) [3.6]
└─ Remotes (Folder)
    ├── BuyUpgrade (RemoteEvent) [5.2, 7.4]
    ├── LevelUp (RemoteEvent) [6.4]
    └─ CoinCollected (RemoteEvent) [7.5]
        (+ attributes RoundStatus, TimeLeft set by RoundManager [7.2])

ServerStorage
└─ Coin (Part template) [7.3]

ServerScriptService
├─ PlayerDataService (ModuleScript) [6.3, shared in 6.4]
├─ PlayerData (Script, requires the module) [6.4]
├─ RoundManager (Script) [7.2]
├─ CoinSpawner (ModuleScript) [7.3, + effects 7.5]
├─ Shop (Script) [7.4]
├─ GamePasses (Script, 2x Coins) [8.1]
└─ Purchases (Script, ProcessReceipt) [8.3]
```

```

StarterGui
├─ HUD (ScreenGui) [4.2]
|   ├─ CoinPanel / CoinText + LocalScript [4.5]
|   └─ TimerPanel / TimerText + LocalScript [4.5]
└─ MainMenu (ScreenGui)
    └─ LocalScript (PLAY, SHOP) [4.5, 7.4]

StarterPlayer
└─ StarterPlayerScripts
    ├─ CoinSpin (LocalScript) [7.3]
    └─ CoinEffects (LocalScript) [7.5]

```

TIP Name every script exactly like in this map. When something breaks, the error in Output shows the script's full name, and you'll know instantly which lesson to reopen.

Build order

Build in this order and **playtest after every step**. Each step only depends on the ones above it.

Step	Build	Lesson	Test
1	Map: lobby, arena, lava floor, platforms	2.1–2.4	Everything anchored, nothing falls on Play
2	Lava damage and vanishing platforms	3.5	Touching lava kills, platforms vanish and return
3	<code>GameConfig</code> with all tuning values	3.6	Change one value, see it in game
4	Intro splash	4.1	Logo fades in and out once on join
5	HUD and main menu	4.2–4.5	Looks right on phone and desktop in the emulator
6	<code>Remotes</code> folder and a secure <code>BuyUpgrade</code> handler	5.2–5.4	Firing the remote with bad values does nothing
7	<code>PlayerDataService</code> + <code>PlayerData</code> : coins, XP, saving	6.1–6.4	Coins survive leaving and rejoining
8	<code>RoundManager</code>	7.2	Intermission → round → results loops
9	<code>CoinSpawner</code> , coin template, spinning coins	7.3	Coins appear during rounds and add to your total
10	<code>Shop</code>	7.4	Buying Speed costs coins and survives a respawn
11	Sounds and effects	7.5	Pickup sparkle and sound play instantly
12	Game Pass and <code>Purchases</code>	8.1–8.3	Test purchases in Studio grant the right item once
13	Icon, thumbnails, analytics funnel	9.1–9.3	Funnel events show up in Analytics
14	Publish as Public	9.2	Play it from your phone

Final test plan

Run this before every public update. It takes about 15 minutes.

Solo test (Play)

- ☐ Intro splash plays once, then the main menu shows
- ☐ PLAY starts the game, the HUD shows coins and the round timer
- ☐ No red errors in Output during a full round

Multiplayer test (Test → Clients and Servers, 2 players)

- ☐ Both players teleport into the arena when the round starts
- ☐ A coin collected by one player disappears for both

- ☐ The winner gets the bonus, both get XP
- ☐ Buying an upgrade on one client doesn't change the other player

Data test (published place, API access on)

- ☐ Coins, XP and upgrades survive leaving and rejoining
- ☐ Coins survive a server shutdown (stop the test while playing, rejoin)

Store test

- ☐ 2× Coins pass doubles coins without rejoining
- ☐ Coin Pack product grants coins exactly once per purchase

Device test

- ☐ Device emulator: phone, tablet, desktop, console
- ☐ One real phone, from your own account

When something doesn't work

Symptom	Most likely cause	Look at
<code>X is not a valid member of Y</code>	Wrong name or wrong location	This map, then the lesson in brackets
<code>Infinite yield possible on WaitForChild</code>	The object doesn't exist or is misspelled	The object's exact name and parent
HUD shows 0 coins	<code>leaderstats</code> not created, or created too late	6.1, 6.4
Coins don't save in Studio	API access for Studio is off	6.2
Upgrade works once, then disappears	Not applied on <code>CharacterAdded</code>	7.4
Purchase granted twice or never	Product granted outside <code>ProcessReceipt</code>	8.3