

# AI Project Proposal 3D printing defect (spaghetti) detection

Michal Raczkowski

10-01-2024

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Domain Understanding</b>	<b>1</b>
<b>3</b>	<b>Data Sourcing</b>	<b>1</b>
<b>4</b>	<b>Analytic Approach</b>	<b>1</b>
<b>5</b>	<b>Data Preparation</b>	<b>1</b>
<b>6</b>	<b>Modeling</b>	<b>2</b>
<b>7</b>	<b>Conclusion</b>	<b>2</b>

## 1 Introduction

- **Focus:** Detecting 'spaghetti' defects in FFF 3D printing using AI image recognition.
- **Relevance:** Reducing material waste and improving safety in personal 3D printing.

## 2 Domain Understanding

- **Problem:** 'Spaghetti' - Figure 11 defects due to print malfunctions or improper adjustments.




Figure 1: Extruded filament that resembles spaghetti

- **Research:** Focused on understanding the 3D printing process and defect characteristics.

## 3 Data Sourcing

- **Data Type:** Images (.jpeg, .png) of 3D prints, both defective and non-defective.
- **Collection:** Homemade pictures and open-source online repositories.

## 4 Analytic Approach

- **Objective:** Identify 'spaghetti' defects in 3D printed models.
- **Target Variable:** 'Defect Status' (0 for absent, 1 for present).

## 5 Data Preparation

- **Process:** Standardize image size/format, normalize pixel values, annotate, and label.

## 6 Modeling

- **Approach:** Use YOLO variants for defect detection.
- **Metrics:** IoU, AP, mAP, Precision, Recall, F1 Score.

## 7 Conclusion

- **Impact:** Enhancing quality control in 3D printing, reducing waste and risks.