

137 million ED visits: what a national sample tells hospital managers

Group: Michal Kozuchowski, Laila Lapins, Nick Giamalis, Raymond Chang, Sean Weller

21,061

sampled visits (rows) from 248
EDs, 1,031 variables

136.9M

U.S. ED visits once weighted by
PATWT, exactly the NCHS total

-9 / -8 / -7

blank / unknown / N/A codes,
hidden missing data we removed

20 / 20


checks against published NCHS
figures pass

Approach

Load → recode missing-value codes → weight every estimate → cap extreme waits and stays at the 99.5th percentile → check each result against the codebook. One commented notebook, one cell per question, re-run cleanly end to end.

Demand is predictable: 10am-8pm plateau, Monday peak

Weighted share of daily ED arrivals by hour of arrival, 2015



4.7x

arrivals in the 6pm peak hour vs the 5am trough

+25%


Monday (432k visits/day) vs Sunday (346k), average per day

Staffing

Stagger shifts through the 7-10am ramp, keep full coverage to ~midnight (median stay 2.6 h), and roster heavier on Mondays.

Public payers fund most ED visits, and age decides who pays

Primary expected payer by age group, weighted % of visits with a known payer



54.8%

of known-payer visits paid by Medicaid (34.9%) or Medicare (19.9%)

11.0%

self-pay or charity care; EDs must treat regardless (EMTALA)

Margin pressure

Private insurance (30.9%) cross-subsidizes. 10.8% of visits have no recorded payer, a revenue-cycle gap.

EDs treat complex patients: chronic disease and injuries

47.6%

visits with 1+ chronic condition
(90% at 75+)

33.1%

injury, overdose or adverse-effect visits (7.3% intentional)


47.0%

visits with imaging; 42.4% with a blood test (CBC in 85%)

37.2%

visits with 3+ medications (mean 2.49, median 2)

Most common chronic conditions (% of ED visits, weighted)



What it means

EDs act as a front line for chronic disease: care coordination and follow-up referrals could move avoidable visits to cheaper settings.


Diabetes is split across three checkboxes; combined it is the #2 condition, not #9.

Intensity follows complexity: imaging rises from 29% of child visits to 70% at 75+, and medications from 2.0 per visit (no chronic condition) to 3.8 (three or more).


Triage sorts outcomes sharply, but not waiting times

Weighted, by triage level (1 = immediate ... 5 = nonurgent)

Admitted to hospital (%)



Median wait to see a provider (min)



Correlations (weighted r)

blood tests - admitted 0.37

chronic conditions - admitted 0.33

Length of visit - # blood tests 0.31

Age - Medicare 0.61 (eligibility at 65)

Deaths are rare (28 in ED, 7 DOA in sample), so we compare rates: 6.4% of immediate patients die in the ED.

Takeaways for hospital managers

Staff to the plateau and Mondays · Fast-track levels 4-5 so emergent patients stop waiting as long as nonurgent ones · Protect margins through Medicaid contracting and payer capture · Invest in chronic-care coordination