The Final Paper

Michał Michniak

November 2022

1 Principal Component Analisys of given dataset


Rysunek 1: PCA vectors vizualization

Rysunek 2: Covariation matrix of standarized data

# 2 comparation of each type of alcohol to average consumption in liters

Comparation of wine consumption to total alcochol consumption

least square regresion y = 14.1x + (-17.1)

Comparation of spirits consumption to total alcohol consumption

least square regresion y = 15.3x + (8.7)

3 normalised of alcohol between the types

normalized alcochol type distribution

Comparation of normalized spirit consumption to normalized beer consumption

Comparation of normalized spirit consumption to
normalized wine consumption

least square regresion y = -0.2x + (11.6)

4 rankings of biggest consumption by types

	country	beer_servings	spirit_servings	wine_servings	total_litres_of_pure_alcohol
61	France	127	151	370	11.8
136	Portugal	194	67	339	11.0
3	Andorra	245	138	312	12.4
166	Switzerland	185	100	280	10.2
48	Denmark	224	81	278	10.4

Rysunek 3: biggest wine consumption

	country	beer_servings	spirit_servings	wine_servings	total_litres_of_pure_alcohol
117	Namibia	376	3	1	6.8
45	Czech Republic	361	170	134	11.8
62	Gabon	347	98	59	8.9
65	Germany	346	117	175	11.3
98	Lithuania	343	244	56	12.9

Rysunek 4: biggest beer consumption

	country	beer_servings	spirit_servings	wine_servings	total_litres_of_pure_alcohol
68	Grenada	199	438	28	11.9
15	Belarus	142	373	42	14.4
73	Haiti	1	326	1	5.9
141	Russian Federation	247	326	73	11.5
144	St. Lucia	171	315	71	10.1

Rysunek 5: biggest spirit consumption