

Nowa strona uzytkownika testuser

```
testuser@lab177:~/public_html
                                                                               - □ ×
alogin as: testuser
testuser@192.168.134.177's password:
Last login: Thu Jan 7 14:57:03 2021 from 172.18.14.254
[testuser@lab177 ~]$ ls
[testuser@labl77 ~]$ echo "Nowa strona uzytkownika testuser" >index.html
[testuser@lab177 ~]$ ls
index.html Maildir public html
[testuser@lab177 ~]$ cd public html/
[testuser@lab177 public html]$ ls
index.php
[testuser@lab177 public html]$ echo "Nowa strona uzytkownika testuser" >index.html
[testuser@lab177 public html]$ ls
index.html index.php
[testuser@lab177 public html]$ cat index.php
??PHP phpinfo(); ?>
[testuser@lab177 public html]$ cat index.html
Nowa strona uzytkownika testuser
[testuser@labl77 public html]$
```





Loaded Modules

core.c, event.c, http core.c, mod access compat.c, mod actions.c, mod allowmethods.c, mod auth digest.c, mod auth anon.c, mod auth core.c, mod auth dbd.c, mod auth dbd.c, mod auth file.c, mod auth socache.c, mod authz core.c, mod authz dbd.c, mod authz user.c, mod authz user.c, mod authz user.c, mod brotlic.c, mod brotlic.c, mod cache disk.c, mod cache socache.c, mod cache.c, mod dav.c, mod dav.c, mod dav.c, mod dav.c, mod dav.c, mod dbd.c, mo

Server Settings

```
Server Version: Apache/2.4.46 (Fedora) OpenSSL/1.1.1g
Server Built: Aug 25 2020 00:00:00
Server loaded APR Version: 1.7.0
Compiled with APR Version: 1.7.0
Server loaded APU Version: 1.6.1
Compiled with APU Version: 1.6.1
Module Magic Number: 20120211:93
Hostname/port: 192.168.134.177:80
Timeouts: connection: 60 keep-alive: 5
MPM Name: event
MPM Information: Max Daemons: 1 Threaded: yes Forked: yes
Server Architecture: 64-bit
Server Root: /etc/httpd
Config File: /etc/httpd/conf/httpd.conf
Server Built With:
 -D APR HAS SENDFILE
 -D APR HAS MMAP
 -D APR HAVE IPV6 (IPv4-mapped addresses enabled)
 -D APR USE PROC PTHREAD SERIALIZE
 -D SINGLE LISTEN UNSERIALIZED ACCEPT
 -D APR HAS OTHER CHILD
 -D AP HAVE RELIABLE PIPED LOGS
 -D HTTPD ROOT="/etc/httpd"
 -D SUEXEC BIN="/usr/sbin/suexec"
 -D DEFAULT PIDLOG="run/httpd.pid"
 -D DEFAULT SCOREBOARD="logs/apache runtime status"
 -D DEFAULT ERRORLOG="logs/error log"
 -D AP TYPES CONFIG FILE="conf/mime.types"
```





PHP 7.3.24 - phpinfo()

Błąd wczytywania strony → C 命













П

>>

... ☑ ☆

₽



Strona 1

















Strona 2



root@lab177:/home/mwendt

– o ×

[root@lab177 mwendt] cat /etc/httpd/logs/access_log | grep www.domlab177.studmat.uni.torun.pl
172.18.8.58 - - [04/Jan/2021:13:53:27 +0100] "GET /favicon.ico HTTP/1.1" 404 196 "http://www.domlab177.studmat.uni.torun.pl/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:84.0) Gecko/20100101 Firefox/84.0"
[root@lab177 mwendt] cat /etc/httpd/logs/access_log | grep lab177.domlab177.studmat.uni.torun.pl
172.18.8.58 - - [04/Jan/2021:13:53:37 +0100] "GET /favicon.ico HTTP/1.1" 404 196 "http://lab177.domlab177.studmat.uni.torun.pl/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:84.0) Gecko/20100101 Firefox/84.0"
[root@lab177 mwendt] [root@lab177 mwendt] [root@lab177.domlab177.domlab177.domlab177.domlab177.mwendt]