

# Optimal Database Design Problem

---

Defended by: Group 07

Magnani, Marchi, Moncada, Iaia,  
Palmieri, Ondesca, Ombe

25, November 2018

Politecnico di Torino

Master Degree in Computer Engineering

Department of Control and Computer Engineering

- Mathematical Model
- Algorithm presentation
- Results Analysis

# Mathematical Model

---

# Mathematical Model

o.f.

$$\max \sum_{c \in C} \sum_{q \in Q} y_{cq} g_{cq} - \sum_{i \in I} z_i f_i$$

s.t.

$$\sum_{i \in I} z_i m_i \leq M$$

$$\sum_{c \in C} y_{cq} \leq 1 \quad \forall q \in Q$$

$$y_{cq} \leq z_i \quad \forall c \in C, q \in Q, i \in I_c$$

$$y_{cq}, z_i \in [0, 1]$$

$y_{cq} = 1$  if config  $c$  satisfies query  $q$ , 0 otherwise

$z_i = 1$  if index  $i$  is built, 0 otherwise

# Mathematical Model

**Objective Function:** the net gain is given by subtracting to the total gain earned by using certain configurations, the indexes building cost. Obviously, we want to maximize that profit.

**Constraints:**

- Memory used by indexes cannot exceed  $M$
- Each query can be served at most by 1 configuration
- All indexes of a configuration must be built if it serves at least one query.

**Domain:** the used variables are boolean, so the possible values are  $\{0, 1\}$

# Algorithm presentation

---

# Algorithm Presentation

# Results analysis

---



# Result Analysis

FINE