
All 15 counterfactual conventions are detected in the Σ table (threshold $10^{-8}$ eV);
3 of them flip the sign of $O_1$
static remainder factor 1 (not ½)
q weights off by one
keep CH of unoccupied near-pole modes
finite difference dE = 0.5 eV (not 1)
no wing rescaling at q≠0
near-pole width γ = 0.25 eV (not 0.5)
wing fix at target G=0 (not irreducible)
Ry from CODATA 2018
sexcut clamp disabled
mode drop threshold 1e-4 (not 1e-6)
wing scale: v(G=0) instead of sortrx-first
q→0: first matching symmetry op
(BerkeleyGW uses the last)
skip invalid modes (ω̃² < 0)
no static remainder
no fractional translations
Σ-table dev. 1e+00 eV
Σ-table dev. 2e+00 eV
Σ-table dev. 1e+00 eV
Σ-table dev. 9e-02 eV
Σ-table dev. 1e-02 eV
Σ-table dev. 1e-01 eV
Σ-table dev. 5e-04 eV
Σ-table dev. 8e-07 eV
Σ-table dev. 1e+00 eV
Σ-table dev. 1e-04 eV
Σ-table dev. 3e-04 eV
Σ-table dev. 2e-02 eV
Σ-table dev. 7e-02 eV
Σ-table dev. 1e+00 eV
Σ-table dev. 3e+00 eV
$-10^2$
$-10^1$
0
$10^1$
$10^2$
$O_1$ under the counterfactual convention (meV; production: 15.4 meV)