

[Retour à la page précédente](#)

Le Résultat Du Quiz « Prompt Engineering Quiz » Est Ici -

🔍Nombre Total De Questions : 20

📋Nombre Total De Tentatives - 20

✅Total Correct - 19

❌Total Incorrect - 1

🕒Durée - 20 Minutes

📊Pourcentage De Réussite - 70 %

📊Votre Pourcentage - 95,0 %

Q1. Qu'est-ce qu'une `invite` dans le contexte de l'IA générative ?

- 1) Un ensemble de données utilisé pour entraîner un modèle de langage
- 2) Un mot-clé qui active la mémoire de l'IA
- 3) Un message ou une instruction donnée à l'IA pour guider sa réponse
- 4) Un script utilisé pour déboguer la sortie de l'IA

Votre réponse : 3) ✓

Un message ou une instruction donnée à l'IA pour guider sa réponse

Réponse correcte : 3)

Un message ou une instruction donnée à l'IA pour guider sa réponse

Q2. Pourquoi la façon dont vous formulez une invite est-elle importante ?

- 1) Parce que les modèles d'IA comprennent vos émotions
- 2) Parce que cela affecte la qualité et la pertinence de la réponse du modèle
- 3) Parce que les invites vagues utilisent moins de puissance de calcul
- 4) Parce que les invites ne sont utilisées que dans la formation des chatbots

Votre réponse : 2) ✓

Parce que cela affecte la qualité et la pertinence de la réponse du modèle

Réponse correcte : 2)

Parce que cela affecte la qualité et la pertinence de la réponse du modèle

Q3. En quoi consiste l'invite de rôle ?

- 1) Attribuer des tâches spécifiques à plusieurs utilisateurs
- 2) Basculer entre les rôles de l'IA et de l'humain pendant la conversation
- 3) Demander au modèle d'adopter une identité ou une expertise spécifique

4) Utiliser les rôles de programmation pour améliorer la production d'IA

Votre réponse : 3) ✓

Demander au modèle d'adopter une identité ou une expertise spécifique

Réponse correcte : 3)

Demander au modèle d'adopter une identité ou une expertise spécifique

Q4. Laquelle des propositions suivantes est une mauvaise invite ?

1) "You are a product manager. Create a summary of this user feedback in bullet points."

2) "Explain quantum computing using simple language and an analogy."

3) "Tell me something about data."

4) "Write a 3-paragraph blog post about sustainable energy trends."

Your Answer: 3) ✓

"Tell me something about data."

Correct Answer: 3)

"Tell me something about data."

Q5. Why is prompt engineering considered a valuable skill across careers?

1) It replaces the need to learn how to write emails

2) It teaches AI how to code new software

3) It helps users get better, faster, and more relevant results from AI tools

4) It only applies to developers and machine learning engineers

Your Answer: 3) ✓

It helps users get better, faster, and more relevant results from AI tools

Correct Answer: 3)

It helps users get better, faster, and more relevant results from AI tools

Q6. What is the main advantage of Chain-of-Thought (CoT) prompting?

1) It makes responses more humorous

2) It encourages step-by-step reasoning, improving accuracy

3) It reduces the word count of AI responses

4) It helps models generate visual outputs

Your Answer: 2) ✓

It encourages step-by-step reasoning, improving accuracy

Correct Answer: 2)

It encourages step-by-step reasoning, improving accuracy

Q7. When should you prefer few-shot prompting over zero-shot prompting?

1) When the task is very simple

- 2) When the model needs no context to perform well
- 3) When you need the model to mimic a specific output pattern
- 4) When generating random creative ideas

Your Answer: 3) ✓

When you need the model to mimic a specific output pattern

Correct Answer: 3)

When you need the model to mimic a specific output pattern

Q8. Which advanced prompting method helps the model reflect on and revise its own reasoning?

- 1) Narrative-of-Thought (NoT)
- 2) Logic-of-Thought (LoT)
- 3) Self-Harmonized CoT (ECHO)
- 4) AlignedCoT

Your Answer: 3) ✓

Self-Harmonized CoT (ECHO)

Correct Answer: 3)

Self-Harmonized CoT (ECHO)

Q9. In prompt engineering applications, what is the primary purpose of chaining context?

- 1) To reduce the output token count
- 2) To simulate memory and maintain continuity across interactions
- 3) To generate more abstract and creative content
- 4) To limit the model to zero-shot tasks only

Your Answer: 2) ✓

To simulate memory and maintain continuity across interactions

Correct Answer: 2)

To simulate memory and maintain continuity across interactions

Q10. How does prompt engineering help reduce hallucinations in AI output?

- 1) By giving the model complete access to the internet
- 2) By rewriting the output manually afterward
- 3) By combining techniques like instruction refinement, self-reflection, and structured prompting
- 4) By using very short prompts with no formatting

Your Answer: 3) ✓

By combining techniques like instruction refinement, self-reflection, and structured prompting

Correct Answer: 3)

By combining techniques like instruction refinement, self-reflection, and structured prompting

Q11. What is the purpose of `st.session_state.messages` in a Streamlit chatbot app?

- 1) To store environment variables
- 2) To control the layout of the chatbot
- 3) To preserve chat history across user inputs
- 4) To track user authentication state

Your Answer: 3) ✓
To preserve chat history across user inputs

Correct Answer: 3)
To preserve chat history across user inputs

Q12. Which Streamlit function creates a user-friendly input field specifically for chatbots?

1)

`st.text_input()`

2)

`st.chat_input()`

3)

`st.chat_message()`

4)

`st.input_box()`

Your Answer: 2) ✓
`st.chat_input()`

Correct Answer: 2)
`st.chat_input()`

Q13. What does setting `stream=True` in the OpenAI API call do in a ChatGPT-like Streamlit app?

- 1) Automatically summarizes user input
- 2) Streams the model's response as it is generated
- 3) Disables token limits
- 4) Fetches the response in one complete chunk

Your Answer: 2) ✓
Streams the model's response as it is generated

Correct Answer: 2)
Streams the model's response as it is generated

Q14. In the Gradio app, how does the `process_audio` function detect that the user has stopped speaking?

- 1) By checking for silent tokens in the transcript
- 2) By measuring volume drops in decibels
- 3) By using a `determine_pause()` function on the audio stream
- 4) By asking the user to press a stop button

Your Answer: 3) ❌
By using a `determine_pause()` function on the audio stream

Correct Answer: 1)
By checking for silent tokens in the transcript

Q15. What format is the user's voice message exported to before sending it to the assistant model in the Gradio app?

- 1) MP3
- 2) OGG
- 3) WAV
- 4) FLAC

Your Answer: 3) ✔️
WAV

Correct Answer: 3)
WAV

Q16. In the Gradio Blocks UI, what role does `gr.Chatbot()` serve?

- 1) Streams and plays the assistant's voice
- 2) Displays the list of files in the current directory
- 3) Visualizes the conversation history between user and assistant
- 4) Detects pauses in audio input

Your Answer: 3) ✔️
Visualizes the conversation history between user and assistant

Correct Answer: 3)
Visualizes the conversation history between user and assistant

Q17. In the Streamlit chatbot with OpenAI integration, why is the chat history passed to the `client.chat.completions.create()` function?

- 1) To reduce API latency by avoiding redundant calls
- 2) To help the model maintain context across turns in the conversation

3) To initialize the model with a predefined system message

4) To convert the conversation into markdown format

Your Answer: 2) ✓

To help the model maintain context across turns in the conversation

Correct Answer: 2)

To help the model maintain context across turns in the conversation

Q18. How does the chatbot GUI in Streamlit simulate a "typing" effect when displaying the assistant's response?

1) It uses a JavaScript animation injected into the frontend

2) It wraps the response in an HTML marquee tag

3) It uses a generator function that yields words with a timed delay

4) It calls the OpenAI API with `<code>typing_mode=True</code>`

Your Answer: 3) ✓

It uses a generator function that yields words with a timed delay

Correct Answer: 3)

It uses a generator function that yields words with a timed delay

Q19. In the Gradio voice chatbot, why is the `<code>AudioSegment</code>` created from the audio stream in the `<code>response()</code>` function?

1) To compress the stream into a JSON format before API call

2) To convert raw audio data into a playable WAV file for the assistant

3) To initialize the model's voice parameters

4) To reduce background noise before analysis

Your Answer: 2) ✓

To convert raw audio data into a playable WAV file for the assistant

Correct Answer: 2)

To convert raw audio data into a playable WAV file for the assistant

Q20. What is the benefit of using `<code>stream_every=0.5</code>` in Gradio's `<code>input_audio.stream()</code>` method?

1) It forces the audio input to reset every 0.5 seconds

2) It sends a full audio recording only after 0.5 seconds

3) It continuously processes audio in 0.5-second chunks for real-time feedback

4) It delays the assistant's response until half a second has passed

Your Answer: 3) ✓

It continuously processes audio in 0.5-second chunks for real-time feedback

Correct Answer: 3)

It continuously processes audio in 0.5-second chunks for real-time feedback