



2.Create a user in MSSQL


Open SQL Server Configuration Manager




Open Protocols for SQLEXPRESS and enable TCP/IP




Open TCP/IP Properties and set TCP Port 1433




Open SQL Server Services and **restart** SQL Server



Wait



Login to SQL Server




The screenshot shows the 'Connetti al server' (Connect to Server) dialog box. The title bar reads 'Connetti al server' with a close button. The main heading is 'SQL Server'. Below this is a tabbed interface with four tabs: 'Account di accesso' (selected), 'Proprietà connessione', 'Always Encrypted', and 'Parametri aggiuntivi per la c...'. The 'Account di accesso' tab contains the following fields:

- Server:**
 - Tipo server: Motore di database (dropdown)
 - Nome server: DESKTOP-D9BTGCS\SQLEXPRESS (dropdown, highlighted with a blue border)
 - Autenticazione: Autenticazione di Windows (dropdown)
 - Nome utente: DESKTOP-D9BTGCS\mberl (dropdown)
 - Password: (text field)
 - ☐ Memorizza password
- Sicurezza connessione:**
 - Crittografia: Facoltativo (dropdown)
 - ☒ Considera attendibile il certificato del server
 - Nome host nel certificato: (text field)

At the bottom are four buttons: 'Connetti' (highlighted with a blue border), 'Annulla', '?', and 'Opzioni <<'.

Create a New Login



Set SQL Server authentication Name and Password

Login - New

Select a page

- General
- Server Roles
- User Mapping
- Securables
- Status

Connection

Server: Windows11\SQLEXPRESS

Connection: WINDOWS11\vboxuser

[View connection properties](#)

Progress

Ready

Login name: mssql_user Search...

☐ Windows authentication

☐ Microsoft Entra ID authentication

☒ SQL Server authentication

Password:

Confirm password:

☐ Specify old password

Old password:

☐ Enforce password policy

☐ Enforce password expiration

☐ User must change password at next login

☐ Mapped to certificate

☐ Mapped to asymmetric key

☐ Map to Credential

Add

Mapped Credentials

Credential	Pro
------------	-----


Remove

Default database: master


Default language: <default>

OK Cancel


Set Server Roles as ADMIN




Set User Mapping for ifcSQL




Open DB property



Enable SQL Server and Windows authentication mode



Test if the connection works



The image shows a 'Connect to Server' dialog box for SQL Server. The title bar reads 'Connect to Server' with a close button. The main heading is 'SQL Server'. Below this, there are four tabs: 'Login', 'Connection Properties', 'Always Encrypted', and 'Additional Connection Parameters'. The 'Login' tab is selected. The 'Server' section contains the following fields: 'Server type:' set to 'Database Engine', 'Server name:' set to 'WINDOWS11\SQLEXPRESS, 1433', 'Authentication:' set to 'SQL Server Authentication', 'Login:' set to 'mssql_user', and 'Password:' set to '*****'. There is a checked checkbox for 'Remember password'. The 'Connection Security' section contains 'Encryption:' set to 'Optional' and a checked checkbox for 'Trust server certificate'. The 'Host name in certificate:' field is empty. At the bottom, there are four buttons: 'Connect', 'Cancel', 'Help', and 'Options <<'. The 'Connect' button is highlighted with a blue border.