



Circuit Reliability Review

Tulare District 3

January 2017

Providing Safe, Reliable, and Affordable Power

Southern California Edison is modernizing the power grid to meet the changing needs and expectations of our customers and to help California achieve its clean energy goals.

We are investing more than \$12 billion into our power grid between 2015 – 2017 with the goal of increasing power reliability through significant upgrades. These investments include:

- Updating thousands of transmission and distribution poles
- Replacing hundreds of miles of underground cables
- Replacing hundreds of underground structures such as vaults and manholes
- Upgrading critical distribution equipment; capacitor banks, switches, and circuit breakers
- Building new distribution circuits to serve electrical demands in our communities
- Inspecting and replacing overhead conductor and equipment to improve public safety

Our investments in local communities will help ensure that customers receive safe, reliable, and affordable electricity now and in the future.

Understanding Your Reliability Report

As your electric utility, we want you to always have power when you need it. To get there, we constantly track and monitor electric outages across our service territory, and we measure our “system reliability” from this data.

The two metrics we rely on are common in the electric utility industry: the System Average Interruption Duration Index (SAIDI) and the System Average Interruption Frequency Index (SAIFI). Both are described in more detail on the next page.

Replacing and upgrading our infrastructure will help SCE maintain or improve SAIDI and SAIFI measurements.

This report provides historical reliability data for the circuits that serve your jurisdiction and our proposed infrastructure upgrades for the current year.

To view other reliability reports, visit [sce.com>Outage Center>Maintaining Reliable Service](https://sce.com/OutageCenter/MaintainingReliableService)

Reliability Metrics

MOMENTARY OUTAGES:

OUTAGES LASTING 5 MINUTES OR LESS

MAIFI:

- The number of times the average customer is interrupted by Momentary outages each year.

SUSTAINED OUTAGES:

OUTAGES LASTING LONGER THAN 5 MINUTES

SAIFI:

- The number of times the average customer is interrupted by Sustained outages each year.

SAIDI:

- The cumulative amount of time the average customer is interrupted by Sustained outages each year.

Cities in the San Joaquin Region

Armona

City of Tulare

County of Tulare

Delano

Ducor

Earlimart

East Porterville

Exeter

Farmersville

Goshen

Hanford

Ivanhoe

Lemon Cove

Lindsay

Mcfarland

Pixley

Poplar-Cotton Center

Porterville

Richgrove

Springville

Strathmore

Terra Bella

Three Rivers

Tipton

Tulare

Visalia

Woodlake

Woodville

Reliability by SCE District (No Exclusions)

| District Name | 2012 | | | | 2013 | | | | 2014 | | | | 2015 | | | | 2016 | | | |
|-----------------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|
| | District SAIDI | SAIDI RANKING | District SAIFI | SAIFI Ranking | District SAIDI | SAIDI RANKING | District SAIFI | SAIFI Ranking | District SAIDI | SAIDI RANKING | District SAIFI | SAIFI Ranking | District SAIDI | SAIDI RANKING | District SAIFI | SAIFI Ranking | District SAIDI | SAIDI RANKING | District SAIFI | SAIFI Ranking |
| ANTELOPE VALLEY | 78.60 | 28 | 0.56 | 31 | 94.42 | 22 | 0.62 | 31 | 51.05 | 35 | 0.59 | 34 | 104.34 | 22 | 0.68 | 30 | 107.67 | 24 | 0.87 | 29 |
| ARROWHEAD | 129.58 | 13 | 1.31 | 7 | 180.59 | 7 | 1.39 | 8 | 193.25 | 5 | 1.59 | 5 | 362.61 | 4 | 3.97 | 1 | 659.46 | 3 | 2.85 | 5 |
| BARSTOW | 184.80 | 7 | 1.15 | 12 | 204.33 | 6 | 1.40 | 7 | 201.53 | 4 | 1.34 | 10 | 187.11 | 8 | 1.17 | 12 | 134.83 | 18 | 1.35 | 9 |
| BIG CREEK | 1184.25 | 1 | 4.52 | 1 | 176.51 | 8 | 3.08 | 1 | 920.25 | 1 | 1.34 | 11 | 422.77 | 2 | 3.42 | 2 | 1062.01 | 2 | 4.99 | 1 |
| BISHOP | 463.09 | 2 | 1.25 | 9 | 104.44 | 17 | 0.51 | 35 | 118.79 | 17 | 0.59 | 35 | 298.11 | 6 | 2.22 | 4 | 168.59 | 8 | 1.22 | 14 |
| BLYTHE | 225.88 | 6 | 1.53 | 3 | 483.13 | 1 | 1.38 | 9 | 707.54 | 2 | 2.42 | 2 | 427.00 | 1 | 1.52 | 7 | 396.38 | 5 | 2.71 | 6 |
| CATALINA | 78.46 | 30 | 0.72 | 29 | 105.94 | 16 | 2.97 | 2 | 97.02 | 24 | 4.17 | 1 | 42.56 | 35 | 2.25 | 3 | 65.01 | 35 | 3.66 | 3 |
| COVINA | 108.73 | 19 | 0.92 | 19 | 100.51 | 19 | 0.86 | 20 | 91.60 | 27 | 0.87 | 22 | 100.08 | 23 | 0.81 | 25 | 112.13 | 22 | 0.97 | 24 |
| DOMINGUEZ HILLS | 117.22 | 18 | 0.82 | 24 | 89.17 | 26 | 0.80 | 21 | 82.30 | 29 | 0.71 | 28 | 130.63 | 15 | 0.97 | 17 | 146.38 | 12 | 1.11 | 17 |
| FOOTHILL | 91.69 | 25 | 0.90 | 20 | 85.80 | 27 | 0.79 | 24 | 93.35 | 25 | 0.93 | 21 | 109.64 | 20 | 0.95 | 20 | 142.81 | 14 | 1.03 | 21 |
| FULLERTON | 68.99 | 33 | 0.42 | 35 | 90.57 | 25 | 0.79 | 22 | 82.23 | 30 | 0.72 | 27 | 76.59 | 29 | 0.67 | 31 | 92.72 | 30 | 0.76 | 34 |
| HUNTINGTON BEACH | 95.78 | 23 | 0.89 | 21 | 66.51 | 32 | 0.68 | 29 | 79.61 | 31 | 0.78 | 25 | 98.32 | 25 | 0.95 | 19 | 128.02 | 20 | 1.26 | 12 |
| KERNVILLE | 226.76 | 5 | 1.31 | 6 | 232.18 | 4 | 1.96 | 3 | 178.69 | 8 | 1.99 | 3 | 286.38 | 7 | 0.96 | 18 | 2421.32 | 1 | 3.67 | 2 |
| LONG BEACH | 75.83 | 31 | 0.55 | 33 | 75.11 | 30 | 0.70 | 28 | 66.33 | 34 | 0.61 | 32 | 164.46 | 9 | 0.89 | 23 | 135.16 | 17 | 0.86 | 31 |
| MENIFEE | 99.32 | 22 | 0.84 | 23 | 107.39 | 15 | 1.26 | 10 | 156.68 | 11 | 1.32 | 12 | 111.46 | 19 | 0.98 | 16 | 156.75 | 9 | 1.31 | 10 |
| MONROVIA | 108.11 | 20 | 1.13 | 15 | 99.12 | 20 | 1.02 | 16 | 133.32 | 14 | 1.16 | 16 | 96.68 | 26 | 0.88 | 24 | 116.57 | 21 | 0.84 | 32 |
| MONTEBELLO | 131.06 | 12 | 1.13 | 14 | 118.08 | 13 | 1.17 | 12 | 158.34 | 10 | 1.16 | 15 | 150.28 | 12 | 1.18 | 11 | 133.52 | 19 | 1.17 | 15 |
| ONTARIO | 93.09 | 24 | 0.87 | 22 | 77.39 | 29 | 0.79 | 23 | 97.91 | 23 | 1.00 | 19 | 94.04 | 27 | 0.74 | 27 | 105.07 | 27 | 0.93 | 27 |
| PALM SPRINGS | 175.92 | 8 | 1.27 | 8 | 112.80 | 14 | 0.77 | 25 | 107.04 | 20 | 0.71 | 29 | 99.54 | 24 | 0.80 | 26 | 107.58 | 25 | 1.07 | 19 |
| REDLANDS | 120.13 | 16 | 1.11 | 16 | 96.48 | 21 | 1.04 | 15 | 154.25 | 12 | 1.04 | 18 | 124.52 | 17 | 1.01 | 14 | 137.11 | 16 | 0.98 | 23 |
| RIDGECREST | 229.65 | 4 | 1.44 | 4 | 161.95 | 9 | 1.12 | 13 | 176.84 | 9 | 1.57 | 6 | 148.90 | 13 | 1.01 | 15 | 254.31 | 6 | 1.05 | 20 |
| SADDLEBACK | 83.01 | 27 | 0.73 | 27 | 70.69 | 31 | 0.53 | 34 | 99.07 | 22 | 0.74 | 26 | 46.03 | 34 | 0.39 | 35 | 65.99 | 34 | 0.65 | 35 |
| SAN JOAQUIN | 135.90 | 10 | 1.04 | 18 | 244.44 | 2 | 1.45 | 6 | 138.25 | 13 | 1.17 | 14 | 127.50 | 16 | 1.05 | 13 | 108.44 | 23 | 1.09 | 18 |
| SANTA ANA | 78.60 | 29 | 0.55 | 32 | 93.35 | 24 | 0.74 | 26 | 91.68 | 26 | 0.84 | 23 | 67.46 | 32 | 0.71 | 29 | 97.27 | 29 | 1.00 | 22 |
| SANTA BARBARA | 153.81 | 9 | 1.15 | 13 | 82.00 | 28 | 0.70 | 27 | 183.78 | 7 | 1.38 | 9 | 152.37 | 11 | 1.52 | 6 | 156.66 | 10 | 1.41 | 8 |
| SANTA MONICA | 101.69 | 21 | 0.79 | 25 | 122.78 | 12 | 1.00 | 17 | 110.76 | 19 | 0.99 | 20 | 75.41 | 30 | 0.62 | 32 | 91.08 | 31 | 0.95 | 26 |
| SOUTH BAY | 122.68 | 15 | 1.17 | 10 | 142.15 | 10 | 1.49 | 5 | 125.28 | 16 | 1.39 | 8 | 164.07 | 10 | 1.31 | 8 | 183.90 | 7 | 1.88 | 7 |
| TEHACHAPI | 117.96 | 17 | 1.43 | 5 | 232.67 | 3 | 1.12 | 14 | 130.70 | 15 | 1.29 | 13 | 298.96 | 5 | 1.21 | 9 | 97.29 | 28 | 1.13 | 16 |
| THOUSAND OAKS | 127.73 | 14 | 1.05 | 17 | 93.86 | 23 | 0.91 | 18 | 104.37 | 21 | 1.10 | 17 | 106.59 | 21 | 0.92 | 21 | 143.78 | 13 | 1.31 | 11 |
| VALENCIA | 62.01 | 35 | 0.46 | 34 | 51.04 | 34 | 0.53 | 33 | 79.23 | 32 | 0.61 | 33 | 72.27 | 31 | 0.61 | 33 | 105.09 | 26 | 0.97 | 25 |
| VENTURA | 134.81 | 11 | 1.15 | 11 | 100.52 | 18 | 1.21 | 11 | 183.79 | 6 | 1.65 | 4 | 148.85 | 14 | 1.19 | 10 | 150.41 | 11 | 1.24 | 13 |
| VICTORVILLE | 67.70 | 34 | 0.66 | 30 | 61.33 | 33 | 0.63 | 30 | 68.85 | 33 | 0.63 | 31 | 87.03 | 28 | 0.91 | 22 | 79.35 | 33 | 0.92 | 28 |
| WHITTIER | 72.60 | 32 | 0.74 | 26 | 135.04 | 11 | 0.86 | 19 | 87.60 | 28 | 0.70 | 30 | 114.52 | 18 | 0.73 | 28 | 137.34 | 15 | 0.81 | 33 |
| WILDOMAR | 88.54 | 26 | 0.72 | 28 | 40.51 | 35 | 0.56 | 32 | 118.49 | 18 | 0.81 | 24 | 52.70 | 33 | 0.60 | 34 | 84.01 | 32 | 0.87 | 30 |
| YUCCA VALLEY | 319.82 | 3 | 3.41 | 2 | 216.97 | 5 | 1.50 | 4 | 304.25 | 3 | 1.49 | 7 | 389.08 | 3 | 1.80 | 5 | 463.68 | 4 | 3.39 | 4 |
| SCE SystemWide | 108.13 | | 0.89 | | 102.61 | | 0.91 | | 112.00 | | 0.96 | | 114.83 | | 0.92 | | 134.48 | | 1.10 | |

Exclusions are days which utilities are allowed to remove from their metrics because the outages on those days were caused by a severe acts of nature.

**In the columns showing "Rank," lower numbers indicate poorer performance.


Overview of Tulare District 3

There are 28 circuits that serve Tulare District 3

| Circuit Type | Sum of Customers | Circuit Type | Sum of Customers | Circuit Type | Sum of Customers | Circuit Type | Sum of Customers |
|------------------|------------------|--------------|------------------|--------------|------------------|--------------|------------------|
| ALLEGIANCE(12KV) | 1,365 | | | | | | |
| BALL(12KV) | 286 | | | | | | |
| BLACKSTONE(12KV) | 1,938 | | | | | | |
| CHINOWTH(12KV) | 1,837 | | | | | | |
| CLANCY(12KV) | 154 | | | | | | |
| CRESTWOOD(12KV) | 1,228 | | | | | | |
| CURTIS(12KV) | 381 | | | | | | |
| DE CAMP(12KV) | 1,409 | | | | | | |
| DEMAREE(12KV) | 1,270 | | | | | | |
| DIAMANTE(12KV) | 1,359 | | | | | | |
| FREEDOM(12KV) | 1,263 | | | | | | |
| GILA(12KV) | 993 | | | | | | |
| HARRELL(12KV) | 629 | | | | | | |
| HIGBY(12KV) | 1,419 | | | | | | |
| MANZANILLO(12KV) | 262 | | | | | | |
| MID VALLE(12KV) | 1,081 | | | | | | |
| MINUTEMAN(12KV) | 682 | | | | | | |
| MONSON(12KV) | 318 | | | | | | |
| RASMUSSEN(12KV) | 149 | | | | | | |
| RIO GRANDE(12KV) | 2,653 | | | | | | |
| ROYAL OAKS(12KV) | 735 | | | | | | |
| SHIRK(12KV) | 1,370 | | | | | | |
| STEELMAN(12KV) | 1,031 | | | | | | |
| TAGUS(12KV) | 217 | | | | | | |
| TLSMITH(12KV) | 551 | | | | | | |
| VOLNEY(12KV) | 1,664 | | | | | | |
| WEBB(12KV) | 846 | | | | | | |
| WOODLAND(12KV) | 1,673 | | | | | | |


Grand Total 28,763

Reliability History of Circuits Serving Tulare District 3 (No Exclusions)



Causes of Repair Outages in Tulare District 3 Circuits 2016 YTD


Contributions to SAIDI by Outage Cause



SAIDI = the cumulative amount of time the average customer is interrupted by “sustained” outages each year.

Causes of Repair Outages in Tulare District 3 Circuits 2016 YTD

Contributions to SAIFI by Outage Cause



Back-up Slides

Reliability Histories of Circuits Serving Tulare District 3

Updated through Year-End 2016

Average Reliability of 28 Circuits Serving Tulare District 3

| | 2013 | | | 2014 | | | 2015 | | | 1st Qtr 2016 | | | 2nd Qtr 2016 | | | 3rd Qtr 2016 | | | 4th Qtr 2016 | | | 2016 | | |
|--------------------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| Tulare District 3 | 343.1 | 1.6 | 1.3 | 74.7 | 0.9 | 1.2 | 79.5 | 0.9 | 1.2 | 18.1 | 0.2 | 0.2 | 18.1 | 0.2 | 0.5 | 18.0 | 0.1 | 0.1 | 13.4 | 0.1 | 0.1 | 67.6 | 0.6 | 0.9 |
| 3rd Party | 2% | 9% | 14% | 22% | 30% | 6% | 23% | 24% | 31% | 2% | 6% | 0% | 3% | 23% | 30% | 16% | 12% | 45% | 3% | 2% | 39% | 6% | 12% | 26% |
| Equipment Failure | 10% | 16% | 14% | 61% | 47% | 18% | 37% | 23% | 10% | 76% | 61% | 100% | 86% | 59% | 0% | 42% | 47% | 0% | 64% | 52% | 57% | 67% | 55% | 27% |
| Operation | 1% | 2% | 1% | 6% | 10% | 4% | 9% | 20% | 5% | 3% | 2% | 0% | 2% | 7% | 0% | 22% | 30% | 1% | 29% | 43% | 0% | 13% | 17% | 0% |
| Other | 69% | 59% | 22% | 5% | 7% | 15% | 2% | 3% | 13% | 19% | 31% | 0% | 10% | 11% | 23% | 4% | 5% | 15% | 2% | 2% | 2% | 9% | 14% | 15% |
| Vegetation/Animal | 0% | 1% | 41% | 2% | 5% | 56% | 9% | 8% | 33% | 0% | 0% | 0% | 0% | 0% | 47% | 17% | 6% | 39% | 0% | 0% | 0% | 4% | 1% | 32% |
| Weather/Fire/Earthquake | 17% | 13% | 9% | 4% | 1% | 1% | 20% | 22% | 8% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 3% | 1% | 2% | 1% | 0% | 0% |
| SCE Systemwide | 102.6 | 0.9 | 1.2 | 112.0 | 1.0 | 1.4 | 114.8 | 0.9 | 1.4 | 40.5 | 0.3 | 0.4 | 34.8 | 0.3 | 0.4 | 29.4 | 0.2 | 0.3 | 29.8 | 0.3 | 0.4 | 134.5 | 1.1 | 1.6 |

Notes:

No outages are excluded from the metrics.

Outage Causes:

Other: e.g., patrolled but no cause could be found

Operations: e.g., urgent maintenance w/o 3-day notice to customers

3rd Party: e.g., balloons, car hit pole, dig-in

Vegetation/Animal: e.g., tree branch, rodent, or bird causing short circuit across conductors

SAIDI (minutes) = the cumulative amount of time the average customer is interrupted by "sustained" (longer than 5 minutes) outages.

SAIFI (interruptions) = the number of times the average customer is interrupted by "sustained" outages.

MAIFI (interruptions) = the number of times the average customer is interrupted by "momentary" (lasting 5 minutes or less) outages.

Reliability Histories for Individual Circuits Serving Tulare District 3

| | 2013 | | | 2014 | | | 2015 | | | 1st Qtr 2016 | | | 2nd Qtr 2016 | | | 3rd Qtr 2016 | | | 4th Qtr 2016 | | | 2016 | | |
|--|---------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| ALLEGIANCE(12KV) - Customers: 1,365 | 351.2 | 2.0 | 2.0 | 108.6 | 1.1 | 1.0 | 263.2 | 3.8 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 8.9 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 8.9 | 0.5 | 1.0 |
| 3rd Party | 0% | 0% | 100% | 65% | 94% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 31% | 50% | 0% | 4% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% |
| Other | 69% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 100% | 42% | 31% | 100% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 31% | 4% | 0% | 56% | 69% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| BALL(12KV) - Customers: 286 | 1290.2 | 3.4 | 3.1 | 158.3 | 1.5 | 1.4 | 117.0 | 0.8 | 3.2 | 61.2 | 0.2 | 0.0 | 102.0 | 1.0 | 0.0 | 34.3 | 0.4 | 0.1 | 30.6 | 0.2 | 0.0 | 228.2 | 1.8 | 0.1 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 62% | 32% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 4% | 33% | 68% | 6% | 31% | 100% | 14% | 18% | 0% | 99% | 94% | 0% | 12% | 3% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 45% | 20% | 0% |
| Operation | 1% | 16% | 0% | 87% | 67% | 0% | 2% | 45% | 20% | 1% | 6% | 0% | 0% | 0% | 0% | 10% | 3% | 100% | 0% | 0% | 0% | 2% | 1% | 100% |
| Other | 10% | 18% | 0% | 7% | 1% | 0% | 4% | 1% | 0% | 0% | 0% | 0% | 88% | 97% | 0% | 90% | 97% | 0% | 0% | 0% | 0% | 53% | 79% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 7% | 2% | 32% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 85% | 33% | 32% | 0% | 0% | 0% | 12% | 1% | 32% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| BLACKSTONE(12KV) - Customers: 1,938 | 222.9 | 1.0 | 0.0 | 34.0 | 0.5 | 0.0 | 71.0 | 0.7 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41.3 | 0.2 | 0.0 | 2.7 | 0.0 | 0.0 | 44.0 | 0.2 | 0.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 61% | 88% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 99% | 100% | 0% | 22% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 48% | 0% | 100% | 100% | 0% | 37% | 49% | 0% |
| Operation | 0% | 0% | 0% | 1% | 0% | 0% | 6% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 55% | 27% | 0% | 0% | 0% | 0% | 52% | 26% | 0% |
| Other | 100% | 100% | 0% | 0% | 0% | 0% | 2% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 12% | 26% | 0% | 0% | 0% | 0% | 11% | 25% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 9% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| CHINOWTH(12KV) - Customers: 1,837 | 374.5 | 1.0 | 2.0 | 8.0 | 0.0 | 0.0 | 17.0 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 100% | 100% | 0% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 99% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 100% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

Reliability Histories for Individual Circuits Serving Tulare District 3

| | 2013 | | | 2014 | | | 2015 | | | 1st Qtr 2016 | | | 2nd Qtr 2016 | | | 3rd Qtr 2016 | | | 4th Qtr 2016 | | | 2016 | | |
|---|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| CLANCY(12KV) - Customers: 154 | 320.8 | 1.9 | 4.1 | 221.4 | 1.5 | 4.0 | 146.3 | 1.9 | 3.6 | 18.8 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 0.3 | 0.3 | 0.0 | 0.0 | 0.0 | 25.8 | 0.6 | 0.3 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 24% | 54% | 27% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 100% | 0% | 0% | 0% | 27% | 51% | 100% |
| Equipment Failure | 35% | 49% | 0% | 93% | 33% | 25% | 37% | 16% | 8% | 6% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 5% | 2% | 0% |
| Operation | 0% | 0% | 0% | 7% | 67% | 0% | 14% | 14% | 0% | 94% | 95% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 68% | 47% | 0% |
| Other | 65% | 51% | 28% | 0% | 0% | 0% | 0% | 0% | 9% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 72% | 0% | 0% | 50% | 0% | 0% | 56% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 25% | 25% | 16% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| CRESTWOOD(12KV) - Customers: 1,228 | 544.4 | 3.1 | 0.9 | 154.6 | 1.3 | 1.1 | 12.9 | 0.1 | 0.0 | 57.5 | 1.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 170.5 | 1.0 | 0.9 | 228.0 | 2.0 | 1.9 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 59% | 65% | 100% | 99% | 90% | 13% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 100% | 75% | 50% | 47% |
| Operation | 2% | 2% | 0% | 1% | 10% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 40% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 25% | 50% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 87% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 53% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| CURTIS(12KV) - Customers: 381 | 138.4 | 1.0 | 3.7 | 5.4 | 0.1 | 0.1 | 96.7 | 0.2 | 2.1 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33.7 | 0.4 | 0.0 | 58.3 | 0.3 | 0.2 | 92.2 | 0.7 | 0.2 |
| 3rd Party | 20% | 14% | 27% | 0% | 0% | 0% | 54% | 44% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 99% | 99% | 0% | 21% | 29% | 0% | 49% | 73% | 0% |
| Equipment Failure | 32% | 28% | 8% | 75% | 21% | 0% | 35% | 37% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 1% | 1% | 0% | 0% | 0% | 0% | 0% | 1% | 0% |
| Operation | 8% | 54% | 0% | 25% | 79% | 0% | 0% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 5% | 1% | 65% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 25% | 54% | 43% | 16% | 20% | 43% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 53% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 35% | 3% | 0% | 0% | 0% | 0% | 11% | 14% | 47% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 54% | 18% | 57% | 34% | 7% | 57% |
| DE CAMP(12KV) - Customers: 1,409 | 359.3 | 2.1 | 3.0 | 209.1 | 2.3 | 2.1 | 35.6 | 0.1 | 2.0 | 19.5 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 83.9 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 103.4 | 1.1 | 0.0 |
| 3rd Party | 17% | 47% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 7% | 6% | 0% | 100% | 100% | 6% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 90% | 87% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 77% | 47% | 0% | 0% | 0% | 0% | 10% | 13% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 100% | 0% | 0% | 94% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

Reliability Histories for Individual Circuits Serving Tulare District 3

| | 2013 | | | 2014 | | | 2015 | | | 1st Qtr 2016 | | | 2nd Qtr 2016 | | | 3rd Qtr 2016 | | | 4th Qtr 2016 | | | 2016 | | |
|--|--------------|------------|------------|-------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| DEMAREE(12KV) - Customers: 1,270 | 295.5 | 2.9 | 3.0 | 0.0 | 0.0 | 2.0 | 21.5 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 16.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.6 | 0.0 | 0.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 4% | 1% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 77% | 35% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 100% | 0% | 0% | 100% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 19% | 65% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| DIAMANTE(12KV) - Customers: 1,359 | 398.0 | 1.0 | 0.0 | 84.7 | 1.6 | 1.0 | 10.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 29.5 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 29.5 | 0.3 | 1.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 94% | 66% | 100% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 0% | 6% | 34% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% |
| Other | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| FREEDOM(12KV) - Customers: 1,263 | 228.0 | 1.0 | 0.0 | 96.8 | 0.3 | 1.0 | 159.6 | 1.1 | 0.9 | 23.8 | 0.1 | 0.0 | 305.3 | 2.1 | 1.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 329.0 | 2.2 | 2.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 50% |
| Equipment Failure | 0% | 0% | 0% | 99% | 99% | 0% | 32% | 7% | 0% | 90% | 60% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 99% | 98% | 0% |
| Operation | 1% | 0% | 0% | 1% | 1% | 0% | 0% | 0% | 0% | 10% | 40% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 1% | 2% | 0% |
| Other | 99% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 68% | 93% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| GILA(12KV) - Customers: 993 | 201.7 | 0.9 | 1.8 | 2.3 | 0.1 | 0.0 | 30.7 | 0.1 | 1.9 | 0.0 | 0.0 | 0.0 | 1.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 0.0 | 0.0 |
| 3rd Party | 0% | 0% | 50% | 0% | 0% | 0% | 11% | 14% | 53% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 57% | 1% | 0% | 41% | 16% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 0% | 43% | 99% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 98% | 99% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 44% | 68% | 47% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 2% | 0% | 50% | 0% | 0% | 0% | 4% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

Reliability Histories for Individual Circuits Serving Tulare District 3

| | 2013 | | | 2014 | | | 2015 | | | 1st Qtr 2016 | | | 2nd Qtr 2016 | | | 3rd Qtr 2016 | | | 4th Qtr 2016 | | | 2016 | | |
|---|---------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|-------------|------------|------------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| HARRELL(12KV) - Customers: 629 | 114.5 | 1.0 | 1.5 | 78.3 | 1.6 | 3.4 | 111.2 | 0.7 | 4.4 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.9 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.9 |
| 3rd Party | 0% | 0% | 0% | 92% | 63% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 1% | 0% | 0% | 72% | 83% | 10% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 0% | 8% | 37% | 12% | 1% | 1% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% |
| Other | 37% | 54% | 100% | 0% | 0% | 88% | 5% | 11% | 44% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 100% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 23% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 63% | 46% | 0% | 0% | 0% | 0% | 22% | 6% | 23% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| HIGBY(12KV) - Customers: 1,419 | 368.1 | 2.8 | 1.3 | 128.2 | 2.0 | 3.7 | 51.8 | 0.3 | 0.8 | 33.8 | 1.0 | 2.5 | 18.0 | 0.1 | 2.0 | 1.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 53.3 | 1.1 | 4.6 |
| 3rd Party | 8% | 26% | 20% | 35% | 51% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 4% | 2% | 80% | 40% | 8% | 19% | 89% | 89% | 100% | 100% | 100% | 100% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 97% | 99% | 56% |
| Operation | 0% | 0% | 0% | 4% | 4% | 20% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 3% | 1% | 0% |
| Other | 63% | 36% | 0% | 0% | 0% | 27% | 6% | 6% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 22% |
| Vegetation/Animal | 0% | 0% | 0% | 20% | 38% | 34% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 22% |
| Weather/Fire/Earthquake | 25% | 36% | 0% | 0% | 0% | 0% | 5% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| MANZANILLO(12KV) - Customers: 262 | 1113.3 | 1.9 | 2.4 | 246.7 | 3.0 | 2.3 | 141.5 | 1.6 | 3.4 | 18.2 | 0.6 | 0.0 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21.1 | 0.6 | 0.0 |
| 3rd Party | 7% | 18% | 58% | 0% | 0% | 0% | 40% | 38% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 1% | 1% | 0% | 28% | 49% | 57% | 45% | 39% | 20% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 14% | 1% | 0% |
| Operation | 1% | 18% | 42% | 6% | 18% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 1% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 86% | 99% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 31% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 90% | 63% | 0% | 67% | 33% | 43% | 15% | 23% | 49% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| MID VALLE(12KV) - Customers: 1,081 | 339.5 | 1.6 | 0.6 | 48.4 | 0.2 | 0.9 | 109.1 | 1.1 | 3.0 | 0.0 | 0.0 | 0.0 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.6 | 0.1 | 0.0 | 10.1 | 0.1 | 0.0 |
| 3rd Party | 5% | 25% | 100% | 0% | 0% | 0% | 38% | 73% | 67% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 8% | 6% | 0% | 100% | 100% | 100% | 49% | 26% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 100% | 100% | 0% |
| Operation | 10% | 3% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 76% | 66% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 13% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

Reliability Histories for Individual Circuits Serving Tulare District 3

| | 2013 | | | 2014 | | | 2015 | | | 1st Qtr 2016 | | | 2nd Qtr 2016 | | | 3rd Qtr 2016 | | | 4th Qtr 2016 | | | 2016 | | |
|--|---------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| MINUTEMAN(12KV) - Customers: 682 | 1122.6 | 1.9 | 1.0 | 25.8 | 1.1 | 1.0 | 14.3 | 0.0 | 0.0 | 11.1 | 0.0 | 0.0 | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 13.8 | 0.0 | 0.0 |
| 3rd Party | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 1% | 3% | 0% | 0% | 0% | 0% | 6% | 43% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 80% | 64% | 0% |
| Other | 19% | 53% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 80% | 44% | 100% | 0% | 0% | 0% | 94% | 57% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 20% | 36% | 0% |
| MONSON(12KV) - Customers: 318 | 267.7 | 1.0 | 3.0 | 6.8 | 0.0 | 3.0 | 314.0 | 5.5 | 3.1 | 31.9 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 48.7 | 1.0 | 0.0 | 9.1 | 0.0 | 0.0 | 89.6 | 2.0 | 0.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 36% | 49% | 0% |
| Equipment Failure | 0% | 0% | 0% | 0% | 0% | 0% | 77% | 82% | 68% | 0% | 0% | 0% | 0% | 0% | 0% | 98% | 99% | 0% | 0% | 0% | 0% | 53% | 49% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 2% | 1% | 0% | 100% | 100% | 0% | 11% | 2% | 0% |
| Other | 99% | 99% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 100% | 100% | 100% | 100% | 21% | 18% | 32% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 1% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| RASMUSSEN(12KV) - Customers: 149 | 862.1 | 3.4 | 4.8 | 270.3 | 2.3 | 2.8 | 0.0 | 0.0 | 2.0 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 291.9 | 0.5 | 1.4 | 0.0 | 0.0 | 0.0 | 295.1 | 0.5 | 1.4 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 97% | 97% | 100% | 0% | 0% | 0% | 96% | 95% | 100% |
| Equipment Failure | 15% | 34% | 17% | 100% | 100% | 29% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 1% | 2% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 3% | 3% | 0% | 0% | 0% | 0% | 3% | 3% | 0% |
| Other | 67% | 59% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 63% | 0% | 0% | 71% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 18% | 8% | 21% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| RIO GRANDE(12KV) - Customers: 2,653 | 313.9 | 1.2 | 1.0 | 2.2 | 0.1 | 0.0 | 36.5 | 0.8 | 1.6 | 0.0 | 0.0 | 0.0 | 5.4 | 0.5 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.4 | 0.5 | 1.1 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 63% | 0% | 0% | 0% | 100% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 100% |
| Equipment Failure | 0% | 0% | 0% | 67% | 29% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 0% | 33% | 71% | 0% | 0% | 0% | 37% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 100% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

Reliability Histories for Individual Circuits Serving Tulare District 3

| | 2013 | | | 2014 | | | 2015 | | | 1st Qtr 2016 | | | 2nd Qtr 2016 | | | 3rd Qtr 2016 | | | 4th Qtr 2016 | | | 2016 | | |
|--|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| ROYAL OAKS(12KV) - Customers: 735 | 216.7 | 1.0 | 0.0 | 1.0 | 0.0 | 0.0 | 21.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.2 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 38.2 | 0.1 | 0.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 1% | 1% | 0% | 45% | 6% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% |
| Operation | 0% | 0% | 0% | 55% | 94% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 99% | 99% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| SHIRK(12KV) - Customers: 1,370 | 281.4 | 1.3 | 3.7 | 0.0 | 0.0 | 2.0 | 240.0 | 2.0 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 22.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22.4 | 0.0 | 2.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% |
| Equipment Failure | 0% | 1% | 0% | 0% | 0% | 0% | 100% | 100% | 46% | 0% | 0% | 0% | 0% | 0% | 0% | 87% | 55% | 0% | 0% | 0% | 0% | 87% | 55% | 0% |
| Operation | 0% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 13% | 45% | 0% | 0% | 0% | 0% | 13% | 45% | 0% |
| Other | 93% | 75% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% |
| Vegetation/Animal | 7% | 23% | 100% | 0% | 0% | 100% | 0% | 0% | 54% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| STEELMAN(12KV) - Customers: 1,031 | 241.3 | 2.1 | 1.0 | 24.2 | 0.2 | 2.0 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.7 | 0.9 | 0.0 | 14.7 | 0.9 | 0.0 |
| 3rd Party | 0% | 0% | 0% | 60% | 50% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 6% | 48% | 100% | 3% | 1% | 0% | 89% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 5% | 0% | 0% | 0% | 0% | 11% | 75% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 100% | 100% | 0% |
| Other | 91% | 47% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 37% | 50% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| TAGUS(12KV) - Customers: 217 | 937.5 | 5.6 | 8.2 | 106.5 | 3.0 | 1.6 | 272.4 | 2.5 | 4.7 | 106.7 | 1.1 | 0.0 | 89.7 | 1.0 | 0.5 | 46.5 | 1.0 | 0.2 | 47.8 | 0.4 | 0.6 | 290.7 | 3.5 | 1.4 |
| 3rd Party | 5% | 18% | 0% | 92% | 99% | 100% | 42% | 81% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 100% | 0% | 0% | 0% | 16% | 28% | 15% |
| Equipment Failure | 14% | 25% | 8% | 1% | 0% | 0% | 0% | 0% | 0% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 100% | 17% | 11% | 48% |
| Operation | 2% | 18% | 0% | 0% | 0% | 0% | 53% | 18% | 36% | 0% | 0% | 0% | 1% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 36% | 0% | 0% | 0% | 0% | 0% | 43% | 98% | 100% | 0% | 99% | 98% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 66% | 61% | 38% |
| Vegetation/Animal | 2% | 6% | 8% | 0% | 0% | 0% | 0% | 0% | 22% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 76% | 33% | 48% | 7% | 0% | 0% | 5% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

Reliability Histories for Individual Circuits Serving Tulare District 3

| | 2013 | | | 2014 | | | 2015 | | | 1st Qtr 2016 | | | 2nd Qtr 2016 | | | 3rd Qtr 2016 | | | 4th Qtr 2016 | | | 2016 | | |
|--|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|--------------|------------|------------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| TLSMITH(12KV) - Customers: 551 | 381.3 | 3.2 | 1.0 | 111.3 | 1.1 | 1.9 | 129.3 | 2.0 | 0.0 | 39.8 | 1.0 | 0.0 | 14.3 | 0.6 | 3.0 | 12.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.5 | 1.6 | 3.0 |
| 3rd Party | 22% | 36% | 0% | 100% | 100% | 48% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% |
| Equipment Failure | 18% | 32% | 100% | 0% | 0% | 0% | 2% | 0% | 0% | 100% | 100% | 0% | 76% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 76% | 62% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 1% | 0% | 0% | 0% | 0% | 0% | 24% | 98% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 24% | 38% | 0% |
| Other | 60% | 32% | 0% | 0% | 0% | 0% | 32% | 49% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 52% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 65% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| VOLNEY(12KV) - Customers: 1,664 | 243.0 | 1.0 | 0.0 | 62.7 | 1.0 | 0.6 | 168.5 | 2.0 | 0.0 | 150.1 | 0.5 | 1.4 | 0.0 | 0.0 | 0.0 | 52.3 | 0.1 | 0.9 | 0.0 | 0.0 | 0.0 | 202.4 | 0.7 | 2.2 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 83% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 2% | 1% | 0% | 0% | 0% | 0% | 2% | 0% | 0% | 100% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 74% | 79% | 62% |
| Operation | 0% | 0% | 0% | 1% | 1% | 0% | 11% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 98% | 99% | 0% | 99% | 99% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 100% | 0% | 0% | 0% | 26% | 21% | 38% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| WEBB(12KV) - Customers: 846 | 18.7 | 0.1 | 0.3 | 6.3 | 0.0 | 1.3 | 55.3 | 1.0 | 1.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 0.0 | 0.0 | 10.8 | 0.1 | 1.0 | 14.9 | 0.1 | 1.0 |
| 3rd Party | 0% | 0% | 0% | 21% | 31% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 81% | 63% | 100% | 59% | 47% | 100% |
| Equipment Failure | 0% | 0% | 0% | 49% | 64% | 80% | 23% | 2% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 12% | 19% | 0% | 36% | 40% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 75% | 98% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 7% | 19% | 0% | 5% | 14% | 0% |
| Vegetation/Animal | 0% | 0% | 100% | 0% | 0% | 13% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 30% | 6% | 6% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| WOODLAND(12KV) - Customers: 1,673 | 300.9 | 1.2 | 0.0 | 259.5 | 2.4 | 1.0 | 1.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 55.2 | 0.1 | 0.0 | 58.6 | 0.1 | 0.0 |
| 3rd Party | 0% | 0% | 0% | 34% | 41% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 26% | 16% | 0% | 55% | 55% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 0% | 11% | 4% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 100% | 100% | 0% |
| Other | 74% | 84% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |