

Circuit Reliability Review Compton

January 2017

Providing Safe, Reliable, and Affordable Power

Southern California Edison is modernizing the power grid to meet the changing needs and expectations of our customers and to help California achieve its clean energy goals.

We are investing more than \$12 billion into our power grid between 2015 – 2017 with the goal of increasing power reliability through significant upgrades. These investments include:

- Updating thousands of transmission and distribution poles
- Replacing hundreds of miles of underground cables
- Replacing hundreds of underground structures such as vaults and manholes
- Upgrading critical distribution equipment; capacitor banks, switches, and circuit breakers
- Building new distribution circuits to serve electrical demands in our communities
- Inspecting and replacing overhead conductor and equipment to improve public safety

Our investments in local communities will help ensure that customers receive safe, reliable, and affordable electricity now and in the future.

Understanding Your Reliability Report

As your electric utility, we want you to always have power when you need it. To get there, we constantly track and monitor electric outages across our service territory, and we measure our "system reliability" from this data.

The two metrics we rely on are common in the electric utility industry: the System Average Interruption Duration Index (SAIDI) and the System Average Interruption Frequency Index (SAIFI). Both are described in more detail on the next page.

Replacing and upgrading our infrastructure will help SCE maintain or improve SAIDI and SAIFI measurements.

This report provides historical reliability data for the circuits that serve your jurisdiction and our proposed infrastructure upgrades for the current year.

To view other reliability reports, visit sce.com>Outage Center>Maintaining Reliable Service

Reliability Metrics

MOMENTARY OUTAGES:

OUTAGES LASTING 5 MINUTES OR LESS

MAIFI:

 The number of times the average customer is interrupted by Momentary outages each year.

SUSTAINED OUTAGES:

OUTAGES LASTING LONGER THAN 5 MINUTES

SAIFI:

 The number of times the average customer is interrupted by Sustained outages each year.

SAIDI:

 The cumulative amount of time the average customer is interrupted by Sustained outages each year.

Cities in the Dominguez Hills District

Bell

Bell Gardens

Bellflower

Carson

Commerce

Compton

Cudahy

East Compton

East Los Angeles

Florence-Graham

Huntington Park

Los Angeles

Lynwood

Maywood

Paramount

South Gate

Vernon

Walnut Park

West Carson

West Compton

Willowbrook

Reliability by SCE District (No Exclusions)

| | | 20 | 12 | | | 20: | 13 | | | 20 | 14 | | | 20 | 15 | | | 20 | 16 | |
|------------------|----------|---------|----------|---------|----------|---------|----------|---------|----------|---------|----------|---------|----------|---------|----------|---------|----------|---------|----------|---------|
| | District | SAIDI | District | SAIFI |
| District Name | SAIDI | RANKING | SAIFI | Ranking |
| ANTELOPE VALLEY | 78.60 | 28 | 0.56 | 31 | 94.42 | 22 | 0.62 | 31 | 51.05 | 35 | 0.59 | 34 | 104.34 | 22 | 0.68 | 30 | 107.67 | 24 | 0.87 | 29 |
| ARROWHEAD | 129.58 | 13 | 1.31 | 7 | 180.59 | 7 | 1.39 | 8 | 193.25 | 5 | 1.59 | 5 | 362.61 | 4 | 3.97 | 1 | 659.46 | 3 | 2.85 | 5 |
| BARSTOW | 184.80 | 7 | 1.15 | 12 | 204.33 | 6 | 1.40 | 7 | 201.53 | 4 | 1.34 | 10 | 187.11 | 8 | 1.17 | 12 | 134.83 | 18 | 1.35 | 9 |
| BIG CREEK | 1184.25 | 1 | 4.52 | 1 | 176.51 | 8 | 3.08 | 1 | 920.25 | 1 | 1.34 | 11 | 422.77 | 2 | 3.42 | 2 | 1062.01 | 2 | 4.99 | 1 |
| BISHOP | 463.09 | 2 | 1.25 | 9 | 104.44 | 17 | 0.51 | 35 | 118.79 | 17 | 0.59 | 35 | 298.11 | 6 | 2.22 | 4 | 168.59 | 8 | 1.22 | 14 |
| BLYTHE | 225.88 | 6 | 1.53 | 3 | 483.13 | 1 | 1.38 | 9 | 707.54 | 2 | 2.42 | 2 | 427.00 | 1 | 1.52 | 7 | 396.38 | 5 | 2.71 | 6 |
| CATALINA | 78.46 | 30 | 0.72 | 29 | 105.94 | 16 | 2.97 | 2 | 97.02 | 24 | 4.17 | 1 | 42.56 | 35 | 2.25 | 3 | 65.01 | 35 | 3.66 | 3 |
| COVINA | 108.73 | 19 | 0.92 | 19 | 100.51 | 19 | 0.86 | 20 | 91.60 | 27 | 0.87 | 22 | 100.08 | 23 | 0.81 | 25 | 112.13 | 22 | 0.97 | 24 |
| DOMINGUEZ HILLS | 117.22 | 18 | 0.82 | 24 | 89.17 | 26 | 0.80 | 21 | 82.30 | 29 | 0.71 | 28 | 130.63 | 15 | 0.97 | 17 | 146.38 | 12 | 1.11 | 17 |
| FOOTHILL | 91.69 | 25 | 0.90 | 20 | 85.80 | 27 | 0.79 | 24 | 93.35 | 25 | 0.93 | 21 | 109.64 | 20 | 0.95 | 20 | 142.81 | 14 | 1.03 | 21 |
| FULLERTON | 68.99 | 33 | 0.42 | 35 | 90.57 | 25 | 0.79 | 22 | 82.23 | 30 | 0.72 | 27 | 76.59 | 29 | 0.67 | 31 | 92.72 | 30 | 0.76 | 34 |
| HUNTINGTON BEACH | 95.78 | 23 | 0.89 | 21 | 66.51 | 32 | 0.68 | 29 | 79.61 | 31 | 0.78 | 25 | 98.32 | 25 | 0.95 | 19 | 128.02 | 20 | 1.26 | 12 |
| KERNVILLE | 226.76 | 5 | 1.31 | 6 | 232.18 | 4 | 1.96 | 3 | 178.69 | 8 | 1.99 | 3 | 286.38 | 7 | 0.96 | 18 | 2421.32 | 1 | 3.67 | 2 |
| LONG BEACH | 75.83 | 31 | 0.55 | 33 | 75.11 | 30 | 0.70 | 28 | 66.33 | 34 | 0.61 | 32 | 164.46 | 9 | 0.89 | 23 | 135.16 | 17 | 0.86 | 31 |
| MENIFEE | 99.32 | 22 | 0.84 | 23 | 107.39 | 15 | 1.26 | 10 | 156.68 | 11 | 1.32 | 12 | 111.46 | 19 | 0.98 | 16 | 156.75 | 9 | 1.31 | 10 |
| MONROVIA | 108.11 | 20 | 1.13 | 15 | 99.12 | 20 | 1.02 | 16 | 133.32 | 14 | 1.16 | 16 | 96.68 | 26 | 0.88 | 24 | 116.57 | 21 | 0.84 | 32 |
| MONTEBELLO | 131.06 | 12 | 1.13 | 14 | 118.08 | 13 | 1.17 | 12 | 158.34 | 10 | 1.16 | 15 | 150.28 | 12 | 1.18 | 11 | 133.52 | 19 | 1.17 | 15 |
| ONTARIO | 93.09 | 24 | 0.87 | 22 | 77.39 | 29 | 0.79 | 23 | 97.91 | 23 | 1.00 | 19 | 94.04 | 27 | 0.74 | 27 | 105.07 | 27 | 0.93 | 27 |
| PALM SPRINGS | 175.92 | 8 | 1.27 | 8 | 112.80 | 14 | 0.77 | 25 | 107.04 | 20 | 0.71 | 29 | 99.54 | 24 | 0.80 | 26 | 107.58 | 25 | 1.07 | 19 |
| REDLANDS | 120.13 | 16 | 1.11 | 16 | 96.48 | 21 | 1.04 | 15 | 154.25 | 12 | 1.04 | 18 | 124.52 | 17 | 1.01 | 14 | 137.11 | 16 | 0.98 | 23 |
| RIDGECREST | 229.65 | 4 | 1.44 | 4 | 161.95 | 9 | 1.12 | 13 | 176.84 | 9 | 1.57 | 6 | 148.90 | 13 | 1.01 | 15 | 254.31 | 6 | 1.05 | 20 |
| SADDLEBACK | 83.01 | 27 | 0.73 | 27 | 70.69 | 31 | 0.53 | 34 | 99.07 | 22 | 0.74 | 26 | 46.03 | 34 | 0.39 | 35 | 65.99 | 34 | 0.65 | 35 |
| SAN JOAQUIN | 135.90 | 10 | 1.04 | 18 | 244.44 | 2 | 1.45 | 6 | 138.25 | 13 | 1.17 | 14 | 127.50 | 16 | 1.05 | 13 | 108.44 | 23 | 1.09 | 18 |
| SANTA ANA | 78.60 | 29 | 0.55 | 32 | 93.35 | 24 | 0.74 | 26 | 91.68 | 26 | 0.84 | 23 | 67.46 | 32 | 0.71 | 29 | 97.27 | 29 | 1.00 | 22 |
| SANTA BARBARA | 153.81 | 9 | 1.15 | 13 | 82.00 | 28 | 0.70 | 27 | 183.78 | 7 | 1.38 | 9 | 152.37 | 11 | 1.52 | 6 | 156.66 | 10 | 1.41 | 8 |
| SANTA MONICA | 101.69 | 21 | 0.79 | 25 | 122.78 | 12 | 1.00 | 17 | 110.76 | 19 | 0.99 | 20 | 75.41 | 30 | 0.62 | 32 | 91.08 | 31 | 0.95 | 26 |
| SOUTH BAY | 122.68 | 15 | 1.17 | 10 | 142.15 | 10 | 1.49 | 5 | 125.28 | 16 | 1.39 | 8 | 164.07 | 10 | 1.31 | 8 | 183.90 | 7 | 1.88 | 7 |
| TEHACHAPI | 117.96 | 17 | 1.43 | 5 | 232.67 | 3 | 1.12 | 14 | 130.70 | 15 | 1.29 | 13 | 298.96 | 5 | 1.21 | 9 | 97.29 | 28 | 1.13 | 16 |
| THOUSAND OAKS | 127.73 | 14 | 1.05 | 17 | 93.86 | 23 | 0.91 | 18 | 104.37 | 21 | 1.10 | 17 | 106.59 | 21 | 0.92 | 21 | 143.78 | 13 | 1.31 | 11 |
| VALENCIA | 62.01 | 35 | 0.46 | 34 | 51.04 | 34 | 0.53 | 33 | 79.23 | 32 | 0.61 | 33 | 72.27 | 31 | 0.61 | 33 | 105.09 | 26 | 0.97 | 25 |
| VENTURA | 134.81 | 11 | 1.15 | 11 | 100.52 | 18 | 1.21 | 11 | 183.79 | 6 | 1.65 | 4 | 148.85 | 14 | 1.19 | 10 | 150.41 | 11 | 1.24 | 13 |
| VICTORVILLE | 67.70 | 34 | 0.66 | 30 | 61.33 | 33 | 0.63 | 30 | 68.85 | 33 | 0.63 | 31 | 87.03 | 28 | 0.91 | 22 | 79.35 | 33 | 0.92 | 28 |
| WHITTIER | 72.60 | 32 | 0.74 | 26 | 135.04 | 11 | 0.86 | 19 | 87.60 | 28 | 0.70 | 30 | 114.52 | 18 | 0.73 | 28 | 137.34 | 15 | 0.81 | 33 |
| WILDOMAR | 88.54 | 26 | 0.72 | 28 | 40.51 | 35 | 0.56 | 32 | 118.49 | 18 | 0.81 | 24 | 52.70 | 33 | 0.60 | 34 | 84.01 | 32 | 0.87 | 30 |
| YUCCA VALLEY | 319.82 | 3 | 3.41 | 2 | 216.97 | 5 | 1.50 | 4 | 304.25 | 3 | 1.49 | 7 | 389.08 | 3 | 1.80 | 5 | 463.68 | 4 | 3.39 | 4 |
| SCE SystemWide | 108.13 | | 0.89 | | 102.61 | | 0.91 | | 112.00 | | 0.96 | | 114.83 | | 0.92 | | 134.48 | | 1.10 | |


^{*&}quot;Exclusions" are days which utilities are allowed to remove from their metrics because the outages on those days were caused by a severe acts of nature.

^{**}In the columns showing "Rank," lower numbers indicate poorer performance.

Overview of Compton There are 50 circuits that serve Compton


| Circuit Type | Sum of Customers | Circuit Type | Sum of Customers | Circuit Type | Sum of Customers | Circuit Type | Sum of Customers |
|--------------------|------------------|-------------------|------------------|--------------|------------------|--------------|------------------|
| ADA(4.16KV) | 1,101 | PEACH(16KV) | 502 | | | | |
| AGNES(4.16KV) | 812 | PENROSE(16KV) | 1,835 | | | | |
| ANTWERP(4.16KV) | 892 | PLUM(4.16KV) | 1,203 | | | | |
| ANZAC(4.16KV) | 1,006 | RAYBORN(4.16KV) | 1,454 | | | | |
| ATLANTIC(16KV) | 2,843 | SLOAN(4.16KV) | 800 | | | | |
| BANCROFT(16KV) | 117 | SPARTON(16KV) | 1,174 | | | | |
| BOLAND(4.16KV) | 1,272 | STITZER(12KV) | 3,017 | | | | |
| BOLTON(16KV) | 2,681 | STOCKWELL(4.16KV) | 1,460 | | | | |
| BURMA(16KV) | 570 | TAPER(4.16KV) | 1,139 | | | | |
| CHARITY(4.16KV) | 806 | TICHENOR(16KV) | 1,250 | | | | |
| COLYER(16KV) | 1,954 | TORSON(16KV) | 284 | | | | |
| CRANE(4.16KV) | 1,556 | TROCHU(16KV) | 1,882 | | | | |
| DONNA(16KV) | 529 | TUCKER(4.16KV) | 742 | | | | |
| EPSILON(16KV) | 128 | TWINING(16KV) | 123 | | | | |
| FIR(4.16KV) | 1,147 | WARD(4.16KV) | 963 | | | | |
| GIBSON(16KV) | 541 | WHITE(4.16KV) | 819 | | | | |
| GLENCOE(4.16KV) | 1,297 | WILDCAT(16KV) | 1,670 | | | | |
| GUNLOCK(4.16KV) | 1,079 | WINONA(16KV) | 1,393 | | | | |
| HAYWARD(4.16KV) | 958 | ZAMORA(16KV) | 538 | | | | |
| HUB CITY(16KV) | 1,718 | ZENO(16KV) | 91 | | | | |
| JENKINS(16KV) | 1,367 | | | | | | |
| KENWOOD(16KV) | 1,275 | | | | | | |
| KERNAN(16KV) | 607 | | | | | | |
| LANTANA(16KV) | 784 | | | | | | |
| MAYO(16KV) | 494 | | | | | | |
| MCCLOUD(16KV) | 423 | | | | | | |
| MCKINLEY(4.16KV) | 985 | | | | | | |
| MURIEL(4.16KV) | 996 | | | | | | |
| NESTOR(4.16KV) | 1,427 | | | | | | |
| PATTIE(4.16KV) | 988 | | | | | | |
| Grand Total | 54,692 | | | | | | |

Reliability History of Circuits Serving Compton (No Exclusions)



Causes of Repair Outages in Compton Circuits 2016 YTD







SAIDI = the cumulative amount of time the average customer is interrupted by "sustained" outages each year.


Causes of Repair Outages in Compton Circuits 2016 YTD





SAIFI = the number of times the average customer is interrupted by "sustained" outages each year.





Back-up Slides

Reliability Histories of Circuits Serving Compton

Updated through Year-End 2016

Average Reliability of 50 Circuits Serving Compton

| | | 2013 | | | 2014 | | | 2015 | | 1st | Qtr 20 | 16 | 2na | Qtr 2 | 016 | 3rd | Qtr 2 | 016 | 4th | Qtr 20 | 016 | | 2016 | |
|-------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Compton | 100.8 | 0.9 | 2.3 | 87.1 | 0.7 | 2.2 | 156.3 | 1.1 | 2.4 | 59.6 | 0.4 | 1.4 | 53.5 | 0.3 | 0.9 | 53.8 | 0.3 | 0.2 | 41.0 | 0.3 | 0.7 | 207.9 | 1.4 | 3.2 |
| 3rd Party | 32% | 14% | 35% | 17% | 31% | 39% | 21% | 20% | 29% | 8% | 11% | 7% | 5% | 8% | 30% | 21% | 42% | 63% | 30% | 31% | 33% | 15% | 23% | 23% |
| Equipment Failure | 35% | 56% | 16% | 56% | 45% | 17% | 44% | 34% | 18% | 51% | 56% | 48% | 34% | 38% | 39% | 71% | 50% | 7% | 53% | 37% | 19% | 52% | 46% | 37% |
| Operation | 15% | 8% | 2% | 14% | 6% | 5% | 16% | 13% | 13% | 2% | 2% | 4% | 5% | 8% | 0% | 7% | 7% | 0% | 3% | 7% | 0% | 4% | 6% | 2% |
| Other | 10% | 10% | 14% | 11% | 14% | 28% | 11% | 15% | 20% | 19% | 13% | 31% | 51% | 38% | 10% | 0% | 0% | 26% | 14% | 25% | 40% | 21% | 18% | 26% |
| Vegetation/Animal | 6% | 10% | 28% | 1% | 2% | 9% | 4% | 6% | 8% | 5% | 1% | 3% | 0% | 0% | 20% | 0% | 0% | 5% | 0% | 0% | 5% | 1% | 0% | 8% |
| Weather/Fire/Earthquake | 2% | 2% | 4% | 1% | 3% | 2% | 3% | 12% | 12% | 16% | 16% | 8% | 6% | 7% | 1% | 0% | 0% | 0% | 0% | 0% | 3% | 6% | 6% | 4% |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| SCE Systemwide | 102.6 | 0.9 | 1.2 | 112.0 | 1.0 | 1.4 | 114.8 | 0.9 | 1.4 | 40.5 | 0.3 | 0.4 | 34.8 | 0.3 | 0.4 | 29.4 | 0.2 | 0.3 | 29.8 | 0.3 | 0.4 | 134.5 | 1.1 | 1.6 |

Notes:

No outages are excluded from the metrics.

Outage Causes:

Other: e.g., patrolled but no cause could be found

Operations: e.g., urgent maintenance w/o 3-day notice to customers

3rd Party: e.g., balloons, car hit pole, dig-in

Vegetation/Animal: e.g., tree branch, rodent, or bird causing short circuit across conductors

SAIDI (minutes) = the cumulative amount of time the average customer is interrupted by "sustained" (longer than 5 minutes) outages.

SAIFI (interruptions) = the number of times the average customer is interrupted by "sustained" outages.

MAIFI (interruptions) = the number of times the average customer is interrupted by "momentary" (lasting 5 minutes or less) outages.

| | | 2013 | | | 2014 | | | 2015 | | 15 | t Qtr 20 | 16 | 2nd | Qtr 20 | 016 | 3rd | Qtr 20 | 16 | 4th | Qtr 20 | 16 | | 2016 | |
|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|-------|--------|-------|--------|---------------|-------|-------|--------|-------|--------|-------|-------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| ADA(4.16KV) - Customers: 1,101 | 51.0 | 1.0 | 1.0 | 39.1 | 0.1 | 5.0 | 6.9 | 0.1 | 4.0 | 93.6 | 1.0 | 6.1 | 4.4 | 0.1 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 97.9 | 1.1 | 10.1 |
| 3rd Party | 100% | 100% | 100% | 67% | 74% | 60% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 20% |
| Equipment Failure | 0% | 0% | 0% | 28% | 15% | 0% | 0% | 0% | 25% | 100% | 100% | 83% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 96% | 95% | 51% |
| Operation | 0% | 0% | 0% | 5% | 12% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 4% | 5% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 40% | 0% | 0% | 75% | 0% | 0% | 17% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 30% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| AGNES(4.16KV) - Customers: 812 | 57.9 | 1.0 | 1.0 | 36.9 | 0.1 | 0.0 | 4.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 100% | 100% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| ANTWERP(4.16KV) - Customers: 892 | 280.4 | 1.6 | 5.3 | 129.8 | 2.0 | 5.0 | 43.9 | 0.1 | 4.0 | 0.0 | 0.0 | 3.0 | 0.0 | 0.0 | 1.0 | 1134.8 | 1.5 | 1.0 | 0.0 | 0.0 | 2.0 | 1134.8 | 1.5 | 7.0 |
| 3rd Party | 68% | 69% | 52% | 0% | 0% | 20% | 0% | 0% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 50% | 0% | 0% | 29% |
| Equipment Failure | 32% | 31% | 29% | 65% | 50% | 20% | 0% | 0% | 75% | 0% | 0% | 67% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 28% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 15% | 27% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 0% | 35% | 50% | 60% | 85% | 73% | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 29% |
| Vegetation/Animal | 0% | 0% | 19% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 14% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| ANZAC(4.16KV) - Customers: 1,006 | 2.5 | 0.0 | 4.0 | 140.9 | 2.0 | 6.0 | 63.3 | 1.0 | 4.0 | 8.2 | 0.0 | 2.9 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 8.2 | 0.0 | 5.9 |
| 3rd Party | 0% | 0% | 50% | 0% | 0% | 17% | 0% | 0% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 17% |
| Equipment Failure | 0% | 0% | 25% | 61% | 50% | 17% | 96% | 98% | 75% | 100% | 100% | 66% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 33% |
| Operation | 100% | 100% | 0% | 0% | 0% | 0% | 4% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 0% | 1% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 34% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 34% |
| Vegetation/Animal | 0% | 0% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 17% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 38% | 50% | 16% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

| | | 2013 | | | 2014 | | | 2015 | | 1st | Qtr 20 | 16 | 2nd | l Qtr 2 | 016 | 3rd | Qtr 20 2 | 16 | 4th | Qtr 20 | 016 | | 2016 | |
|-----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|---------|-------|-------|-----------------|-------|-------|--------|-------|-------|-------|------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIF |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| ATLANTIC(16KV) - Customers: 2,843 | 45.4 | 1.4 | 3.8 | 49.0 | 1.0 | 2.0 | 4.1 | 0.0 | 1.0 | 165.6 | 1.2 | 1.9 | 246.8 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.0 | 1.1 | 413.0 | 1.9 | 3.0 |
| 3rd Party | 12% | 4% | 53% | 95% | 99% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 81% | 94% | 47% | 3% | 0% | 0% | 41% | 80% | 0% | 85% | 89% | 100% | 11% | 3% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 41% | 54% | 65% |
| Operation | 3% | 1% | 0% | 2% | 0% | 0% | 0% | 0% | 0% | 6% | 10% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 2% | 6% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 50% | 59% | 20% | 0% | 0% | 0% | 0% | 89% | 97% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 53% | 40% | 35% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 10% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 4% | 0% | 0% |
| Weather/Fire/Earthquake | 4% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| BANCROFT(16KV) - Customers: 117 | 50.0 | 1.5 | 5.7 | 57.1 | 1.0 | 1.0 | 122.5 | 2.0 | 1.0 | 0.0 | 0.0 | 1.0 | 50.3 | 1.0 | 0.7 | 75.7 | 1.0 | 0.0 | 28.2 | 0.3 | 0.6 | 154.2 | 2.4 | 2.3 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 87% | 76% | 0% | 100% | 100% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 100% | 100% | 100% | 0% | 100% | 100% | 100% | 100% | 100% | 56% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 18% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 13% | 24% | 82% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 44% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| BOLAND(4.16KV) - Customers: 1,272 | 0.0 | 0.0 | 2.0 | 1.2 | 0.0 | 1.0 | 147.9 | 3.0 | 4.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 |
| 3rd Party | 0% | 0% | 0% | 100% | 100% | 100% | 54% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 0% | 0% | 0% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 25% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 39% | 33% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 50% | 0% | 0% | 0% | 4% | 33% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| BOLTON(16KV) - Customers: 2,681 | 63.6 | 1.0 | 7.0 | 142.3 | 0.7 | 3.4 | 301.5 | 1.6 | 3.6 | 1.3 | 0.0 | 1.0 | 1.6 | 0.0 | 1.0 | 0.0 | 0.0 | 1.0 | 43.6 | 0.4 | 0.6 | 46.6 | 0.4 | 3.6 |
| 3rd Party | 0% | 0% | 14% | 25% | 37% | 53% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 28% |
| Equipment Failure | 1% | 0% | 0% | 14% | 5% | 0% | 0% | 0% | 0% | 96% | 21% | 0% | 37% | 3% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 4% | 0% | 28% |
| Operation | 5% | 2% | 0% | 58% | 57% | 18% | 81% | 73% | 28% | 4% | 79% | 100% | 63% | 97% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 2% | 4% | 29% |
| Other | 0% | 0% | 14% | 0% | 0% | 0% | 19% | 27% | 72% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 100% | 94% | 96% | 16% |
| Vegetation/Animal | 94% | 98% | 71% | 0% | 0% | 29% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 2% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

| | | 2013 | | | 2014 | | | 2015 | | 1 st | Qtr 20 | 16 | 2nd | l Qtr 20 | 016 | 3rd | Qtr 20. | 16 | 4th | Qtr 20 | 16 | | 2016 | |
|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------------|--------|-------|-------|----------|-------|-------|---------|-------|-------|--------|-------|-------|-------|-------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| BURMA(16KV) - Customers: 570 | 43.5 | 0.1 | 6.9 | 174.4 | 0.8 | 5.6 | 72.1 | 1.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 1.0 |
| 3rd Party | 0% | 0% | 0% | 33% | 9% | 17% | 84% | 98% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 86% | 79% | 14% | 66% | 91% | 11% | 16% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 100% |
| Operation | 5% | 9% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 14% | 0% | 0% | 36% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 8% | 12% | 72% | 0% | 0% | 18% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 1% | 0% | 18% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| CHARITY(4.16KV) - Customers: 806 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 613.7 | 2.0 | 2.0 | 0.0 | 0.0 | 2.0 | 0.3 | 0.0 | 0.0 | 57.1 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 57.4 | 1.0 | 2.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 49% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 0% | 0% | 0% | 94% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 1% | 51% | 0% | 0% | 0% | 100% | 100% | 0% | 100% | 100% | 100% | 0% | 0% | 0% | 100% | 100% | 2% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 6% | 50% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 98% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| COLYER(16KV) - Customers: 1,954 | 71.0 | 3.3 | 1.2 | 107.9 | 0.9 | 2.2 | 157.7 | 0.9 | 2.9 | 246.3 | 1.9 | 1.2 | 304.3 | 2.0 | 1.9 | 86.2 | 1.0 | 0.9 | 0.0 | 0.0 | 0.0 | 636.8 | 4.9 | 4.1 |
| 3rd Party | 0% | 0% | 81% | 0% | 0% | 47% | 65% | 15% | 65% | 0% | 0% | 0% | 0% | 1% | 49% | 100% | 100% | 100% | 0% | 0% | 0% | 14% | 20% | 47% |
| Equipment Failure | 93% | 99% | 19% | 100% | 100% | 53% | 34% | 84% | 0% | 100% | 100% | 100% | 30% | 49% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 53% | 60% | 29% |
| Operation | 7% | 1% | 0% | 0% | 0% | 0% | 1% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 69% | 49% | 51% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | | 24% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 35% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| CRANE(4.16KV) - Customers: 1,556 | 95.5 | 2.0 | 3.9 | 19.0 | 1.2 | 4.0 | 15.5 | 0.0 | 3.0 | 225.5 | 1.0 | 6.0 | 271.7 | 1.4 | 7.3 | 5.6 | 0.0 | 0.0 | 51.6 | 1.0 | 2.0 | 554.3 | 3.5 | 15.3 |
| 3rd Party | 7% | 50% | 75% | 32% | 87% | 25% | 0% | 0% | 33% | 0% | 0% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | | 13% |
| Equipment Failure | 34% | 2% | 25% | 68% | 13% | 25% | 86% | 18% | 33% | 0% | 0% | 17% | 100% | 100% | 100% | 100% | 100% | 0% | 0% | 0% | 0% | 50% | 42% | 54% |
| Operation | 1% | 1% | 0% | 0% | 0% | 25% | 14% | 82% | 0% | 1% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 58% | 47% | 0% | 0% | 0% | 25% | 0% | 0% | 34% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | | 100% | 50% | 9% | | 26% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 99% | 99% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 40% | 29% | 7% |

| | | 2013 | | | 2014 | | | 2015 | | 1st | Qtr 20 | 16 | 2nc | l Qtr 2 | 016 | 3rd | Qtr 20. | 16 | 4th | Qtr 20 | 16 | | 2016 | |
|--------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|---------|-------|-------|---------|-------|-------|--------|-------|-------|-------|-------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| DONNA(16KV) - Customers: 529 | 625.7 | 2.5 | 0.0 | 406.7 | 1.0 | 1.0 | 855.7 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 118.9 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 118.9 | 0.3 | 0.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 100% | 100% | 0% | 100% | 100% | 0% | 85% | 60% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 15% | 40% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| EPSILON(16KV) - Customers: 128 | 171.1 | 1.1 | 0.0 | 506.5 | 1.7 | 2.3 | 45.4 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.8 | 0.3 | 0.7 | 0.0 | 0.0 | 0.0 | 412.2 | 1.2 | 8.0 | 439.0 | 1.5 | 1.5 |
| 3rd Party | 0% | 0% | 0% | 4% | 60% | 29% | 100% | 100% | 100% | 0% | 0% | 0% | 100% | 100% | 100% | 0% | 0% | 0% | 70% | 86% | 0% | 72% | 89% | 44% |
| Equipment Failure | 94% | 11% | 0% | 5% | 20% | 29% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 29% | 13% | 100% | 28% | 10% | 56% |
| Operation | 6% | 89% | 0% | 91% | 20% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 1% | 0% | 0% | 1% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 43% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| FIR(4.16KV) - Customers: 1,147 | 0.0 | 0.0 | 0.0 | 65.4 | 1.1 | 3.0 | 328.9 | 1.3 | 0.8 | 14.1 | 1.1 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 14.1 | 1.1 | 1.0 |
| 3rd Party | 0% | 0% | 0% | 71% | 94% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 10% | 2% | 33% | 100% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 0% | 18% | 4% | 0% | 0% | 0% | 0% | 55% | 3% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 55% | 3% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 67% | 0% | 0% | 0% | 45% | 97% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 45% | 97% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| GIBSON(16KV) - Customers: 541 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 0.0 | 1.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 246.3 | 1.2 | 1.0 | 246.3 | 1.2 | 2.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 100% | 100% | 100% | 50% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

| | | 2013 | | | 2014 | | | 2015 | | 1st | Qtr 20 | 16 | 2n | d Qtr 20 | 016 | 3rd | Qtr 20 | 16 | 4th | Qtr 20 | 16 | | 2016 | |
|------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|----------|-------|-------|---------------|-------|-------|--------|-------|-------|-------|------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIF |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| GLENCOE(4.16KV) - Customers: 1,297 | 3.1 | 0.0 | 0.0 | 10.2 | 0.0 | 3.0 | 16.4 | 0.1 | 2.0 | 0.0 | 0.0 | 1.0 | 1.9 | 0.0 | 0.0 | 69.9 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.8 | 1.0 | 1.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 97% | 98% | 0% |
| Equipment Failure | 100% | 100% | 0% | 100% | 100% | 0% | 19% | 21% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 81% | 79% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 3% | 2% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| GUNLOCK(4.16KV) - Customers: 1,079 | 0.0 | 0.0 | 0.0 | 140.7 | 1.1 | 1.0 | 55.1 | 1.0 | 2.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 7.0 |
| 3rd Party | 0% | 0% | 0% | 3% | 5% | 100% | 91% | 99% | 50% | 0% | 0% | 100% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 71% |
| Equipment Failure | 0% | 0% | 0% | 3% | 2% | 0% | 9% | 1% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 29% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 0% | 94% | 93% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| HAYWARD(4.16KV) - Customers: 958 | 376.2 | 1.0 | 2.0 | 84.7 | 1.0 | 2.0 | 51.4 | 1.1 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 87.2 | 1.0 | 0.0 | 120.2 | 1.4 | 0.6 | 207.5 | 2.4 | 0.6 |
| 3rd Party | 100% | 100% | 50% | 80% | 95% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 55% | 25% | 100% | 32% | 15% | 100% |
| Equipment Failure | 0% | 0% | 0% | 18% | 3% | 0% | 82% | 6% | 24% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 25% | 3% | 0% | 56% | 43% | 0% |
| Operation | 0% | 0% | 0% | 2% | 2% | 0% | 6% | 4% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 20% | 72% | 0% | 12% | 42% | 0% |
| Other | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 12% | 91% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| HUB CITY(16KV) - Customers: 1,718 | 89.5 | 1.0 | 0.0 | 24.5 | 0.3 | 1.0 | 6.7 | 0.1 | 2.0 | 1.1 | 0.0 | 1.0 | 0.0 | 0.0 | 1.0 | 1.9 | 0.0 | 0.0 | 116.8 | 1.6 | 1.0 | 119.8 | 1.7 | 3.0 |
| 3rd Party | 0% | 0% | 0% | 90% | 96% | 100% | 21% | 15% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 17% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 97% | 98% | 33% |
| Operation | 0% | 0% | 0% | 10% | 4% | 0% | 79% | 85% | 50% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 3% | 2% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 83% | 98% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 679 |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

| | | 2013 | | | 2014 | | | 2015 | | 1st | Qtr 20 | 16 | 2nd | Qtr 20 | 16 | 3rd | Qtr 20 . | 16 | 4th | Qtr 20 | 016 | | 2016 | |
|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-----------------|-------|-------|--------|-------|-------|-------|-------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| JENKINS(16KV) - Customers: 1,367 | 0.0 | 0.0 | 0.0 | 75.6 | 1.9 | 3.0 | 604.8 | 2.7 | 0.9 | 77.8 | 1.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 77.8 | 1.0 | 2.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 97% | 65% | 100% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% |
| Equipment Failure | 0% | 0% | 0% | 94% | 99% | 34% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% |
| Operation | 0% | 0% | 0% | 5% | 1% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 3% | 35% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 50% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 65% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| KENWOOD(16KV) - Customers: 1,275 | 959.7 | 0.8 | 1.3 | 6.9 | 0.0 | 1.0 | 9.3 | 0.0 | 2.0 | 18.3 | 0.0 | 0.0 | 41.0 | 0.6 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 59.3 | 0.7 | 2.4 |
| 3rd Party | 97% | 86% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 42% |
| Equipment Failure | 2% | 7% | 0% | 76% | 83% | 0% | 0% | 0% | 0% | 23% | 5% | 0% | 0% | 0% | 72% | 0% | 0% | 0% | 0% | 0% | 0% | 7% | 0% | 42% |
| Operation | 0% | 0% | 0% | 24% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 3% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 2% | 0% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 50% | 77% | 95% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 24% | 7% | 0% |
| Vegetation/Animal | 1% | 7% | 0% | 0% | 0% | 0% | 100% | 100% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 97% | 99% | 28% | 0% | 0% | 0% | 0% | 0% | 0% | 67% | 93% | 16% |
| KERNAN(16KV) - Customers: 607 | 305.3 | 3.0 | 7.9 | 89.2 | 1.0 | 2.0 | 38.2 | 1.0 | 2.0 | 0.0 | 0.0 | 1.0 | 80.6 | 1.0 | 0.0 | 115.4 | 1.0 | 0.0 | 57.0 | 1.0 | 2.0 | 253.0 | 3.0 | 3.0 |
| 3rd Party | 42% | 33% | 0% | 0% | 0% | 0% | 98% | 100% | 50% | 0% | 0% | 0% | 97% | 98% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 77% | 66% | 0% |
| Equipment Failure | 57% | 66% | 12% | 94% | 98% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 49% | 23% | 33% | 66% |
| Operation | 0% | 0% | 0% | 4% | 1% | 0% | 2% | 0% | 50% | 0% | 0% | 0% | 3% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 1% | 1% | 0% |
| Other | 0% | 0% | 13% | 1% | 1% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 51% | 0% | 0% | 34% |
| Vegetation/Animal | 0% | 0% | 62% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 12% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| LANTANA(16KV) - Customers: 784 | 119.5 | 1.1 | 2.0 | 0.0 | 0.0 | 1.0 | 762.0 | 1.9 | 2.5 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 1.0 | 62.3 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 62.6 | 0.1 | 1.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 100% | 23% | 54% | 32% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| Equipment Failure | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 99% | 98% | 0% |
| Operation | 10% | 4% | 0% | 0% | 0% | 0% | 1% | 2% | 40% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 1% | 2% | 0% |
| Other | 90% | 96% | 100% | 0% | 0% | 0% | 58% | 30% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 18% | 14% | 29% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

| | | 2013 | | | 2014 | | | 2015 | | 1st | : Qtr 20 | 16 | 2nd | Qtr 20 | 016 | 3rd | Qtr 20 | 16 | 4th | Qtr 20 | 16 | | 2016 | |
|-----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|-------|--------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| MAYO(16KV) - Customers: 494 | 5.9 | 1.0 | 2.0 | 134.9 | 2.0 | 1.9 | 0.0 | 0.0 | 0.0 | 26.0 | 1.0 | 2.0 | 0.0 | 0.0 | 1.0 | 48.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 74.0 | 1.1 | 3.0 |
| 3rd Party | 0% | 0% | 50% | 0% | 0% | 53% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 100% | 100% | 50% | 77% | 50% | 47% | 0% | 0% | 0% | 100% | 100% | 50% | 0% | 0% | 100% | 95% | 96% | 0% | 0% | 0% | 0% | 97% | 100% | 66% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 5% | 4% | 0% | 0% | 0% | 0% | 3% | 0% | 0% |
| Other | 0% | 0% | 0% | 23% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 34% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| MCCLOUD(16KV) - Customers: 423 | 150.1 | 1.1 | 7.0 | 227.3 | 3.2 | 4.6 | 66.0 | 1.0 | 1.0 | 87.6 | 2.0 | 1.0 | 0.0 | 0.0 | 0.0 | 33.8 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 121.3 | 3.0 | 1.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 98% | 98% | 0% | 95% | 99% | 78% | 100% | 100% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 95% | 100% | 0% | 0% | 0% | 0% | 99% | 100% | 0% |
| Operation | 2% | 2% | 0% | 5% | 1% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 14% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 5% | 0% | 0% | 0% | 0% | 0% | 1% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 86% | 0% | 0% | 22% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| MCKINLEY(4.16KV) - Customers: 985 | 222.5 | 2.6 | 0.4 | 66.6 | 0.6 | 0.5 | 151.4 | 2.5 | 5.7 | 0.0 | 0.0 | 0.0 | 64.4 | 1.0 | 1.0 | 5.9 | 0.0 | 1.0 | 253.2 | 2.2 | 0.4 | 323.6 | 3.2 | 2.4 |
| 3rd Party | 0% | 0% | 0% | 100% | 100% | 100% | 71% | 10% | 13% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 14% | 48% | 0% | 11% | 33% | 41% |
| Equipment Failure | 50% | 39% | 0% | 0% | 0% | 0% | 16% | 41% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 86% | 52% | 100% | 67% | 36% | 18% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 8% | 7% | 18% | 0% | 0% | 0% | 100% | 100% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 22% | 32% | 0% |
| Other | 50% | 61% | 100% | 0% | 0% | 0% | 1% | 2% | 34% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 41% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 4% | 40% | 35% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| MURIEL(4.16KV) - Customers: 996 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 1.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

| | | 2013 | | | 2014 | | | 2015 | | 1 st | Qtr 20 | 16 | 2na | l Qtr 20 | 016 | 3rd | Qtr 20 2 | 16 | 4th | Qtr 20 | 16 | | 2016 | |
|-----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------------|--------|-------|-------|----------|-------|-------|-----------------|-------|-------|--------|-------|--------|-------|-------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| NESTOR(4.16KV) - Customers: 1,427 | 139.4 | 0.2 | 1.8 | 62.3 | 1.0 | 3.0 | 90.5 | 2.2 | 4.0 | 12.6 | 0.0 | 1.0 | 53.0 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 280.0 | 0.6 | 1.0 | 345.7 | 1.1 | 2.0 |
| 3rd Party | 0% | 0% | 0% | 90% | 98% | 66% | 0% | 0% | 25% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 6% | 26% | 0% | 20% | 58% | 0% |
| Equipment Failure | 0% | 0% | 0% | 10% | 2% | 0% | 77% | 46% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 94% | 74% | 0% | 80% | 42% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 17% | 7% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 100% | 100% | 45% | 0% | 0% | 34% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 100% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 55% | 0% | 0% | 0% | 7% | 47% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| PATTIE(4.16KV) - Customers: 988 | 0.0 | 0.0 | 3.0 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 50.4 | 0.2 | 1.0 | 9.3 | 0.0 | 1.0 | 19.7 | 0.0 | 0.0 | 2.2 | 0.0 | 0.0 | 81.6 | 0.3 | 2.0 |
| 3rd Party | 0% | 0% | 67% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 62% | 64% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 100% | 100% | 0% | 27% | 25% | 0% |
| Other | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 100% | 100% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 11% | 12% | 100% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| PEACH(16KV) - Customers: 502 | 0.0 | 0.0 | 3.0 | 0.1 | 0.0 | 2.4 | 148.9 | 2.2 | 4.8 | 764.9 | 1.7 | 0.0 | 217.0 | 1.4 | 3.5 | 4.3 | 0.0 | 2.0 | 48.8 | 0.9 | 0.5 | 1034.9 | 4.0 | 6.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 11% |
| Equipment Failure | 0% | 0% | 33% | 0% | 0% | 57% | 50% | 69% | 52% | 1% | 72% | 0% | 100% | 100% | 62% | 100% | 100% | 0% | 83% | 26% | 100% | 26% | 71% | 44% |
| Operation | 0% | 0% | 0% | 100% | 100% | 0% | 5% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 67% | 0% | 0% | 43% | 45% | 30% | 27% | 95% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 34% | 17% | 74% | 0% | 71% | 28% | 11% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 21% | 0% | 0% | 0% | 0% | 0% | 38% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 34% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 4% | 3% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 3% | 1% | 0% |
| PENROSE(16KV) - Customers: 1,835 | 39.6 | 0.2 | 4.0 | 103.3 | 0.6 | 0.5 | 69.5 | 1.7 | 3.5 | 105.0 | 0.6 | 1.4 | 19.8 | 0.1 | 2.0 | 0.0 | 0.0 | 0.0 | 218.3 | 1.5 | 0.5 | 343.2 | 2.2 | 3.9 |
| 3rd Party | 4% | 1% | 25% | 58% | 82% | 100% | 82% | 42% | 14% | 33% | 84% | 36% | 11% | 23% | 50% | 0% | 0% | 0% | 100% | 100% | 100% | 74% | 93% | 51% |
| Equipment Failure | 3% | 10% | 0% | 0% | 0% | 0% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 67% | 83% | 0% | 38% | 11% | 0% | 0% | 0% | 29% | 2% | 3% | 0% | 89% | 77% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 6% | 3% | 0% |
| Other | 0% | 0% | 25% | 4% | 7% | 0% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 25% | 6% | 50% | 0% | 0% | 0% | 9% | 57% | 28% | 66% | 13% | 64% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 20% | 4% | 49% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 29% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

| | | 2013 | | | 2014 | | | 2015 | | 1st | Qtr 20 | 16 | 2nd | d Qtr 2 | 016 | 3rd | Qtr 20 : | 16 | 4th | Qtr 20 | 16 | | 2016 | |
|------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|---------|-------|-------|-----------------|-------|-------|--------|-------|-------|-------|-------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| PLUM(4.16KV) - Customers: 1,203 | 0.0 | 0.0 | 4.3 | 184.8 | 3.3 | 6.9 | 394.5 | 3.8 | 9.8 | 3.1 | 0.0 | 3.0 | 15.7 | 0.1 | 1.0 | 55.3 | 1.0 | 0.0 | 0.0 | 0.0 | 2.0 | 74.0 | 1.1 | 6.0 |
| 3rd Party | 0% | 0% | 60% | 22% | 31% | 29% | 35% | 53% | 39% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 50% | 79% | 88% | 17% |
| Equipment Failure | 0% | 0% | 20% | 52% | 32% | 15% | 21% | 8% | 31% | 0% | 0% | 67% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% |
| Operation | 0% | 0% | 0% | 20% | 7% | 13% | 27% | 13% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 21% | 12% | 0% |
| Other | 0% | 0% | 0% | 6% | 31% | 43% | 17% | 27% | 31% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 33% |
| Vegetation/Animal | 0% | 0% | 20% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 17% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| RAYBORN(4.16KV) - Customers: 1,454 | 71.5 | 0.5 | 4.0 | 492.3 | 0.5 | 3.0 | 2.5 | 0.0 | 2.0 | 31.4 | 0.5 | 1.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 51.7 | 0.5 | 0.5 | 83.1 | 0.9 | 2.1 |
| 3rd Party | 0% | 0% | 49% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 97% | 94% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 100% | 62% | 51% | 26% |
| Operation | 3% | 2% | 0% | 2% | 4% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 25% | 2% | 2% | 100% | 0% | 0% | 50% | 0% | 0% | 65% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 48% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 97% | 98% | 26% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 35% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 38% | 49% | 26% |
| SLOAN(4.16KV) - Customers: 800 | 0.0 | 0.0 | 4.0 | 48.3 | 1.0 | 6.0 | 11.9 | 0.1 | 1.0 | 0.0 | 0.0 | 0.0 | 5.5 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5.5 | 0.0 | 1.0 |
| 3rd Party | 0% | 0% | 100% | 0% | 0% | 33% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% |
| Other | 0% | 0% | 0% | 100% | 100% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| SPARTON(16KV) - Customers: 1,174 | 721.6 | 2.2 | 3.1 | 39.5 | 1.0 | 1.0 | 101.9 | 1.6 | 1.6 | 0.0 | 0.0 | 1.0 | 41.0 | 0.6 | 0.4 | 233.4 | 1.5 | 0.0 | 14.5 | 0.0 | 0.0 | 289.0 | 2.2 | 1.4 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 45% | 64% | 6% | 100% | 100% | 0% | 96% | 99% | 100% | 0% | 0% | 0% | 100% | 100% | 100% | 60% | 80% | 0% | 0% | 0% | 0% | 63% | 85% | 29% |
| Operation | 55% | 36% | 0% | 0% | 0% | 0% | 4% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 40% | 20% | 0% | 0% | 0% | 0% | 32% | 14% | 0% |
| Other | 0% | 0% | 29% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 5% | 1% | 71% |
| Vegetation/Animal | 0% | 0% | 65% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

| | | 2013 | | | 2014 | | | 2015 | | 1st | Qtr 20 | 16 | 2na | Qtr 20 | 16 | 3rd | Qtr 20 2 | 16 | 4th | Qtr 20 | 016 | 2016 | | |
|--------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-----------------|-------|-------|--------|-------|-------|-------|-------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| STITZER(12KV) - Customers: 3,017 | 0.0 | 0.0 | 0.0 | 60.2 | 0.1 | 0.0 | 39.1 | 0.1 | 0.9 | 2.8 | 0.0 | 1.0 | 25.7 | 0.1 | 0.0 | 122.7 | 2.0 | 0.0 | 10.8 | 0.4 | 0.6 | 162.0 | 2.5 | 1.6 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 12% | 7% | 0% | 62% | 50% | 0% | 0% | 0% | 0% | 49% | 40% | 0% |
| Equipment Failure | 0% | 0% | 0% | 11% | 6% | 0% | 0% | 0% | 0% | 100% | 100% | 100% | 88% | 93% | 0% | 37% | 50% | 0% | 29% | 2% | 0% | 45% | 45% | 61% |
| Operation | 0% | 0% | 0% | 69% | 70% | 0% | 2% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 1% | 0% | 0% | 34% | 6% | 0% | 3% | 1% | 0% |
| Other | 0% | 0% | 0% | 20% | 24% | 0% | 98% | 95% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 38% | 92% | 100% | 3% | 15% | 39% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| STOCKWELL(4.16KV) - Customers: 1,460 | 94.7 | 2.1 | 2.0 | 4.6 | 0.0 | 3.0 | 73.1 | 1.1 | 2.0 | 15.8 | 1.0 | 3.0 | 0.0 | 0.0 | 1.0 | 4.1 | 0.0 | 0.0 | 7.8 | 0.0 | 1.0 | 27.7 | 1.0 | 5.0 |
| 3rd Party | 0% | 0% | 50% | 0% | 0% | 33% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 62% | 53% | 50% | 100% | 100% | 33% | 20% | 2% | 0% | 0% | 0% | 33% | 0% | 0% | 96% | 0% | 0% | 0% | 100% | 100% | 100% | 28% | 2% | 59% |
| Operation | 38% | 47% | 0% | 0% | 0% | 0% | 80% | 98% | 0% | 0% | 0% | 0% | 0% | 0% | 4% | 100% | 100% | 0% | 0% | 0% | 0% | 15% | 2% | 1% |
| Other | 0% | 0% | 0% | 0% | 0% | 33% | 0% | 0% | 50% | 0% | 0% | 34% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 20% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 57% | 96% | 20% |
| TAPER(4.16KV) - Customers: 1,139 | 109.5 | 1.5 | 6.1 | 33.1 | 0.1 | 1.0 | 143.1 | 2.0 | 4.0 | 72.6 | 0.1 | 1.8 | 2.5 | 0.0 | 3.0 | 402.2 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 477.2 | 1.1 | 4.8 |
| 3rd Party | 0% | 0% | 16% | 0% | 0% | 100% | 0% | 0% | 25% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 62% |
| Equipment Failure | 49% | 71% | 47% | 74% | 41% | 0% | 0% | 0% | 0% | 7% | 15% | 0% | 100% | 100% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 86% | 93% | 0% |
| Operation | 51% | 29% | 20% | 26% | 59% | 0% | 0% | 0% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 16% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 50% | 93% | 85% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 14% | 7% | 38% |
| TICHENOR(16KV) - Customers: 1,250 | 32.2 | 0.5 | 1.4 | 183.6 | 0.8 | 7.4 | 303.1 | 3.6 | 3.5 | 48.5 | 0.1 | 0.0 | 13.0 | 0.1 | 1.0 | 72.8 | 0.6 | 1.5 | 100.4 | 1.1 | 3.0 | 234.7 | 1.8 | 5.5 |
| 3rd Party | 0% | 0% | 68% | 1% | 0% | 54% | 4% | 0% | 0% | 15% | 13% | 0% | 16% | 14% | 0% | 0% | 0% | 0% | 90% | 94% | 67% | 42% | 57% | 37% |
| Equipment Failure | 97% | 100% | 32% | 76% | 77% | 19% | 39% | 70% | 43% | 79% | 70% | 0% | 0% | 0% | 0% | 100% | 100% | 32% | 0% | 0% | 0% | 47% | 35% | 9% |
| Operation | 0% | 0% | 0% | 16% | 17% | 13% | 56% | 29% | 29% | 6% | 17% | 0% | 15% | 8% | 0% | 0% | 0% | 0% | 10% | 6% | 0% | 7% | 5% | 0% |
| Other | 3% | 0% | 0% | 8% | 6% | 14% | 0% | 0% | 0% | 0% | 0% | 0% | 69% | 78% | 0% | 0% | 0% | 68% | 0% | 0% | 0% | 4% | 4% | 18% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 29% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 18% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 0% | 0% | 18% |

| | | 2013 | | | 2014 | | | 2015 | | 1st | Qtr 20 | 16 | 2na | l Qtr 20: | 16 | 3rd | Qtr 20 : | 16 | 4th | Qtr 20 | 16 | 2016 | | |
|---------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-----------|--------|-------|-----------------|-------|-------|--------|-------|-------|-------|-------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI I | VIAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| TORSON(16KV) - Customers: 284 | 293.8 | 2.0 | 0.1 | 287.4 | 1.1 | 1.0 | 245.1 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 100% | 100% | 100% | 90% | 92% | 1% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 0% | 10% | 8% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 99% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| TROCHU(16KV) - Customers: 1,882 | 84.6 | 2.6 | 1.5 | 237.9 | 1.2 | 2.6 | 137.6 | 1.8 | 5.2 | 86.3 | 0.8 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 44.6 | 0.1 | 0.0 | 130.9 | 0.9 | 2.0 |
| 3rd Party | 1% | 0% | 68% | 0% | 0% | 0% | 38% | 42% | 62% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 99% | 100% | 32% | 83% | 69% | 74% | 52% | 4% | 38% | 60% | 7% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 89% | 50% | 0% | 70% | 10% | 100% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 1% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 11% | 50% | 0% | 5% | 7% | 0% |
| Other | 0% | 0% | 0% | 1% | 2% | 0% | 10% | 54% | 0% | 39% | 89% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 26% | 84% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 16% | 29% | 26% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| TUCKER(4.16KV) - Customers: 742 | 0.0 | 0.0 | 1.0 | 6.1 | 0.0 | 1.0 | 16.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 504.2 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 504.2 | 1.1 | 1.0 |
| 3rd Party | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 100% | 100% | 100% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 100% | 100% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| TWINING(16KV) - Customers: 123 | 67.1 | 1.0 | 8.0 | 551.0 | 2.0 | 3.8 | 434.0 | 2.0 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 369.9 | 2.1 | 1.0 | 21.9 | 0.2 | 0.0 | 391.9 | 2.4 | 1.0 |
| 3rd Party | 0% | 0% | 0% | 90% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 10% | 50% | 47% | 100% | 100% | 9% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 100% | 0% | 0% | 0% | 94% | 90% | 100% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 91% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 6% | 10% | 0% |
| Other | 0% | 0% | 12% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 100% | 100% | 88% | 0% | 0% | 53% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

| | | 2013 | | | 2014 | | | 2015 | | 1st | Qtr 20 | 16 | 2nd | Qtr 20 | 016 | 3rd | Qtr 20 | 16 | 4th Qtr 2016 | | | 2016 | | |
|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|--------|-------|--------------|-------|-------|-------|-------|-------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| WARD(4.16KV) - Customers: 963 | 18.5 | 0.0 | 2.0 | 11.2 | 0.0 | 2.0 | 164.7 | 1.0 | 4.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.0 | 2.0 |
| 3rd Party | 37% | 38% | 50% | 0% | 0% | 50% | 0% | 0% | 75% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 0% | 0% | 0% | 100% | 100% | 0% | 98% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 63% | 62% | 0% | 0% | 0% | 0% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% |
| Other | 0% | 0% | 50% | 0% | 0% | 50% | 0% | 0% | 25% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| WHITE(4.16KV) - Customers: 819 | 0.0 | 0.0 | 0.0 | 11.1 | 0.0 | 0.0 | 704.8 | 1.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 50% |
| Equipment Failure | 0% | 0% | 0% | 100% | 100% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 50% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| WILDCAT(16KV) - Customers: 1,670 | 24.2 | 0.0 | 1.0 | 101.0 | 0.2 | 1.0 | 145.7 | 0.1 | 0.0 | 308.4 | 2.0 | 1.0 | 72.5 | 1.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 381.4 | 3.0 | 1.0 |
| 3rd Party | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 35% | 50% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 28% | 33% | 0% |
| Equipment Failure | 61% | 77% | 0% | 23% | 34% | 0% | 99% | 99% | 0% | 65% | 50% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 53% | 33% | 100% |
| Operation | 39% | 23% | 0% | 0% | 0% | 0% | 1% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 0% | 77% | 66% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 19% | 33% | 0% |
| Vegetation/Animal | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| WINONA(16KV) - Customers: 1,393 | 29.5 | 1.2 | 1.9 | 16.2 | 0.2 | 0.0 | 551.3 | 2.4 | 0.1 | 0.0 | 0.0 | 1.2 | 63.0 | 0.2 | 1.2 | 20.1 | 0.2 | 0.0 | 49.6 | 0.1 | 0.1 | 132.8 | 0.6 | 2.6 |
| 3rd Party | 0% | 0% | 52% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 59% | 71% | 0% | 0% | 0% | 0% | 9% | 24% | 49% |
| Equipment Failure | 65% | 99% | 48% | 0% | 0% | 0% | 55% | 61% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 49% |
| Operation | 35% | 1% | 0% | 2% | 0% | 0% | 8% | 3% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 41% | 29% | 0% | 0% | 0% | 100% | 6% | 10% | 3% |
| Other | 0% | 0% | 0% | 93% | 99% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 37% | 24% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 36% | 37% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 47% | 42% | 0% |

| | | 2013 | | | 2014 | | | 2015 | | 1st | Qtr 20 | 16 | 2n | d Qtr 20 | 016 | 3rd Qtr 2016 | | | 4th Qtr 2016 | | | 2016 | | |
|-------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|----------|-------|--------------|-------|-------|--------------|-------|-------|-------|-------|-------|
| | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI | SAIDI | SAIFI | MAIFI |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| ZAMORA(16KV) - Customers: 538 | 227.3 | 1.5 | 1.2 | 85.8 | 2.1 | 0.4 | 0.0 | 0.0 | 1.0 | 2.8 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 31.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 34.1 | 0.1 | 0.0 |
| 3rd Party | 11% | 29% | 39% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Equipment Failure | 56% | 53% | 11% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 92% | 47% | 0% |
| Operation | 33% | 18% | 14% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 8% | 53% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 36% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| ZENO(16KV) - Customers: 91 | 72.3 | 1.0 | 0.0 | 135.6 | 1.3 | 2.7 | 25.3 | 0.0 | 2.0 | 43.0 | 1.0 | 3.0 | 0.0 | 0.0 | 0.0 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 46.7 | 1.0 | 3.0 |
| 3rd Party | 100% | 100% | 0% | 94% | 99% | 64% | 47% | 50% | 50% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| Equipment Failure | 0% | 0% | 0% | 6% | 1% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 100% | 100% | 0% |
| Operation | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Other | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Vegetation/Animal | 0% | 0% | 0% | 0% | 0% | 36% | 53% | 50% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Weather/Fire/Earthquake | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |