




Robotic Process Automation in a Day

Lab 9 – Web automation using Power Automate
Desktop

90 mins

October 2021



This document is provided “as-is.” Information and views expressed in this document, including URL and other Internet Web site references, may change without notice. You bear the risk of using it. Some examples are fictitious and are for illustration only. No real association is intended or inferred. This document does not provide you with any legal rights to any intellectual property in any Microsoft product. You may copy and use this document for your internal reference purposes.

© 2021 Microsoft Corporation. All rights reserved.

Lab Overview

You will complete the following tasks in this lab:

- **Exercise 1 – Build a Power Automate Desktop subflow to write notes into Microsoft Excel**
 - Create a process with fixed value variables.
 - Test and run this process.
- **Exercise 2 – Web automation using Power Automate Desktop**
 - Web data scraping and writing to Microsoft Excel.
 - Test and run this process.

Prerequisites

Please complete **lab 1.1, pre-requisite task 3: Start per user plan with attended RPA trial license** and **lab 1.3, installation of Power Automate Desktop**. To use Power Automate Desktop, a user must own either a **trial** or **paid** per user plan with attended RPA.


Before doing the exercises, please complete **Lab 3**.

Exercise 1 - Build a Power Automate Desktop subflow to write notes into Microsoft Excel


In this exercise we will create a process in Power Automate Desktop which will write the values of variables that we already created earlier into a Microsoft Excel file.

1. In **Power Automate Desktop**, Edit **Enter an invoice** flow you created by clicking ... icon and select **Edit**.

Flows




2. Click **Subflows** >  to create a subflow for Enter an invoice.




3. Name it **Write_notes_into_excel**. Click **Save**.

Note: Subflow name can't have spaces



4. Drag and drop the **Launch Excel Action** from the **Excel** folder.



5. Set Launch Excel to and open the following document and click on the **Select File** icon.

Launch Excel [Close]

Launches a new Excel instance or opens an Excel document [More info](#)

Select parameters

Launch Excel: with a blank document ⓘ

Make instance visible: and open the following document ⓘ

> **Advanced**

> **Variables produced** ExcelInstance

On error

Save **Cancel**

Launch Excel

✕

🔗 Launches a new Excel instance or opens an Excel document [More info](#)

Select parameters

Launch Excel:

and open the following document

⌵

①

Document path:

📄

{x}

①

Make instance visible:

☒

①

Password:

⚠️

🔒

⌵

①

Open as ReadOnly:

☐

①

> Advanced

> Variables produced


ExcelInstance

🛡️ On error

Save

Cancel

6. Save the file **Contoso Invoices.xlsx** that you can find inside **lab data packages/Lab #9 excel file to use in Power Automate Desktop** folder to the folder of your choice, then browse for it in this dialog, select it and click **Open**.



7. **Information Only** – Our spreadsheet does not contain a password. However, if our spreadsheet did, we could provide a **password** in this field. Then click **Save**.

Launch Excel

Launches a new Excel instance or opens an Excel document [More info](#)

Select parameters

Launch Excel: and open the following document

Document path: C:\Users\ _ I\Downloads\Contoso Invoices.xlsx

Make instance visible: ☒

Password: ☐

Open as ReadOnly: ☐


> Advanced

> Variables produced **ExcellInstance**


On error

Save Cancel


8. Drag and drop the **Get First Free Column/Row from Excel Worksheet** action from the **Excel** folder.



9. In the Action Properties, we will use the default settings for this action. Click **Save** to add it to the design surface. This action will retrieve the number of the first free row and the first free column and store them into variables.



10. Drag and drop the **Write to Excel Worksheet** action from the **Excel** folder.



11. In the Action Properties, in **Value to write**, open the **Available Variables** by clicking on the **{x}** icon, double click **InvoiceID**.

2

3

Write to Excel worksheet

Writes a value into a cell or a range of cells of an Excel instance [More info](#)

Select parameters

Excel instance: %ExcelInstance% ⓘ

Value to write: {x} ⓘ

Input / output variables 4

Name	Type
> Account	Text value
> Amount	Text value
> Contact	Text value
> InvoiceID	Text value

Flow variables 5

Name	Type
AppProcessId	Numeric value
> AttributeValue	Text value
> ExcelInstance	Excel instance

Select variable

12. Enter **A** and in field **Column**, then in **Row**, click on the corresponding {x} icon, and select %FirstFreeRow%. Click **Save**

Write to Excel worksheet

Writes a value into a cell or a range of cells of an Excel instance [More info](#)

Select parameters

Excel instance:

%ExcelInstance%

⌵

①

Value to write:

%InvoiceID%

{x}

①

Write mode:

On specified cell

⌵

①

Column:

A

{x}

①

Row:

%FirstFreeRow%

{x}

①

On error

Save

Cancel

13. Repeat the three previous steps, writing values of variables to cells as the table below.
For all Columns, Row must be set to %FirstFreeRow%.

Value to Write	Column	Row
%Account%	B	%FirstFreeRow%
%Contact%	C	%FirstFreeRow%
%Amount%	D	%FirstFreeRow%







14. When all the steps above have been completed, your subflow for writing notes into Excel should look like this:

The screenshot displays a subflow titled "Write_notes_into_excel" within a Power Automate environment. The subflow contains the following steps:


- Launch Excel**: Launch Excel and open document `C:\Users\... \Desktop\PowerAutomated\lab data packagesLab #8 excel file to use in Power Automate Desktop\Contoso Invoices.xlsx`.
- Get first free column/row from Excel worksheet**: Get the first free column/row in the active worksheet of the Excel document whose instance is stored into `ExcelInstance`.
- Write to Excel worksheet**: Write the value `InvoiceID` into cell in column `A` and row `FirstFreeColumn` of the Excel instance `ExcelInstance`.
- Write to Excel worksheet**: Write the value `Account` into cell in column `B` and row `FirstFreeColumn` of the Excel instance `ExcelInstance`.
- Write to Excel worksheet**: Write the value `Contact` into cell in column `C` and row `FirstFreeColumn` of the Excel instance `ExcelInstance`.
- Write to Excel worksheet**: Write the value `Amount` into cell in column `D` and row `FirstFreeColumn` of the Excel instance `ExcelInstance`.

15. Click the **Save** button and then go back to your Main flow by clicking **Main**.


Subflows ▾ **Main** Write_notes_into_excel

1	 Launch Excel Launch Excel and open document C:\Users\... \Desktop\PowerAutomated\lab data packagesLab #8 excel file to use in Power Automate Desktop\Contoso Invoices.xlsx
2	 Get first free column/row from Excel worksheet Get the first free column/row in the active worksheet of the Excel document whose instance is stored into ExcelInstance
3	 Write to Excel worksheet Write the value InvoiceID into cell in column A and row FirstFreeColumn of the Excel instance ExcelInstance
4	 Write to Excel worksheet Write the value Account into cell in column B and row FirstFreeColumn of the Excel instance ExcelInstance
5	 Write to Excel worksheet Write the value Contact into cell in column C and row FirstFreeColumn of the Excel instance ExcelInstance
6	 Write to Excel worksheet Write the value Amount into cell in column D and row FirstFreeColumn of the Excel instance ExcelInstance


16. Drag and drop the **Run subflow** action from **Flow Control** folder under **Step 12**.



17. Call **Write_notes_into_excel** subflow you just created. Then click **Save**.



18. Click on the **Save** button to save the flow.



19. You can now run your flow by clicking **Run**.

20. After the automation run, check the Excel file and you will see the following entry should have been added:


1026 | WingTip Toys | b.friday@wingtiptoys.com | \$500.00

Note: You may see a different invoice ID here.


Exercise 2 - Advanced Power Automate Desktop features


In this exercise, we will use the web automation to convert the total amount into another currency and add that converted to the Excel document.


1. Open **Microsoft Edge** (Chromium), enter this in the browser URL address bar: **edge://settings/system**. This will bring you to the **Settings** then **System** page. Uncheck **Continue running background apps when Microsoft Edge is closed**. Close all browser tabs and sessions before you proceed.



2. In **Power Automate Desktop**, Edit **Enter an invoice** flow you created by clicking ... icon and select **Edit**.




3. Click **Subflow** >  to create the second subflow for Enter an invoice.




4. Call your Subflow **Currency_Exchange**. Click **Save**.

Note: Subflow name can't have spaces




5. Drag and drop the **Launch new Microsoft Edge** Action from the **Browser** automation folder into the workspace.



6. In the Initial URL field enter: <https://www.msn.com/en-us/money/tools/currencyconverter>
7. Click **Save**.

Launch new Edge

 Launch a new instance or attach to a running instance of Edge for automating web sites and web applications [More info](#)

Select parameters

Launch mode:

Launch new Instance

⌵

①

Initial URL:

www.msn.com/en-us/money/tools/currencyconverter

{x}

①

Window state:

Normal


⌵

①

> Advanced

> Variables produced

Browser


 On error

Save


Cancel

8. Open an Edge web browser and navigate to www.msn.com/en-us/money/tools/currencyconverter

This will be the website we will be using to lookup real time currency conversion rates.



9. Now we will enter the total amount value from AI builder model as the US dollar amount, into the website input textbox to lookup the converted value.
10. First we will locate the UI Element on the webpage. Select **Click link on web page** action from the **Web form filling** subfolder.



11. The **Web Browser Instance** is already populated with the **%Browser%** instance.

Web browser instance:

%Browser%

12. We need to identify the textbox UI element on the webpage that takes US dollar as input. To do that, click on the **UI element textbox** and then click on **Add a new UI element** to be able to capture the element.

Click link on web page

Click on a link or any other element of a web page [More info](#)

Select parameters

Web browser instance: %Browser%

UI element:

> Advanced

There are no UI elements to display

Add UI element

On error

Save

Cancel

13. Having done this, a small Tracking session window will show up to capture UI element. Open the browser webpage, and you will see a red rectangle appear in the webpage while hovering the mouse over different elements. Move the mouse over the text field containing the US dollar value and hold the **Control** on your keyboard and **Left-Click** using mouse to select the element.

Robotic Process Automation in a Day, Lab 9 – Web automation using Power Automate Desktop

25

https://www.msn.com/en-us/money/tools/currencyconverter?duration=12H

msn money
powered by Microsoft News

Today My Watchlist Markets Discover **Beta** Investing Personal Finance Real Estate Careers Small Business

Popular AAPL ▼ -0.27% STZ ▲ +1.45% TSLA ▼ -1.02% AMZN ▼ -0.42% JPM ▲ +0.08% CAMP ▲ +1.01% BA ▼ -0.04% BCE < >

Currency Converter

1 USD = 0.8640 EUR LAST UPDATED • OCTOBER 10, 05:10:26 PM PDT

From

USD \$ - United States Dollar

\$ 1.00

To Tracking session

Add UI elements


Hover the mouse over the UI element to capture until the frame appears around it, then press Ctrl + Left mouse click to add it here.

Done


12H 1D 5D 1M 3M YTD 1Y 3Y 5Y Max

Compare: USD/JPY USD/GBP USD/CAD Search & Compare


14. Once you selected the element, you will see the value appearing in **Tracking session** window. Click **Done**.




15. Click Save button




16. Add another action which will send the previous Total amount input value into this UI element field. Search and select **Send keys** action to drag and drop into the flow




17. In the **Text** field, clicking **{x}** icon and choose **Amount** from the variables list and click **Select** button. This will send the Amount variable value to be entered in the website UI textbox area that is selected in the previous step.




18. Click Save.





19. Now we can test this subflow by selecting the first action in the subflow, right click and select Run from here.




20. You should see the automation run and convert \$500 amount (the default amount value) into another currency




21. The next step is we will capture the real time converted value from the website. We will use the **Get details of element on web page** action in the **Web data extraction** subfolder to select the **converted value (Euro)** using the same method described above.





22. Select **Done**.



23. Change the **Variables produced** from %AttributeValue% to %ConvertedAmount% by clicking into %AttributeValue%. Once you're done, click **Save**.

Get details of element on web page



 Get the value of an element's attribute on a web page [More info](#)


Select parameters

Web browser instance: %Browser% 

UI element: %appmask['Web Page \'h ... yconverter\"][<input:text> \'totxtbx\'] 

> Advanced

Variables produced

{x}  The value of the web element's attribute

 On error

Save

Cancel

24. Go back **Write_notes_into_excel** subflow you created in exercise 1 by clicking **Write_notes_into_excel**.

The screenshot shows the Power Automate interface with the 'Write_notes_into_excel' subflow selected. The main workspace contains the following steps:

- Launch Excel**
Launch Excel and open document `C:\Users\... \Desktop\PowerAutomated\lab data packagesLab #8 excel file to use in Power Automate Desktop\Contoso Invoices.xlsx`
- Get first free column/row from Excel worksheet**
Get the first free column/row in the active worksheet of the Excel document whose instance is stored into `ExcelInstance`
- Write to Excel worksheet**
Write the value `InvoiceID` into cell in column `A` and row `FirstFreeColumn` of the Excel instance `ExcelInstance`
- Write to Excel worksheet**
Write the value `Account` into cell in column `B` and row `FirstFreeColumn` of the Excel instance `ExcelInstance`
- Write to Excel worksheet**
Write the value `Contact` into cell in column `C` and row `FirstFreeColumn` of the Excel instance `ExcelInstance`
- Write to Excel worksheet**
Write the value `Amount` into cell in column `D` and row `FirstFreeColumn` of the Excel instance `ExcelInstance`


25. Add the Write to Excel Worksheet action from the Excel folder under Step 6.

The screenshot displays the Power Automate 'Actions' pane on the left and the main flow canvas on the right. In the 'Actions' pane, the 'Excel' folder is expanded, and the 'Write to Excel worksheet' action is highlighted with a red box. A red arrow points from this action to the flow canvas. The flow canvas shows a sequence of steps: 1. 'Launch Excel', 2. 'Get first free column/row from Excel worksheet', 3. 'Write to Excel worksheet' (writing 'InvoiceID' to column A), 4. 'Write to Excel worksheet' (writing 'Account' to column B), 5. 'Write to Excel worksheet' (writing 'Contact' to column C), and 6. 'Write to Excel worksheet' (writing 'Amount' to column D). The 'Write to Excel worksheet' action being added is shown at the bottom of the canvas, ready to be placed as step 7.

26. Writing values of variables to cells as the information below.

- **Value to write:** %ConvertedAmount%
- **Column:** E
- **Row:** %FirstFreeRow%

Write to Excel worksheet

 Writes a value into a cell or a range of cells of an Excel instance [More info](#)

Select parameters

Excel instance:

%ExcelInstance%

ⓘ

Value to write:

%ConvertedAmount%

{x} ⓘ

Write mode:

On specified cell

⌵ ⓘ

Column:


E

{x} ⓘ

Row:

%FirstFreeRow%

{x} ⓘ

 On error

Save

Cancel

27. Click Save.

Write to Excel worksheet

Writes a value into a cell or a range of cells of an Excel instance [More info](#)

Select parameters

Excel instance:

%ExcelInstance%

ⓘ

Value to write:

%ConvertedAmount%

{x} ⓘ

Write mode:

On specified cell

⌵ ⓘ

Column:


E

{x} ⓘ

Row:

%FirstFreeRow%

{x} ⓘ

 On error

Save

Cancel


28. Now we will add the Currency_Exchange subflow into the Main flow before Write_notes_to_excel subflow. Go back to your Main flow by clicking **Main**.

Save Run Stop Run next action Web recorder Desktop recorder Search inside the flow


Subflows	Main	Write_notes_to_excel	Currency_Exchange
1	Launch Excel Launch Excel and open document C:\Users\ \Desktop\PowerAutomated\lab data packagesLab #8 excel file to use in Power Automate Desktop\Contoso Invoices.xlsx		
2	Get first free column/row from Excel worksheet Get the first free column/row in the active worksheet of the Excel document whose instance is stored into ExcelInstance		
3	Write to Excel worksheet Write the value InvoiceID into cell in column A and row FirstFreeColumn of the Excel instance ExcelInstance		
4	Write to Excel worksheet Write the value Account into cell in column B and row FirstFreeColumn of the Excel instance ExcelInstance		
5	Write to Excel worksheet Write the value Contact into cell in column C and row FirstFreeColumn of the Excel instance ExcelInstance		
6	Write to Excel worksheet Write the value Amount into cell in column D and row FirstFreeColumn of the Excel instance ExcelInstance		
7	Write to Excel worksheet Write the value ConvertedAmount into cell in column E and row FirstFreeRow of the Excel instance ExcelInstance		

29. Add a **Run subflow** action from **Flow Control** folder as **Step 12** of your process.

Note: this subflow should be called prior to the **Write_notes_to_excel** subflow call.




30. Call **Currency_Exchange** subflow you just created. Then click **Save**.



31. Click on the **Save** button to save the flow.



32. You can now run your whole main flow by clicking **Run**.



33. After a while, an entry is added to the Excel file as in the previous exercise, with an additional cell containing the converted value:

1055	Tailspin Toys	p.gupta@tailspintoys.com	\$3,500.00	3,118.15
------	---------------	--------------------------	------------	----------

Check your knowledge

Lab 9

5 mins

1. Which of the following can you use as your Subflow name?

- A. Currency exchange
- B. Currency Exchange
- C. Currency_exchange
- D. All of the above

Answer: C. Currency_exchange. Power Automate Desktop does not allow for spaces to be in the name of a Subflow.

2. When you try to capture a web element from a web page, after selecting the **Click link on web page** action and clicking UI element dropdown, you need to select _____ to be able to capture the element.

- A. Add a new UI element
- B. Save
- C. Browser
- D. None of the above

Answer: A. Add a new UI element - You need to click this button to start capture elements

3. When you are populating text Field on web page, you need to hold the _____ and _____ to select the element.

- A. CTRL + Left-Click
- B. Tab + Left-Click
- C. CTRL + Right-Click
- D. Tab + Right-Click

Answer: A. CTRL + Left-Click

Information in this document, including URL and other Internet Web site references, is subject to change without notice. Unless otherwise noted, the example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted herein are fictitious, and no association with any real company, organization, product, domain name, e-mail address, logo, person, place or event is intended or should be inferred. Complying with all applicable copyright laws is the responsibility of the user. Without limiting the rights under copyright, no part of this document may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the express written permission of Microsoft Corporation.

Microsoft may have patents, patent applications, trademarks, copyrights, or other intellectual property rights covering subject matter in this document. Except as expressly provided in any written license agreement from Microsoft, the furnishing of this document does not give you any license to these patents, trademarks, copyrights, or other intellectual property.

The names of manufacturers, products, or URLs are provided for informational purposes only and Microsoft makes no representations or warranties, either expressed, implied, or statutory, regarding these manufacturers or the use of the products with any Microsoft technologies. The inclusion of a manufacturer or product does not imply endorsement of Microsoft of the manufacturer or product. Links may be provided to third party sites. Such sites are not under the control of Microsoft and Microsoft is not responsible for the contents of any linked site or any link contained in a linked site, or any changes or updates to such sites. Microsoft is not responsible for webcasting or any other form of transmission received from any linked site. Microsoft is providing these links to you only as a convenience, and the inclusion of any link does not imply endorsement of Microsoft of the site or the products contained therein.

© 2021 Microsoft Corporation. All rights reserved.

Microsoft and the trademarks listed at

<https://www.microsoft.com/enus/legal/intellectualproperty/Trademarks/Usage/General.aspx>

are trademarks of the Microsoft group of companies. All other trademarks are property of their respective owners.