



PublisherStudio documentation

Version 2.2.4

Complete Kawaii handbook: 16 conceptual/reference pages and 590 API namespace/type pages with summaries, declarations and member signatures.



Contents

1. PublisherStudio documentation [index.html](#)
2. Animation and interaction [articles/animation-and-interaction.html](#)
3. Architecture [articles/architecture.html](#)
4. Developer build [articles/developer-build.html](#)
5. Documentation system [articles/documentation-system.html](#)
6. Editor workspace [articles/editor-workspace.html](#)
7. Getting started [articles/getting-started.html](#)
8. Installer and updates [articles/installer-and-updates.html](#)
9. LocalGPT and 1-Wire [articles/localgpt-and-onewire.html](#)
10. Pictures and media [articles/pictures-and-media.html](#)
11. Privacy and security [articles/privacy-and-security.html](#)
12. Publishing and export [articles/publishing-and-export.html](#)
13. Stories and spreadsheets [articles/stories-and-spreadsheets.html](#)
14. Streaming and recording [articles/streaming-and-recording.html](#)
15. Troubleshooting [articles/troubleshooting.html](#)
16. PublisherStudio API reference [api/index.html](#)

API appendix: 590 generated pages, searchable in this PDF and fully linked in the HTML site.

PublisherStudio documentation

Version 2.2.4

PublisherStudio is a local-first publishing workspace for page layout, stories, spreadsheets, pictures, audio, video, streaming, interactive content, and self-contained exports.

This site uses the same documentation shell as LocalGPT, so navigation, themes, side rails, and reference pages behave consistently. 🐾

Choose a path



Use PublisherStudio

Create a publication and learn the workspace, page, object, story, and ribbon model.

[Open the user guide](#)



Build rich content

Work with stories, spreadsheets, pictures, audio, video, animation, streaming, and recording.

[Explore pictures and media](#)



Build and maintain it

Read the architecture, development requirements, installer behavior, and documentation pipeline.

[Open engineering guidance](#)



Look up details

Browse export behavior, privacy boundaries, the optional LocalGPT connection, and the API reference.

[Browse reference material](#)

Architecture at a glance

Human authorBlazor + DevExpress workspaceApplication servicesPublication modelMedia and streamingExport pipelines

The editable publication remains authoritative. Browser runtimes accelerate interaction and rendering, while C# services own project state, validation, persistence, export, and approved external connections.

Complete documentation set

The same themed HTML site is shipped inside PublisherStudio and published to GitHub Pages.

The packaged PDF follows the same readable portrait handbook model as LocalGPT: it contains every maintained PublisherStudio chapter plus a complete linked namespace/type inventory. Detailed API members stay in the searchable HTML site, GitHub Pages, and the in-app viewer.



[Download the Kawaii handbook](#)

Animation and interaction

Animations belong to the publication model, not to one export format.

Each object can own entrance, emphasis, motion, media, and exit steps. Pages can own transitions, and objects can respond to clicks or presentation events.

Timeline rules

Animation order is page-wide. This gives the timeline one deterministic sequence across text, pictures, shapes, media, panels, and data visuals.

Presentation actions

Interactions can navigate pages, open safe URLs, show or hide targets, replay animations, and control media. An object can be hidden at presentation start while remaining visible and editable in the authoring workspace.

Export mapping

The HTML runtime maps semantic animation records to browser animations. Print and static images show the authored visual state. Video export renders the timeline. Unsupported behavior should be reported as a capability or loss marker rather than silently disappearing.

Architecture

PublisherStudio is a dependency-injection-oriented modular monolith. The design keeps the application easy to ship while giving each responsibility one clear home. 🌸

Main roots

- **Components** own UI state and user interaction.
- **Controllers** own backend HTTP request entry points and results.
- **Hubs** own persistent connection entry points.
- **HostedServices** own application-lifetime scheduling.
- **Services** own reusable processing, persistence, devices, files, networks, FFmpeg, and operating-system work.
- **BusinessObjects** own authoritative documents, requests, state, and result contracts.

Reusable work flows toward Services and BusinessObjects. Services do not depend on Components, Controllers, Hubs, or HostedServices. Specialized use cases stay in a UseCases subnamespace below their owning service area rather than becoming a competing application root.

```
flowchart LR
    UI[Blazor Components] --> S[Reusable Services]
    C[Controllers: backend request entry] --> S
    HB[Hubs: persistent connection entry] --> S
    HS[HostedServices: lifetime work] --> S
    S --> BO[BusinessObjects]
```

Service-owned behavior

Program.cs is the host composition root. Runtime state and reusable behavior belong to DI-owned services. PublisherStudio does not add application convenience statics to bypass composition.

P/Invoke and native exports belong behind injected lifetime services. Records, DTOs, constructors, and other BusinessObjects describe data; they do not acquire files, devices, networks, loggers, or host state.

Canonical content

The native publication model is authoritative. External formats are adapters:

```
external input → parse → temporary canonical model → validate → commit
canonical model → capability analysis → map → external output
```

Every semantic contract has one authoritative declaration. Service-local copies of BusinessObjects are not allowed.

Browser boundary

C# owns canonical state. JavaScript owns high-frequency browser interaction and commits bounded results. Listeners, observers, object URLs, pointer capture, and media streams are released on rebind or disposal.

Editor interaction overlays live in a local positioned stacking context. They never change publication layer order, and a local editor problem is not solved with an application-wide z-index.

Safe input boundaries

XML importers prohibit DTD processing and external resolvers. Archives validate paths before extraction. New packages, native binaries, or helper processes require an explicit architectural reason and release review.

Developer build

Requirements

- .NET 10 SDK
- Windows PowerShell 5.1 or newer for the maintained scripts
- Node.js for preparing licensed DevExpress browser assets and documentation PDF generation
- A licensed DevExpress build identity for preparing runtime assets

First source build

```
.\Prepare-DevExpressAssets.cmd  
.\Build-LocalDevelopment.ps1 -Configuration Debug
```

The preparation command restores the pinned browser packages and generates the public runtime license. The private DevExpress license remains on the build machine.

Release build

```
.\Build-Release.ps1 -Runtime win-x64
```

All supported runtimes can be built sequentially with:

```
.\Build-AllRuntimes.ps1
```

The release lane restores the authoritative LocalGPT wire protocol package, publishes the application and standalone setup, validates configuration and documentation, then creates manifest-backed archives.

Quality gates

The maintained build checks architecture, diagnostics, localization, InteractiveServer render modes, async continuations, component boundaries, text ownership, iterator policy, system-variable initialization, JavaScript diagnostics, publish profiles, installer workflow, XML documentation coverage, and documentation output.

Release record

Each release keeps one concise changelog and one validation report. Old work diaries and personal progress notes are not part of the public documentation. Completed, partial, and deferred work is summarized only when it helps users or maintainers understand the shipped state.

Documentation system

PublisherStudio documentation follows the same release shape as LocalGPT while using PublisherStudio names, routes, and source layout.

Inputs

- maintained Markdown under docs/articles;
- public and protected C# XML comments from PublisherStudio.Web.xml;
- the built PublisherStudio.Web.dll for API metadata.

Outputs

- searchable DocFX HTML under wwwroot/help-docs;
- PublisherStudio-<version>.pdf;
- generated API pages;
- documentation-status.json;
- a searchable XML-comment catalog exposed by the running app.

Kawaii design guide

The website and PDF use the same soft pink, violet, and warm neutral palette. Decorative motion respects reduced-motion preferences. Light, dark, and system themes are selectable from a dedicated control that remains above the navigation layer.

The decoration is a smile, not a fog machine: headings stay clear, code remains readable, and technical warnings keep their seriousness.

GitHub Pages

The workflow publishes the documentation already shipped inside a release archive. It validates the manifest, theme assets, relative links, API index, and optional PDF before deploying. This keeps the public site tied to a real PublisherStudio release rather than an unrelated documentation-only build.

Editor workspace

The editor keeps page structure, object order, and reusable tools in one view.

Main areas

- **Title bar** — publication name and save state.
- **Ribbon** — create, arrange, animate, stream, export, and open help.
- **Pages pane** — page selection and ordering.
- **Mainframe** — the active publication page.
- **Inspector** — properties for the selected page or object.
- **Timeline** — animation and media timing when enabled.

Select and arrange objects

Click an object to select it. Use Ctrl or Shift for multi-selection. The Arrange commands move objects through the page layer stack, align them, or group them.

Snapping can use the grid, guides, page edges, and other objects. Rulers and guides are workspace aids; they are not exported as publication content.

Interaction ownership

A gesture has one owner. The Mainframe owns ordinary page gestures. Picture, media, panel, and spreadsheet studios own their local editing gestures while open. Temporary handles, masks, and playheads never become publication layers.

Safe cancellation

Closing or cancelling a studio leaves canonical page placement and layer order untouched unless you explicitly applied a result. This separation is one of the reasons the editor can support many object types without each tool inventing its own page model.

Getting started

PublisherStudio opens directly into the publication workspace. A new document contains a page, a canvas, a ribbon, a page list, and a properties panel.

Your first little publication

1. Give the publication a clear name in the title bar. 2. Choose **Insert** and add a text box, picture, spreadsheet, panel, or media object. 3. Move and resize the object on the page. 4. Use the right-hand inspector to adjust the selected object. 5. Save the native project before exporting. 6. Choose **File** and create a PDF, image, website, or recorded presentation.

The native project is the source of truth

PublisherStudio stores editable publication data in its own project format. Exported images, websites, PDFs, and videos are delivery formats. Keep the native project when you want to edit the work later.

Choose the application language

Use the language selector in the upper-right corner of PublisherStudio. The choice reloads the current local page, stores a request-culture cookie, and applies one complete JSON catalog to the application shell.

Application language and publication language are separate: the global selector changes PublisherStudio, while the Inspector language setting controls exported document and website metadata.

Local by default

The application listens on the local loopback interface. It does not need LocalGPT to create or publish documents. The optional LocalGPT page remains quiet until you choose to connect it.

Note

The first source build needs the prepared DevExpress browser assets. End-user release packages already contain the runtime assets they need.

Installer and updates

PublisherStudio uses the same simple deployment shape as LocalGPT. The setup is a one-click operation and keeps every runtime beneath one product-owned AppData folder.

Installed layout

The installation root is:

```
%LOCALAPPDATA%\PublisherStudio
```

Application and setup releases keep their runtime wrappers inside that root:

```
PublisherStudio\  
  winx64\  
    PublisherStudio.Web.exe  
  setupwinx64\  
    PublisherStudio.Setup.exe  
    Install.cmd  
    Update.cmd  
    Start.cmd
```

The wrapper names vary by operating system and architecture, but the product root does not move to Programs and does not reuse the former BlazorPublisher application folder.

One-click behavior

Double-clicking `PublisherStudio.Setup.exe` performs the normal install/update path:

1. download the matching application release; 2. extract it into `%LOCALAPPDATA%\PublisherStudio`; 3. download and refresh the matching setup release; 4. ensure FFmpeg is available; 5. create the required Desktop and Start Menu shortcuts; 6. start PublisherStudio on port 58071.

No command-line argument is required.

Updates

Normal updates extract reviewed release files over the existing product root. The root is not deleted unless `--force-delete` is explicitly supplied. Files that are not part of the incoming release remain untouched.

When setup is started from its installed setup folder, it continues from a temporary copy before extraction. This lets the installed setup executable and launchers be replaced during the same one-click update.

Required shortcuts

Both Desktop and Start Menu receive these entries:

- **PublisherStudio Install;**
- **PublisherStudio Update;**
- **PublisherStudio Start;**
- **PublisherStudio Folder.**

The Install, Update, and Start entries call the checked-in command files from the matching setup runtime folder. The Folder entry opens `%LOCALAPPDATA%\PublisherStudio` directly.

Compatibility

Former `--*-blazorpublisher` command-line names remain accepted so an older launcher can invoke the repaired setup. New launchers use the `PublisherStudio` names.

LocalGPT and 1-Wire

PublisherStudio works without LocalGPT. The 1-Wire connection is an optional local collaboration path.

Discovery and connection

PublisherStudio listens for compact LocalGPT discovery broadcasts on UDP port 51141. A selected peer can then establish the larger approved transport over TCP port 51140.

Discovery does not grant control. The user must approve the link, and each protected eye, hand, screen, spreadsheet, media, or publishing capability remains subject to its permission policy.

Default ports

- PublisherStudio web host: 58071
- LocalGPT 1-Wire TCP: 51140
- LocalGPT discovery UDP: 51141

These contracts stay separate so both applications can run side by side.

Protocol ownership

The shared wire protocol is versioned independently and consumed from the authoritative `LocalGPT.WireProtocolVersion` package. PublisherStudio does not carry a second copy of the protocol project.

Quiet standalone behavior

When LocalGPT is absent, PublisherStudio continues normally. The Organic Plugins page reports that no peer is connected instead of treating the optional capability as an application failure.

Runtime identity and small devices

PublisherStudio identity and secrets are generated at runtime; they are not shipped as a shared default credential. Small peers such as an ESP32 can participate only through an approved capability and transport profile. Discovery alone never grants an ESP32—or any other peer—permission to capture, publish, or control content.

Pictures and media

Picture Studio and Media Studio keep editing details inside the selected publication object.

Picture Studio

Picture documents can contain raster, text, shape, fill, and procedural layers. Crop, masks, transparency, filters, tint, blend modes, drawing, and polygon selections remain editable until you apply the result.

PublisherStudio stores both a rendered image and the editable picture document. The rendered image keeps normal publication export simple; the picture document lets you return for non-destructive edits.

Video and audio

Media objects use ordered segments. You can trim, split, merge, copy, replace, and arrange segments without changing the object's page position or layer order.

Video regions are stored as normalized source coordinates, so they remain aligned across different source sizes. Audio uses time only and does not pretend to have a two-dimensional region.

Recording preview

The live preview keeps the active browser media stream attached to the preview element. If Blazor replaces the video element, a bounded watchdog reattaches the stream. Saved recording data stays separate from the preview surface.

Local editing overlays

Internal media sections and selection overlays never become page siblings or picture layers. They are transient editor projections inside a local positioned stacking context. The publication object remains the canonical content, while browser-side pointer feedback stays lightweight and disposable.

Open picture and publication interchange

PublisherStudio keeps editable source information when it can and reports losses when a target format cannot represent a feature. Supported adapter families include SVG / SVGZ, OpenRaster, OpenDocument Drawing, and OpenDocument Presentation. The native PublisherStudio project remains the complete editable source.

Open video projects

Project format is not a media codec or container. PublisherStudio can inspect and import project structures from OpenTimelineIO, MLT XML, Kdenlive, Shotcut, XGES, OpenShot, and CMX 3600 EDL. OBS Scene Collection data may be used as source context where supported.

The first editable projection is the active video-track projection, not full multitrack compositing. Missing media is reported for relinking instead of silently discarded, and the original project remains the safest archival copy. 📁

Audio interchange can preserve production metadata through Broadcast WAV where the selected import or export path supports it.

Privacy and security

PublisherStudio is local-first, but local software still needs careful boundaries.

Data ownership

Publication projects, recordings, workbooks, pictures, settings, and protected connection state remain under the signed-in user's account. Exporters do not upload content by default.

Untrusted input

Imported archives, SVG/XML, websites, media, JSON, spreadsheet files, LocalGPT envelopes, and browser messages are treated as untrusted. Importers validate paths, sizes, required files, and dangerous content before committing changes.

Credentials

OAuth sessions, stream keys, LAN secrets, and machine-specific capture settings are stored outside publications and templates. They are not copied into normal interchange exports.

Loopback host

The default web endpoint binds to 127.0.0.1. Opening PublisherStudio to another interface is a deliberate deployment decision and should be paired with appropriate authentication, firewall, and transport controls.

Publishing and export

PublisherStudio can deliver one project in several forms.

Print and PDF

Print uses the publication page model and browser print surface. Choose **Print / Save as PDF** when the target is a fixed document.

Images and SVG

PNG and JPEG are raster outputs. SVG keeps vector-friendly content where possible and freezes or marks media that cannot remain interactive.

Websites

- **Interactive presentation HTML** keeps page navigation and interaction.
- **Single-file website** embeds the delivery payload into one HTML file.
- **Structured website ZIP** creates a normal file tree with content-addressed assets and the PublisherStudio runtime.

The structured exporter validates archive paths, preserves original media when optimization fails, and does not upload project data.

Recorded presentation

Video export renders publication timing into a media file. Keep the native publication beside the export so the sequence can be revised later.

Tip

Publish for the audience, but save for your future self. The native project is the editable keepsake. 🎀

Structured website media policy

Structured websites avoid Base64 overhead by writing normal content-addressed assets. Preserve source media whenever possible: the exporter prefers to keep it when the browser can use it safely. Optional conversions may target PNG, WebP, AVIF, WebM, or lossless FFV1 workflows, depending on the source and available tooling.

Browser conversion is coordinated through Blazor and JavaScript interop. FFmpeg.wasm can be an optional browser-side helper, but export does not depend on it: when optimization is unavailable or fails, PublisherStudio keeps the compatible source instead of damaging the publication.

Stories and spreadsheets

PublisherStudio embeds rich documents and workbooks as normal publication objects.

Rich stories

Story editing uses DevExpress RichEdit. A story can keep formatted text, page settings, fields, backgrounds, and document content inside the publication.

Apply saves the edited story back to the selected text frame. Cancel leaves the existing object unchanged.

Spreadsheets

Spreadsheet Studio uses the DevExpress ASP.NET Core Spreadsheet in a same-origin editor surface. Workbooks can be created or imported, edited, downloaded, and applied back to a spreadsheet frame.

The page canvas and exports use a safe preview of the workbook. Executable workbook content is not injected into the publication DOM.

Practical tips

- Keep source workbooks when macros or unsupported features matter.
- Use **Fit** when a whole sheet should remain visible.
- Use **Clip** when the frame is a deliberate viewport.
- Reopen a spreadsheet frame to continue editing the embedded workbook.

Streaming and recording

Streaming Studio combines scenes, live inputs, chat, hotkeys, recording, and output control in one local session.

Session flow

1. Open Streaming Studio. 2. Choose or create a profile. 3. Add page, camera, screen, window, audio, or browser sources. 4. Run a dry test. 5. Start recording or a configured output. 6. Stop the output before closing the session.

Local capture

Browser capture is used where it fits. Windows process-loopback capture and FFmpeg services are selected only on supported platforms. Credentials and stream keys stay in protected local stores, not inside publications or interchange files.

Preview and saved media

The preview is a live projection. The recording pipeline owns the saved bytes. A preview that needs reattachment should not corrupt a complete recording.

When the preview turns black

First check whether the saved recording is still complete. If it is, reopen the preview or change the active source. The diagnostics bridge records browser-side failures, while expected circuit disconnects remain low-noise diagnostics.

Troubleshooting

The source builds but the browser UI is incomplete

Run `Prepare-DevExpressAssets.cmd`. A clean source package intentionally omits generated licensed DevExpress runtime assets.

The application reports a port override warning

PublisherStudio uses the configured Kestrel endpoint as the authority. The maintained default is `127.0.0.1:58071`. Remove conflicting `ASPNETCORE_URLS` or launch-profile addresses when you want a quiet startup log.

LocalGPT is not discovered

Confirm that both applications are running, UDP port 51141 is available, and the firewall allows local discovery. PublisherStudio remains usable while discovery is unavailable.

A browser circuit disconnects

`OperationCanceledException` and `JSDisconnectedException` can occur while a tab reloads or closes. They should be logged as expected disconnect diagnostics, not presented as data-loss errors. Reopen the page and check the application log for a preceding operational failure.

Recording preview becomes black

Check the saved recording first. If the file is complete, reopen or reselect the preview source. The preview-rebind watchdog is designed to repair a replaced video element without changing the saved recording pipeline.

Documentation is missing

A normal release build generates `wwwroot/help-docs`. The in-app Documentation page shows HTML, PDF, and XML-comment availability. Developer builds can diagnose the documentation lane separately with the build properties described in [Documentation system](#).

PublisherStudio API reference

This source-backed API preview exposes the full maintained namespace and public-type inventory. Owner builds replace every type page with the complete DocFX member reference.

PublisherStudio2 public types**PublisherStudio.BusinessObjects**287 public types**PublisherStudio.BusinessObjects.Diagnostics**1 public types**PublisherStudio.BusinessObjects.Streaming**7 public types**PublisherStudio.Components.Editor**5 public types**PublisherStudio.Components.Shared**1 public types**PublisherStudio.Controllers**20 public types**PublisherStudio.Controllers.Streaming.UseCases**6 public types**PublisherStudio.Diagnostics**3 public types**PublisherStudio.HostedServices.OrganicPlugins**1 public types**PublisherStudio.HostedServices.Streaming**2 public types**PublisherStudio.Hubs.Streaming.Chat**1 public types**PublisherStudio.Hubs.Streaming.Lan**1 public types**PublisherStudio.Models**1 public types**PublisherStudio.Services**47 public types**PublisherStudio.Services.Automation**10 public types**PublisherStudio.Services.CodeEditing**4 public types**PublisherStudio.Services.Configuration**19 public types**PublisherStudio.Services.Documentation**4 public types**PublisherStudio.Services.MediaConversion**2 public types**PublisherStudio.Services.MediaStudio.UseCases**1 public types**PublisherStudio.Services.OpenScad**16 public types**PublisherStudio.Services.OrganicPlugins**29 public types**PublisherStudio.Services.Panels**1 public types**PublisherStudio.Services.PictureStudio.Import**2 public types**PublisherStudio.Services.Publication**2 public types**PublisherStudio.Services.Publication.Import**1 public types**PublisherStudio.Services.Streaming.Capture**11 public types**PublisherStudio.Services.Streaming.Chat**1 public types**PublisherStudio.Services.Streaming.Encoding**8 public types**PublisherStudio.Services.Streaming.Hotkeys**5 public types**PublisherStudio.Services.Streaming.Lan**4 public types**PublisherStudio.Services.Streaming.MediaHost**4 public types**PublisherStudio.Services.Streaming.Metadata**1 public types**PublisherStudio.Services.Streaming.OAuth**1 public types**PublisherStudio.Services.Streaming.Profiles**1 public types**PublisherStudio.Services.Streaming.Sessions**8 public types**PublisherStudio.Services.Streaming.Settings**1 public types**PublisherStudio.Services.Streaming.UseCases.Chat**3 public types**PublisherStudio.Services.Streaming.UseCases.Editor**1 public types**PublisherStudio.Services.Streaming.UseCases.Ingest**1 public types**PublisherStudio.Services.Streaming.UseCases.Lan**3 public types**PublisherStudio.Services.Streaming.UseCases.NativeCapture**1 public types**PublisherStudio.Services.Streaming.UseCases.Runtime**2 public types**PublisherStudio.Services.Streaming.UseCases.Sessions**1 public types**PublisherStudio.Services.UserExperience**2 public types**PublisherStudio.Services.VideoStudio.Export**6 public types**PublisherStudio.Services.VideoStudio.Import**1 public types

Complete API reference

All 590 reviewed generated API pages follow. The owner build regenerates them from the current compiled assembly and XML comments.

PublisherStudio.BusinessObjects.ApiSurfaceDescriptor

Summary

Source

Declaration

Represents an API surface descriptor.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/AutomationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ApiSurfaceMethodDescriptor

Summary

Source

Declaration

Represents an API surface method descriptor.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/AutomationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.AudioElement

Summary

Source

Declaration

Represents an audio element.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.AutomationCompletion

Summary

Source

Declaration

Represents an automation completion.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/AutomationModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.AutomationRequestStatus

Summary

Source

Declaration

Lists supported automation request status values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/AutomationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.BarcodeElement

Summary

Source

Declaration

Represents a barcode element.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.BrowserAutomationCommand

Summary

Source

Declaration

Represents a browser automation command.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/AutomationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.BrowserAutomationCommandKind

Summary

Source

Declaration

Lists supported browser automation command kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/AutomationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.BrowserMediaDeviceInfo

Summary

Source

Declaration

Represents a browser media device info.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.BrowserRuntimeTemplateRequest

Summary

Source

Declaration

Represents a browser runtime template request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/AutomationModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.BrowserScreenshotRequest

Summary

Source

Declaration

Represents a browser screenshot request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/AutomationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.BusinessObjectContextSnapshot

Summary

Source

Declaration

Represents a business object context snapshot.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/AutomationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.BusinessObjectDescriptor

Summary

Source

Declaration

Represents a business object descriptor.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/AutomationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.CanvasInsertRequest

Summary

Source

Declaration

Represents a canvas insert request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.CartesianChartStyle

Summary

Source

Declaration

Lists supported cartesian chart style values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.CodeCommentRequest

Summary

Source

Declaration

Represents a code comment request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/CodeEditingModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.CodeLanguageProfile

Summary

Source

Declaration

Represents a code language profile.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/CodeEditingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.CodeTextRequest

Summary

Source

Declaration

Represents a code text request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/CodeEditingModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.CodeTextResult

Summary

Source

Declaration

Represents a code text result.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/CodeEditingModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.CodeTokenSpan

Summary

Source

Declaration

Represents a code token span.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/CodeEditingModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ConnectorAnchor

Summary

Source

Declaration

Lists supported connector anchor values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ConnectorDashStyle

Summary

Source

Declaration

Lists supported connector dash style values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ConnectorElement

Summary

Source

Declaration

Represents a connector element.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ConnectorEndpoint

Summary

Source

Declaration

Represents a connector endpoint.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ConnectorEndpointKind

Summary

Source

Declaration

Lists supported connector endpoint kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ConnectorMarker

Summary

Source

Declaration

Lists supported connector marker values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ConnectorPathKind

Summary

Source

Declaration

Lists supported connector path kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ConnectorToolKind

Summary

Source

Declaration

Lists supported connector tool kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.DataBubblePoint

Summary

Source

Declaration

Represents a data bubble point.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.DataChartPoint

Summary

Source

Declaration

Represents a data chart point.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.DataFinancialPoint

Summary

Source

Declaration

Represents a data financial point.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.DataPiePoint

Summary

Source

Declaration

Represents a data pie point.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.DataRangePoint

Summary

Source

Declaration

Represents a data range point.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.DataSankeyPoint

Summary

Source

Declaration

Represents a data sankey point.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.DataSparkPoint

Summary

Source

Declaration

Represents a data spark point.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.DataTreeMapPoint

Summary

Source

Declaration

Represents a data tree map point.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.DataVisualAggregationMode

Summary

Source

Declaration

Lists supported data visual aggregation mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.DataVisualArgumentMode

Summary

Source

Declaration

Lists supported data visual argument mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.DataVisualElement

Summary

Source

Declaration

Represents a data visual element.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.DataVisualKind

Summary

Source

Declaration

Lists supported data visual kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.DataVisualSortMode

Summary

Source

Declaration

Lists supported data visual sort mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.DevExtremeComponentElement

Summary

Source

Declaration

Represents a dev extreme component element.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.Diagnostics.DebugExceptionDiagnosticsOptions

Summary

Source

Declaration

Describes development-only first-chance exception diagnostics.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/Diagnostics/DebugExceptionDiagnosticsOptions.cs

Class in namespace PublisherStudio.BusinessObjects.Diagnostics .

Namespace PublisherStudio.BusinessObjects.Diagnostics

Class (1)

1 maintained public type(s).

PublisherStudio.BusinessObjects.DocumentObjectDataScope

Summary

Source

Declaration

Lists supported document object data scope values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ExternalFileDropRequest

Summary

Source

Declaration

Represents an external file drop request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.FillPictureLayer

Summary

Source

Declaration

Represents a fill picture layer.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.GuideLine

Summary

Source

Declaration

Represents a guide line.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.GuideOrientation

Summary

Source

Declaration

Lists supported guide orientation values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

Namespace PublisherStudio.BusinessObjects

Class (131)

Enum (113)

Record (42)

Record Struct (1)

287 maintained public type(s).

PublisherStudio.BusinessObjects.HtmlEmbedElement

Summary

Source

Declaration

Isolated authored HTML used inside pages and panel views. The iframe sandbox remains the trust boundary. Script execution is opt-in and is never enabled merely because imported HTML contains script tags.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationPanelModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ImageBlendMode

Summary

Source

Declaration

Lists supported image blend mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ImageFrameElement

Summary

Source

Declaration

Represents an image frame element.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ImageMaskShape

Summary

Source

Declaration

Lists supported image mask shape values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ImageTintMode

Summary

Source

Declaration

Lists supported image tint mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.InterchangeIssue

Summary

Source

Declaration

Represents an interchange issue.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/InterchangeModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.InterchangeIssueSeverity

Summary

Source

Declaration

Lists supported interchange issue severity values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/InterchangeModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.LiveSourceElement

Summary

Source

Declaration

Represents a live source element.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MeasurementUnit

Summary

Source

Declaration

Lists supported measurement unit values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaConversionCapabilities

Summary

Source

Declaration

Represents a media conversion capabilities.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/MediaConversionModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaConversionInsertRequest

Summary

Source

Declaration

Represents a media conversion insert request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/MediaConversionModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaConversionJobInfo

Summary

Source

Declaration

Represents a media conversion job info.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/MediaConversionModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaConversionJobStatus

Summary

Source

Declaration

Lists supported media conversion job status values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/MediaConversionModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaConversionOptions

Summary

Source

Declaration

Canonical FFmpeg options shared by the Mainframe UI, VideoStudio hand-offs, controller clients, saved profiles, and other frontend components. Empty values keep the selected preset's defaults.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/MediaConversionModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaConversionPreset

Summary

Source

Declaration

Represents a media conversion preset.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/MediaConversionModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaConversionProfile

Summary

Source

Declaration

Represents a media conversion profile.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/MediaConversionModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaConversionScaleMode

Summary

Source

Declaration

Lists supported media conversion scale mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/MediaConversionModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaConversionTarget

Summary

Source

Declaration

Lists supported media conversion target values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/MediaConversionModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaEditorResult

Summary

Source

Declaration

Represents a media editor result.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaFramePoint

Summary

Source

Declaration

Represents a media frame point.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaProjectMarker

Summary

Source

Declaration

Represents a media project marker.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaSourceInfo

Summary

Source

Declaration

Represents a media source info.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaSourceReference

Summary

Source

Declaration

Represents a media source reference.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaStudioMouseMode

Summary

Source

Declaration

Lists supported media studio mouse mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaTemporalSection

Summary

Source

Declaration

Represents a media temporal section.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaTimelineTrack

Summary

Source

Declaration

Represents a media timeline track.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaTimelineTrackKind

Summary

Source

Declaration

Lists supported media timeline track kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaTimelineTransition

Summary

Source

Declaration

Represents a media timeline transition.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.MediaTimelineTransitionKind

Summary

Source

Declaration

Lists supported media timeline transition kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.NativeMediaDeviceInfo

Summary

Source

Declaration

Represents a native media device info.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OpenScadAnimationEasing

Summary

Source

Declaration

Lists supported open scad animation easing values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OpenScadModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OpenScadAnimationProperty

Summary

Source

Declaration

Lists supported open scad animation property values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OpenScadModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OpenScadAnimationTrack

Summary

Source

Declaration

Represents an open scad animation track.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OpenScadModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OpenScadCodePart

Summary

Source

Declaration

Represents an open scad code part.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OpenScadModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OpenScadCodePartKind

Summary

Source

Declaration

Lists supported open scad code part kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OpenScadModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OpenScadDocument

Summary

Source

Declaration

Represents an open scad document.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OpenScadModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OpenScadGenerationResult

Summary

Source

Declaration

Represents an open scad generation result.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OpenScadModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OpenScadNode

Summary

Source

Declaration

Represents an open scad node.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OpenScadModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OpenScadNodeCategory

Summary

Source

Declaration

Lists supported open scad node category values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OpenScadModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OpenScadNodeDefinition

Summary

Source

Declaration

Represents an open scad node definition.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OpenScadModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OpenScadParameterDefinition

Summary

Source

Declaration

Represents an open scad parameter definition.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OpenScadModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OpenScadParameterType

Summary

Source

Declaration

Lists supported open scad parameter type values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OpenScadModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OpenScadValidationIssue

Summary

Source

Declaration

Represents an open scad validation issue.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OpenScadModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OpenScadValidationResult

Summary

Source

Declaration

Represents an open scad validation result.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OpenScadModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OpenScadValue

Summary

Source

Declaration

Represents an open scad value.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OpenScadModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OrganicConnectionRuntimeSnapshot

Summary

Source

Declaration

Represents an organic connection runtime snapshot.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OrganicPluginModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OrganicConnectionState

Summary

Source

Declaration

Represents an organic connection state.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OrganicPluginModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OrganicPluginOptions

Summary

Source

Declaration

Represents an organic plugin options.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OrganicPluginModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OrganicPluginWorkItem

Summary

Source

Declaration

Represents an organic plugin work item.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OrganicPluginModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OrganicProtocolProfile

Summary

Source

Declaration

Describes the active PublisherStudio 1-Wire protocol surface without exposing private runtime material.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OrganicPluginModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OrganicProtocolSettings

Summary

Source

Declaration

Public PublisherStudio protocol settings used to explain and validate the current connection.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OrganicPluginModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OrganicReplayPolicySnapshot

Summary

Source

Declaration

Represents an organic replay policy snapshot.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OrganicPluginModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OrganicTextInsertionProposal

Summary

Source

Declaration

Represents an organic text insertion proposal.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OrganicPluginModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.OrganicWorkDecisionRequest

Summary

Source

Declaration

Represents an organic work decision request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OrganicPluginModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PagePreset

Summary

Source

Declaration

Represents a page preset.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PagePresets.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PaintPictureLayer

Summary

Source

Declaration

Represents a paint picture layer.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PanelComponentToolDescriptor

Summary

Source

Declaration

Represents a panel component tool descriptor.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationPanelModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PanelElement

Summary

Source

Declaration

A reusable authored composition that can contain the same publication elements as a page. Panel views provide local navigation, while nested PanelElement instances allow dashboards and exported web experiences to be composed without introducing a second component model.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationPanelModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PanelTextPatternStoreOptions

Summary

Source

Declaration

Represents a panel text pattern store options.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PanelTextPatternStoreOptions.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PictureBlendMode

Summary

Source

Declaration

Lists supported picture blend mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PictureDocument

Summary

Source

Declaration

Represents a picture document.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PictureDrawTool

Summary

Source

Declaration

Lists supported picture draw tool values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PictureEditorResult

Summary

Source

Declaration

Represents a picture editor result.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PictureFillKind

Summary

Source

Declaration

Lists supported picture fill kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PictureImportResult

Summary

Source

Declaration

Represents a picture import result.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/InterchangeModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PictureLayer

Summary

Source

Declaration

Represents a picture layer.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PictureLayerKind

Summary

Source

Declaration

Lists supported picture layer kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PicturePoint

Summary

Source

Declaration

Represents a picture point.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PictureRasterFitMode

Summary

Source

Declaration

Lists supported picture raster fit mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PictureRenderKind

Summary

Source

Declaration

Lists supported picture render kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PictureShapeKind

Summary

Source

Declaration

Lists supported picture shape kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PictureStroke

Summary

Source

Declaration

Represents a picture stroke.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PictureStrokeKind

Summary

Source

Declaration

Lists supported picture stroke kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PictureTextAlignment

Summary

Source

Declaration

Lists supported picture text alignment values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PieChartStyle

Summary

Source

Declaration

Lists supported pie chart style values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PlatformChatMessage

Summary

Source

Declaration

Represents a platform chat message.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/StreamingChatModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PolarChartStyle

Summary

Source

Declaration

Lists supported polar chart style values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PolygonResampleRequest

Summary

Source

Declaration

Represents a polygon resample request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/AutomationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationAnimation

Summary

Source

Declaration

Represents a publication animation.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationAnimationDirection

Summary

Source

Declaration

Lists supported publication animation direction values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationAnimationEasing

Summary

Source

Declaration

Lists supported publication animation easing values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationAnimationEffect

Summary

Source

Declaration

Lists supported publication animation effect values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationAnimationPhase

Summary

Source

Declaration

Lists supported publication animation phase values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationAnimationTrigger

Summary

Source

Declaration

Lists supported publication animation trigger values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationAudioDisplayKind

Summary

Source

Declaration

Lists supported publication audio display kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationBarcodeErrorCorrection

Summary

Source

Declaration

Lists supported publication barcode error correction values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationBarcodeFormat

Summary

Source

Declaration

Lists supported publication barcode format values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationBarcodeModuleShape

Summary

Source

Declaration

Lists supported publication barcode module shape values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationCanvasBounds

Summary

Source

Declaration

Represents a publication canvas bounds.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationLayoutModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationCanvasZoomMode

Summary

Source

Declaration

Lists supported publication canvas zoom mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationCaptureBackend

Summary

Source

Declaration

Lists supported publication capture backend values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationChatDisplayMode

Summary

Source

Declaration

Lists supported publication chat display mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationChatPlatform

Summary

Source

Declaration

Lists supported publication chat platform values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentAction

Summary

Source

Declaration

Represents a publication component action.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentActionKind

Summary

Source

Declaration

Lists supported publication component action kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentActionTrigger

Summary

Source

Declaration

Lists supported publication component action trigger values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentConnection

Summary

Source

Declaration

Represents a publication component connection.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentDataMode

Summary

Source

Declaration

Lists supported publication component data mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentEditMode

Summary

Source

Declaration

Lists supported publication component edit mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentEditorKind

Summary

Source

Declaration

Lists supported publication component editor kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentField

Summary

Source

Declaration

Represents a publication component field.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentFieldArea

Summary

Source

Declaration

Lists supported publication component field area values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentHttpMethod

Summary

Source

Declaration

Lists supported publication component HTTP method values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentKind

Summary

Source

Declaration

Browser-native DevExtreme controls that can be rendered in the editor, interactive presentation export, and single-file website export without a Blazor or ASP.NET Core runtime in the exported document.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentPanel

Summary

Source

Declaration

Represents a publication component panel.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentProcessingMode

Summary

Source

Declaration

Lists supported publication component processing mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentScope

Summary

Source

Declaration

Lists supported publication component scope values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentSelectionMode

Summary

Source

Declaration

Lists supported publication component selection mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationComponentSummaryType

Summary

Source

Declaration

Lists supported publication component summary type values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationConnectorPort

Summary

Source

Declaration

Represents a publication connector port.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationContentFitMode

Summary

Source

Declaration

Lists supported publication content fit mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationDataColumn

Summary

Source

Declaration

Represents a publication data column.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationDataObject

Summary

Source

Declaration

Represents a publication data object.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationDataRow

Summary

Source

Declaration

Represents a publication data row.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationDataSourceKind

Summary

Source

Declaration

Lists supported publication data source kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationDataValueKind

Summary

Source

Declaration

Lists supported publication data value kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationDocument

Summary

Source

Declaration

Represents a publication document.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationElement

Summary

Source

Declaration

Represents a publication element.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationElementKind

Summary

Source

Declaration

Lists supported publication element kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationElementTemplate

Summary

Source

Declaration

Represents a publication element template.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationPanelModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationFieldRecord

Summary

Source

Declaration

Represents a publication field record.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationGridRow

Summary

Source

Declaration

Represents a publication grid row.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationHtmlExportSupport

Summary

Source

Declaration

Lists supported publication HTML export support values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationImportResult

Summary

Source

Declaration

Represents a publication import result.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/InterchangeModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationInteraction

Summary

Source

Declaration

Represents a publication interaction.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationInteractionAction

Summary

Source

Declaration

Lists supported publication interaction action values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationLanStreamingSettings

Summary

Source

Declaration

Represents a publication LAN streaming settings.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationLayerItem

Summary

Source

Declaration

Represents a publication layer item.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationLayoutModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationLayerMove

Summary

Source

Declaration

Lists supported publication layer move values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationLayoutModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationLayerOrderRequest

Summary

Source

Declaration

Represents a publication layer order request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationLayoutModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationLayoutConstraintRequest

Summary

Source

Declaration

Represents a publication layout constraint request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationLayoutModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationLiveSourceFitMode

Summary

Source

Declaration

Lists supported publication live source fit mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationLiveSourceKind

Summary

Source

Declaration

Lists supported publication live source kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationMapPoint

Summary

Source

Declaration

Represents a publication map point.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationMediaElement

Summary

Source

Declaration

Represents a publication media element.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationMediaPlaybackTrigger

Summary

Source

Declaration

Lists supported publication media playback trigger values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationMediaSegment

Summary

Source

Declaration

Represents a publication media segment.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationMenuDestinationKind

Summary

Source

Declaration

Lists supported publication menu destination kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationMenuItem

Summary

Source

Declaration

Represents a publication menu item.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationMenuSourceMode

Summary

Source

Declaration

Lists supported publication menu source mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationPage

Summary

Source

Declaration

Represents a publication page.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationPageTransition

Summary

Source

Declaration

Represents a publication page transition.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationPageTransitionKind

Summary

Source

Declaration

Lists supported publication page transition kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationPanelLayoutMode

Summary

Source

Declaration

Lists supported publication panel layout mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationPanelModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationPanelNavigationMode

Summary

Source

Declaration

Lists supported publication panel navigation mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationPanelModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationPanelPresetDescriptor

Summary

Source

Declaration

Represents a publication panel preset descriptor.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationPanelModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationPanelView

Summary

Source

Declaration

Represents a publication panel view.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationPanelModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationPlaybackSettings

Summary

Source

Declaration

Represents a publication playback settings.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationPoint

Summary

Source

Declaration

Represents a publication point.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationGeometryModels.cs

Record Struct in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationProjectSettings

Summary

Source

Declaration

Represents a publication project settings.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/ApplicationConfigurationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationRecordingSettings

Summary

Source

Declaration

Represents a publication recording settings.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationShape

Summary

Source

Declaration

Lists supported publication shape values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationStreamAudioCodec

Summary

Source

Declaration

Lists supported publication stream audio codec values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationStreamingHotkey

Summary

Source

Declaration

Represents a publication streaming hotkey.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationStreamingSettings

Summary

Source

Declaration

Represents a publication streaming settings.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationStreamOutput

Summary

Source

Declaration

Represents a publication stream output.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationStreamProvider

Summary

Source

Declaration

Lists supported publication stream provider values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationStreamQualityPreset

Summary

Source

Declaration

Lists supported publication stream quality preset values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationStreamRecordingVariant

Summary

Source

Declaration

Lists supported publication stream recording variant values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationStreamSessionMode

Summary

Source

Declaration

Lists supported publication stream session mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationStreamTransport

Summary

Source

Declaration

Lists supported publication stream transport values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationStreamVideoCodec

Summary

Source

Declaration

Lists supported publication stream video codec values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationVectorFeatureKind

Summary

Source

Declaration

Lists supported publication vector feature kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationVectorMapBaseLayer

Summary

Source

Declaration

Lists supported publication vector map base layer values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationVectorMapFeature

Summary

Source

Declaration

Represents a publication vector map feature.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationComponentModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationVideoFitMode

Summary

Source

Declaration

Lists supported publication video fit mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationViewSettings

Summary

Source

Declaration

Represents a publication view settings.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationWebBinding

Summary

Source

Declaration

Describes how PublisherStudio obtains a web resource. The same contract is intentionally independent from charts so it can later be reused by web-content frames, automation, network playback, and streaming providers.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationWebModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationWebHeader

Summary

Source

Declaration

Represents a publication web header.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationWebModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationWebHttpMethod

Summary

Source

Declaration

Lists supported publication web HTTP method values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationWebModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationWebResponseFormat

Summary

Source

Declaration

Lists supported publication web response format values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationWebModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublicationWebTransportKind

Summary

Source

Declaration

Lists supported publication web transport kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationWebModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherDocumentationComment

Summary

Source

Declaration

Represents one compiler-generated XML documentation member in a searchable form.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/DocumentationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherDocumentationManifest

Summary

Source

Declaration

Represents the build manifest written beside the generated documentation.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/DocumentationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherDocumentationProfile

Summary

Source

Declaration

Describes the documentation routes and availability exposed to local controllers and 1-Wire peers.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/DocumentationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherDocumentationStatus

Summary

Source

Declaration

Describes the generated documentation artifacts available to the running PublisherStudio build.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/DocumentationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherDocumentationViewerRequest

Summary

Source

Declaration

Describes one safe same-origin documentation view requested by the PublisherStudio frontend.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/DocumentationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherDocumentationViewerState

Summary

Source

Declaration

Represents the scoped in-application documentation viewer state for one Blazor circuit.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/DocumentationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherDocumentDefaultsPolicy

Summary

Source

Declaration

Represents a publisher document defaults policy.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublisherRuntimePolicyModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherMediaSessionDefaultsPolicy

Summary

Source

Declaration

Represents a publisher media session defaults policy.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublisherRuntimePolicyModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherNativeInteropPolicy

Summary

Source

Declaration

Represents a publisher native interop policy.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublisherRuntimePolicyModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherPictureStudioPolicy

Summary

Source

Declaration

Represents a publisher picture studio policy.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublisherRuntimePolicyModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherRegexPolicy

Summary

Source

Declaration

Represents a publisher regex policy.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublisherRuntimePolicyModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherRuntimeCollection

Summary

Source

Declaration

Lists supported publisher runtime collection values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublisherRuntimePolicyModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherRuntimePattern

Summary

Source

Declaration

Lists supported publisher runtime pattern values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublisherRuntimePolicyModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherRuntimePolicyOptions

Summary

Source

Declaration

Represents a publisher runtime policy options.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublisherRuntimePolicyModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherRuntimePolicySnapshot

Summary

Source

Declaration

Represents a publisher runtime policy snapshot.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublisherRuntimePolicyModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherRuntimeValueStoreOptions

Summary

Source

Declaration

Represents a publisher runtime value store options.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublisherRuntimePolicyModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherStudioConfigurationDocument

Summary

Source

Declaration

Represents a publisher studio configuration document.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublisherRuntimePolicyModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherStudioConfigurationNode

Summary

Source

Declaration

Represents a publisher studio configuration node.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublisherRuntimePolicyModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherStudioPathOptions

Summary

Source

Declaration

Represents a publisher studio path options.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/ApplicationConfigurationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherTwitchConfiguration

Summary

Source

Declaration

Represents a publisher twitch configuration.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublisherRuntimePolicyModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.PublisherTwitchEndpointPolicy

Summary

Source

Declaration

Represents a publisher twitch endpoint policy.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublisherRuntimePolicyModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.RasterPictureLayer

Summary

Source

Declaration

Represents a raster picture layer.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.RecurringScreenReaderSession

Summary

Source

Declaration

Represents a recurring screen reader session.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/OrganicPluginModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.RenderExportCapability

Summary

Source

Declaration

Represents a render export capability.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/ApplicationConfigurationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.RenderPictureLayer

Summary

Source

Declaration

Represents a render picture layer.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ScreenshotCompletion

Summary

Source

Declaration

Represents a screenshot completion.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/AutomationModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ServiceApiDescriptor

Summary

Source

Declaration

Represents a service API descriptor.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/AutomationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ShapeElement

Summary

Source

Declaration

Represents a shape element.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.ShapePictureLayer

Summary

Source

Declaration

Represents a shape picture layer.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.SignalCompletionAction

Summary

Source

Declaration

Lists supported signal completion action values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.SignalConnectorSettings

Summary

Source

Declaration

Represents a signal connector settings.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.SignalConnectorTrigger

Summary

Source

Declaration

Lists supported signal connector trigger values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.SignalConnectorVisual

Summary

Source

Declaration

Lists supported signal connector visual values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.SignalGesture

Summary

Source

Declaration

Lists supported signal gesture values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.SparklineChartStyle

Summary

Source

Declaration

Lists supported sparkline chart style values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationDataModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.SpreadsheetElement

Summary

Source

Declaration

Represents a spreadsheet element.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.SpreadsheetStorageFormat

Summary

Source

Declaration

Lists supported spreadsheet storage format values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.StoryPageLayout

Summary

Source

Declaration

Represents a story page layout.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStoryModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.StoryStorageFormat

Summary

Source

Declaration

Lists supported story storage format values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.Streaming.ChatSendRequest

Summary

Source

Declaration

Represents a chat send request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/Streaming/StreamingRuntimeContracts.cs

Record in namespace PublisherStudio.BusinessObjects.Streaming .

Namespace PublisherStudio.BusinessObjects.Streaming

Class (1)

Record (6)

7 maintained public type(s).

PublisherStudio.BusinessObjects.Streaming.IngestAnnouncement

Summary

Source

Declaration

Represents an ingest announcement.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/Streaming/StreamingRuntimeContracts.cs

Record in namespace PublisherStudio.BusinessObjects.Streaming .

PublisherStudio.BusinessObjects.Streaming.MediaHostHotkeyEvent

Summary

Source

Declaration

Represents a media host hotkey event.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/Streaming/StreamingRuntimeContracts.cs

Record in namespace PublisherStudio.BusinessObjects.Streaming .

PublisherStudio.BusinessObjects.Streaming.MediaHotkey

Summary

Source

Declaration

Represents a media hotkey.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/Streaming/StreamingRuntimeContracts.cs

Record in namespace PublisherStudio.BusinessObjects.Streaming .

PublisherStudio.BusinessObjects.Streaming.NativeCaptureRequest

Summary

Source

Declaration

Represents a native capture request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/Streaming/StreamingRuntimeContracts.cs

Class in namespace PublisherStudio.BusinessObjects.Streaming .

PublisherStudio.BusinessObjects.Streaming.ProgramPageRequest

Summary

Source

Declaration

Represents a program page request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/Streaming/StreamingRuntimeContracts.cs

Record in namespace PublisherStudio.BusinessObjects.Streaming .

PublisherStudio.BusinessObjects.Streaming.ToggleRequest

Summary

Source

Declaration

Represents a toggle request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/Streaming/StreamingRuntimeContracts.cs

Record in namespace PublisherStudio.BusinessObjects.Streaming .

PublisherStudio.BusinessObjects.StreamingChatSendResult

Summary

Source

Declaration

Represents a streaming chat send result.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/StreamingChatModels.cs

Record in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.StreamingDeviceProfile

Summary

Source

Declaration

Represents a streaming device profile.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.StreamingHardwareEncoderPreference

Summary

Source

Declaration

Lists supported streaming hardware encoder preference values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.StreamingMachineSettings

Summary

Source

Declaration

Represents a streaming machine settings.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.StreamingProviderAuthenticationMode

Summary

Source

Declaration

Lists supported streaming provider authentication mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.StreamingProviderProfile

Summary

Source

Declaration

Represents a streaming provider profile.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.StreamingSessionSnapshot

Summary

Source

Declaration

Represents a streaming session snapshot.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.SvgPictureLayer

Summary

Source

Declaration

Represents a SVG picture layer.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.TextFrameElement

Summary

Source

Declaration

Represents a text frame element.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.TextPictureLayer

Summary

Source

Declaration

Represents a text picture layer.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PictureStudioModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.TwitchDeviceAuthorization

Summary

Source

Declaration

Represents a twitch device authorization.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.TwitchIngestCandidate

Summary

Source

Declaration

Represents a twitch ingest candidate.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.TwitchOAuthConnectionResult

Summary

Source

Declaration

Represents a twitch OAuth connection result.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationStreamingModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.UserNotificationMessage

Summary

Source

Declaration

Represents an user notification message.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/UserNotificationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.UserNotificationSeverity

Summary

Source

Declaration

Lists supported user notification severity values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/UserNotificationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.VideoEffectBlendMode

Summary

Source

Declaration

Lists supported video effect blend mode values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.VideoEffectFilter

Summary

Source

Declaration

Represents a video effect filter.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.VideoEffectFilterKind

Summary

Source

Declaration

Lists supported video effect filter kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.VideoEffectLayer

Summary

Source

Declaration

Represents a video effect layer.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.VideoEffectLayerKind

Summary

Source

Declaration

Lists supported video effect layer kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.VideoElement

Summary

Source

Declaration

Represents a video element.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.VideoFrameRegion

Summary

Source

Declaration

Represents a video frame region.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.VideoLayerMainframeInsertRequest

Summary

Source

Declaration

Represents a video layer mainframe insert request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.VideoProjectDocument

Summary

Source

Declaration

Represents a video project document.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationMediaModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.VideoProjectImportResult

Summary

Source

Declaration

Represents a video project import result.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/InterchangeModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.WordArtElement

Summary

Source

Declaration

Represents a word art element.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.WordArtFillKind

Summary

Source

Declaration

Lists supported word art fill kind values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.WordArtPathPoint

Summary

Source

Declaration

Represents a word art path point.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationGeometryModels.cs

Class in namespace PublisherStudio.BusinessObjects .

PublisherStudio.BusinessObjects.WordArtWarp

Summary

Source

Declaration

Lists supported word art warp values.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/BusinessObjects/PublicationModels.cs

Enum in namespace PublisherStudio.BusinessObjects .

Namespace PublisherStudio.Components.Editor

Class (4)

Record (1)

5 maintained public type(s).

PublisherStudio.Components.Editor.PictureEditor

Summary

Source

Declaration

Represents a picture editor.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Components/Editor/PictureEditor.razor.cs

Class in namespace PublisherStudio.Components.Editor .

PublisherStudio.Components.Editor.SpreadsheetDataObjectResult

Summary

Source

Declaration

Represents a spreadsheet data object result.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Components/Editor/SpreadsheetEditorResult.cs

Class in namespace PublisherStudio.Components.Editor .

PublisherStudio.Components.Editor.SpreadsheetDataSelection

Summary

Source

Declaration

Represents a spreadsheet data selection.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Components/Editor/SpreadsheetEditorResult.cs

Class in namespace PublisherStudio.Components.Editor .

PublisherStudio.Components.Editor.SpreadsheetEditorResult

Summary

Source

Declaration

Represents a spreadsheet editor result.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Components/Editor/SpreadsheetEditorResult.cs

Record in namespace PublisherStudio.Components.Editor .

PublisherStudio.Components.Editor.SvgWordArtText

Summary

Source

Declaration

Renders an SVG `<text>` element without using Razor's reserved `<text>` pseudo-element syntax. This keeps WordArt markup compile-safe in `.razor` files.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Components/Editor/SvgWordArtText.cs

Class in namespace PublisherStudio.Components.Editor .

Namespace PublisherStudio.Components.Shared

Class (1)

1 maintained public type(s).

PublisherStudio.Components.Shared.OperationalErrorBoundary

Summary

Source

Declaration

Logs unhandled component failures and surfaces one circuit-scoped notification. Dispose paths are intentionally not instrumented because circuit shutdown is expected.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Components/Shared/OperationalErrorBoundary.cs

Class in namespace PublisherStudio.Components.Shared .

PublisherStudio.Controllers.ApiSurfaceCatalogService

Summary

Source

Declaration

MVC adapter for describing the public HTTP surface without leaking MVC into reusable services.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/ApiSurfaceCatalogService.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.AssetController

Summary

Source

Declaration

Provides asset controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/AssetController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.AutomationInputController

Summary

Source

Declaration

Provides automation input controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/AutomationController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.AutomationRuntimeController

Summary

Source

Declaration

Provides automation runtime controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/AutomationController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.AutomationScreenshotController

Summary

Source

Declaration

Provides automation screenshot controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/AutomationController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.CodeController

Summary

Source

Declaration

Provides code controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/CodeController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.ConfigurationController

Summary

Source

Declaration

Provides configuration controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/ConfigurationController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.DocumentationController

Summary

Source

Declaration

Exposes generated PublisherStudio documentation, status information, and searchable XML comments.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/DocumentationController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.DomainContextController

Summary

Source

Declaration

Provides domain context controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/AutomationController.cs

Class in namespace PublisherStudio.Controllers .

Namespace PublisherStudio.Controllers

Class (20)

20 maintained public type(s).

PublisherStudio.Controllers.MediaConversionController

Summary

Source

Declaration

Provides media conversion controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/MediaConversionController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.OpenScadController

Summary

Source

Declaration

Provides open scad controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/OpenScadController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.OrganicPluginController

Summary

Source

Declaration

Provides organic plugin controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/OrganicPluginController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.OrganicWireHttpController

Summary

Source

Declaration

Transport-neutral HTTP/JSON adapter for user-built organic add-ons and small gateway devices. The endpoint shares PublisherStudio's capability catalog, permission store, approval queue and runtime trust service.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/OrganicWireHttpController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.PublicationController

Summary

Source

Declaration

Provides publication controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/PublicationController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.PublicationLayoutController

Summary

Source

Declaration

Provides publication layout controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/PublicationLayoutController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.RenderExportController

Summary

Source

Declaration

Provides render export controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/ConfigurationController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.RuntimePolicyController

Summary

Source

Declaration

Provides runtime policy controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/RuntimePolicyController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.SpreadsheetController

Summary

Source

Declaration

Provides spreadsheet controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/SpreadsheetController.cs

Class in namespace PublisherStudio.Controllers .

Namespace PublisherStudio.Controllers.Streaming.UseCases

Class (6)

6 maintained public type(s).

PublisherStudio.Controllers.Streaming.UseCases.NativeCaptureController

Summary

Source

Declaration

Provides native capture controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/Streaming/UseCases/NativeCaptureController.cs

Class in namespace PublisherStudio.Controllers.Streaming.UseCases .

PublisherStudio.Controllers.Streaming.UseCases.StreamingChatController

Summary

Source

Declaration

Provides streaming chat controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/Streaming/UseCases/StreamingChatController.cs

Class in namespace PublisherStudio.Controllers.Streaming.UseCases .

PublisherStudio.Controllers.Streaming.UseCases.StreamingIngestController

Summary

Source

Declaration

Provides streaming ingest controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/Streaming/UseCases/StreamingIngestController.cs

Class in namespace PublisherStudio.Controllers.Streaming.UseCases .

PublisherStudio.Controllers.Streaming.UseCases.StreamingLanController

Summary

Source

Declaration

Provides streaming LAN controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/Streaming/UseCases/StreamingLanController.cs

Class in namespace PublisherStudio.Controllers.Streaming.UseCases .

PublisherStudio.Controllers.Streaming.UseCases.StreamingRuntimeController

Summary

Source

Declaration

Provides streaming runtime controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/Streaming/UseCases/StreamingRuntimeController.cs

Class in namespace PublisherStudio.Controllers.Streaming.UseCases .

PublisherStudio.Controllers.Streaming.UseCases.StreamingSessionController

Summary

Source

Declaration

Provides streaming session controller operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/Streaming/UseCases/StreamingSessionController.cs

Class in namespace PublisherStudio.Controllers.Streaming.UseCases .

PublisherStudio.Controllers.VideoLayerInterchangeController

Summary

Source

Declaration

Loopback API for the same reusable Video Studio interchange services used by Mainframe and components.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/VideoLayerInterchangeController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Controllers.WebDataController

Summary

Source

Declaration

Loopback-first data API for publication objects. The DTO boundary is deliberately transport-neutral so the same routes can later feed LAN viewers, VLC-compatible streams, or configured streaming providers without coupling them to Blazor state.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Controllers/WebDataController.cs

Class in namespace PublisherStudio.Controllers .

PublisherStudio.Diagnostics.ControllerRequestLoggingFilter

Summary

Source

Declaration

Provides controller request logging filter operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Diagnostics/ControllerRequestLoggingFilter.cs

Class in namespace PublisherStudio.Diagnostics .

PublisherStudio.Diagnostics.DebugFirstChanceExceptionLoggingHostedService

Summary

Source

Declaration

Adds bounded, contextual application logging for first-chance exceptions during development.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Diagnostics/DebugFirstChanceExceptionLoggingHostedService.cs

Class in namespace PublisherStudio.Diagnostics .

Namespace PublisherStudio.Diagnostics

Class (3)

3 maintained public type(s).

PublisherStudio.Diagnostics.ServiceRegistrationLoggingHostedService

Summary

Source

Declaration

Provides service registration logging hosted service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Diagnostics/ServiceRegistrationLoggingHostedService.cs

Class in namespace PublisherStudio.Diagnostics .

Namespace PublisherStudio.HostedServices.OrganicPlugins

Class (1)

1 maintained public type(s).

PublisherStudio.HostedServices.OrganicPlugins.LocalGptDiscoveryHostedService

Summary

Source

Declaration

Provides local gpt discovery hosted service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/HostedServices/OrganicPlugins/LocalGptDiscoveryHostedService.cs

Class in namespace PublisherStudio.HostedServices.OrganicPlugins .

PublisherStudio.HostedServices.Streaming.GlobalHotkeyHostedService

Summary

Source

Declaration

Owns application-lifetime startup and shutdown for the reusable global-hotkey service. Hotkey registration, event queues and Windows interop remain in Services so controllers, UI orchestration and other hosted services can reuse the same capability.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/HostedServices/Streaming/GlobalHotkeyHostedService.cs

Class in namespace PublisherStudio.HostedServices.Streaming .

Namespace PublisherStudio.HostedServices.Streaming

Class (2)

2 maintained public type(s).

PublisherStudio.HostedServices.Streaming.TwitchOAuthMaintenanceService

Summary

Source

Declaration

Provides twitch OAuth maintenance service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/HostedServices/Streaming/TwitchOAuthMaintenanceService.cs

Class in namespace PublisherStudio.HostedServices.Streaming .

Namespace PublisherStudio

Class (2)

2 maintained public type(s).

Namespace PublisherStudio.Hubs.Streaming.Chat

Class (1)

1 maintained public type(s).

PublisherStudio.Hubs.Streaming.Chat.PlatformChatHub

Summary

Source

Declaration

WebSocket entry point for platform-chat subscriptions. Reusable provider, history and session processing stays in Services/Streaming; controllers only own HTTP negotiation.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Hubs/Streaming/Chat/PlatformChatHub.cs

Class in namespace PublisherStudio.Hubs.Streaming.Chat .

Namespace PublisherStudio.Hubs.Streaming.Lan

Class (1)

1 maintained public type(s).

PublisherStudio.Hubs.Streaming.Lan.WebRtcSignalingHub

Summary

Source

Declaration

WebSocket entry point for the renderer-side WebRTC signaling connection. Signaling state and session lookup remain reusable services; the hub exposes the persistent connection role.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Hubs/Streaming/Lan/WebRtcSignalingHub.cs

Class in namespace PublisherStudio.Hubs.Streaming.Lan .

Namespace PublisherStudio.Models

Class (1)

1 maintained public type(s).

PublisherStudio.Models.SpreadsheetEditorViewModel

Summary

Source

Declaration

Represents a spreadsheet editor view model.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Models/SpreadsheetEditorViewModel.cs

Class in namespace PublisherStudio.Models .

PublisherStudio.Program

Summary

Source

Declaration

Represents a program.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Program.cs

Class in namespace PublisherStudio .

PublisherStudio.Services.ApplicationPortResolver

Summary

Source

Declaration

Provides application port resolver operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/ApplicationHostServices.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.Automation.BusinessObjectContextService

Summary

Source

Declaration

Provides business object context service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Automation/BusinessObjectContextService.cs

Class in namespace PublisherStudio.Services.Automation .

Namespace PublisherStudio.Services.Automation

Class (4)

Interface (5)

Record (1)

10 maintained public type(s).

PublisherStudio.Services.Automation.IApiSurfaceCatalogService

Summary

Source

Declaration

Defines the API surface catalog service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Automation/IAutomationServices.cs

Interface in namespace PublisherStudio.Services.Automation .

PublisherStudio.Services.Automation.IBusinessObjectContextService

Summary

Source

Declaration

Defines the business object context service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Automation/IAutomationServices.cs

Interface in namespace PublisherStudio.Services.Automation .

PublisherStudio.Services.Automation.IScreenshotCaptureService

Summary

Source

Declaration

Defines the screenshot capture service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Automation/IAutomationServices.cs

Interface in namespace PublisherStudio.Services.Automation .

PublisherStudio.Services.Automation.IServiceArchitectureRegistry

Summary

Source

Declaration

Defines the service architecture registry contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Automation/BusinessObjectContextService.cs

Interface in namespace PublisherStudio.Services.Automation .

PublisherStudio.Services.Automation.IUserInputAutomationService

Summary

Source

Declaration

Defines the user input automation service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Automation/IAutomationServices.cs

Interface in namespace PublisherStudio.Services.Automation .

PublisherStudio.Services.Automation.ScreenshotCaptureService

Summary

Source

Declaration

Provides screenshot capture service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Automation/BrowserAutomationServices.cs

Class in namespace PublisherStudio.Services.Automation .

PublisherStudio.Services.Automation.ServiceArchitectureDescriptor

Summary

Source

Declaration

Represents a service architecture descriptor.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Automation/BusinessObjectContextService.cs

Record in namespace PublisherStudio.Services.Automation .

PublisherStudio.Services.Automation.ServiceArchitectureRegistry

Summary

Source

Declaration

Provides service architecture registry operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Automation/BusinessObjectContextService.cs

Class in namespace PublisherStudio.Services.Automation .

PublisherStudio.Services.Automation.UserInputAutomationService

Summary

Source

Declaration

Provides user input automation service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Automation/BrowserAutomationServices.cs

Class in namespace PublisherStudio.Services.Automation .

PublisherStudio.Services.CodeEditing.CodeFormattingService

Summary

Source

Declaration

Provides code formatting service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/CodeEditing/CodeFormattingService.cs

Class in namespace PublisherStudio.Services.CodeEditing .

PublisherStudio.Services.CodeEditing.CodeLanguageService

Summary

Source

Declaration

Provides code language service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/CodeEditing/CodeLanguageService.cs

Class in namespace PublisherStudio.Services.CodeEditing .

Namespace PublisherStudio.Services.CodeEditing

Class (2)

Interface (2)

4 maintained public type(s).

PublisherStudio.Services.CodeEditing.ICodeFormattingService

Summary

Source

Declaration

Defines the code formatting service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/CodeEditing/ICodeEditingServices.cs

Interface in namespace PublisherStudio.Services.CodeEditing .

PublisherStudio.Services.CodeEditing.ICodeLanguageService

Summary

Source

Declaration

Defines the code language service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/CodeEditing/ICodeEditingServices.cs

Interface in namespace PublisherStudio.Services.CodeEditing .

PublisherStudio.Services.Configuration.ApplicationPathService

Summary

Source

Declaration

Provides application path service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/ApplicationPathService.cs

Class in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.FileLocalizationService

Summary

Source

Declaration

Provides file localization service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/FileLocalizationService.cs

Class in namespace PublisherStudio.Services.Configuration .

Namespace PublisherStudio.Services.Configuration

Class (11)

Interface (8)

19 maintained public type(s).

PublisherStudio.Services.Configuration.IApplicationPathService

Summary

Source

Declaration

Defines the application path service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/IApplicationConfigurationServices.cs

Interface in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.IFileLocalizationService

Summary

Source

Declaration

Defines the file localization service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/IApplicationConfigurationServices.cs

Interface in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.IPanelStudioTextPatternDataService

Summary

Source

Declaration

Supplies panel text patterns from the configured serializable object store. Components and runtime services must not own regex literals, flags, or timeouts.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/IPanelStudioTextPatternDataService.cs

Interface in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.IPublisherDxFunctionCatalogDataService

Summary

Source

Declaration

Defines the publisher DevExpress function catalog data service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/PublisherDxFunctionCatalogDataService.cs

Interface in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.IPublisherRuntimePatternService

Summary

Source

Declaration

Defines the publisher runtime pattern service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/IPublisherRuntimePatternService.cs

Interface in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.IPublisherRuntimePolicyDataService

Summary

Source

Declaration

Defines the publisher runtime policy data service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/IPublisherRuntimePolicyDataService.cs

Interface in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.IRenderExportCatalogService

Summary

Source

Declaration

Defines the render export catalog service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/IApplicationConfigurationServices.cs

Interface in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.ISystemVariableStoreService

Summary

Source

Declaration

Defines the system variable store service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/ISystemVariableStoreService.cs

Interface in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.OrganicConnectionRuntimeStateService

Summary

Source

Declaration

Provides organic connection runtime state service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/OrganicConnectionRuntimeStateService.cs

Class in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.OrganicReplayPolicyDataService

Summary

Source

Declaration

Provides organic replay policy data service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/OrganicReplayPolicyDataService.cs

Class in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.PanelStudioTextPatternDataService

Summary

Source

Declaration

Serializable-object-store boundary for panel text patterns. The reviewed seed travels with the application; an optional LocalApplicationData override can replace entries without moving runtime values back into components, controllers, or business services.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/PanelStudioTextPatternDataService.cs

Class in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.PublisherDxFunctionCatalogDataService

Summary

Source

Declaration

Loads the deployed PublisherStudio function catalog and merges optional user-local overrides. A malformed user override is ignored with a warning so the shipped catalog remains usable.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/PublisherDxFunctionCatalogDataService.cs

Class in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.PublisherDxFunctionCatalogDocument

Summary

Source

Declaration

Represents a publisher DevExpress function catalog document.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/PublisherDxFunctionCatalogDataService.cs

Class in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.PublisherRuntimePatternService

Summary

Source

Declaration

Provides publisher runtime pattern service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/PublisherRuntimePatternService.cs

Class in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.PublisherRuntimePolicyDataService

Summary

Source

Declaration

Provides publisher runtime policy data service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/PublisherRuntimePolicyDataService.cs

Class in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.RenderExportCatalogService

Summary

Source

Declaration

Provides render export catalog service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/RenderExportCatalogService.cs

Class in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.Configuration.SystemVariableStoreService

Summary

Source

Declaration

Provides system variable store service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Configuration/SystemVariableStoreService.cs

Class in namespace PublisherStudio.Services.Configuration .

PublisherStudio.Services.ConnectorGeometry

Summary

Source

Declaration

Represents a connector geometry.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/ConnectorGeometry.cs

Class in namespace PublisherStudio.Services .

Namespace PublisherStudio.Services.Documentation

Class (2)

Interface (2)

4 maintained public type(s).

PublisherStudio.Services.Documentation.IPublisherDocumentationCatalogService

Summary

Source

Declaration

Resolves generated PublisherStudio documentation without exposing arbitrary filesystem paths.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Documentation/IPublisherDocumentationCatalogService.cs

Interface in namespace PublisherStudio.Services.Documentation .

PublisherStudio.Services.Documentation.IPublisherDocumentationViewerService

Summary

Source

Declaration

Coordinates one focus-managed same-origin documentation modal per Blazor circuit.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Documentation/PublisherDocumentationViewerService.cs

Interface in namespace PublisherStudio.Services.Documentation .

PublisherStudio.Services.Documentation.PublisherDocumentationCatalogService

Summary

Source

Declaration

Reads build-generated DocFX artifacts and compiler XML comments from the installed application tree.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Documentation/PublisherDocumentationCatalogService.cs

Class in namespace PublisherStudio.Services.Documentation .

PublisherStudio.Services.Documentation.PublisherDocumentationViewerService

Summary

Source

Declaration

Scoped implementation of the PublisherStudio documentation viewer coordinator.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Documentation/PublisherDocumentationViewerService.cs

Class in namespace PublisherStudio.Services.Documentation .

PublisherStudio.Services.EditorStateService

Summary

Source

Declaration

Provides editor state service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/EditorStateService.cs

Class in namespace PublisherStudio.Services .

Namespace PublisherStudio.Services

Class (31)

Interface (8)

Record (8)

47 maintained public type(s).

PublisherStudio.Services.IApplicationPortResolver

Summary

Source

Declaration

Defines the application port resolver contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/ApplicationHostServices.cs

Interface in namespace PublisherStudio.Services .

PublisherStudio.Services.IPagePresetCatalog

Summary

Source

Declaration

Defines the page preset catalog contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationLayoutCatalogServices.cs

Interface in namespace PublisherStudio.Services .

PublisherStudio.Services.IPublicationGridRowFactory

Summary

Source

Declaration

Defines the publication grid row factory contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublisherDocumentFactory.cs

Interface in namespace PublisherStudio.Services .

PublisherStudio.Services.IPublicationMarkupService

Summary

Source

Declaration

Defines the publication markup service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationMarkupService.cs

Interface in namespace PublisherStudio.Services .

PublisherStudio.Services.IPublisherDocumentFactory

Summary

Source

Declaration

Defines the publisher document factory contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublisherDocumentFactory.cs

Interface in namespace PublisherStudio.Services .

PublisherStudio.Services.IRuntimeEndpointState

Summary

Source

Declaration

Defines the runtime endpoint state contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/ApplicationHostServices.cs

Interface in namespace PublisherStudio.Services .

PublisherStudio.Services.IRuntimeEndpointWriter

Summary

Source

Declaration

Defines the runtime endpoint writer contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/ApplicationHostServices.cs

Interface in namespace PublisherStudio.Services .

PublisherStudio.Services.IStoryPageLayoutService

Summary

Source

Declaration

Defines the story page layout service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationLayoutCatalogServices.cs

Interface in namespace PublisherStudio.Services .

PublisherStudio.Services.LiveDataColumn

Summary

Source

Declaration

Represents a live data column.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationLiveDataRegistry.cs

Record in namespace PublisherStudio.Services .

PublisherStudio.Services.LiveDataObjectSnapshot

Summary

Source

Declaration

Represents a live data object snapshot.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationLiveDataRegistry.cs

Record in namespace PublisherStudio.Services .

PublisherStudio.Services.LiveElementSnapshot

Summary

Source

Declaration

Represents a live element snapshot.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationLiveDataRegistry.cs

Record in namespace PublisherStudio.Services .

PublisherStudio.Services.LivePageSnapshot

Summary

Source

Declaration

Represents a live page snapshot.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationLiveDataRegistry.cs

Record in namespace PublisherStudio.Services .

PublisherStudio.Services.LivePublicationSnapshot

Summary

Source

Declaration

Represents a live publication snapshot.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationLiveDataRegistry.cs

Record in namespace PublisherStudio.Services .

PublisherStudio.Services.LivePublicationSummary

Summary

Source

Declaration

Represents a live publication summary.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationLiveDataRegistry.cs

Record in namespace PublisherStudio.Services .

Namespace PublisherStudio.Services.MediaConversion

Class (1)

Interface (1)

2 maintained public type(s).

PublisherStudio.Services.MediaConversion.IMediaConversionService

Summary

Source

Declaration

Defines the media conversion service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/MediaConversion/IMediaConversionService.cs

Interface in namespace PublisherStudio.Services.MediaConversion .

PublisherStudio.Services.MediaConversion.MediaConversionService

Summary

Source

Declaration

Provides media conversion service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/MediaConversion/MediaConversionService.cs

Class in namespace PublisherStudio.Services.MediaConversion .

Namespace PublisherStudio.Services.MediaStudio.UseCases

Class (1)

1 maintained public type(s).

PublisherStudio.Services.MediaStudio.UseCases.MediaTimelineEditService

Summary

Source

Declaration

Reusable, non-destructive clip orchestration shared by Video Studio, Audio Studio and live video inputs. Components own pointer state; this service owns deterministic timeline, cut-section and video-layer mutations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/MediaStudio/UseCases/MediaTimelineEditService.cs

Class in namespace PublisherStudio.Services.MediaStudio.UseCases .

Namespace PublisherStudio.Services.OpenScad

Class (10)

Interface (6)

16 maintained public type(s).

PublisherStudio.Services.OpenScad.IOpenScadCatalogService

Summary

Source

Declaration

Defines the open scad catalog service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/IOpenScadServices.cs

Interface in namespace PublisherStudio.Services.OpenScad .

PublisherStudio.Services.OpenScad.IOpenScadDocumentService

Summary

Source

Declaration

Defines the open scad document service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/IOpenScadServices.cs

Interface in namespace PublisherStudio.Services.OpenScad .

PublisherStudio.Services.OpenScad.IOpenScadNodeFactoryService

Summary

Source

Declaration

Defines the open scad node factory service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/IOpenScadServices.cs

Interface in namespace PublisherStudio.Services.OpenScad .

PublisherStudio.Services.OpenScad.IOpenScadNodeRenderer

Summary

Source

Declaration

Defines the open scad node renderer contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/IOpenScadServices.cs

Interface in namespace PublisherStudio.Services.OpenScad .

PublisherStudio.Services.OpenScad.IOpenScadValueFormatter

Summary

Source

Declaration

Defines the open scad value formatter contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/IOpenScadServices.cs

Interface in namespace PublisherStudio.Services.OpenScad .

PublisherStudio.Services.OpenScad.IOpenScadVideoLayerAdapter

Summary

Source

Declaration

Defines the open scad video layer adapter contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/IOpenScadServices.cs

Interface in namespace PublisherStudio.Services.OpenScad .

PublisherStudio.Services.OpenScad.OpenScadCatalogService

Summary

Source

Declaration

Provides open scad catalog service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/OpenScadCatalogService.cs

Class in namespace PublisherStudio.Services.OpenScad .

PublisherStudio.Services.OpenScad.OpenScadDocumentService

Summary

Source

Declaration

Provides open scad document service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/OpenScadDocumentService.cs

Class in namespace PublisherStudio.Services.OpenScad .

PublisherStudio.Services.OpenScad.OpenScadModuleCallNodeRendererer

Summary

Source

Declaration

Provides open scad module call node rendererer operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/OpenScadNodeRenderers.cs

Class in namespace PublisherStudio.Services.OpenScad .

PublisherStudio.Services.OpenScad.OpenScadNodeFactoryService

Summary

Source

Declaration

Creates catalog-backed nodes with typed defaults for property panels and future visual builders.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/OpenScadNodeFactoryService.cs

Class in namespace PublisherStudio.Services.OpenScad .

PublisherStudio.Services.OpenScad.OpenScadPrimitiveNodeRenderer

Summary

Source

Declaration

Provides open scad primitive node renderer operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/OpenScadNodeRenderers.cs

Class in namespace PublisherStudio.Services.OpenScad .

PublisherStudio.Services.OpenScad.OpenScadRawNodeRenderer

Summary

Source

Declaration

Provides open scad raw node renderer operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/OpenScadNodeRenderers.cs

Class in namespace PublisherStudio.Services.OpenScad .

PublisherStudio.Services.OpenScad.OpenScadRenderContext

Summary

Source

Declaration

Represents an open scad render context.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/IOpenScadServices.cs

Class in namespace PublisherStudio.Services.OpenScad .

PublisherStudio.Services.OpenScad.OpenScadValueFormatter

Summary

Source

Declaration

Represents an open scad value formatter.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/OpenScadValueFormatter.cs

Class in namespace PublisherStudio.Services.OpenScad .

PublisherStudio.Services.OpenScad.OpenScadVideoLayerAdapter

Summary

Source

Declaration

Represents an open scad video layer adapter.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/OpenScadVideoLayerAdapter.cs

Class in namespace PublisherStudio.Services.OpenScad .

PublisherStudio.Services.OpenScad.OpenScadWrapperNodeRenderer

Summary

Source

Declaration

Provides open scad wrapper node renderer operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OpenScad/OpenScadNodeRenderers.cs

Class in namespace PublisherStudio.Services.OpenScad .

Namespace PublisherStudio.Services.OrganicPlugins

Class (14)

Interface (15)

29 maintained public type(s).

PublisherStudio.Services.OrganicPlugins.ILocalGptConnectionService

Summary

Source

Declaration

Defines the local gpt connection service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/IOrganicPluginServices.cs

Interface in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.ILocalGptDiscoveryRegistry

Summary

Source

Declaration

Defines the local gpt discovery registry contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/IOrganicPluginServices.cs

Interface in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.IOrganicCapabilityCatalog

Summary

Source

Declaration

Defines the organic capability catalog contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/IOrganicPluginServices.cs

Interface in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.IOrganicConnectionRuntimeState

Summary

Source

Declaration

Defines the organic connection runtime state contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/IOrganicPluginServices.cs

Interface in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.IOrganicPermissionStore

Summary

Source

Declaration

Defines the organic permission store contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/IOrganicPluginServices.cs

Interface in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.IOrganicPluginProtocolCodec

Summary

Source

Declaration

Defines the organic plugin protocol codec contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/IOrganicPluginServices.cs

Interface in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.IOrganicReplayGuard

Summary

Source

Declaration

Defines the organic replay guard contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/IOrganicPluginServices.cs

Interface in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.IOrganicReplayPolicyDataService

Summary

Source

Declaration

Defines the organic replay policy data service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/IOrganicPluginServices.cs

Interface in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.IOrganicResultStore

Summary

Source

Declaration

Defines the organic result store contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/IOrganicPluginServices.cs

Interface in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.IOrganicRuntimeSecurityService

Summary

Source

Declaration

Defines the organic runtime security service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/IOrganicPluginServices.cs

Interface in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.IOrganicTransportSecurityPolicy

Summary

Source

Declaration

Defines the organic transport security policy contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/IOrganicPluginServices.cs

Interface in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.IOrganicWireEnvelopeFactory

Summary

Source

Declaration

Defines the organic wire envelope factory contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/IOrganicPluginServices.cs

Interface in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.IOrganicWorkCoordinator

Summary

Source

Declaration

Defines the organic work coordinator contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/IOrganicPluginServices.cs

Interface in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.IOrganicWorkExecutor

Summary

Source

Declaration

Defines the organic work executor contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/IOrganicPluginServices.cs

Interface in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.IRecurringScreenReaderService

Summary

Source

Declaration

Defines the recurring screen reader service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/IOrganicPluginServices.cs

Interface in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.LocalGptConnectionService

Summary

Source

Declaration

Provides local gpt connection service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/LocalGptConnectionService.cs

Class in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.LocalGptDiscoveryRegistry

Summary

Source

Declaration

Provides local gpt discovery registry operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/OrganicPluginStateServices.cs

Class in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.ObjectStoreOrganicCapabilityCatalog

Summary

Source

Declaration

Runtime PublisherStudio capability catalog. DX function descriptors are loaded from the serializable object store and advertised through the shared WireLibrary contracts. The reviewed legacy catalog remains intact for its non-DX UI and hardware metadata only.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/ObjectStoreOrganicCapabilityCatalog.cs

Class in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.OrganicCapabilityCatalog

Summary

Source

Declaration

Provides organic capability catalog operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/OrganicCapabilityAndExecutionServices.cs

Class in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.OrganicPermissionStore

Summary

Source

Declaration

Provides organic permission store operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/OrganicPluginStateServices.cs

Class in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.OrganicPluginProtocolCodec

Summary

Source

Declaration

Represents an organic plugin protocol codec.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/OrganicPluginProtocolCodec.cs

Class in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.OrganicReplayGuard

Summary

Source

Declaration

Represents an organic replay guard.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/OrganicPluginStateServices.cs

Class in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.OrganicResultStore

Summary

Source

Declaration

Provides organic result store operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/OrganicPluginStateServices.cs

Class in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.OrganicRuntimeSecurityService

Summary

Source

Declaration

Owns the runtime-generated PublisherStudio 1-Wire identity. Private keys and the MFA seed are created only at runtime, are never compiled into the application, and can be discarded from the frontend to reset every trusted link.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/OrganicRuntimeSecurityService.cs

Class in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.OrganicTransportSecurityPolicy

Summary

Source

Declaration

Represents an organic transport security policy.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/OrganicTransportSecurityPolicy.cs

Class in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.OrganicWireEnvelopeFactory

Summary

Source

Declaration

Provides organic wire envelope factory operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/OrganicWireEnvelopeFactory.cs

Class in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.OrganicWorkCoordinator

Summary

Source

Declaration

Represents an organic work coordinator.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/OrganicCapabilityAndExecutionServices.cs

Class in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.OrganicWorkExecutor

Summary

Source

Declaration

Represents an organic work executor.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/OrganicCapabilityAndExecutionServices.cs

Class in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.OrganicPlugins.RecurringScreenReaderService

Summary

Source

Declaration

User-started, single-flight screen-reader sessions. A session never queues a new screenshot or LocalGPT request while the previous evidence package is still pending, which prevents timer pile-ups and race conditions.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/OrganicPlugins/RecurringScreenReaderService.cs

Class in namespace PublisherStudio.Services.OrganicPlugins .

PublisherStudio.Services.PagePresetCatalog

Summary

Source

Declaration

Provides page preset catalog operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationLayoutCatalogServices.cs

Class in namespace PublisherStudio.Services .

Namespace PublisherStudio.Services.Panels

Class (1)

1 maintained public type(s).

PublisherStudio.Services.Panels.PanelDocumentService

Summary

Source

Declaration

Provides panel document service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Panels/PanelDocumentService.cs

Class in namespace PublisherStudio.Services.Panels .

PublisherStudio.Services.PanelStudioTextService

Summary

Source

Declaration

Provides panel studio text service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PanelStudioTextService.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PictureDocumentService

Summary

Source

Declaration

Provides picture document service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PictureDocumentService.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PictureEditorStateService

Summary

Source

Declaration

Provides picture editor state service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PictureEditorStateService.cs

Class in namespace PublisherStudio.Services .

Namespace PublisherStudio.Services.PictureStudio.Import

Class (2)

2 maintained public type(s).

PublisherStudio.Services.PictureStudio.Import.OpenRasterImportService

Summary

Source

Declaration

Provides open raster import service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PictureStudio/Import/OpenRasterImportService.cs

Class in namespace PublisherStudio.Services.PictureStudio.Import .

PublisherStudio.Services.PictureStudio.Import.SvgInterchangeSanitizer

Summary

Source

Declaration

Represents a SVG interchange sanitizer.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PictureStudio/Import/SvgInterchangeSanitizer.cs

Class in namespace PublisherStudio.Services.PictureStudio.Import .

Namespace PublisherStudio.Services.Publication

Class (1)

Interface (1)

2 maintained public type(s).

Namespace PublisherStudio.Services.Publication.Import

Class (1)

1 maintained public type(s).

PublisherStudio.Services.Publication.Import.OpenDocumentImportService

Summary

Source

Declaration

Imports the open ODF drawing/presentation page model into PublisherStudio's canonical page system. The adapter intentionally uses only BCL ZIP/XML APIs and reports every unsupported construct instead of silently changing the native publication model to resemble ODF.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Publication/Import/OpenDocumentImportService.cs

Class in namespace PublisherStudio.Services.Publication.Import .

PublisherStudio.Services.Publication.IPublicationElementLayoutService

Summary

Source

Declaration

Defines the publication element layout service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Publication/PublicationElementLayoutService.cs

Interface in namespace PublisherStudio.Services.Publication .

PublisherStudio.Services.Publication.PublicationElementLayoutService

Summary

Source

Declaration

Shared layout policy for Mainframe, Panel Studio, API calls and future media-suite object layers. It keeps geometry and z-order rules out of UI components so pointer, keyboard, touch, controller and automation inputs all commit through the same deterministic behavior.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Publication/PublicationElementLayoutService.cs

Class in namespace PublisherStudio.Services.Publication .

PublisherStudio.Services.PublicationAnimationData

Summary

Source

Declaration

Represents a publication animation data.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationAnimationData.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PublicationComponentService

Summary

Source

Declaration

Creates and normalizes browser-native DevExtreme publication components. The service deliberately produces a plain JSON contract so editor preview, presentation export and website export all execute the same runtime code.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationComponentService.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PublicationDataService

Summary

Source

Declaration

Provides publication data service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationDataService.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PublicationElementTraversal

Summary

Source

Declaration

Represents a publication element traversal.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationElementTraversal.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PublicationFileService

Summary

Source

Declaration

Provides publication file service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationFileService.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PublicationGridRowFactory

Summary

Source

Declaration

Provides publication grid row factory operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublisherDocumentFactory.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PublicationLiveDataRegistry

Summary

Source

Declaration

Keeps immutable snapshots of open publications available to the local monolith API. This is also the first transport boundary for future LAN presentation and streaming providers: consumers see DTOs instead of mutable editor state.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationLiveDataRegistry.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PublicationMarkupService

Summary

Source

Declaration

Provides publication markup service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationMarkupService.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PublicationMediaAssetStore

Summary

Source

Declaration

Keeps embedded publication media on the server and exposes it through a small ranged HTTP URL. This prevents multi-megabyte data URLs from being copied into every Blazor render batch. The original data URL remains in the document model so saved projects stay self-contained.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationMediaAssetStore.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PublicationMediaData

Summary

Source

Declaration

Represents a publication media data.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationMediaData.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PublicationRecoveryService

Summary

Source

Declaration

Writes an atomic local recovery copy for the offline-first desktop host. The normal publication file remains user-controlled; this store is only a crash/navigation safety net.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationRecoveryService.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PublicationRecoverySnapshot

Summary

Source

Declaration

Represents a publication recovery snapshot.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationRecoveryService.cs

Record in namespace PublisherStudio.Services .

PublisherStudio.Services.PublicationWebDataService

Summary

Source

Declaration

Resolves the transport described by into an embedded source snapshot. The binding is deliberately independent from charts so later web-content and streaming adapters can reuse the same request contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationWebDataService.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PublicationWebhookStore

Summary

Source

Declaration

In-memory webhook mailbox for the loopback PublisherStudio process. Tokens are registered from the currently open publications so unknown binding ids cannot inject data into the application.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationWebhookStore.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PublisherDocumentFactory

Summary

Source

Declaration

Provides publisher document factory operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublisherDocumentFactory.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.PublisherStudioServiceCollectionExtensions

Summary

Source

Declaration

Represents a publisher studio service collection extensions.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/PublisherStudioServiceCollectionExtensions.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.RichTextDocumentFactory

Summary

Source

Declaration

Provides rich text document factory operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/RichTextDocumentFactory.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.RuntimeEndpointState

Summary

Source

Declaration

Represents a runtime endpoint state.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/ApplicationHostServices.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.RuntimeEndpointWriter

Summary

Source

Declaration

Provides runtime endpoint writer operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/ApplicationHostServices.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.SpreadsheetDocumentService

Summary

Source

Declaration

Creates workbook packages and produces a safe, static canvas representation without requiring the separately licensed Office File API HTML exporter.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/SpreadsheetDocumentService.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.SpreadsheetEditorSession

Summary

Source

Declaration

Represents a spreadsheet editor session.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/SpreadsheetSessionStore.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.SpreadsheetSessionStore

Summary

Source

Declaration

Provides spreadsheet session store operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/SpreadsheetSessionStore.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.StoryPageLayoutService

Summary

Source

Declaration

Provides story page layout service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationLayoutCatalogServices.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.Services.Streaming.Capture.DiscoveredNativeMediaDeviceInfo

Summary

Source

Declaration

Represents a discovered native media device info.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Capture/NativeDeviceDiscovery.cs

Record in namespace PublisherStudio.Services.Streaming.Capture .

Namespace PublisherStudio.Services.Streaming.Capture

Class (6)

Interface (4)

Record (1)

11 maintained public type(s).

PublisherStudio.Services.Streaming.Capture.INativeCaptureSessionFactory

Summary

Source

Declaration

Defines the native capture session factory contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Capture/NativeCaptureRegistry.cs

Interface in namespace PublisherStudio.Services.Streaming.Capture .

PublisherStudio.Services.Streaming.Capture.IWindowsProcessLoopbackCapture

Summary

Source

Declaration

Defines the windows process loopback capture contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Capture/WindowsProcessLoopbackCapture.cs

Interface in namespace PublisherStudio.Services.Streaming.Capture .

PublisherStudio.Services.Streaming.Capture.IWindowsProcessLoopbackCaptureFactory

Summary

Source

Declaration

Defines the windows process loopback capture factory contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Capture/WindowsProcessLoopbackCapture.cs

Interface in namespace PublisherStudio.Services.Streaming.Capture .

PublisherStudio.Services.Streaming.Capture.IWindowsProcessLoopbackNativeService

Summary

Source

Declaration

Defines the windows process loopback native service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Capture/WindowsProcessLoopbackNativeService.cs

Interface in namespace PublisherStudio.Services.Streaming.Capture .

PublisherStudio.Services.Streaming.Capture.NativeCaptureRegistry

Summary

Source

Declaration

Provides native capture registry operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Capture/NativeCaptureRegistry.cs

Class in namespace PublisherStudio.Services.Streaming.Capture .

PublisherStudio.Services.Streaming.Capture.NativeCaptureSession

Summary

Source

Declaration

Represents a native capture session.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Capture/NativeCaptureRegistry.cs

Class in namespace PublisherStudio.Services.Streaming.Capture .

PublisherStudio.Services.Streaming.Capture.NativeCaptureSessionFactory

Summary

Source

Declaration

Provides native capture session factory operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Capture/NativeCaptureRegistry.cs

Class in namespace PublisherStudio.Services.Streaming.Capture .

PublisherStudio.Services.Streaming.Capture.NativeDeviceDiscovery

Summary

Source

Declaration

Represents a native device discovery.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Capture/NativeDeviceDiscovery.cs

Class in namespace PublisherStudio.Services.Streaming.Capture .

PublisherStudio.Services.Streaming.Capture.WindowsProcessLoopbackCaptureFactory

Summary

Source

Declaration

Provides windows process loopback capture factory operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Capture/WindowsProcessLoopbackCapture.cs

Class in namespace PublisherStudio.Services.Streaming.Capture .

PublisherStudio.Services.Streaming.Capture.WindowsProcessLoopbackNativeService

Summary

Source

Declaration

Instance-owned binding for the Windows process-loopback activation APIs. It replaces static DllImport declarations while preserving the COM activation flow.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Capture/WindowsProcessLoopbackNativeService.cs

Class in namespace PublisherStudio.Services.Streaming.Capture .

Namespace PublisherStudio.Services.Streaming.Chat

Class (1)

1 maintained public type(s).

PublisherStudio.Services.Streaming.Chat.PlatformChatService

Summary

Source

Declaration

Provides platform chat service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Chat/PlatformChatService.cs

Class in namespace PublisherStudio.Services.Streaming.Chat .

PublisherStudio.Services.Streaming.Encoding.EncoderOrchestrator

Summary

Source

Declaration

Represents an encoder orchestrator.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Encoding/EncoderOrchestrator.cs

Class in namespace PublisherStudio.Services.Streaming.Encoding .

PublisherStudio.Services.Streaming.Encoding.EncoderSessionService

Summary

Source

Declaration

Provides encoder session service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Encoding/EncoderOrchestrator.cs

Class in namespace PublisherStudio.Services.Streaming.Encoding .

PublisherStudio.Services.Streaming.Encoding.FfmpegEncoderResolver

Summary

Source

Declaration

Provides FFmpeg encoder resolver operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Encoding/EncoderOrchestrator.cs

Class in namespace PublisherStudio.Services.Streaming.Encoding .

PublisherStudio.Services.Streaming.Encoding.FfmpegEncoderSet

Summary

Source

Declaration

Represents a FFmpeg encoder set.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Encoding/EncoderOrchestrator.cs

Class in namespace PublisherStudio.Services.Streaming.Encoding .

PublisherStudio.Services.Streaming.Encoding.FfmpegLocator

Summary

Source

Declaration

Represents a FFmpeg locator.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Encoding/FfmpegLocator.cs

Class in namespace PublisherStudio.Services.Streaming.Encoding .

PublisherStudio.Services.Streaming.Encoding.FfmpegVideoEncoder

Summary

Source

Declaration

Represents a FFmpeg video encoder.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Encoding/EncoderOrchestrator.cs

Record in namespace PublisherStudio.Services.Streaming.Encoding .

Namespace PublisherStudio.Services.Streaming.Encoding

Class (7)

Record (1)

8 maintained public type(s).

PublisherStudio.Services.Streaming.Encoding.MediaOutputDefinition

Summary

Source

Declaration

Represents a media output definition.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Encoding/EncoderOrchestrator.cs

Class in namespace PublisherStudio.Services.Streaming.Encoding .

PublisherStudio.Services.Streaming.Encoding.MediaRecordingDefinition

Summary

Source

Declaration

Represents a media recording definition.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Encoding/EncoderOrchestrator.cs

Class in namespace PublisherStudio.Services.Streaming.Encoding .

PublisherStudio.Services.Streaming.Hotkeys.GlobalHotkeyService

Summary

Source

Declaration

Provides global hotkey service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Hotkeys/GlobalHotkeyService.cs

Class in namespace PublisherStudio.Services.Streaming.Hotkeys .

Namespace PublisherStudio.Services.Streaming.Hotkeys

Class (2)

Interface (1)

Struct (2)

5 maintained public type(s).

PublisherStudio.Services.Streaming.Hotkeys.IWindowsHotkeyNativeService

Summary

Source

Declaration

Defines the windows hotkey native service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Hotkeys/WindowsHotkeyNativeService.cs

Interface in namespace PublisherStudio.Services.Streaming.Hotkeys .

PublisherStudio.Services.Streaming.Hotkeys.WindowsHotkeyNativeMessage

Summary

Source

Declaration

Represents a windows hotkey native message.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Hotkeys/WindowsHotkeyNativeService.cs

Struct in namespace PublisherStudio.Services.Streaming.Hotkeys .

PublisherStudio.Services.Streaming.Hotkeys.WindowsHotkeyNativePoint

Summary

Source

Declaration

Represents a windows hotkey native point.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Hotkeys/WindowsHotkeyNativeService.cs

Struct in namespace PublisherStudio.Services.Streaming.Hotkeys .

PublisherStudio.Services.Streaming.Hotkeys.WindowsHotkeyNativeService

Summary

Source

Declaration

Instance-owned user32/kernel32 binding used by the global-hotkey runtime. Native exports are resolved once per application lifetime so application code does not require static P/Invoke declarations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Hotkeys/WindowsHotkeyNativeService.cs

Class in namespace PublisherStudio.Services.Streaming.Hotkeys .

Namespace PublisherStudio.Services.Streaming.Lan

Class (4)

4 maintained public type(s).

PublisherStudio.Services.Streaming.Lan.LanStreamingServer

Summary

Source

Declaration

Represents a LAN streaming server.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Lan/LanStreamingServer.cs

Class in namespace PublisherStudio.Services.Streaming.Lan .

PublisherStudio.Services.Streaming.Lan.MediaLanDefinition

Summary

Source

Declaration

Represents a media LAN definition.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Lan/LanStreamingServer.cs

Class in namespace PublisherStudio.Services.Streaming.Lan .

PublisherStudio.Services.Streaming.Lan.RtspLanServer

Summary

Source

Declaration

Represents a rtsp LAN server.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Lan/RtspLanServer.cs

Class in namespace PublisherStudio.Services.Streaming.Lan .

PublisherStudio.Services.Streaming.Lan.WebRtcSignalingService

Summary

Source

Declaration

Provides web rtc signaling service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Lan/WebRtcSignalingService.cs

Class in namespace PublisherStudio.Services.Streaming.Lan .

Namespace PublisherStudio.Services.Streaming.MediaHost

Class (4)

4 maintained public type(s).

PublisherStudio.Services.Streaming.MediaHost.MediaHostOutputRequest

Summary

Source

Declaration

Represents a media host output request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/MediaHost/StreamingMediaHostClient.cs

Class in namespace PublisherStudio.Services.Streaming.MediaHost .

PublisherStudio.Services.Streaming.MediaHost.MediaHostSessionResponse

Summary

Source

Declaration

Represents a media host session response.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/MediaHost/StreamingMediaHostClient.cs

Class in namespace PublisherStudio.Services.Streaming.MediaHost .

PublisherStudio.Services.Streaming.MediaHost.MediaHostStartSessionRequest

Summary

Source

Declaration

Represents a media host start session request.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/MediaHost/StreamingMediaHostClient.cs

Class in namespace PublisherStudio.Services.Streaming.MediaHost .

PublisherStudio.Services.Streaming.MediaHost.StreamingMediaHostClient

Summary

Source

Declaration

In-process facade over PublisherStudio's integrated streaming runtime. No second executable, loopback port, or HTTP client is involved. Browser-facing capture and ingest sockets remain available as same-origin application endpoints.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/MediaHost/StreamingMediaHostClient.cs

Class in namespace PublisherStudio.Services.Streaming.MediaHost .

Namespace PublisherStudio.Services.Streaming.Metadata

Class (1)

1 maintained public type(s).

PublisherStudio.Services.Streaming.Metadata.NowPlayingReader

Summary

Source

Declaration

Provides now playing reader operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Metadata/NowPlayingReader.cs

Class in namespace PublisherStudio.Services.Streaming.Metadata .

Namespace PublisherStudio.Services.Streaming.OAuth

Class (1)

1 maintained public type(s).

PublisherStudio.Services.Streaming.OAuth.TwitchOAuthService

Summary

Source

Declaration

Provides twitch OAuth service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/OAuth/TwitchOAuthService.cs

Class in namespace PublisherStudio.Services.Streaming.OAuth .

Namespace PublisherStudio.Services.Streaming.Profiles

Class (1)

1 maintained public type(s).

PublisherStudio.Services.Streaming.Profiles.StreamingProfileStore

Summary

Source

Declaration

Provides streaming profile store operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Profiles/StreamingProfileStore.cs

Class in namespace PublisherStudio.Services.Streaming.Profiles .

Namespace PublisherStudio.Services.Streaming.Sessions

Class (5)

Interface (3)

8 maintained public type(s).

PublisherStudio.Services.Streaming.Sessions.ILanStreamingServerFactory

Summary

Source

Declaration

Defines the LAN streaming server factory contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Sessions/StreamingSessionRuntimeFactories.cs

Interface in namespace PublisherStudio.Services.Streaming.Sessions .

PublisherStudio.Services.Streaming.Sessions.IMediaSessionFactory

Summary

Source

Declaration

Defines the media session factory contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Sessions/MediaSession.cs

Interface in namespace PublisherStudio.Services.Streaming.Sessions .

PublisherStudio.Services.Streaming.Sessions.IPlatformChatServiceFactory

Summary

Source

Declaration

Defines the platform chat service factory contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Sessions/StreamingSessionRuntimeFactories.cs

Interface in namespace PublisherStudio.Services.Streaming.Sessions .

PublisherStudio.Services.Streaming.Sessions.LanStreamingServerFactory

Summary

Source

Declaration

Provides LAN streaming server factory operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Sessions/StreamingSessionRuntimeFactories.cs

Class in namespace PublisherStudio.Services.Streaming.Sessions .

PublisherStudio.Services.Streaming.Sessions.MediaSession

Summary

Source

Declaration

Represents a media session.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Sessions/MediaSession.cs

Class in namespace PublisherStudio.Services.Streaming.Sessions .

PublisherStudio.Services.Streaming.Sessions.MediaSessionFactory

Summary

Source

Declaration

Provides media session factory operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Sessions/MediaSession.cs

Class in namespace PublisherStudio.Services.Streaming.Sessions .

PublisherStudio.Services.Streaming.Sessions.MediaSessionRegistry

Summary

Source

Declaration

Provides media session registry operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Sessions/MediaSessionRegistry.cs

Class in namespace PublisherStudio.Services.Streaming.Sessions .

PublisherStudio.Services.Streaming.Sessions.PlatformChatServiceFactory

Summary

Source

Declaration

Provides platform chat service factory operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Sessions/StreamingSessionRuntimeFactories.cs

Class in namespace PublisherStudio.Services.Streaming.Sessions .

Namespace PublisherStudio.Services.Streaming.Settings

Class (1)

1 maintained public type(s).

PublisherStudio.Services.Streaming.Settings.PublicationStreamingSettingsStore

Summary

Source

Declaration

Keeps publication streaming configuration on the local machine. These settings are deliberately excluded from exported publication files so templates and shared files cannot carry output routing, recording paths, LAN access configuration, or hotkeys to another workstation.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/Settings/PublicationStreamingSettingsStore.cs

Class in namespace PublisherStudio.Services.Streaming.Settings .

Namespace PublisherStudio.Services.Streaming.UseCases.Chat

Class (2)

Interface (1)

3 maintained public type(s).

PublisherStudio.Services.Streaming.UseCases.Chat.IStreamingChatResultFactory

Summary

Source

Declaration

Defines the streaming chat result factory contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/UseCases/Chat/StreamingChatResultFactory.cs

Interface in namespace PublisherStudio.Services.Streaming.UseCases.Chat .

PublisherStudio.Services.Streaming.UseCases.Chat.StreamingChatResultFactory

Summary

Source

Declaration

Provides streaming chat result factory operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/UseCases/Chat/StreamingChatResultFactory.cs

Class in namespace PublisherStudio.Services.Streaming.UseCases.Chat .

PublisherStudio.Services.Streaming.UseCases.Chat.StreamingChatUseCases

Summary

Source

Declaration

Keeps provider-chat session lookup and send/subscription orchestration outside MVC controllers.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/UseCases/Chat/StreamingChatUseCases.cs

Class in namespace PublisherStudio.Services.Streaming.UseCases.Chat .

Namespace PublisherStudio.Services.Streaming.UseCases.Editor

Class (1)

1 maintained public type(s).

PublisherStudio.Services.Streaming.UseCases.Editor.StreamingSessionService

Summary

Source

Declaration

Provides streaming session service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/UseCases/Editor/StreamingSessionService.cs

Class in namespace PublisherStudio.Services.Streaming.UseCases.Editor .

Namespace PublisherStudio.Services.Streaming.UseCases.Ingest

Class (1)

1 maintained public type(s).

PublisherStudio.Services.Streaming.UseCases.Ingest.StreamingIngestUseCases

Summary

Source

Declaration

Coordinates renderer ingest and WebRTC publication through reusable streaming services.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/UseCases/Ingest/StreamingIngestUseCases.cs

Class in namespace PublisherStudio.Services.Streaming.UseCases.Ingest .

Namespace PublisherStudio.Services.Streaming.UseCases.Lan

Class (2)

Record (1)

3 maintained public type(s).

PublisherStudio.Services.Streaming.UseCases.Lan.StreamingAsset

Summary

Source

Declaration

Represents a streaming asset.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/UseCases/Lan/StreamingLanUseCases.cs

Record in namespace PublisherStudio.Services.Streaming.UseCases.Lan .

PublisherStudio.Services.Streaming.UseCases.Lan.StreamingLanStatus

Summary

Source

Declaration

Represents a streaming LAN status.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/UseCases/Lan/StreamingLanUseCases.cs

Class in namespace PublisherStudio.Services.Streaming.UseCases.Lan .

PublisherStudio.Services.Streaming.UseCases.Lan.StreamingLanUseCases

Summary

Source

Declaration

Resolves LAN status, safe HLS assets and the local watch page without coupling controllers to session internals.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/UseCases/Lan/StreamingLanUseCases.cs

Class in namespace PublisherStudio.Services.Streaming.UseCases.Lan .

Namespace PublisherStudio.Services.Streaming.UseCases.NativeCapture

Class (1)

1 maintained public type(s).

PublisherStudio.Services.Streaming.UseCases.NativeCapture.NativeCaptureUseCases

Summary

Source

Declaration

Coordinates native-capture lifecycle operations without exposing the registry to controllers.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/UseCases/NativeCapture/NativeCaptureUseCases.cs

Class in namespace PublisherStudio.Services.Streaming.UseCases.NativeCapture .

Namespace PublisherStudio.Services.Streaming.UseCases.Runtime

Class (2)

2 maintained public type(s).

PublisherStudio.Services.Streaming.UseCases.Runtime.StreamingRuntimeCapabilities

Summary

Source

Declaration

Represents a streaming runtime capabilities.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/UseCases/Runtime/StreamingRuntimeUseCases.cs

Class in namespace PublisherStudio.Services.Streaming.UseCases.Runtime .

PublisherStudio.Services.Streaming.UseCases.Runtime.StreamingRuntimeUseCases

Summary

Source

Declaration

Orchestrates read-only runtime information used by the desktop host UI. Provider, capture and metadata implementation details remain in Services/Streaming.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/UseCases/Runtime/StreamingRuntimeUseCases.cs

Class in namespace PublisherStudio.Services.Streaming.UseCases.Runtime .

Namespace PublisherStudio.Services.Streaming.UseCases.Sessions

Class (1)

1 maintained public type(s).

PublisherStudio.Services.Streaming.UseCases.Sessions.StreamingSessionUseCases

Summary

Source

Declaration

Application-level session orchestration used by both MVC controllers and the local UI facade.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/Streaming/UseCases/Sessions/StreamingSessionUseCases.cs

Class in namespace PublisherStudio.Services.Streaming.UseCases.Sessions .

PublisherStudio.Services.SystemFontCatalog

Summary

Source

Declaration

Discovers font families installed on the computer that runs PublisherStudio. The application is offline-first, so the catalog never contacts a remote service. Users may still type a font family that is not in this catalog.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/SystemFontCatalog.cs

Class in namespace PublisherStudio.Services .

Namespace PublisherStudio.Services.UserExperience

Class (1)

Interface (1)

2 maintained public type(s).

PublisherStudio.Services.UserExperience.IUserNotificationService

Summary

Source

Declaration

Defines the user notification service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/UserExperience/IUserNotificationService.cs

Interface in namespace PublisherStudio.Services.UserExperience .

PublisherStudio.Services.UserExperience.UserNotificationService

Summary

Source

Declaration

Circuit-scoped notification stream used by frontend components and frontend-facing services. It deliberately contains no UI dependency so the same messages can be surfaced by Blazor, automation clients, diagnostics, or a future native shell.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/UserExperience/UserNotificationService.cs

Class in namespace PublisherStudio.Services.UserExperience .

PublisherStudio.Services.VideoStudio.Export.BrowserRuntimeTemplateService

Summary

Source

Declaration

Provides browser runtime template service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/VideoStudio/Export/BrowserRuntimeTemplateService.cs

Class in namespace PublisherStudio.Services.VideoStudio.Export .

Namespace PublisherStudio.Services.VideoStudio.Export

Class (3)

Interface (3)

6 maintained public type(s).

PublisherStudio.Services.VideoStudio.Export.IBrowserRuntimeTemplateService

Summary

Source

Declaration

Defines the browser runtime template service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/VideoStudio/Export/BrowserRuntimeTemplateService.cs

Interface in namespace PublisherStudio.Services.VideoStudio.Export .

PublisherStudio.Services.VideoStudio.Export.IPolygonGeometryService

Summary

Source

Declaration

Defines the polygon geometry service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/VideoStudio/Export/PolygonGeometryService.cs

Interface in namespace PublisherStudio.Services.VideoStudio.Export .

PublisherStudio.Services.VideoStudio.Export.IVideoLayerInterchangeService

Summary

Source

Declaration

Defines the video layer interchange service contract.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/VideoStudio/Export/VideoLayerInterchangeService.cs

Interface in namespace PublisherStudio.Services.VideoStudio.Export .

PublisherStudio.Services.VideoStudio.Export.PolygonGeometryService

Summary

Source

Declaration

Provides polygon geometry service operations.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/VideoStudio/Export/PolygonGeometryService.cs

Class in namespace PublisherStudio.Services.VideoStudio.Export .

PublisherStudio.Services.VideoStudio.Export.VideoLayerInterchangeService

Summary

Source

Declaration

Coordinates portable browser and OpenSCAD representations from the canonical Video Studio layer model. Geometry, OpenSCAD generation and browser-runtime templating are separate DI services so Mainframe, controllers, plugins and future visual builders can reuse them without static coupling.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/VideoStudio/Export/VideoLayerInterchangeService.cs

Class in namespace PublisherStudio.Services.VideoStudio.Export .

Namespace PublisherStudio.Services.VideoStudio.Import

Class (1)

1 maintained public type(s).

PublisherStudio.Services.VideoStudio.Import.VideoProjectImportService

Summary

Source

Declaration

Imports openly documented timeline/project formats into PublisherStudio's canonical video-project model. The adapter never mutates an active publication and reports every known approximation or loss.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/VideoStudio/Import/VideoProjectImportService.cs

Class in namespace PublisherStudio.Services.VideoStudio.Import .

PublisherStudio.Services.WebhookPayload

Summary

Source

Declaration

Represents a webhook payload.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/PublicationWebhookStore.cs

Record in namespace PublisherStudio.Services .

PublisherStudio.Services.WordArtPathGeometry

Summary

Source

Declaration

Represents a word art path geometry.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/Services/WordArtPathGeometry.cs

Class in namespace PublisherStudio.Services .

PublisherStudio.StreamingServiceCollectionExtensions

Summary

Source

Declaration

Registers the streaming monolith using PublisherStudio's established architectural roots. Controllers and hubs are backend entry points, reusable services own data processing and technical I/O, and hosted services only own application-lifetime scheduling/lifecycle.

This maintained source page keeps the API surface navigable before an owner build. The release pipeline replaces it with the complete DocFX type and member reference generated from the compiled assembly and XML comments.

src/PublisherStudio.Web/StreamingServiceCollectionExtensions.cs

Class in namespace PublisherStudio .