AAA function API specification

Sample test brief

CONFIDENTIAL OLYMPUS

1 Class Index 2

1.1 Class List 2

2 Class Documentation 3

2.1 CAboutDlg Class Reference 3

2.1.1 Detailed Description 3

2.1.2 Constructor & Destructor Documentation 3

2.1.2.1 CAboutDlg() 3

2.1.3 Member Function Documentation 3

2.1.3.1 DoDataExchange() 3

2.2 CDialogError Class Reference 4

2.2.1 Detailed Description 4

2.2.2 Constructor & Destructor Documentation 4

2.2.2.1 CDialogError() 4

2.2.2.2 ~CDialogError() 4

2.2.3 Member Function Documentation 5

2.2.3.1 DoDataExchange() 5

2.2.3.2 OnBnClickedCancelOriginal() 5

2.2.3.3 OnBnClickedOriginal() 5

2.2.3.4 OnDestroy() 5

2.2.3.5 OnInitDialog() 5

2.2.3.6 OnPaint() 5

2.2.3.7 show() 5

2.2.4 Member Data Documentation 5

2.2.4.1 m_font 5

2.2.4.2 m_gdiplusToken 6

2.3 CdialogtestApp Class Reference 6

2.3.1 Detailed Description 6

2.3.2 Constructor & Destructor Documentation 6

2.3.2.1 CdialogtestApp() 6

2.3.3 Member Function Documentation 6

2.3.3.1 InitInstance() 6

2.4 CdialogtestDlg Class Reference 6

2.4.1 Detailed Description 7

2.4.2 Constructor & Destructor Documentation 7

2.4.2.1 CdialogtestDlg() 7

2.4.3 Member Function Documentation 7

2.4.3.1 DoDataExchange() 7

2.4.3.2 OnBnClickedButton1() 8

2.4.3.3 OnInitDialog() 8

2.4.3.4 OnPaint() 8

2.4.3.5 OnQueryDragIcon() 8

copyright

2.4.3.6 OnSysCommand() 9
2.4.4 Member Data Documentation 9
2.4.4.1 m_dialogError 9
2.4.4.2 m_hIcon 9
2.5 Controller Class Reference 9
2.5.1 Detailed Description 10
2.5.2 Constructor & Destructor Documentation 10
2.5.2.1 Controller() 10
2.5.2.2 ~Controller() 10
2.5.3 Member Function Documentation 10
2.5.3.1 run() 10
2.5.4 Member Data Documentation 10
2.5.4.1 m_dialogError 10

Index **12**

copyright

Chapter 1

Class Index

1.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

CAboutDlg 3
CDialogError 4
CdialogtestApp 6
CdialogtestDlg 6
Controller 9

copyright

Chapter 2

Class Documentation

2.1 CAboutDlg Class Reference

Public Member Functions

- `CAboutDlg ()`

Protected Member Functions

- `virtual void DoDataExchange (CDataExchange *pDX)`

2.1.1 Detailed Description

Definition at line 19 of file dialog_testDlg.cpp.

2.1.2 Constructor & Destructor Documentation

2.1.2.1 CAboutDlg()

```
CAboutDlg::CAboutDlg ()
```

nop

Definition at line 37 of file dialog_testDlg.cpp.

2.1.3 Member Function Documentation

2.1.3.1 DoDataExchange()

```
void CAboutDlg::DoDataExchange (
            CDataExchange * pDX)  [protected], [virtual]
```

Call DoDataExchange

Definition at line 42 of file dialog_testDlg.cpp.

The documentation for this class was generated from the following file:

- dialog_testDlg.cpp

2.2 CDialogError Class Reference

`#include <CDialogError.h>`

Public Member Functions

- CDialogError (CWnd *pParent=nullptr)
- virtual ~CDialogError ()
- afx_msg void OnBnClickedOriginal ()
- afx_msg void OnBnClickedCancelOriginal ()
- afx_msg void OnPaint ()
- virtual BOOL OnInitDialog ()
- virtual BOOL OnDestroy ()
- int show ()

Protected Member Functions

- virtual void DoDataExchange (CDataExchange *pDX)

Private Attributes

- ULONG_PTR m_gdiplusToken = 0
- CFont m_font

2.2.1 Detailed Description

Definition at line 8 of file CDialogError.h.

2.2.2 Constructor & Destructor Documentation

2.2.2.1 CDialogError()

```
CDialogError::CDialogError (
            CWnd * pParent = nullptr)
```

Definition at line 20 of file CDialogError.cpp.

2.2.2.2 ~CDialogError()

```
CDialogError::~CDialogError () [virtual]
```

Definition at line 26 of file CDialogError.cpp.

2.2.3 Member Function Documentation

2.2.3.1 DoDataExchange()

```
void CDialogError::DoDataExchange (
            CDataExchange * pDX) [protected], [virtual]
```

Definition at line 30 of file CDialogError.cpp.

2.2.3.2 OnBnClickedCancelOriginal()

```
void CDialogError::OnBnClickedCancelOriginal ()
```

Definition at line 256 of file CDialogError.cpp.

2.2.3.3 OnBnClickedOriginal()

```
void CDialogError::OnBnClickedOriginal ()
```

Definition at line 250 of file CDialogError.cpp.

2.2.3.4 OnDestroy()

```
BOOL CDialogError::OnDestroy () [virtual]
```

Definition at line 176 of file CDialogError.cpp.

2.2.3.5 OnInitDialog()

```
BOOL CDialogError::OnInitDialog () [virtual]
```

Definition at line 35 of file CDialogError.cpp.

2.2.3.6 OnPaint()

```
void CDialogError::OnPaint ()
```

Definition at line 230 of file CDialogError.cpp.

2.2.3.7 show()

```
int CDialogError::show ()
```

Definition at line 190 of file CDialogError.cpp.

2.2.4 Member Data Documentation

2.2.4.1 m_font

```
CFont CDialogError::m_font  [private]
```

Definition at line 37 of file CDialogError.h.

2.2.4.2 m_gdiplusToken

```
ULONG_PTR CDialogError::m_gdiplusToken = 0  [private]
```

Definition at line 36 of file CDialogError.h.

The documentation for this class was generated from the following files:

- CDialogError.h
- CDialogError.cpp

2.3 CdialogtestApp Class Reference

```
#include <dialog_test.h>
```

Public Member Functions

- CdialogtestApp ()
- virtual BOOL InitInstance ()

2.3.1 Detailed Description

Definition at line 18 of file dialog_test.h.

2.3.2 Constructor & Destructor Documentation

2.3.2.1 CdialogtestApp()

```
CdialogtestApp::CdialogtestApp ()
```

2.3.3 Member Function Documentation

2.3.3.1 InitInstance()

```
virtual BOOL CdialogtestApp::InitInstance ()  [virtual]
```

The documentation for this class was generated from the following file:

- dialog_test.h

2.4 CdialogtestDlg Class Reference

```
#include <dialog_testDlg.h>
```

Public Member Functions

- CdialogtestDlg (CWnd *pParent=nullptr)
  The Constructor of the CdialogtestDlg.
- afx_msg void OnBnClickedButton1 ()

Protected Member Functions

- virtual void DoDataExchange (CDataExchange *pDX)
  Do data exchange.
- virtual BOOL OnInitDialog ()
  OnInitDialog.
- afx_msg void OnSysCommand (UINT nID, LPARAM lParam)
  OnSysCommand.
- afx_msg void OnPaint ()
- afx_msg HCURSOR OnQueryDragIcon ()

Protected Attributes

- HICON m_hIcon

Private Attributes

- CDialogError m_dialogError

2.4.1 Detailed Description

Definition at line 10 of file dialog_testDlg.h.

2.4.2 Constructor & Destructor Documentation

2.4.2.1 CdialogtestDlg()

```
CdialogtestDlg::CdialogtestDlg (
            CWnd * pParent = nullptr)
```

The Constructor of the CdialogtestDlg.

Parameters	
pParent	parent window pointer

Definition at line 56 of file dialog_testDlg.cpp.

2.4.3 Member Function Documentation

2.4.3.1 DoDataExchange()

```
void CdialogtestDlg::DoDataExchange (
          CDataExchange * pDX)  [protected], [virtual]
```

Do data exchange.

Parameters	
pDX	data exchange pointer

Definition at line 62 of file dialog_testDlg.cpp.

2.4.3.2 OnBnClickedButton1()

```
void CdialogtestDlg::OnBnClickedButton1 ()
```

Definition at line 166 of file dialog_testDlg.cpp.

2.4.3.3 OnInitDialog()

```
BOOL CdialogtestDlg::OnInitDialog ()  [protected], [virtual]
```

OnInitDialog.

Get system menu instance

load string of IDS_ABOUNTBOX

If about menu is empty, then append menu MF_SEPARATOR

Definition at line 77 of file dialog_testDlg.cpp.

2.4.3.4 OnPaint()

```
void CdialogtestDlg::OnPaint ()  [protected]
```

Definition at line 133 of file dialog_testDlg.cpp.

2.4.3.5 OnQueryDragIcon()

```
HCURSOR CdialogtestDlg::OnQueryDragIcon ()  [protected]
```

Definition at line 160 of file dialog_testDlg.cpp.

copyright

2.4.3.6 OnSysCommand()

```
void CdialogtestDlg::OnSysCommand (
          UINT nID,
          LPARAM lParam)  [protected]
```

OnSysCommand.

Parameters	
uID	id of the sys command
lParam	parameter of the sys command

Note

This function is not finalized.

This funcation is important.

Warning

This function is not thread safe.

This is CdialogtestDlg::OnSysCommand cpp comment

This is end of CdialogtestDlg::OnSysCommand cpp comment

Definition at line 114 of file dialog_testDlg.cpp.

2.4.4 Member Data Documentation

2.4.4.1 m_dialogError

```
CDialogError CdialogtestDlg::m_dialogError  [private]
```

Definition at line 58 of file dialog_testDlg.h.

2.4.4.2 m_hIcon

```
HICON CdialogtestDlg::m_hIcon  [protected]
```

Definition at line 35 of file dialog_testDlg.h.

The documentation for this class was generated from the following files:

- dialog_testDlg.h
- dialog_testDlg.cpp

2.5 Controller Class Reference

```
#include <Controller.h>
```

Public Member Functions

- Controller ()
  The Constructor of the Controller.
- ~Controller ()
  The Destructor of the Controller.
- int run ()

Private Attributes

- CDialogError m_dialogError

2.5.1 Detailed Description

Definition at line 9 of file Controller.h.

2.5.2 Constructor & Destructor Documentation

2.5.2.1 Controller()

```
Controller::Controller () [inline]
```

The Constructor of the Controller.

Definition at line 15 of file Controller.h.

2.5.2.2 ~Controller()

```
Controller::~Controller () [inline]
```

The Destructor of the Controller.

Definition at line 19 of file Controller.h.

2.5.3 Member Function Documentation

2.5.3.1 run()

```
int Controller::run ()
```

Definition at line 3 of file Controller.cpp.

2.5.4 Member Data Documentation

2.5.4.1 m_dialogError

copyright

```
CDialogError Controller::m_dialogError [private]
```

Definition at line 23 of file Controller.h.

The documentation for this class was generated from the following files:

- Controller.h
- Controller.cpp

copyright

Index

~CDialogError
    CDialogError, 4
~Controller
    Controller, 10

CAboutDlg, 3
    CAboutDlg, 3
    DoDataExchange, 3
CDialogError, 4
    ~CDialogError, 4
    CDialogError, 4
    DoDataExchange, 5
    m_font, 5
    m_gdiplusToken, 6
    OnBnClickedCancelOriginal, 5
    OnBnClickedOriginal, 5
    OnDestroy, 5
    OnInitDialog, 5
    OnPaint, 5
    show, 5
CdialogtestApp, 6
    CdialogtestApp, 6
    InitInstance, 6
CdialogtestDlg, 6
    CdialogtestDlg, 7
    DoDataExchange, 7
    m_dialogError, 9
    m_hIcon, 9
    OnBnClickedButton1, 8
    OnInitDialog, 8
    OnPaint, 8
    OnQueryDragIcon, 8
    OnSysCommand, 8
Controller, 9
    ~Controller, 10
    Controller, 10
    m_dialogError, 10
    run, 10

DoDataExchange
    CAboutDlg, 3
    CDialogError, 5
    CdialogtestDlg, 7

InitInstance
    CdialogtestApp, 6

m_dialogError
    CdialogtestDlg, 9
    Controller, 10
m_font
    CDialogError, 5
m_gdiplusToken
    CDialogError, 6
m_hIcon
    CdialogtestDlg, 9

OnBnClickedButton1
    CdialogtestDlg, 8
OnBnClickedCancelOriginal
    CDialogError, 5
OnBnClickedOriginal
    CDialogError, 5
OnDestroy
    CDialogError, 5
OnInitDialog
    CDialogError, 5
    CdialogtestDlg, 8
OnPaint
    CDialogError, 5
    CdialogtestDlg, 8
OnQueryDragIcon
    CdialogtestDlg, 8
OnSysCommand
    CdialogtestDlg, 8

run
    Controller, 10

show
    CDialogError, 5