Digital Transformation of Healthcare

Evaluating Predictions & Data Quality

Michoel Snow, MD PhD, Glen Ferguson, PhD

Center for Health Data Innovations

Objectives

After this lecture students will be able to

- Calculate common classification and regression metrics
- Describe the role of simple classification metrics
- Evaluate the implementation of metrics for a study
- Articulate the information underlying common compound classification metrics
- Classify regression metrics
- Connect regression metric outcomes to facets of the associated models
- Identify transition points which can affect data quality
- Discuss methods for measuring and evaluating data quality


Conception
Initiation
Preparation
Evaluation
Dissemination
Hypothesis Generation
Meaningful Question
Significant Hypothesis
Basic Hypothesis Testing
Infrastructure
Medical Systems
Frontend Systems
Backend Systems
Stakeholder Concerns
Economic Feasibility
Patient Privacy
Regulatory Compliance
Study Design
Cohorts
Study Metrics
Design Parameters
Data Collection
Data Sources
Care Provider Collaboration
Collection Protocol
Data Preparation
Data Quality
Data Preprocessing
Data Visualization
Modeling & Analysis
Model Development
Model Evaluation
Results Analysis
Implementation
Clinical Decision Support
Logistic Decision Support
Inter-hospital Communication

Metrics for Evaluation of Classification Models

Clinical Cases

Case	Prevalence	Criteria	TP	FP	TN	FN
LDCT for lung cancer	UN	non-calcified nodule $\geq 4mm$	649	17497	55324	UN

Clinical Cases

Case	Prevalence	Criteria	TP	FP	TN	FN
LDCT for lung cancer	UN	non-calcified nodule $\geq 4mm$	649	17497	55324	UN

Confusion Matrix

		actual outcome p	actual outcome n	
predicted outcome	p′	TP	FP	$\text{PPV} = \frac{TP}{TP + FP}$
	n′	FN	TN	$\text{NPV} = \frac{TN}{FN + TN}$
		$\text{Sens} = \frac{TP}{TP + FN}$	$\text{Spec} = \frac{TN}{FP + TN}$	$\text{Acc} = \frac{TP+TN}{TP+TN+FP+FN}$

Confusion Matrix

actual outcome

		p	**n**	
predicted outcome	$\mathbf{p}'$	TP	FP	$\mathrm{PPV} = p\,(\mathbf{p} \mid \mathbf{p}')$
	$\mathbf{n}'$	FN	TN	$\mathrm{NPV} = p\,(\mathbf{n} \mid \mathbf{n}')$
		$\mathrm{Sens} = p\,(\mathbf{p}' \mid \mathbf{p})$	$\mathrm{Spec} = p\,(\mathbf{n}' \mid \mathbf{n})$	$\mathrm{Acc} = p\,(TP + TN)$

Confusion Matrix

		actual outcome **p**	**n**	
predicted outcome	$\mathbf{p}'$	TP	FP	$\text{PPV} = p(\mathbf{p} \mid \mathbf{p}')$
	$\mathbf{n}'$	FN	TN	$\text{NPV} = p(\mathbf{n} \mid \mathbf{n}')$
		$\text{Sens} = p(\mathbf{p}' \mid \mathbf{p})$	$\text{Spec} = p(\mathbf{n}' \mid \mathbf{n})$	$\text{Acc} = p(TP + TN)$

Parameter	Interpretation	Inappropriate for
Accuracy	Overall proximity of test to reality	Imbalanced sample sizes
Sensitivity		
Specificity		
PPV		
NPV		

Confusion Matrix

		actual outcome **p**	**n**	
predicted outcome	$\mathbf{p}'$	TP	FP	$\text{PPV} = p\left(\mathbf{p} \mid \mathbf{p}'\right)$
	$\mathbf{n}'$	FN	TN	$\text{NPV} = p\left(\mathbf{n} \mid \mathbf{n}'\right)$
		$\text{Sens} = p\left(\mathbf{p}' \mid \mathbf{p}\right)$	$\text{Spec} = p\left(\mathbf{n}' \mid \mathbf{n}\right)$	$\text{Acc} = p\left(TP + TN\right)$

Parameter	Interpretation	Inappropriate for
Accuracy	Overall proximity of test to reality	Imbalanced sample sizes
Sensitivity	Chance of a false negative	Expensive testing/Mild disease
Specificity	Chance of a false positive	Cheap testing/Severe disease
PPV	Sensitivity diagnostic utility	Very high prevalence
NPV	Specificity diagnostic utility	Very low prevalence

Combined Statistics

Function of	Metric	Formula
Sensitivity, Specificity	Positive Likelihood Ratio/ROC	$\frac{sensitivity}{1 - specificity}$
Sensitivity, Specificity	Negative Likelihood Ratio	$\frac{1 - sensitivity}{specificity}$
Sensitivity, PPV	F1 score	$\frac{2}{\frac{1}{sensitivity} + \frac{1}{PPV}}$
TP, TN, FP, FN	Matthews correlation coefficient	$\frac{TP \times TN - FP \times FN}{\sqrt{(TP + FP)(TP + FN)(TN + FP)(TN + FN)}}$

Likelihood Ratios

Does a test result change the probability that a person has a certain condition?

$$LR+ = \frac{\textit{sensitivity}}{1 - \textit{specificity}} = \frac{P\left(T+ \mid D+\right)}{P\left(T+ \mid D-\right)}$$

$$LR- = \frac{1 - \textit{sensitivity}}{\textit{specificity}} = \frac{P\left(T- \mid D+\right)}{P\left(T- \mid D-\right)}$$

Likelihood Ratios

Likelihood Ratio	Approximate Change in Probability(%)
0.1	-45
0.2	-30
0.5	-15
1	0
2	+15
5	+30
10	+45

Change in post test probability $\approx 0.2 \times \ln LR$ [1]

[1] McGee, Steven. "Simplifying likelihood ratios." Journal of general internal medicine 17.8 (2002): 647-650. APA

Hypothesis Testing



Discrimination Thresholds





Receiver Operating Characteristic



Receiver Operating Characteristic



What does the Area Under the Curve (AUC) correspond to?

What does the diagonal correspond to?



1. Given a positive test result what are the chances that the subject is truly positive irrespective of prevalence?
2. PPV is threshold dependent, while AUC is threshold independent but variable dependent

F1 Score

		actual outcome p	actual outcome n	
predicted outcome	$\mathbf{p}'$	TP	FP	$\text{PPV} = p\,(\mathbf{p} \mid \mathbf{p}')$
	$\mathbf{n}'$	FN	TN	$\text{NPV} = p\,(\mathbf{n} \mid \mathbf{n}')$
		$\text{Sens} = p\,(\mathbf{p}' \mid \mathbf{p})$	$\text{Spec} = p\,(\mathbf{n}' \mid \mathbf{n})$	$\text{Acc} = p\,(TP + TN)$

$$F1 = \frac{2}{\frac{1}{sensitivity} + \frac{1}{PPV}} = 2 \times \frac{PPV \cdot sensitivity}{PPV + sensitivity}$$

How does F1 differ from AUC?

F1 Score

		actual outcome p	actual outcome n	
predicted outcome	$\mathbf{p}'$	TP	FP	$\text{PPV} = p(\mathbf{p} \mid \mathbf{p}')$
	$\mathbf{n}'$	FN	TN	$\text{NPV} = p(\mathbf{n} \mid \mathbf{n}')$
		$\text{Sens} = p(\mathbf{p}' \mid \mathbf{p})$	$\text{Spec} = p(\mathbf{n}' \mid \mathbf{n})$	$\text{Acc} = p(TP + TN)$

$$F1 = \frac{2}{\frac{1}{sensitivity} + \frac{1}{PPV}} = 2 \times \frac{PPV \cdot sensitivity}{PPV + sensitivity}$$

How does F1 differ from AUC?

1. F1 is sensitivity modified by prevalence. So a low prevalence will hurt your F1 score but might not affect your AUC. F1 is threshold specific and corresponds to a point on the ROC curve
2.

Metrics for Evaluation of Regression Models

Regression Metrics

- What aspects of a model's predictions should I care about?
- What aspects of the model's predictions can I evaluate?

Regression Metrics

- What aspects of a model's predictions should I care about?
- What aspects of the model's predictions can I evaluate?

1. – Accuracy (bias), precision (variance)
   – Average distance of errors
   – Worst case error
   – Do large errors matter more than small errors
   – Maximal distance of errors
   – Difference between my model and some standard model
2. difference, squared difference, min/max, variance of predictions, relative difference (percentage error)

Regression Metrics

Equal weighting of errors	MAE	$\frac{1}{n}\sum_{i=0}^{n-1}\lvert y_i - \hat{y}_i \rvert$
	MAPE	$\frac{100}{n}\sum_{i=0}^{n-1}\frac{\lvert y_i - \hat{y}_i \rvert}{y_i}$
Unequal weighting of errors	MSE	$\frac{1}{n}\sum_{i=0}^{n-1}\left(y_i - \hat{y}_i\right)^2$
	RMSE	$\sqrt{\frac{1}{n}\sum_{i=0}^{n-1}\left(y_i - \hat{y}_i\right)^2}$
	MSLE	$\frac{1}{n}\sum_{i=0}^{n-1}\left(\ln\left(1 = y_i\right) - \ln\left(1 + \hat{y}_i\right)\right)^2$
Data Variance	R^2	$1 - \frac{\sum_{i=0}^{n-1}\left(y_i - \hat{y}_i\right)^2}{\sum_{i=0}^{n-1}\left(y_i - \bar{y}_i\right)^2}$
	Explained Var	$1 - \frac{Var\left(y - \hat{y}\right)}{Var\left(y\right)}$

Data Quality

Factors Which Affect Data Quality

Analysis is only ever as good as the data its built upon.

Factors Which Affect Data Quality

Analysis is only ever as good as the data its built upon.

- Data Definition
- Data Collection
- Data Processing
- Data Representation

How Can Data Be Wrong

- Incomplete
- Inconsistent
- Inaccurate

Processes to Assure Data Quality

- Data Provenance
- Sanity Checks
- Exploratory Data Analysis