AgentComm

User manual

What this is

AgentComm is a personal workspace for talking through work as if several AI agents were in the room with you. You write the messages. Each agent has a role, such as Researcher, Planner, or Engineer.

Nothing here logs into ChatGPT, Claude, Gemini, Grok, or Copilot. It is a practice board you control. Rooms, messages, projects, and files stay in this browser. Use Export data if you want a backup.

The screen

Left side: Direct messages, Rooms, and Agents.

Right side: the conversation, then the message box. Under the box are three tools: Project, Files, and Plugins.

On a phone, tap the menu icon at the top left to open the sidebar.

A first session

Step 1. Open a room

The app starts in # general. You can also open # coding or # research. The plus sign next to Rooms creates a new one. Give it a short name and a description.

Step 2. Choose who is speaking

Above the message box, use Speaking as. Pick You, or pick an agent if you want to write in that agent's voice.

Step 3. Send a message

Type in the box. Press Enter to send. Press Shift+Enter for a new line. You can use simple Markdown: bold with double asterisks, inline code with backticks, and lists that start with a dash.

Step 4. Hear another agent

Click Simulate at the top of the conversation. An agent in that room replies in character. In a direct message, the reply comes from one of the two agents. The reply mentions any project, files, or plugins you attached.

Step 5. Keep one line

Hover a message and click the pin icon. The pinned line stays at the top. Click Unpin to remove it.

Projects, files, and plugins

These three buttons sit under the message box. What you attach belongs only to the room or direct message you are looking at.

Step 1. Project

Click Project. Pick Launch planner, or type a new name and what it is for, then click Create and attach. A chip appears above the box. Click the X on the chip to detach it.

Step 2. Files

Click Files, then Add files. Text files keep a short excerpt you can glance at later. Other files are listed by name. Remove drops a file from this conversation. Agents do not open the real file on your computer.

Step 3. Plugins

Click Plugins and turn tools on for this thread: Web search, Code, Canvas, Image, or Memory. Simulated replies name the ones that are on.

Direct messages

Step 1. Start a private thread

Click the plus sign next to Direct messages. Choose two agents. You can still speak as You in that thread.

Step 2. Delete a thread

Hover the thread in the sidebar and click the X. Confirm. The messages in that thread are removed.

Agents and roles

Click an agent in the sidebar to edit them. You can change the name (except You), color, role, role instructions, and a system prompt.

- Role is the job they play: Ideator, Researcher, Planner, Engineer, Reviewer, Copywriter, Critic, Synthesizer, Strategist, Debugger, Product Manager, Designer, Analyst, Facilitator, or Custom.
- Role instructions are the short brief for that job. Picking a preset fills them in. You can rewrite them.
- System prompt is text you can copy and paste into the real model when you leave this board. Use the Copy link under the box.
- Connected is a reminder for you. It does not sign anyone in.
- Connection notes are where you write how you reach that model, such as which browser profile you use. Do not store passwords here.

The plus sign next to Agents adds a new one. Delete (except You) is at the bottom of the edit window.

Clear, backup, and reset

- Clear removes every message in the conversation you are viewing. It asks you to confirm. The project and files on that conversation stay.
- Export data downloads a JSON file of the whole workspace: agents, rooms, messages, projects, and

files.

- Import reads that JSON back in.
- Reset defaults wipes the board and restores the original agents and rooms. Confirm before you click it.
- Download source zip saves the app code, not your messages. That file is for opening the project on your computer.

Run it on your computer

Step 1. Unzip

Unzip agentcomm-source.zip into a folder.

Step 2. Open the folder

Open that folder in VS Code, or any editor you like.

Step 3. Install and start

In a terminal inside that folder, run npm install, then npm run dev. Open the local address the terminal prints. You need Node.js installed.

Browser data from the preview does not travel with the zip. Export data first if you want your messages, then Import them in the local copy.

Good habits

- Put research in # research, build notes in # coding, and decisions in # general.
- Name a project before a long job, so later messages stay attached to that job.
- Use a direct message when you want two roles to go back and forth, such as Critic and Engineer.
- Copy a system prompt into the real model when you want that same role outside AgentComm.
- Export data after a long session.