

## **GROUP MEMBERS:**


Rabino, Mico T.

Respall, Rajesh T.


Sible, Lester I.

## **IMS SYSTEM REPORT STATUS:**


### **● HOME:**




- **LOGIN:**




- **ABOUT:**




- REGISTER/SIGNUP:



- FREELANCER SIGN UP:



- **CLIENT SIGN UP:**



- **index.php**

```
<?php
session_start();
include('includes/connect.php');
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Home Page</title>
    <link rel="stylesheet"
    href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" href="css\index.css">

<?php
// Inline CSS for the video background
```

```
echo "<style>";
echo "body, html {";
echo "  height: 100%;";
echo "  margin: 0;";
echo "}";
echo "";

echo "#video-bg {";
echo "  position: fixed;";
echo "  top: 0;";
echo "  left: 0;";
echo "  width: 100%;";
echo "  height: 100%;";
echo "  object-fit: cover;";
echo "}";
echo "</style>";
?>
</head>

<body>
<?php
include('includes/header.php');

// Check user role
if (isset($_SESSION["user_type"])) {
    if ($_SESSION["user_type"] == "freelancer") {
        header("Location: pages/freelancerpage.php");
        exit();
    } elseif ($_SESSION["user_type"] == "client") {
        header("Location: pages/clientpage.php");
        exit();
    } else {
        // Handle other roles or leave it blank
    }
} else {
    // User not logged in, display welcome message and video background
    echo "<div class='content'>";
    echo "<video autoplay muted loop id='video-bg'>";
    echo "  <source src='images/freelance.mp4' type='video/mp4'>";
    echo "  Your browser does not support the video tag.";
}
```

```
echo "</video>";
echo "<h1>Welcome to the Home Page</h1>";
echo "<p>Please login or register to access the website.</p>";
echo "<div class='btncontain buttons'>";
echo "  <div class='btn-container'>";
echo "    <button class='toggle-btn'
onclick='location.href=\"actions/login.php\";'>Login</button>";
echo "    <button class='toggle-btn'
onclick='location.href=\"actions/signup.php\";'>Signup</button>";
echo "  </div>";
echo "</div>";
}

?>
</body>

</html>
```

- header.php

```
<?php
if (session_status() == PHP_SESSION_NONE) {
    session_start();
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Your Page Title</title>
    <!-- Add a link to your CSS file if it's external -->
    <style>
        /* Add this style to make the welcome message and username white
*/
        header ul li:last-child {
            color: white;
        }
    </style>
</head>
<body>

<header>
    <div class="logo"><h1>Tech Hire</h1></div>
    <div class="search-box">
        <form>
            <input type="text" name="search" id="srch"
placeholder="Search">
            <button type="submit"><i class="fa fa-search"></i></button>
        </form>
    </div>
    <ul>
        <li><a href="/project-root/index.php">Home</a></li>
        <li><a
href="/project-root/services/services_index.php">Services</a></li>
            <li><a href="/project-root/pages/about.php">About</a></li>
            <li>
<?php
```

```

        // Check if the user is logged in
        if (isset($_SESSION['logged_in']) && $_SESSION['logged_in']
== true) {
            echo '<a href="/project-root/actions/logout.php"
onclick="return confirm(\'Are you sure you want to log
out?\') ">Logout</a>';
        } else {
            echo '<a
href="/project-root/actions/login.php">Login</a>';
        }
    ?>
</li>
<li>
    <?php
        // Display a welcome message based on user role
        if (isset($_SESSION['logged_in']) && $_SESSION['logged_in']
== true && isset($_SESSION['username'])) {
            echo '<span style="color: white;">Welcome, ';
            if ($_SESSION['user_type'] === 'freelancer') {
                echo 'Freelancer ' . $_SESSION['username'];
            } elseif ($_SESSION['user_type'] === 'client') {
                echo 'Client ' . $_SESSION['username'];
            }
            echo '</span>';
        }
    ?>
</li>
</ul>
<div class="menu">
    <label for="chk1">
        <i class="fa fa-bars"></i>
    </label>
</div>
</header>

<!-- Your page content goes here -->

</body>
</html>

```

- login.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Login</title>
    <link rel="stylesheet" href="../css/login.css">
    <link href='https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css' rel='stylesheet'>
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
</head>
<body>
    <?php
        include('../includes/header.php');
    ?>

    <div class="wrapper">
        <form action="" method="post">
            <h1>Login</h1>
            <div class="input-box">
                <input type="text" name="username" placeholder ="Username" required>
                <box-icon name='user'></box-icon>
            </div>
            <div class="input-box">
                <input type="password" name="password" placeholder ="Password" required>
                <box-icon name='lock'></box-icon>
            </div>

            <div class="remember-forgot">
                <input type="checkbox" id="remember-me">
                <label for="remember-me">Remember Me</label>
                <a href="#">Forgot Password?</a>
            </div>
        <button type="submit" class="btn">Login</button>
    </form>
</div>
```

```
<div class="register-link">
    <p>Don't have an account? <a href="signup.php">Register</a></p>
</div>
</form>

<div class="error-message">
<?php

// Start the session if not already started
if (session_status() == PHP_SESSION_NONE) {
    session_start();
}

// Check if the form is submitted
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    include "../includes/connect.php";

    // Get username and password from the form
    $username = $_POST["username"];
    $password = $_POST["password"];

    // SQL query to check if the user exists
    $sql = "SELECT * FROM users WHERE username='$username' AND pass='$password'";
    $result = $conn->query($sql);

    if ($result->num_rows > 0) {
        // User exists, set session variable and redirect to welcome page
        $user = $result->fetch_assoc();
        $_SESSION["user_id"] = $user["user_id"];
        $_SESSION["username"] = $user["username"];
        $_SESSION["pass"] = $user["pass"];
        $_SESSION["email"] = $user["email"];
        $_SESSION["user_type"] = $user["user_type"];
        $_SESSION["logged_in"] = true;

        header("Location: ../index.php");
        exit();
    } else {
}
```

```

        // User does not exist, handle accordingly (e.g., display an error
message)

    echo "Invalid username or password";
}

?>

        </div>
    </div>
</body>
</html>

```

- **signup.php**

```

<?php
session_start();

if ($_SERVER["REQUEST_METHOD"] == "POST") {
    if (isset($_POST["freelance_name"]) &&
isset($_POST["freelance_mail"]) && isset($_POST["freelance_pass"])
&& isset($_POST['user_type'])) {
        require_once
'C:\xamppforact\htdocs\project-root\includes\connect.php';

        $freelance_name = $_POST["freelance_name"];
        $freelance_mail = $_POST["freelance_mail"];
        $freelance_pass = $_POST["freelance_pass"];
        $user_type = $_POST['user_type']; // The user_type sent from
the form

        // Perform data validation and sanitization here if needed

        if ($user_type === 'freelancer') {
            // Insert data for a freelancer user into the 'users'
table
            $sql = "INSERT INTO users (username, pass, email,
user_type) VALUES ('$freelance_name', '$freelance_pass',
'$freelance_mail', 'freelancer')";

```

```

        if ($conn->query($sql) === TRUE) {
            // Redirect to freelancer_index.php in the
freelancerside folder
            $conn->close();
            header('Location:
/project-root/pages/freelancer.php');
            exit();
        } else {
            echo "Error: " . $sql . "<br>" . $conn->error;
        }
    } elseif ($user_type === 'client') {
        // Insert data for a client user into the 'users' table
        $sql = "INSERT INTO users (username, pass, email,
user_type) VALUES ('$freelance_name', '$freelance_pass',
'$freelance_mail', 'client')";
        if ($conn->query($sql) === TRUE) {
            // Redirect to client_index.php in the clientside
folder
            $conn->close();
            header('Location: /project-root/pages/client.php');
            exit();
        } else {
            echo "Error: " . $sql . "<br>" . $conn->error;
        }
    }
} else {
    echo "Please fill in all the required fields and select a
user type."; // Prompt for missing fields or user type
}
}

?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
    <title>Signup</title>

```

```
<link rel="stylesheet"
      href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
      <link rel="stylesheet" href="../css/signup.css">
</head>
<body>
<?php
    include('..../includes/header.php');
?>

<div class="hero">
    <div class="form-box">

        <div class="social-icons">
            <h1>Sign Up</h1>
        </div>
        <div class="button-box">
            <div id="btn"></div>
            <button type="button" class="toggle-btn"
                    onclick="selectUserType('freelancer')">Freelancer</button>
            <button type="button" class="toggle-btn"
                    onclick="selectUserType('client')">Client</button>
        </div>
        <form id="freelancer" class="input-group" method="POST">
            <input type="freelance_name" name="freelance_name"
                   class="input-field" placeholder="Create Username" required>
            <input type="password" name="freelance_pass"
                   class="input-field" placeholder="Create Password" required>
            <input type="freelance_mail" name="freelance_mail"
                   class="input-field" placeholder="Email" required>
            <input type="checkbox"
                   class="check-box"><span>Remember Password</span>
            <input type="hidden" id="user_type" name="user_type"
                   value="">
            <button type="submit" class="submit-btn"
                    onclick="validateAndSubmit(event)">Sign up</button>
        </form>
    </div>
</div>
```

```
<script>

var z = document.getElementById("btn");
var freelancerButton =
document.querySelector(".toggle-btn:nth-child(1)");

// Select Freelancer by default
selectUserType('freelancer');

function selectUserType(type) {
    document.getElementById('user_type').value = type;
    if (type === 'freelancer') {
        z.style.left = "0";
        freelancerButton.classList.add("active");

document.querySelector(".toggle-btn:nth-child(2)").classList.remove(
"active");
    } else if (type === 'client') {
        z.style.left = "110px";

document.querySelector(".toggle-btn:nth-child(1)").classList.remove(
"active");
    }
}

function validateAndSubmit(event) {
    if (document.getElementById('user_type').value === '') {
        alert('Please select a user type (Freelancer or
Client).');
        event.preventDefault();
    }
}
</script>

<?php
error_reporting(E_ALL);
ini_set('display_errors', 1);

if ($_SERVER["REQUEST_METHOD"] == "POST") {
```

```

require_once
'C:\xamppforact\htdocs\project-root\includes\connect.php'; // Assuming this includes the database connection

if (isset($_POST["freelance_name"]) && isset($_POST["freelance_mail"]) && isset($_POST["freelance_pass"]))
&& isset($_POST['user_type'])) {
    $freelance_name = $_POST["freelance_name"];
    $freelance_mail = $_POST["freelance_mail"];
    $freelance_pass = $_POST["freelance_pass"];
    $user_type = $_POST['user_type']; // The user_type sent from the form

    // Perform data validation and sanitization here if needed

    if ($user_type === 'freelancer') {
        // Insert data for a freelancer user into the 'users' table
        $sql = "INSERT INTO users (username, pass, email, user_type) VALUES ('$freelance_name', '$freelance_pass', '$freelance_mail', 'freelancer')";
        if ($conn->query($sql) === TRUE) {
            // Redirect to freelancer_index.php in the freelancerside folder
            $conn->close();
            header('Location: /project-root/pages/freelancer.php');
            exit();
        } else {
            echo "Error: " . $sql . "<br>" . $conn->error;
        }
    } elseif ($user_type === 'client') {
        // Insert data for a client user into the 'users' table
        $sql = "INSERT INTO users (username, pass, email, user_type) VALUES ('$freelance_name', '$freelance_pass', '$freelance_mail', 'client')";
        if ($conn->query($sql) === TRUE) {
            // Redirect to client_index.php in the clientside folder
            $conn->close();
        }
    }
}

```

```
        header('Location: /project-root/pages/client.php');
        exit();
    } else {
        echo "Error: " . $sql . "<br>" . $conn->error;
    }
}

} else {
    echo "Please fill in all the required fields and select a
user type." // Prompt for missing fields or user type
}
} else {
    echo "Invalid request method"; // For GET requests or unexpected
behavior
}
?>

</body>
</html>
```